

REC

DEVON.

9 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912Kept at *Cave Hill*
South Moor
in the County of *Devon*

FILLEIGH.

1911

by *William F.*op. 8 in.
above Ground 1 ft.
,, Sea Level 363 ft.9 Am.
on { Name *Filleigh GWR*
Distance *2 1/2* mi Direction *SW*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .26	in.	in. .01	in. .18	in. .01	in.	in.	in. .35	in.	in.	in. .03	in.	1
2			.04	.01	.25			.23		.22	.38	.15	2
3			.05		.48				.01		.20	.04	3
4			.14	.01*	.03			.03	.02		.52	.62	4
5	.19		.13	.02*	.01			.37		.05	.45	.06	5
6	.22		.20	.02*				.04			.12	.64	6
7	.23										.60		7
8	.25		.20								.18	.87	8
9	.23										.74	.31	9
10	.03	.08	.42		.30						.02	.34	10
11	.32								.02		.58	.38	11
12			.63						.19		.22	.12	12
13			.01		.01				.60		.08	.16	13
14		.15	.01		.01					.04	.01	.30	14
15	.03	.06				.08					.31	.07	15
16	.01	.03				.20					.20	.22	16
17		.10	.03	.02		.22					.28	.34	17
18		.42	.01	.18		.46	.01			.05	.16	.26	18
19		.06		.42		.45			.30	.25	.39	.79	19
20	.02	.04	.02	.11		.02		.02	.62	.17		.26	20
21	.01	.34		.01		.03		.19	.23	.47		.16	21
22	.01	.03		.06		.41			.28	.46		.40	22
23	.02	.19	.02	.03		.10			.31	.26	.02	.22	23
24	.02	.32				.59		.10		.56		.18	24
25	.07	.10		.23		.09		.01	.05	.28		.09	25
26	.01	.10		.28	.03		.28	.20		.39	.03	.38	26
27		.52	.01	.02		.02		.57	.25	.37		.53	27
28		.34		.50	.02	.04		.14			.25	.03	28
29			.01	.32		.93	.22	.08	.37	.37		.01	29
30				.01		.20	.01	.01	.02	.28	.04	.09	30
31							.04			.20		.03	31
Total	1.93	2.88	1.94	2.43	1.15	3.82	0.56	2.34	3.27	4.42	5.78	8.05	TOTAL for year 38.59
No. of Rain Days	17	16	17	18	10	15	5	14	14	16	23	29	194

3 - JAN 1932

Kept at Castle Erle School, Fillingham
South Molton
 in the County of Devon N. 2

by William. R. Reeve

Pattern
 RAIN Gauge Diameter of top 8 in.
 Height of top above Ground 1 ft.
 " " " Sea Level 363 ft.

Time of Observation 9 Am.

Nearest Railway Station { Name Fillingham GWR
 Distance 2 miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26		.01	.18	.01			.35			.03		1
2			.04	.01	.25			.23		.22	.38	.15	2
3			.05		.48				.01		.20	.074	3
4			.14	.01*	.03			.03	.02		.52	.62	4
5	.19		.13	.02*	.01			.37		.05	.45	.06	5
6	.22		.20	.02*				.074			.12	.64	6
7	.23										.60		7
8	.25		.20								.18	.87	8
9	.23										.74	.31	9
10	.03	.08	.42		.30						.02	.34	10
11	.32								.02		.58	.38	11
12			.63						.19		.22	.12	12
13			.01		.01				.60		.08	.16	13
14		.15	.01		.01					.04	.01	.30	14
15	.03	.06				.08					.31	.07	15
16	.01	.03				.20					.20	.22	16
17		.10	.03	.02		.22					.28	.34	17
18		.42	.01	.18		.46	.01			.05	.16	.26	18
19		.06		.42		.45			.30	.25	.39	.79	19
20	.02	.04	.02	.11		.02		.02	.62	.17		.26	20
21	.01	.34		.01		.03		.19	.23	.47		.16	21
22	.01	.03		.06		.41			.28	.46		.40	22
23	.02	.19	.02	.03		.10			.31	.26	.02	.22	23
24	.02	.32				.59		.10		.56		.18	24
25	.07	.10		.23		.09		.01	.05	.28		.09	25
26	.01	.10		.28	.03		.28	.20		.39	.03	.38	26
27		.52	.01	.02		.02		.57	.25	.37		.53	27
28		.34		.50	.02	.074		.14			.25	.03	28
29			.01	.32		.93	.22	.08	.37	.37		.01	29
30				.01		.20	.01	.01	.02	.28	.074	.09	30
31							.074			.20		.03	31
Total	1.93	2.88	1.94	2.43	1.15	3.82	0.56	2.34	3.27	4.42	5.78	8.05	38.59
No. of Rain Days	17	16	17	18	10	15	5	14	14	16	23	29	194

~~BARNSTABLE~~
FILLEIGH

1911

FORM A2.
BRITISH RAINFALL.
-8 MAY 1912

Kept at Cas

in the County of

by County

CASTLE HILL GONS

DEVON.

IMPORTANT
previous day. I
requested to add
for it at the end
the selection and
Organization are
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920.

of top in.
of top above Ground ft. in.
" " Sea Level ft.
ion

Station { Name
Distance Direction

m., and the result entered to the
most universal rule, he is earnestly
wing year in the space provided
measurement of rain,
the British Rainfall
ree on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	-	-	.16	.03	-	-	.36	-	.01	.03	-	1
2	-	-	.04	-	.22	-	-	.20	-	.21	.39	.12	2
3	-	-	.04	-	.48	-	-	.02	.02	-	.18	.03	3
4	-	-	.14	-	.03	-	-	.12	-	.01	.50	.66	4
5	.20	-	.32	.02	-	-	-	.25	-	-	.48	.14	5
6	.21	-	.15	.03	-	-	-	.03	-	.04	.13	.63	6
7	.21	-	-	-	-	-	-	-	-	-	.55	.01	7
8	.25	-	.21	-	-	-	-	-	-	-	.20	.88	8
9	.19	-	-	-	-	-	-	-	-	-	.76	.26	9
10	.03	.06	.43	-	.32	-	-	-	-	-	.04	.31	10
11	.40	-	-	-	-	-	-	-	-	-	.59	.43	11
12	-	.01	.69	-	-	-	-	-	.18	-	.21	.29	12
13	-	-	.01	-	-	-	-	-	.58	-	.08	.09	13
14	-	.03	.01	-	-	-	-	-	-	.04	.04	.31	14
15	-	.06	.01	-	-	.05	-	-	-	-	.25	.06	15
16	.03	.02	-	-	-	.23	-	-	-	-	.20	.20	16
17	-	.09	.04	.02	-	.45	-	-	-	-	.22	.35	17
18	-	.37	.01	.16	-	.43	-	-	-	.06	.23	.24	18
19	-	.07	-	.43	-	.45	-	-	.30	.22	.40	.80	19
20	.01	.10	.01	.10	-	.01	-	.01	.65	.35	-	.20	20
21	.02	.26	-	-	-	.01	-	.30	.17	.31	-	.20	21
22	-	.03	-	.06	-	.41	-	-	.29	.49	-	.43	22
23	-	.16	-	.02	-	.08	-	-	.32	.25	-	.18	23
24	-	.32	-	-	.01	.57	-	.10	-	.50	-	.17	24
25	.07	.06	-	.22	-	.11	-	-	.05	.26	-	.08	25
26	-	.13	-	.27	.01	-	.28	.19	-	.48	.04	.41	26
27	-	.58	.01	.01	-	.02	-	.54	.26	.29	-	.51	27
28	-	.28	-	.50	-	.03	-	.15	-	-	.22	.02	28
29	-	-	-	.33	-	.94	.26	.10	.35	.40	-	.03	29
30	-	-	-	-	-	.04	.01	-	.01	.29	.04	.07	30
31	-	-	-	-	-	-	.04	-	-	.15	-	.01	31
Total	1.87	2.603	2.12	2.33	1.10	3.83	.59	2.37	3.18	4.36	5.76	8.12	TOTAL for year
No. of Rain Days.	12	17	15	14	7	15	4	13	12	18	22	30	38.26

19 11

FORM A2.
BRITISH RAINFALL.
-8 MAY 1912

Kept at Castle Hill

in the County of N. Devon 2

by Countess Forbes

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	-	-	.16	.03	-	-	.36	-	.01	.03	-	1
2	-	-	.04	-	.22	-	-	.20	-	.21	.39	.12	2
3	-	-	.04	-	.48	-	-	.02	.02	-	.18	.03	3
4	-	-	.14	-	.03	-	-	.12	-	.01	.50	.66	4
5	.20	-	.32	.02	-	-	-	.25	-	-	.48	.14	5
6	.21	-	.15	.03	-	-	-	.03	-	.04	.13	.63	6
7	.21	-	-	-	-	-	-	-	-	-	.55	.01	7
8	.25	-	.21	-	-	-	-	-	-	-	.20	.88	8
9	.19	-	-	-	-	-	-	-	-	-	.76	.26	9
10	.03	.06	.43	-	.32	-	-	-	-	-	.04	.31	10
11	.40	-	-	-	-	-	-	-	-	-	.59	.43	11
12	-	.01	.69	-	-	-	-	-	.18	-	.21	.29	12
13	-	-	.01	-	-	-	-	-	.58	-	.08	.09	13
14	-	.03	.01	-	-	-	-	-	-	.04	.04	.31	14
15	-	.06	.01	-	-	.05	-	-	-	-	.25	.06	15
16	.03	.02	-	-	-	.23	-	-	-	-	.20	.20	16
17	-	.09	.04	.02	-	.45	-	-	-	-	.22	.35	17
18	-	.37	.01	.16	-	.43	-	-	-	.06	.23	.24	18
19	-	.07	-	.43	-	.45	-	-	.30	.22	.40	.80	19
20	.01	.10	.01	.10	-	.01	-	.01	.65	.35	-	.20	20
21	.02	.26	-	-	-	.01	-	.30	.17	.31	-	.20	21
22	-	.03	-	.06	-	.41	-	-	.29	.49	-	.43	22
23	-	.16	-	.02	-	.08	-	-	.32	.25	-	.18	23
24	-	.32	-	-	.01	.57	-	.10	-	.50	-	.17	24
25	.07	.06	-	.22	-	.11	-	-	.05	.26	-	.08	25
26	-	.13	-	.27	.01	-	.28	.19	-	.48	.04	.41	26
27	-	.58	.01	.01	-	.02	-	.54	.26	.29	-	.51	27
28	-	.28	-	.50	-	.03	-	.15	-	-	.22	.02	28
29	-	-	-	.33	-	.94	.26	.10	.35	.40	-	.03	29
30	-	-	-	-	-	.04	.01	-	.01	.29	.04	.07	30
31	-	-	-	-	-	-	.04	-	-	.15	-	.01	31
Total	1.87	2.603	2.12	2.33	1.10	3.83	.59	2.37	3.18	4.36	5.74	8.12	TOTAL for year
No. of Rain Days.	12	17	15	14	7	15	4	13	12	18	22	30	38.26

REGISTER OF RAINFALL IN 1912

Kept at Castle Hill
in the County of Devon N2
by E. E. Bristow

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL
25 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					14	28	21	15	09	1.15		53	1
2				07		96	03	01		03	05		2
3				01		07	04	1.16	21			05	3
4					02	32		07			62		4
5				02	06			25			01	05	5
6				01	37			1.19			05	02	6
7				03	19	58	10	80	01		03	05	7
8				03		43	06	03	02		01		8
9				15		19	09	06			03	28	9
10						09	09	14	02		22	08	10
11							05				36	49	11
12					06	01	14	01				06	12
13						15	65	22		04		26	13
14					18	04		52		04		04	14
15					09	1.45		04				87	15
16					07	10		24		19	08	11	16
17					03	36		50				23	17
18								38		44	13	11	18
19						03	04	74		17	08	04	19
20					10	02		69		68	17		20
21					45			45		26	01		21
22					01		10	62		19	04	02	22
23						16	04	1.21		44	17	51	23
24						26				04		19	24
25						80	01	27		17	57	58	25
26								21		27	68	30	26
27						68	68			89	01	70	27
28						22	33	60	14	19	48	57	28
29						19	49	06	34	28		10	29
30					01		30	01	03	43		02	30
31							26	06		02		07	31
Total	4.24	2.23	6.19	.32	1.78	7.39	3.71	10.62	.86	5.92	3.80	6.33	TOTAL 53.46
No. of Rain Days.	24	21	27	7	14	22	19	28	8	19	20	26	232

82

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 336
28 JAN 1914

Kept at Castle Hill
in the County of N. Devonshire
by E. E. Bristow

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.37	.18	.09	.24				.02	.01	.13	.63	1
2	.04	.21		.11	.27	.01				.03	.15	.07	2
3	.11		.05		.74						.01	.38	3
4	1.03			.01	.22	.08			.08	.10	.05	.30	4
5	.16	.04	.03		.18	1.05	.09		.12		.33	.65	5
6	.03	.09	.18		.02	.26	.01			.25	.29	.59	6
7		.36	.03		.53	.14				.59	.21	.03	7
8	.03	.11			.19	.02	.11			.05		.08	8
9		.06	.05	.03	.26	.42	.04	.24	.03		.40	.12	9
10	.67		.06	.03	.03	.13		.09		.74	.06		10
11	.66		.04	.34	.27	.26	.02	.01	.05	.11	.79	.10	11
12	.17			.04	.04	.02			.05	.01	.98	.02	12
13	.03		.17	.02			.06	.22	.44		.23	.01	13
14	.10		.20	.01			.02	.01	.08	.11	.28	.08	14
15	.11	.02	.47	1.11					.04		.19	.18	15
16	.20		.92	.15			.05	.81	.22		.15		16
17	.25		.14	.06			.11				.10		17
18	.40		.19	.11		.02	.09				.09		18
19	.48		.09	.01	.17	.01	.29		.31	.15	.01		19
20	.30		.21	.14					.16	.15	.48		20
21			.04	.32	.11	.03	.10	.03		.01	.36		21
22	1.29		1.04		.04	.19		.18	.13			.06	22
23	.03		.05			.02		.13	.02		.15	.62	23
24	.06	.04		.20		.01		.02			.10	.01	24
25		.02		.43					.06	.01	.15	.15	25
26				.54		.05		.02			.05	.51	26
27	.27		.18	.29						.40	.03	.16	27
28	.11			.22	.06					.50	.03	.12	28
29	.03		.32	.30	.04					.20	.05		29
30	.36			.42	.02					.65	.09	.04	30
31	.32		.39		.20			.54		.01			31
Total	7.29	1.32	5.03	4.98	3.63	2.72	.99	2.30	1.81	4.08	5.94	4.91	YEAR'S TOTAL 45.00
Rain Days.	26	10	22	23	19	17	12	12	15	19	28	22	225

320
FORM A.
BRITISH RAINFALL
REGISTER OF RAINFALL IN 1914

Kept at Castle Hill
in the County of N. Devonshire
by E. E. Bristow

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	11		25	62	64			32	04	1
2	01	01	03	06	05		22	39		01	07	37	2
3	06		59	21	43			06		02	01	04	3
4	29		20	29	07		40	73			35	70	4
5	14		50	44	03		13	06		01	01	02	5
6		05	30	55	10	01	37	14			59	45	6
7	03	23	23	16	16	17	52	20	15		01	07	7
8	13		92	02	33	42		04	01		02	03	8
9	21	01	32	14	22	62		14	47				9
10	19	41	09	47	36	03			46		03	08	10
11		22	57		08	11			03		30	36	11
12		45	16						46	12	20	19	12
13		29	23				12		68	11	53	11	13
14		25	52			02		31	05	02	31	01	14
15		06	25				05	97	09		50	21	15
16			06				10		18			06	16
17	01	19	34				09		04			48	17
18		31	40						29	01		59	18
19		31	44				1.09		06		12	22	19
20		32	23			22						12	20
21		25	01			13	06	20		14		09	21
22		12	05	02	07	56		04		49			22
23		05	18		02	05	22	01		30			23
24			06			03	03	17			28		24
25	27	03	35		10		37	68		53	01	18	25
26	05	05	15				31	04		08	33	39	26
27	16	02					03	01	03	50	26	17	27
28	04	11	16		11		03			48	19	1.01	28
29	27		16		16					25	35	04	29
30			10		02					08	66	38	30
31	07				11		43			61		19	31
Total	1.93	3.74	7.65	2.47	2.42	2.62	5.10	4.83	3.00	3.76	5.45	6.60	49.66
Rain Days.	15	21	29	11	17	13	19	18	14	17	22	27	22.3

22

✓

REGISTER OF RAINFALL IN 1915

315-
FORM A.
1949
BRITISH RAINFALL

Kept at Castle Hill Gardens
in the County of N. Devonshire
by E. E. Bristol

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	38	30			16			53	12	46	01	28	1
2	20	15	28	16		12		35	04	06		70	2
3		05	16	40	07	01	11	03				49	3
4	16	80	01		01		01	01				82	4
5	14	18	02	12				18				52	5
6	60	08		29			33	10		01		33	6
7	42	79		08	03		30	11		20	07	34	7
8	31	34					01	24			13	12	8
9	07	24		41				02			48	79	9
10	54	18	18	06				30		11	11	08	10
11	22	13	05				09	04		01	99	08	11
12	37	28		05	45			16		25	48	05	12
13	06	54		01	46		17	19	02	03	13	18	13
14	06						16	44	01	06	02	66	14
15	22				36		20	02	02	03	30	13	15
16	02	82		02	26		136			01			16
17	01	13			05		04					02	17
18		21					05	01					18
19	03	05		13	15		31						19
20	84			06		07				12		08	20
21	19	23	01		06	03	09			44		64	21
22	12	10	22	09		13	35			05		34	22
23	03	05	04			01	14		01	86		105	23
24			02	01			25		01	12		47	24
25	01					21	10			02	06	36	25
26		10				19	03		03			51	26
27		11				43	09		03	56		07	27
28		16				06			38	33	03	01	28
29						19	01	01	14	01	13	08	29
30	18	X				09			03	37	32	23	30
31		X		X		X	08	09	X	31	X	21	31
Total	5.18	6.02	99	1.89	2.06	1.54	4.28	2.83	84	4.42	3.26	9.64	42.95
Rain Days.	23	23	10	14	11	12	22	18	12	22	14	28	209
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

1904
280
BRITISH RAINFALL
FORM A.

Kept at *Castle Hill*
in the County of *N. Devonshire*
by *E. E. Priston*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07		23		25	23	22		02	50	02		1
2	48	08	22	01	08				15	58	10		2
3		106	13	02	23	08	18		10	50	11	05	3
4	36	12		04	11	47	43		18	08	31		4
5	10	05	03		06	08				12	57		5
6	13	23			12	40	42			20	54		6
7	12	25	08		26	06				03	69	23	7
8		34	25	04	08	05					50	12	8
9	01	09	01		18		21			12	10	20	9
10	01	110		18	03		02			03	05	01	10
11				32	03				08		04		11
12	12	11	07	09	33		17			38	01		12
13		47	03	08	01		03	38	09	04			13
14	08	45	18	04	20			84		15			14
15	02	34	01	22	02		06	43		15			15
16	04	08		43	01		30	40	02	28			16
17	10	48		03				01	118	37	66		17
18	02	63	19	08					18	15			18
19	13	14	04	33							05		19
20	01	55	31								30	40	20
21	06	02	20		07	01		02			17	10	21
22	01					11		05		22	06	63	22
23	07			01		24		36		10	14	53	23
24		08	26	02	25	19		08		38		19	24
25		06	21		15	03		40	02	10	27		25
26	08	20	09		04	22		04	68	50	04		26
27	08		71			02		07	39	66	01		27
28	01	04	22					08	06	47		60	28
29		13	04			45		92	13	73		52	29
30		X				03		01		28		04	30
31		X		X		X		10	X	38	X	21	31
Total	2.11	7.10	3.51	1.94	2.51	2.67	2.04	4.19	3.28	7.50	4.74	3.83	45.42
Rain Days.	22	24	21	16	20	16	10	16	14	26	21	14	220

REGISTER OF RAINFALL IN 1917

Kept at Castle Hill
in the County of N. Devonshire
by E. E. Bristol

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04		15	10		15		31	18		10		1
2	08			20		26		01		06	08		2
3	15			10		01	61	01		63	66	03	3
4			22				03		04	31		01	4
5	33		34	26		48			04	43	11		5
6	01		23			09		18		11	30	03	6
7	52					01	15	14		52	19	11	7
8	04		07	20		10	61	74	09	1.03	76	40	8
9				01	12		01	21	01	80	42		9
10	32		26	35	13	01		08		32	09	01	10
11	03		21	43				27		44	30		11
12	19		01	01	26			24		95		02	12
13			25	06		20		53	66	20		04	13
14				07	01			49	12	09	03	06	14
15				05				01	04	24	01	23	15
16		02		05		11				13	06	51	16
17		05	09	60			83	13	23	31	07		17
18		01		01	05	04	51	06	86	03			18
19		64	06			17		08	01	01	10		19
20		19			36	16	01		01		17		20
21			15		01	04		15		05	18		21
22			05		20	02		52		28	01		22
23		37			06			68		27	13	01	23
24						03	14	24		57	18	02	24
25		09	03			31	03	53	05	30	07		25
26			01		39	11	01	70	34	10	26		26
27		20				15		1.38		19	06		27
28			10		06	2.47		37		09	13	02	28
29			23			15		06		43	03	04	29
30		X	10				05	27		15	03		30
31		X	01	X	21	X		21	X	43	X	02	31
Total	1.71	1.57	2.57	2.50	1.86	5.07	2.99	8.60	2.68	9.47	4.53	1.56	45.11
Rain Days.	10	8	19	15	12	21	12	27	14	29	26	16	209

REGISTER OF RAINFALL IN 1918

Kept at Castle Hill
in the County of N. Devonshire
by E. E. Pristow

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	01	18	01			1.89	05	02	05		1
2		14		01				53	08			18	2
3		07		06	09				08	05	09	05	3
4		12						15	34	10	87	50	4
5		01	10	15	05			82	43	27	18	03	5
6	15	52		25					04	18		14	6
7		23		01	15	10		03	43	25	30	11	7
8	05					30	07		44	23	05	03	8
9	23	06		06			26	01	57	32		26	9
10	21	02		22			91		49	15	08	60	10
11	07	02	15			03	26		24	08	11	38	11
12	03	04	08		30	03	23		20			02	12
13	05	01	01		03	06	02		52	19		62	13
14	60				06	08	72	01	76	09		10	14
15	1.41			01		03	30		03	18		80	15
16	45			75		01	08	15	23	11		53	16
17	80			04		61	15	09	13			32	17
18	70		14				41	06	42	27		22	18
19	10	15	23	08		13	13	08	20	01		35	19
20	10	20	01	51		08	50	01	23				20
21	05	03		01	32	10	06		59	04		36	21
22					17		54		33	04		37	22
23	01	03			06	07	47		10		08	70	23
24		23					55	64	90		40	16	24
25	01	01			23		99	51		05	20	02	25
26	02	16					02	04	21	02	22	50	26
27		17	07			06		20	29	01	43	12	27
28		13	15					01	10	02	44	50	28
29			38						1.48			19	29
30		X	30					18	01		27	18	30
31		X	63	X		X		07	X	02	X	05	31
Total	5.04	2.47	2.26	2.34	1.47	1.69	6.67	5.48	9.92	2.70	3.77	8.39	51.20
Rain Days.	18	21	13	14	11	14	19	19	29	23	15	29	225

REGISTER OF RAINFALL IN 1919

Kept at Castle Hill
in the County of N. Devonshire
by E. E. Priestow

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1709
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	68		05		22		30	01	09	53		106	1
2	38		03		09				08	12		33	2
3			19		23				05			88	3
4	03	37	35		01	04	21	13	33			10	4
5	20	47	48				01	01	02			45	5
6	25	25	21									28	6
7	26		37	22					12			10	7
8	12		30	07	05	04					04		8
9	33		06	34	02						53		9
10	10		79	06	05	02				16		10	10
11	18		34	09	16	02	12			02		20	11
12	40	05	35	07		44				24	16		12
13	10	02	06	40			11		03	31		08	13
14	40	10		80	16		08		02	08		13	14
15	30	02		13	02		01			07	03	81	15
16	30	69						01			52	01	16
17		42				07		02			83	04	17
18	03	10	98				14	48	11		58	05	18
19	30	24	37			12	19	76	78		44	18	19
20	34	14	27			10	02	04	30		09	22	20
21	04	74					64	09	11		03	23	21
22		10				06	06		29		12	13	22
23								07		37	10	18	23
24						20		03	05	54	22	57	24
25	32					01		90	02		27	11	25
26	20		20	37		05		08	20	09	07	38	26
27	40	05		27		01		50				10	27
28			50	16							20	81	28
29			01	28		01		08		10		37	29
30		X	08	31		15		30	04		36	62	30
31	01	X	19	X		X	14	01	X		X	24	31
Total	5.67	3.76	6.18	3.57	1.01	1.34	2.03	3.52	2.64	2.63	4.59	8.78	45.72
Rain Days.	23	15	21	14	10	15	13	17	17	12	17	28	202

REGISTER OF RAINFALL IN 1920...

Kept at *Lilleigh, Castle Hill Gardens*
in the County of *N. Devonshire*
by *The Countess Fortescue*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			01	07	17		45	24	26	27	05	64	1
2	10			43			07	31	37	09		14	2
3	17	08		03	04		24	01	25	87		54	3
4			04	09	04			55	03	33			4
5			16	16	33		43	12	02	26			5
6			20	38	23		10			18	05		6
7	04		20	41	04		18		05		08		7
8	13	06	04	19	19		63	05		01		04	8
9	96	17	14	17		26	45	02	04		02		9
10	1.10	45	11	25		18	20				07		10
11	20		08	28	27	04	08					01	11
12	49	09	09	11	02	08	10	02		01	19		12
13	18	06	65	10			01			23	03		13
14	14	03	51	58		03	08		42	46	47		14
15	09	17	04	40	14	43		01	01	40	16		15
16			10	09	04	08	04	02	33	43	11		16
17	19		02		36	37	04	05	96	17			17
18	24		03		02	16		37	18			01	18
19	17	13		53	01	22	01	06				02	19
20	16	04		23		21	08			05		32	20
21	01			08		01	05	01		07		12	21
22	03		08	14		03	08	07				15	22
23				05			62	18				57	23
24	05	07	29			04					07	27	24
25	03	05	12			13	88		03				25
26	41		37	02		18	05		02		12	07	26
27	28	26	09	37	07	85	11				41	28	27
28	58	03	48	15		10	12				04	03	28
29	30	01	46	07	43	14	12	01	01		21	37	29
30	46	~~X~~	01	09	01	13	23		67	17	31	24	30
31	26	~~X~~	35	~~X~~		~~X~~	06		~~X~~	55	~~X~~	17	31
TOTAL	6.77	1.70	4.67	5.47	2.41	3.67	5.51	2.10	3.65	4.55	2.39	3.99	YEAR'S TOTAL. 46.88.
Days with 01 in. or more	25	15	25	26	17	20	27	17	16	17	16	18	239
	11	12	11	14	13	17	25	10	10	15	14	14	197

REGIS

GREAT TORRINGTON.

FORM A2.
BRITISH RAINFALL
10 JAN 1912

Kept at *Enfield, Gues*
in the County of *Devon*

ENFIELD.

DEVON

by *George M. R*

1911, - 1914 - 1920

one foot
level 336.3 ft.
Torrington
ce./ing Direction *W.*
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

IMPORTANT NOTE.—If
previous day. If an Observer
requested to add the reading a
for it at the end of this part
the selection and placing of
Organization are given in "Ru
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	-	-	.21	.09	.37	-	1.69	-	-	-	.01	1
2	.01	-	-	-	.21	.09	-	.29	-	.78	.25	.25	2
3	-	-	.11	-	.46	-	-	-	.01	-	.25	.07	3
4	-	-	.12	-	-	-	-	.23	-	-	.50	.64	4
5	.45	-	.26	.01	-	-	-	.24	-	.08	.16	.11	5
6	.21	-	.03	.01	-	-	-	.03	-	-	.24	.78	6
7	.05	-	-	-	-	-	-	-	-	-	.51	-	7
8	.05	-	.16	-	-	-	-	-	-	-	.22	.78	8
9	.09	-	.01	-	-	-	-	-	-	-	.49	.18	9
10	.05	.04	.53	-	.26	-	-	-	.01	-	.08	.43	10
11	.39	-	-	-	.13	-	-	-	.34	-	.59	.17	11
12	.01	-	.55	-	-	-	-	-	.33	-	.17	.30	12
13	-	-	.06	-	.01	-	-	-	-	.06	.03	.07	13
14	-	.07	.02	-	-	-	-	-	-	.07	.05	.26	14
15	.04	.02	.07	-	-	.05	-	-	-	.01	.36	.10	15
16	.01	.03	.09	-	-	.22	-	-	-	-	.19	.28	16
17	-	.04	.03	.01	-	.24	.02	-	-	-	.31	.40	17
18	-	.43	-	.16	-	.27	-	-	.40	.16	.29	.31	18
19	-	.12	-	.12	-	.45	-	-	.29	.26	.25	.63	19
20	-	.06	.01	.20	-	.01	-	.01	.17	.41	-	.21	20
21	.01	.30	-	-	-	.10	-	.19	.17	.20	-	.14	21
22	.07	.11	-	.12	-	.25	-	-	-	.56	-	.40	22
23	-	.20	.07	-	-	-	-	.02	.19	.30	.07	.16	23
24	.01	.26	-	-	-	.76	-	.23	-	.39	-	.39	24
25	.02	.06	-	.31	-	.06	-	.01	.08	.16	-	.12	25
26	-	.11	-	.43	-	-	.32	.28	-	.44	.02	.28	26
27	-	.74	-	.02	-	-	-	.45	.19	.34	-	.21	27
28	-	.16	-	.70	-	-	-	.13	-	-	.39	-	28
29	-	X	.01	.32	-	.75	.18	.03	.29	.26	-	-	29
30	-	X	-	.01	-	-	-	-	.02	.35	.07	.04	30
31	-	X	-	X	-	X	.02	-	X	.12	X	.01	31
Total	1.63	2.75	2.13	2.63	1.16	3.62	0.54	3.83	2.59	4.95	5.49	7.73	TOTAL for year
No. of Rain Days.	16	16	16	14	6	13	4	14	13	18	22	28	39.05

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Enfield, Great Torrington
in the County of Devon N.3
by George M. Doe

PATTERN
RAIN GAUGE
Diameter of top 5 in. one foot
Height of top above Ground 3 1/2 ft.
" " " Sea Level 336.3 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Torrington
Distance 1 1/2 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	-	-	.21	.09	.37	-	1.69	-	-	-	.01	1
2	.01	-	-	-	.21	.09	-	.29	-	.78	.25	.25	2
3	-	-	.11	-	.46	-	-	-	.01	-	.25	.07	3
4	-	-	.12	-	-	-	-	.23	-	-	.50	.64	4
5	.45	-	.26	.01	-	-	-	.24	-	.08	.16	.11	5
6	.21	-	.03	.01	-	-	-	.03	-	-	.24	.78	6
7	.05	-	-	-	-	-	-	-	-	-	.51	-	7
8	.05	-	.16	-	-	-	-	-	-	-	.22	.78	8
9	.09	-	.01	-	-	-	-	-	-	-	.49	.18	9
10	.05	.04	.53	-	.26	-	-	-	.01	-	.08	.43	10
11	.39	-	-	-	.13	-	-	-	.34	-	.59	.17	11
12	.01	-	.55	-	-	-	-	-	.33	-	.17	.30	12
13	-	-	.06	-	.01	-	-	-	-	.06	.03	.07	13
14	-	.07	.02	-	-	-	-	-	-	.07	.05	.26	14
15	.04	.02	.07	-	-	.05	-	-	-	.01	.36	.10	15
16	.01	.03	.09	-	-	.22	-	-	-	-	.19	.28	16
17	-	.04	.03	.01	-	.24	.02	-	-	-	.31	.40	17
18	-	.43	-	.16	-	.27	-	-	.40	.16	.29	.31	18
19	-	.12	-	.12	-	.45	-	-	.29	.26	.25	.63	19
20	-	.06	.01	.20	-	.01	-	.01	.27	.41	-	.21	20
21	.01	.30	-	-	-	.10	-	.19	.17	.20	-	.14	21
22	.07	.11	-	.12	-	.25	-	-	-	.56	-	.40	22
23	-	.20	.07	-	-	-	-	.02	.19	.30	.07	.16	23
24	.01	.26	-	-	-	.76	-	.23	-	.39	-	.39	24
25	.02	.06	-	.31	-	.06	-	.01	.08	.16	-	.12	25
26	-	.11	-	.43	-	-	.32	.28	-	.44	.02	.28	26
27	-	.74	-	.02	-	-	-	.45	.19	.34	-	.21	27
28	-	.16	-	.70	-	-	-	.13	-	-	.39	-	28
29	-	X	.01	.32	-	.75	.18	.03	.29	.26	-	-	29
30	-	X	-	.01	-	-	-	-	.02	.35	.07	.04	30
31	-	X	-	X	-	X	.02	-	X	.12	X	.01	31
Total	1.63	2.75	2.13	2.63	1.16	3.62	0.54	3.83	2.59	4.95	5.49	7.73	TOTAL for year
No. of Rain Days.	16	16	16	14	6	13	4	14	13	18	22	28	39.05

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at "Exfield" G.L. Gorington
in the County of Hereford N. 3
by George M. Doe.

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 336.3 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Gorington
Distance 1/2 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.20	.01	.04	.35	.03	.03	.15	1.50	—	.33	1
2	—	—	.24	.02	—	1.31	.01	—	—	.01	.04	.02	2
3	.04	—	.34	.01	.03	.08	.03	1.25	.11	—	—	.02	3
4	.43	—	.98	—	.02	.22	—	.04	.04	—	.20	—	4
5	.75	.11	.23	—	.13	—	—	.55	—	—	.01	.05	5
6	.68	.19	.02	—	.21	—	.01	.41	—	—	—	.02	6
7	.04	.31	.18	.01	.12	.38	.20	.40	—	—	.01	.06	7
8	.44	.07	.04	.05	—	.19	—	—	.01	—	—	.01	8
9	—	.38	.08	.06	—	—	.11	.08	—	—	.01	.55	9
10	.34	.02	.03	—	—	.19	.15	.07	—	—	.17	.06	10
11	—	.02	—	—	—	—	.01	—	—	—	.26	.45	11
12	.04	.02	.15	—	.09	—	.09	.16	—	—	.13	.04	12
13	.21	.02	—	—	—	—	.12	.08	—	(13)	—	.26	13
14	.10	.02	.47	—	.23	.01	—	.28	—	.01	.01	.12	14
15	.07	.02	.02	—	.10	1.07	—	.02	—	—	.01	.48	15
16	.13	—	.38	—	.10	.07	—	.20	—	.15	.03	.95	16
17	—	—	.21	—	.08	.15	—	.54	—	—	—	.35	17
18	—	.06	.20	—	—	—	—	.51	—	.15	.05	.06	18
19	—	.20	.11	—	.01	.03	.01	.70	—	.03	.01	.05	19
20	.04	.06	.24	—	.03	—	—	.20	—	.75	.11	—	20
21	—	.15	.46	—	.46	—	—	.28	—	.14	—	—	21
22	.36	.19	.21	—	.06	.03	.01	.34	—	.10	.04	.06	22
23	.08	.39	.27	—	—	.27	—	.76	—	.37	.15	.30	23
24	.02	.03	.05	—	—	.21	.09	—	—	.06	—	.18	24
25	.10	—	—	—	—	.60	—	.22	—	.25	.61	.51	25
26	—	.16	.01	—	—	—	.03	.11	—	.30	.59	.72	26
27	—	.01	.01	—	—	.55	.55	.04	—	1.00	.03	.79	27
28	—	.10	—	—	—	.42	.74	.62	.29	.25	.43	.65	28
29	—	.08	—	—	—	.19	.43	.18	.37	.26	.01	.16	29
30	—	—	.04	—	—	.41	.30	—	.03	.44	—	.01	30
31	—	—	.44	—	—	—	.18	.03	—	.09	—	.21	31
Total	3.90	2.60	5.61	.16	1.71	6.73	3.10	8.10	1.00	5.98	2.91	6.27	TOTAL 48.07
No. of Rain Days.	14	22	26	6	15	20	19	26	7	19	21	28	226

REGISTER OF RAINFALL IN 1914

Kept at "Tregfield" Gr. Tregunna
in the County of Devon
by George M. Doe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level

BRITISH RAINFALL
FORM A.
-3 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.06	.10	—	.18	.10	.60	—	—	.20	.11	1
2	.03	—	—	.02	—	—	.21	.44	—	—	.03	.54	2
3	.05	—	.22	.20	.44	—	—	.01	—	—	.05	.20	3
4	.34	—	.10	.32	.03	—	.43	.81	—	—	.37	1.03	4
5	.04	—	.25	.38	.01	—	—	.01	—	—	.06	.04	5
6	—	.04	.11	.09	.07	.04	.17	.13	—	—	.17	.24	6
7	.04	.29	.36	.22	.09	.09	.34	.24	.46	—	—	.16	7
8	.23	—	.92	.01	.13	.35	.01	.05	—	—	.01	.01	8
9	.13	.03	.23	.38	.12	.63	—	.12	.44	—	—	.06	9
10	.31	.23	.12	.56	.10	.03	—	—	.22	—	.01	.04	10
11	—	.18	.60	—	.04	.14	—	—	.01	—	.18	.36	11
12	—	.42	.08	—	—	—	—	—	.41	.05	.16	.11	12
13	—	.49	.26	—	—	—	.10	—	.36	.16	.31	.10	13
14	—	.51	.33	—	—	.01	.18	.44	.01	—	.33	.04	14
15	—	.03	.24	—	—	—	.01	.22	.07	—	.36	.29	15
16	—	—	.01	—	—	—	.03	—	.23	—	—	.02	16
17	—	.44	.36	—	—	—	.03	—	.08	—	—	.63	17
18	—	.13	.48	—	—	—	.04	—	.28	—	—	.53	18
19	—	.04	.43	—	—	—	1.56	—	.12	—	.10	.18	19
20	—	.31	.13	—	—	.11	—	—	—	—	—	.15	20
21	—	.11	—	—	—	—	.09	—	—	.22	—	.09	21
22	—	.12	.03	—	.03	.07	—	.11	—	.88	—	—	22
23	—	.12	.08	—	—	.01	.13	.03	—	.14	—	—	23
24	.01	.01	.08	—	—	—	.14	.05	—	.04	.20	—	24
25	.38	—	.27	—	—	—	.39	.41	—	.42	.01	.32	25
26	.25	—	.01	—	—	—	.24	—	—	.08	.44	.51	26
27	.13	.03	—	—	—	—	.03	—	—	.24	.34	.24	27
28	.04	.06	.14	—	.10	—	—	—	—	.19	.11	.86	28
29	.40	—	.31	—	.08	—	—	—	—	.12	.40	.05	29
30	.01	X	.13	—	—	—	—	—	—	.13	.83	.36	30
31	.10	X	—	X	.08	X	.41	—	X	.95	X	.18	31
Total	2.55	3.90	6.34	2.28	1.32	1.66	4.67	4.00	2.42	3.62	4.40	7.45	44.91
Rain Days.	16	20	24	13	13	11	20	15	12	13	21	28	206

REGISTER OF RAINFALL IN 1915

Kept at *Enfield, Great Torrington*
 in the County of *Devon*
 by *George M. M. M.*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Torrington*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. _____ in.
 " " " " Sea Level *336.3* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.19	.01		.05			.44	.34	.24		.72	1
2	.25	.25	.20	.08		.02		.26	.01	.02		.49	2
3	.08	.03	.12	.11	.26			.01				.61	3
4	.06	.58			.01							.73	4
5	.02	.36		.18				.21				.59	5
6	.57	.05		.31			.22	.02				.50	6
7	.32	.53		.09	.10		.44			.31	.02	.38	7
8	.37	.34					.02	.22		.01	.26	.12	8
9	.05	.27		.29							.37	1.05	9
10	.41	.34	.13	.08		.11		.41		.04	.02	.04	10
11	.05		.02		.01		.01				.89	.14	11
12	.12	.20		.05	.43		.02	.05		.02	.42	.12	12
13	.03	.80		.01	.59		.05	.02	.11	.02	.39	.08	13
14	.10						.20	.32	.10	.04	.06	.84	14
15	.21		.01		.32		.20	.02	.01	.03	.45	.20	15
16	.02	.77		.02	.20		.95						16
17	.04	.23			.11							.01	17
18	.01	.30					.02						18
19	.04			.11	.18		.20						19
20	.64	.06		.09		.09				.08		.04	20
21	.22	.25			.15	.03	.20		.04	.18		.40	21
22	.10	.07	.21	.02			.37		.02	.26		.40	22
23	.04	.02	.03			.06	.13		.01	1.13		.66	23
24	...		.01	.02		.01	.05		.05	.53		.33	24
25	.01		.02			.20	.18			.01		.25	25
26	...	.18				.13	.44		.15			.51	26
27	...	.04				.39	.04		.07	.52		.07	27
28	...	.09				.03			.34	.26			28
29	...					.34		.01	.02	.08	.22	.17	29
30	.24	X				.01			.19	.36	.38	.29	30
31	.03	X		X		X	.12	.09	X	.20	X	.25	31
Total	4.47	5.95	.76	1.46	2.41	1.42	3.86	2.08	1.46	4.40	3.48	10.03	41.78
Rain Days.	26	22	10	14	12	12	19	13	14	20	11	27	200

REGISTER OF RAINFALL IN 19 16

Kept at "Exfield" G. J. Gorington
in the County of Devon
by George M. Doe.

Lat. Same Long. Same as last year
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

1916
BRITISH RAINFALL
FORM A.
19 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	.02	—	.14	.28	.21	—	.21	.22	.01	—	1
2	.49	.10	.28	—	.02	—	—	—	.02	.32	.04	—	2
3	—	1.03	.01	—	.25	.08	.02	—	.05	.52	.04	.03	3
4	.39	.16	—	.04	.62	.55	—	—	—	.05	.25	—	4
5	.03	.13	.01	—	.05	.14	—	—	—	.12	.51	—	5
6	.10	.28	—	—	.14	.53	.34	—	—	.24	.39	—	6
7	.12	.26	.06	—	.40	.08	.04	—	—	.02	.54	.21	7
8	—	.26	.11	—	.23	.13	—	—	—	—	.28	.21	8
9	—	.12	.01	—	.08	.01	.11	—	.01	.10	.08	.40	9
10	—	.44	—	.10	.02	—	.03	—	.01	.02	.01	—	10
11	—	—	—	.12	.01	—	—	—	—	—	.01	—	11
12	.06	.04	.18	.05	.18	—	.05	.02	.03	.11	—	—	12
13	—	.43	.03	.01	.01	—	.01	.24	—	.03	—	.03	13
14	.08	.66	.03	—	.04	—	—	.02	—	.09	—	.02	14
15	.01	.35	.01	.18	—	—	—	.40	—	.06	—	—	15
16	.01	.13	—	.15	.01	—	—	.43	—	.14	—	—	16
17	.15	.13	—	.03	—	—	—	.11	.44	.81	.64	—	17
18	—	.40	.18	.11	—	—	—	.03	.14	.01	.01	.13	18
19	.29	.18	.03	.13	—	—	—	—	—	—	.59	—	19
20	.12	.64	.24	—	—	—	—	.01	—	—	.24	.28	20
21	.04	.06	.16	—	.06	—	—	.05	—	—	.10	.14	21
22	—	—	—	—	—	.12	—	.24	—	.24	.06	.58	22
23	.04	.10	.05	.05	—	.14	—	.04	—	.12	.21	.16	23
24	—	.05	.18	.08	.11	.02	—	.38	—	.31	.01	.21	24
25	—	.02	.28	—	.03	.02	—	.02	.01	.11	.52	.01	25
26	.03	—	.10	—	.01	.26	—	.03	.48	.31	.01	—	26
27	—	.02	.24	—	.14	.03	—	.04	.48	.89	—	—	27
28	—	.22	.02	—	—	.01	—	.14	.19	.49	—	.53	28
29	—	.08	—	—	—	.50	—	.01	.02	.26	—	.39	29
30	—	X	—	—	—	.02	—	.13	—	.23	—	.02	30
31	—	X	—	X	—	X	—	.01	X	.24	X	.01	31
Total	2.13	6.68	3.29	1.08	2.61	2.92	.84	3.44	2.42	5.68	4.41	3.39	39.22.
Rain Days.	16.	25	21	12	20	14	8	19	13	26	21	14	215.

REGISTER OF RAINFALL IN 1917.

Kept at Infield, 9th Torrington
in the County of Devonshire
by _____

Lat. _____ Long. _____
Time of Observation 9 AM.
Nearest Railway Station Torrington
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. _____ in.
" " " " Sea Level 336-3 ft.

FORM A.
BRITISH RAINFALL
7 FEB 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.06	.28	—	.27	—	.26	.20	—	.08	—	1
2	.01	—	.03	.29	—	.08	—	—	—	.03	.05	—	2
3	.09	.08	—	.05	—	—	.59	—	—	.59	.64	—	3
4	—	.03	.36	—	—	—	.08	—	.02	.31	—	—	4
5	.29	.02	.22	.18	—	.31	—	—	—	.24	.13	—	5
6	.09	—	.12	.05	—	.20	—	—	—	.12	.31	.06	6
7	.33	—	—	—	—	—	.22	.16	—	.40	.06	.14	7
8	.02	—	.20	.12	—	.20	.35	.25	.02	.78	.35	.22	8
9	—	—	.06	.12	.16	—	.02	.30	—	1.09	.36	.01	9
10	.21	—	.38	.39	—	—	—	.22	—	.06	.05	—	10
11	.04	.02	.25	.38	—	—	—	.14	—	.64	.30	—	11
12	.28	—	.01	.09	.27	—	—	.13	—	.73	—	—	12
13	.21	—	.26	.06	—	.17	—	.20	.39	.34	—	.01	13
14	—	—	—	.06	—	—	—	.13	.04	.11	.02	.08	14
15	—	—	—	.04	—	—	.01	.01	—	.20	—	.28	15
16	—	.03	—	.02	—	.10	—	.01	—	.65	.04	.32	16
17	—	.03	.04	.31	.01	—	.34	.12	.19	.13	.01	—	17
18	—	.02	—	—	.10	.03	.49	.01	1.08	.22	—	—	18
19	—	.38	.10	—	—	.17	—	—	—	—	.03	—	19
20	—	.13	—	—	.29	.29	—	—	.02	—	.01	.06	20
21	—	.01	.11	—	—	.02	—	.11	—	.05	.12	.03	21
22	—	—	—	—	.01	.03	—	.34	—	.20	—	—	22
23	—	.13	—	—	.10	.01	—	.40	—	.14	.03	.01	23
24	—	.01	—	—	—	.03	.16	.27	—	.33	.11	—	24
25	.01	.04	.02	—	—	.15	—	.46	.05	.11	.04	—	25
26	—	—	.01	—	.51	.08	—	.30	.30	.10	.08	—	26
27	—	—	—	—	—	.34	.02	1.15	—	.42	.01	—	27
28	—	.12	.04	—	.01	2.57	—	.16	.01	.13	—	.01	28
29	—	—	.28	—	—	.06	.01	.07	.01	.30	.07	.09	29
30	—	X	.13	—	—	—	.04	.22	—	.06	.04	—	30
31	—	X	.05	X	.32	X	—	.17	X	.30	X	—	31
Total	1.60	1.05	2.73	2.43	1.78	5.11	2.38	5.54	2.33	8.18	2.94	1.32	37.44
Rain Days.	12	14	20	15	10	19	12	24	12	28	23	13	202

REGISTER OF RAINFALL IN 1918

Kept at *Enfield, Great Torrington*
in the County of *N. Devon*
by *George M. Doe*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.07	—	.23	.04	—	—	.85	.02	.01	.58	—	1
2	—	.13	—	.05	—	—	—	.11	—	—	.06	.53	2
3	—	.06	—	.02	.06	.02	—	—	.10	.11	.25	.02	3
4	—	.04	—	.03	—	—	—	.09	.18	.09	.63	.45	4
5	—	.04	.09	.20	.09	—	—	.54	.57	.42	.17	—	5
6	.10	.67	.09	.22	—	—	—	—	—	.22	.02	.12	6
7	.02	.20	—	—	.01	.12	—	.01	.47	.09	.34	.01	7
8	.03	.08	—	—	—	—	.11	—	.16	.20	.04	.01	8
9	.09	—	—	.02	—	.23	.03	.01	.52	.03	—	.28	9
10	.11	.01	—	.31	—	—	.70	—	.45	.14	.04	.39	10
11	.10	.11	.12	—	.01	—	.57	—	.41	.07	.07	.14	11
12	.05	.01	.08	—	.18	—	.07	—	.03	—	—	.03	12
13	.38	—	—	—	.02	—	.02	—	.69	.05	—	.44	13
14	.25	—	—	—	.03	.14	.75	—	.46	.13	—	.19	14
15	1.26	—	—	—	—	.02	.72	—	.04	.16	—	.81	15
16	.93	—	—	.50	—	.01	.10	.04	1.10	.01	—	.17	16
17	.84	—	—	.13	—	—	.23	.04	.03	—	—	.33	17
18	1.19	—	.08	—	—	.62	.30	.04	.66	.27	—	.40	18
19	.17	.03	.15	—	—	—	.18	—	.14	.01	—	.12	19
20	.13	.26	—	.26	—	.03	.13	—	.09	—	—	.01	20
21	.12	.01	—	—	—	.13	.07	—	.82	.02	—	.40	21
22	.01	—	—	—	.09	—	.35	—	.19	.01	—	.54	22
23	.10	—	—	—	.01	.05	.17	—	.09	—	.01	.52	23
24	—	.26	—	—	—	.02	.35	.20	.22	—	.34	.33	24
25	—	—	—	—	.31	—	.92	.99	—	—	.20	.01	25
26	—	.14	—	.02	—	—	.19	.05	.27	.07	.08	.31	26
27	—	.10	.13	—	—	.01	—	.16	.37	—	.34	.06	27
28	—	.26	.18	.01	—	—	—	—	.09	—	.22	.14	28
29	—	—	.18	—	—	—	—	—	1.61	—	.01	.07	29
30	.01	X	.37	.05	—	—	—	.01	—	—	.08	—	30
31	—	X	.35	X	—	X	—	.01	X	.04	X	.04	31
Total	5.39	2.48	1.77	2.05	0.85	1.40	5.96	3.15	8.78	2.15	3.48	6.54	49.96
Rain Days.	19	18	11	14	11	12	19	15	26	20	18	28	2114

REGISTER OF RAINFALL IN 1919

Kept at "Enfield" Great Torrington
in the County of Devon
by George Ernest Doe

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Sandy Bay
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	—	.08	.04	.18	—	.01	—	.05	.43	—	1.08	1
2	.26	—	.05	—	.02	—	—	—	.06	.04	—	.14	2
3	.08	—	.29	—	.05	—	—	—	.28	—	.02	.47	3
4	.32	.44	.22	—	—	.14	—	.06	.01	—	—	.03	4
5	.21	.28	.39	—	.04	—	—	—	—	—	—	.39	5
6	.18	.23	.30	—	—	—	—	—	.01	—	.01	.48	6
7	.07	—	.32	.05	—	—	—	—	—	—	—	.08	7
8	.12	—	.24	.02	—	.05	—	—	—	—	.05	—	8
9	.36	—	.05	.22	.09	—	—	—	—	—	1.21	—	9
10	.12	—	1.31	.04	.05	.04	—	—	—	.07	.04	.14	10
11	.17	—	.41	.06	.09	.01	.22	—	—	.04	—	.02	11
12	.34	.02	.13	.02	—	.21	—	—	—	.11	.15	—	12
13	.12	.03	.13	.47	—	—	.09	—	.04	.12	—	.10	13
14	.60	.13	—	.56	.29	—	.03	—	—	.07	—	.14	14
15	.44	.02	—	.02	—	—	—	—	—	.02	—	.53	15
16	.33	.92	—	—	—	—	—	—	—	—	.30	—	16
17	.01	.37	.03	—	.04	.05	—	.03	—	—	.60	—	17
18	.06	.10	.76	—	—	.08	.16	.34	.05	—	.46	.03	18
19	.29	.22	.18	—	—	.25	.04	.67	.45	—	.26	.07	19
20	.13	.07	.27	—	.01	—	—	.05	.30	—	.13	.19	20
21	.11	.88	.01	—	.11	.02	.19	.01	.04	—	—	.20	21
22	—	.05	—	—	—	—	.09	—	.23	—	.03	.10	22
23	—	—	—	—	—	.31	—	.01	—	.17	.10	.12	23
24	.02	—	—	.01	—	.03	—	.05	—	.79	.21	.58	24
25	.24	—	—	—	—	.03	—	.44	—	.01	.24	.06	25
26	.35	—	.17	.19	—	.05	—	.07	.20	.09	.15	.48	26
27	.15	—	—	.20	—	—	—	.44	—	—	—	.11	27
28	.07	—	.32	.07	—	—	—	—	—	.02	.14	.60	28
29	.02	—	.01	.27	—	.17	—	.20	—	.08	.03	.34	29
30	—	X	.08	.26	—	.17	—	.25	.04	—	.34	.61	30
31	.02	X	.34	X	—	X	.01	—	X	—	X	.55	31
TOTAL	5.76	3.71	5.91	2.50	.97	1.61	.84	2.62	1.76	2.07	4.47	7.64	39.86
Days with ".01 in. or more	28	14	23	16	11	15	9	13	13	14	19	26	201

Enfield,
Torrington,
North Devon.

25: 3: 20.

Dear Sir,

I must apologise
for the error in my calcu-
lation returned for Nov. last
which should, as you
state in your letter, be
4.47 (not 3.47) thus
making the total for the
year 39.86 inches.

Yours truly

George A. Ball

REGISTER OF RAINFALL IN 1921.

Kept at "Exfield" Springfield, Deen
in the County of Deen
by George M. Doe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.04	.21	—	1.00	.22	.20	.20	.05	.34	1
2	.24	—	—	.41	.02	—	.17	.25	.22	.16	—	.18	2
3	.16	.19	—	.02	—	—	.30	.01	.03	.41	—	.20	3
4	—	—	.01	—	—	—	—	.44	—	.65	—	—	4
5	—	—	.06	—	.19	—	.45	.06	—	.15	—	—	5
6	—	—	.33	.01	.34	—	.10	—	—	.31	.01	—	6
7	.04	—	.04	.23	.05	—	.05	—	—	—	.07	.01	7
8	.05	.06	—	.56	.13	—	.43	.04	—	—	—	.02	8
9	1.11	.28	.02	.03	—	.13	.29	—	.05	—	.01	—	9
10	1.34	.38	.04	.52	—	.20	.32	—	—	—	.06	—	10
11	.24	—	.08	.25	.18	—	.09	—	—	—	—	.01	11
12	.44	.11	.10	.14	.01	.09	.09	.03	—	.05	.23	—	12
13	.31	.02	.66	.12	—	—	—	—	—	.47	.04	—	13
14	.04	.02	.53	.65	—	.11	.09	—	.25	.27	.66	—	14
15	.03	.17	.03	.29	.12	.08	—	—	.12	.53	.11	—	15
16	—	—	.01	.12	—	.08	.08	—	.31	.63	.08	—	16
17	.15	—	.01	.11	.28	.20	—	.02	.92	.18	—	—	17
18	.37	—	.01	.03	.01	.16	.05	.23	.14	—	—	—	18
19	.06	.11	—	.63	.05	.16	—	—	.56	—	—	—	19
20	.05	.03	—	.30	—	.09	—	—	—	.01	—	.24	20
21	—	—	—	.05	—	—	—	—	.13	.05	—	.38	21
22	.04	—	—	.01	—	—	.04	.02	—	—	—	.44	22
23	—	—	.03	—	—	—	.41	.41	—	—	—	.44	23
24	.04	.04	.29	—	—	—	.44	—	—	—	.06	.34	24
25	.02	.13	.15	—	—	.04	.08	—	—	—	—	—	25
26	.44	—	.44	—	—	.06	—	—	—	—	.14	.04	26
27	.39	.16	.25	.17	.06	.51	.04	—	—	—	1.06	.38	27
28	.64	.01	.33	.01	—	.11	.04	—	—	—	.04	.02	28
29	.22	—	.34	.16	.09	.09	.02	—	.01	—	.18	.31	29
30	.42	~~—~~	~~—~~	.10	.03	.20	.05	—	.63	.16	.24	.40	30
31	.24	~~—~~	.33	~~—~~	—	~~—~~	—	—	~~—~~	.44	~~—~~	.21	31
TOTAL	7.26	1.71	4.20	4.96	1.80	2.31	4.99	1.76	3.57	4.64	3.10	4.38	44.71
Days with ".01 in. or more	24	3	3	6	4	6	22	4	2	16	2	4	56
Days with ".04 in. or more	22	11	15	18	11	16	21	7	11	15	14	13	144
YEAR'S TOTAL													44.71

sh

REGIST

DEVON.

20 JAN 1912

FORM A2.

BRITISH RAINFALL.

2/22

Kept at Hartland

in the County of N. Devon

by Mr. G. Sleep

HARTLAND ABBEY.

1911-1920

in.

ound 1 ft. 6 in.

Level 222 ft.

ne

ance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05-				11			20		06	28	01	1
2					09			26		30	22	14	2
3			03		34			07			15	06	3
4			13					81			25-	45-	4
5			32					32		16	37		5
6			07								13	78	6
7											42		7
8			20								25-	59	8
9											66	25-	9
10			67		29				14			28	10
11					04				53		30	23	11
12			60						08		08	26	12
13			05-								05-	05-	13
14		14	05-								06	26	14
15	05-	04	08			06					37	15-	15
16	01	01	04			23					07	20	16
17		08				71	05-				10	36	17
18		20		34		13					23	25-	18
19			02	04		25-			30	06	04	69	19
20		07	12	20		13			40	54		20	20
21	01	15-						23	39	31			21
22	02	07		10		05-			15-	15-		33	22
23	01	06						06	21	07	10	03	23
24	01	21				60		17	02	26		25-	24
25	06			32		04			03	14		05-	25
26	03	08		31				15-		58		25-	26
27		51						38	12	24		16	27
28		10		30				19				01	28
29				20		56	20		18	24			29
30							12			13	18	08	30
31			09				01			17		02	31
Total	25-	1.72	2.47	1.81	87	2.76	38	2.84	2.55-	3.41	4.31	6.39	TOTAL for year 29.76
No. of Rain Days	9	13	14	8	5	10	4	11	12	15-	20	27	148

REGIST

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Hartland Abbey
in the County of N. Devon N.4
by Mr. G. Sleep

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 222 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05-				11			20		06	28	01	1
2					09			26		30	22	14	2
3			03		34			07			15	06	3
4			13					81			25-	45-	4
5			32					32		16	37		5
6			07								13	78	6
7											42		7
8			20								25-	59	8
9											66	25-	9
10			67		29				14			28	10
11					04				53		30	23	11
12			60						08		08	26	12
13			05-								05-	05-	13
14		14	05-								06	26	14
15	05-	04	08			06					37	15-	15
16	01	01	04			23					07	20	16
17		08				71	05-				10	36	17
18		20		34		13					23	25-	18
19			02	04		25-			30	06	04	69	19
20		07	12	20		13			40	54		20	20
21	01	15-						23	39	31			21
22	02	07		10		05-			15-	15-		33	22
23	01	06						06	21	07	10	03	23
24	01	21				60		17	02	26		25-	24
25	06			32		04			03	14		05-	25
26	03	08		31				15-		58		25-	26
27		51						38	12	24		16	27
28		10		30				19				01	28
29				20		56	20		18	24			29
30							12			13	18	08	30
31			09				01			17		02	31
Total	25	1.72	2.47	1.81	87	2.76	38	2.84	2.55-	3.41	4.31	6.39	TOTAL for year 29.76
No. of Rain Days	9	13	14	8	5	10	4	11	12	15-	20	27	148

REGISTER OF RAINFALL IN 1912

25 JAN 1913
BRITISH RAINFALL
FORM A2

Kept at Hartland Abbey
in the County of North Devon **N4**
by E. Sleep

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			24		07	31	05		11	1.82		18	2
3			22	05		1.19				06	17	09	3
4	07		32	02		12		87	10				4
5	31		45		10	06		08			28		5
6	51	26	08		04		08	78				10	6
7	31	15	04	02	22	26	12	08			05		7
8	06	23	11	02	12	14	17	26	02			10	8
9	34	10	18			09		46					9
10	01	13	14	03			15	04	04			58	10
11	32	07	42				16				06		11
12	02	04					01				21	56	12
13	07	03	30				19	05			31		13
14	19		08	10		04	09			05		40	14
15	15	04	73					29		02		08	15
16	06	03	04		10	74		22		03		64	16
17	26		28		03	08		63			10	22	17
18			15			15		28			08	17	18
19		04	20			04		74		14		10	19
20		05	06		01		08	26		02			20
21	06	01	34		12			25		46			21
22		17	43				01	18		18			22
23	35	20	20			09		71			07	18	23
24	03	50	18			03				20	11	41	24
25	05	08	03			30		24		37	54	15	25
26			01			28	17	19		13	34	63	26
27		06						16		24		18	27
28		03	06			58	68	06		84		60	28
29		09	01			31	11	70	15	05	45	39	29
30		09				23	18	13	30	10		04	30
31			06			04	23		02	25			31
			37	03			05					22	
Total	3.17	2.40	5.73	27	81	5.08	2.53	7.66	74	4.96	2.77	6.02	TOTAL for year
No. of Rain Days	18	21	28	7	9	20	17	23	7	17	13	21	4214 201

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL
FORM A.
2/23

Kept at Hartland Abbey
in the County of H. Devon
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 222 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22	35	27	05							18	24	1
2	03	08	03	13	17	10				12	21	10	2
3	09		04		15						05	12	3
4	79		02	02		05	02		19	24		15	4
5	15	05	02		29	38			36		56	62	5
6	03		14		11	13				07	29	13	6
7		30	05		76	20				51	10	03	7
8	03	20			19			08				05	8
9	01	13	08		17	15	06	27	07		33	05	9
10	59		02		14	04		05		60	07		10
11	55		03		18	18		05	06		50	08	11
12	56			22	05	05			01		34		12
13	06		33	05			12	20	57		15		13
14	12		18	02			11		34	21	16	06	14
15	32		29	1.06			02				02	02	15
16	66		65	15			03		04		18		16
17	21		04	05							11		17
18	09		16	10							03		18
19	56		08	16		01			31	40			19
20	21		13	20	08				02	24	47		20
21	07		20	02	08		18		01	11	31		21
22	43		85	15	05	25		39	10		23	14	22
23	02		02					01	10			70	23
24	13	06		25		04					11		24
25				18		04			05	01	13	10	25
26			10	1.00					05		03	41	26
27	39			18						28	02	01	27
28	08		30	16	16				10	29	02	08	28
29	31		33	38	05					66	04		29
30				02	04					20	01		30
31	20		66		15					03			31
Total	6.91	1.17	5.02	4.55	2.82	1.62	.54	1.05	2.38	3.97	4.65	3.09	37.77
Rain Days.	27	7	25	21	17	13	7	7	16	15	26	18	199

REGISTER OF RAINFALL IN 1914

23 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Hartland Abbey
in the County of N. Devonshire
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 222 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03	05		24	07	50			11	17	1
2					05		35	05					2
3	07		12	24	59			34			05	17	3
4	36		08	40			82	1.13			33	77	4
5	04		26	23			01				11		5
6		15	10	12	13		37	07			21	21	6
7	08	38	18	25	14	02	47	17	10			10	7
8	22		80		23	24		18				31	8
9	27	08	37	09	04	82		32	50			03	9
10	20	46	05	34		09			35			23	10
11		21	56			21					05		11
12		70	14						43		05	13	12
13		37	25				08		32	14	19	15	13
14		25	32				07	1.28	04		35	15	14
15			09				01	15	08		62		15
16							01		14			59	16
17		40	19				08		31			35	17
18		08	29				04					18	18
19		03	24				95		05		01	15	19
20		48	14			25							20
21		32					21			18			21
22		02	12	04		06		09		29			22
23		10	27		03		04	04		08			23
24		02	10				05	90			10		24
25	27		20				02	10		44	02	33	25
26	10		15				07			17	35	44	26
27	12	03								20	27	22	27
28	05	12	25		11					40	24	70	28
29	31		28		10					14	20		29
30	01		15							10	55	25	30
31	06				03		50			40		18	31
Total	2.16	4.20	5.73	1.76	1.45	1.93	4.22	5.32	2.32	2.52	3.81	5.81	41.23
Rain Days.	14	18	26	9	10	8	19	14	10	11	18	21	178

82. ✓ REGISTER OF RAINFALL IN 1915

1984
423
BRITISH RAINFALL FORM A.

Kept at Harstand Abbey
in the County of N. Devon
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20	22			23			41	07	20		44	1
2	28	15	16	14				13	15	03		59	2
3	06	19	15	20	14	10						54	3
4	02	33	04				02					25	4
5		35	01	08		03		39				74	5
6	53	15		25			19	20				12	6
7	21	64		04	04		26	13		47		50	7
8	08	30						19			18	09	8
9	05	43		09				07			42	82	9
10	22	30	18	10						05	04		10
11		28				05	04	11		04	88		11
12	05		05	02	42					03	38	10	12
13	10	42		12	70		47		09	02	11	10	13
14	04						05	13	03		07	1.08	14
15	10				34		22		07		05	23	15
16	05	1.04			13		1.42						16
17		13			18								17
18	04	20					07						18
19	04	02		11	15		37						19
20	43	02		10		10	03		12	18			20
21	05	42			14	02	20			17		16	21
22			28	07		05	10			21		36	22
23		05	01			03	33			32		70	23
24						03	32			20			24
25						10	12		16		06	07	25
26		18			10	22	22					42	26
27		03				36	03			46			27
28		05							29	43		10	28
29						51			15	02	34	10	29
30	12	X		04		05			01	32	36	15	30
31	04	X		X		X	13	04	X	70	X	18	31
Total	2.71	5.90	.88	1.36	2.57	1.65	4.59	1.80	1.14	3.85	2.89	7.84	37.18
Rain Days.	20	22	8	13	11	13	19	10	10	17	11	22	176

REGISTER OF RAINFALL IN 1916

Kept at Hartland Abbey
 in the County of N. Devonshire
 by G. Sleep

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						24	36			21	30		1
2	60	10	67		08		03		32	90	16		2
3		1.35			14	19			08	51	30		3
4	38	38		04	11	33			12	05	22		4
5		05	10		09	12				05	21		5
6	14	25			10		27			11	50		6
7	02	10	06		08	02	04				66	25	7
8		20	02		18						06	10	8
9		05	03		01		12			04	05	97	9
10		90		11							03	27	10
11		05			15				06		02		11
12		04	08	05	20		06	07		25	01	10	12
13		42	01		04			11		03			13
14	09	55			08			02		08			14
15		13	06	20	04			48		04			15
16		03		20			05			20			16
17	23	08	10						72	17	65		17
18	15	15	20								01		18
19	17	08	04	13							77		19
20	11	98	30								22	77	20
21	03	27	16		04						19	45	21
22						04		16		23	05	59	22
23	02			09	04	18		22		10	17		23
24		04	10	11		02		09		54	20	44	24
25		18	20		07			12	05	29	04		25
26	05	04	03		32	18		13	13	52	12		26
27	08	02	1.88			06			99	35			27
28		14						5.60	10	68	06	55	28
29		46	02			41			07	15		24	29
30		~~X~~				04				45			30
31		~~X~~		~~X~~		~~X~~		10	~~X~~	37	~~X~~	07	31
Total	2.07	7.04	4.06	.93	1.77	1.83	.93	2.10	2.64	6.32	5.00	4.80	39.49
Rain Days.	13	26	18	8	17	12	7	11	10	23	23	12	180

REGISTER OF RAINFALL IN 1917

Kept at Hartland Abbey

in the County of N. Devonshire

by G. Sleep

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			16			06			07		25		1
2	04		02	47		11				12	20		2
3	04			08			55			37	60		3
4			34				19		05	20	03		4
5	21		35	45		27				15	08		5
6	05		35	02		20				14	17	13	6
7	31						14	18		11	01	31	7
8	05		24	02			97	67	12	45	25		8
9	32				03			65	02	46	19		9
10			45	23				28		06	07		10
11	02		60	10						54	45		11
12	15				20			20		42			12
13			22			02		09	38	24			13
14				12			03	19	03	20	09	07	14
15									02	37		30	15
16		53								05	22	20	16
17			04	24			58	08	36	18	10		17
18		56	06	01	22		47	01	1.34	01	02		18
19		17				37							19
20					34	75							20
21			07					18		08			21
22					06			85		17			22
23		34				10		32		28	05		23
24		03				18	47			15	08		24
25		07	04			12		35	07	03	03		25
26					92	08	04	05	27	08	04		26
27						21	10	95		18			27
28			08		04	1.16	09	05		15	04		28
29			06			19				52	03	25	29
30		X	05					31		01			30
31		X		X	36	X		10	X	38	X		31
Total	1.19	1.70	3.13	1.74	2.17	3.82	3.63	5.51	2.73	6.10	3.00	1.26	35.98
Rain Days.	9	6	16	10	8	14	11	18	11	28	21	6	158

REGISTER OF RAINFALL IN 1918

Kept at Hartland Abbey
in the County of N. Devonshire
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

242
23.1.18
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08		.18	.05			.64			.61		1
2		.20		.05				.25			.12	.40	2
3		.12		.08	.15				.07	.09	.22	.07	3
4		.05						.10	.15	.05	.62	.58	4
5			.08	.20	.30			.55	.39	.33	.02	.01	5
6	.15	.43	.02	.19				.01		.22	.30	.09	6
7		.20				.15		.05	.50	.07		.19	7
8						.16	.12		.09	.31			8
9	.15	.06		.30		.10	.27		.62	.06		.40	9
10	.03	.01		.18			.64		.40	.15	.07	.50	10
11	.08	.04	.30				.34		.17	.21	.15	.20	11
12		.05	.03		.18		.05		.70	.05		.03	12
13		.02			.04				.74	.18		.37	13
14	.65				.03	.14			.05	.20		.37	14
15	1.12						.86		.15	.14		.45	15
16	.56			.38			.10					.09	16
17	.46					.03	.31	.07	.01	.02		.28	17
18	1.15					.54	.01	.10	.58	.36		.10	18
19	.04	.17		.12			.05	.09		.02		.01	19
20	.09	.12				.08	.01	.01	.33	.13			20
21	.16					.15	.18		.38			.28	21
22	.02				.23		.58		.11	.01	.01	.29	22
23	.19						.30	.07	.11		.10	.29	23
24		.32				.18	.13	.13	.29		.17	.09	24
25					.31		.80		.11	.09	.16		25
26		.15					.02		.20	.01	.05	.34	26
27		.16	.08					.15		.03	.39	.02	27
28		.17	.15						.13	.02	.20	.05	28
29			.12						1.13		.08	.02	29
30		X	.35	.14						.03		.14	30
31		X	.23	X		X		.10	X	.05	X		31
Total	4.85	2.35	1.36	1.82	1.29	1.53	4.77	2.32	7.41	2.83	3.27	5.66	39.46
Rain Days.	14	17	9	10	8	9	17	14	23	24	16	26	187

REGISTER OF RAINFALL IN 1919

1734

FORM A.
BRITISH RAINFALL

Kept at Hartland Abbey
in the County of N. Devonshire
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55		.05	.24	.08		.04		.13	.14		.70	1
2	.18		.03									.18	2
3	.06		.05		.28				.06		.20	.05	3
4	.15	.35	.28			.09		.10	.19			.04	4
5	.22	.35	.03		.08							.03	5
6	.45	.22	.20									.32	6
7	.04		.13	.07		.01			.07			.03	7
8	.18		.23	.04		.06					.15		8
9	.05		.03	.11							1.09		9
10	.26		.73	.02	.12					.08		.58	10
11	.26		.44	.07	.19	.11	.32			.03	.06	.05	11
12	.27		.08			.22				.08	.18		12
13	.24		.12	.27					.16	.05		.25	13
14	.52	.07		.37	.14				.01	.10			14
15	.25											.65	15
16	.07	1.41					.06				.25	.02	16
17		.32				.02	.05				.25	.03	17
18	.15	.09	.72				.14	.42	.09		.34	.02	18
19	.25	.19	.21			.04		.59	.41			.04	19
20	.28	.05	.04		.18	.02		.02	.04		.15	.15	20
21	.17	.69			.22	.01	.21	.05	.10			.02	21
22		.04					.05		.28		.03	.09	22
23								.02		.59	.03		23
24				.08		.31		.02	.03	.66	.21	.49	24
25	.24							.63			.19	.03	25
26	.20		.08	.15						.08		.40	26
27	.24	.05		.12		.08		.39				.06	27
28			.31	.10							.14	.48	28
29				.17				.06				.14	29
30		X		.15		.31		.39			.40	.43	30
31		X	.12	X		X	.17		X		X	.82	31
Total	5.28	3.83	3.88	1.96	1.29	1.28	1.04	2.69	1.57	1.81	3.67	6.10	34.40
Rain Days.	23	12	19	14	8	12	8	11	12	9	15	26	169

3440
67

REGISTER OF RAINFALL IN 1920.

Kept at Hartland Abbey
in the County of N. Devonshire
by G. Sleep

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04		03	01	29		1.03	12	10	20	07	40	1
2	25			25	05		15	20	25	25		06	2
3	19	16		04			08	12	05	40		10	3
4			05				50	62	02	29			4
5			18	01	40			02		28			5
6			53		46		19			30	02		6
7	06			20			16		03		03		7
8	02	08		60	20	06	26	33					8
9	56	15	14	09		25	42						9
10	64	18	10	10		03	34				18		10
11	16		10	25	16	04	07		22				11
12	06	07	18	34		24	10	05		04	11		12
13	13	01	52	05		10				60			13
14	13	03	46	90			10				34		14
15	05	22		35	17					48	10		15
16	01		08				14		25	83	07		16
17	07			06	22				1.00	04			17
18	20			16	11	29		90	10				18
19	09	07		36		20							19
20	01	03		08		17	14		08			25	20
21				06			08			22		15	21
22	07			03			14					40	22
23	01		18				62	35				40	23
24	03		35	02				02			05	10	24
25	04	04	07				70						25
26	34		22			25	02				08	07	26
27	35	08	10	08		58	07				1.13	28	27
28	53	05	47	20		16	15				01	14	28
29	33		60	09	32	02	14				17	20	29
30	15	~~X~~		05		36	13		1.32	30	34	52	30
31	10	~~X~~	49	~~X~~		~~X~~	08		~~X~~	1.97	~~X~~	05	31
TOTAL	4.62	1.17	4.85	4.38	2.38	2.75	5.81	2.73	3.42	6.20	2.70	3.12	44.13
Days with 01 in. or more	27	13	19	24	10	14	24	10	11	14	14	14	194
	22	10	18	20	10	12	23	8	9	14	11	14	171

REGIS

HARTLEY RES

DEVON

1911 - 1920

Kept at Hartley T

in the County of

Lat. Lon.

11

13 JAN 1912

Howarth

Ground 1 ft 0 in

Sea Level 320.90 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
I											.85		I
2										.03	.14	.37	2
3			.04	.23							.15	.05	3
4			.09					.33			.39	.54	4
5	.45		.20					.58		.05	.10		5
6	.39		.09							.14	.09	1.18	6
7	.07										.49	.02	7
8	.04		.20								.06	.64	8
9	.05										.13	.80	9
10	.08	.15	1.43								.09	.42	10
11	.28							.02			1.00	.05	11
12			.69					.25			.14	.29	12
13			.07					.10			.11	.36	13
14		.10	.02							.03	.09	.24	14
15		.06	.08			.03					.36	.03	15
16		.02				.57					.54	.43	16
17		.05	.52	.02		.09					.26	.58	17
18		.32	.28	.11		.06				.12	.25	.43	18
19		.01		.01		.64		.66		.08	.14	.85	19
20		.07	.01	.21				.07		.83		1.03	20
21	.01	.44		.01		.03		.36		.18		.06	21
22	.18	.06	.03	.25		.10		.52	.56	.19		.54	22
23		.16		.01		.01		.04	.17	.31		.47	23
24	.05	.35				.54		.11		.21		.35	24
25	.02	.01		.22		.03		.07	.07	.34		.23	25
26		.22		.54				.21	.02	.55		.45	26
27		.78		.04	.30			.22	.14	.22		.24	27
28		.22		.31				.01	.13		.27		28
29				.23	.13	.55	1.47	.02	.45				29
30						.01	.11	.02	.16	.32	.05		30
31			.10				.06		.04				31
Totals	1.62	3.02	3.85	2.21	1.28	2.69	1.64	2.90	2.59	3.93	5.15	10.70	41.58
No of Total Rain from Jan	11	16	15	14	5	13	3	10	14	17	21	26	165

REGISTER OF RAINFALL IN 1911

Kept at Hartley Reservoir

in the County of Devon S.2

by Frank Howarth

Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. _____ Lon. _____ Time of Observation 9 AM.

Sea Level 320.90 ft

RAIN GAUGE.

13 JAN 1912

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				.01	.16	.03					.05		I
2				.24	.46			.81		.03	.14	.37	2
3			.04		.23						.15	.05	3
4			.09					.33			.39	.54	4
5	.45		.20					.58		.05	.10		5
6	.39		.09							.14	.09	1.18	6
7	.07										.49	.02	7
8	.04		.20								.06	.64	8
9	.05										.13	.80	9
10	.08	.15	1.43								.09	.42	10
11	.28								.02		1.00	.05	11
12			.69						.25		.14	.29	12
13			.07						.10		.11	.36	13
14		.10	.02							.03	.09	.24	14
15		.06	.08			.03					.36	.03	15
16		.02				.57					.54	.43	16
17		.05	.52	.02		.09					.26	.58	17
18		.32	.28	.11		.06				.12	.25	.43	18
19		.01		.01		.64			.66	.08	.14	.85	19
20		.07	.01	.21					.07	.83		1.03	20
21	.01	.44		.01		.03			.36	.18		.06	21
22	.18	.06	.03	.25		.10		.52	.56	.19		.54	22
23		.16		.01		.01		.04	.17	.31		.47	23
24	.05	.35				.54		.11		.21		.35	24
25	.02	.01		.22		.03		.07	.07	.34		.23	25
26		.22		.54				.21	.02	.55		.45	26
27		.78		.04	.30			.22	.14	.22		.24	27
28		.22		.31				.01	.13		.27		28
29				.23	.13	.55	1.47		.02	.45			29
30						.01	.11		.02	.16	.32	.05	30
31			.10				.06			.04			31
Totals	1.62	3.02	3.85	2.21	1.28	2.69	1.64	2.90	2.59	3.93	5.15	10.70	Total for year 41.58
No of Total Rain from Jan 1 Days	11	16	15	14	5	13	3	10	14	17	21	26	165

Ex 82

1 FEB 1913

REGISTER OF RAINFALL IN 1812

Kept at Hartley Reservoir

by Frank Howarth

in the County of Devon 52

RAIN GAUGE.

Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9 AM

Sea Level 320.90

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
I			.15		.02	.40			.10	.73		.27	I
2			.25			.97		.18		.02			2
3	.05		.27			.18		1.34	.07			.11	3
4	.23	.02	.38		.09	.12		.04			.38		4
5	.80	.17	.28	.01	.04		.02	2.10			.03	.08	5
6	.27	.16	.06		.59	.02		.29			.02	.01	6
7	.12	.81	.28	.04	.11	.75		.10			.07	.16	7
8	.80	.27	.21			.10	.02						8
9	.04	.08	.09	.12		.07	.11	.10				.75	9
10	.43	.04	.31	.05		.06	.11	.10			.13	.18	10
11		.10	.10			.06	.01	.06			.18	.52	11
12	.02	.51	.19		.07		.35	.32			.06		12
13	.42		.05			.01	.11	.11		.08		.28	13
14	.17	.25	.79		.13			.05		.05		.09	14
15	.37	.27	.03		.07	.52		.02				.47	15
16	.23		.37		.01	.02		.44		.20		.07	16
17			.25		.02	.25		1.38			.15	.11	17
18		.08	.06					.43		.03	.04	.04	18
19		.05	.38		.07	.02	.03	.12		.03	.03		19
20	.02	.15	.38		.17			.10		.25	.02		20
21		.55	.16		.29		.03	.04		.25			21
22	.22	.57	.31		.02	.01	.01	.30		.20	.09	.18	22
23	.11	.52	.36			.04	.01	1.14		.02	.22	.45	23
24	.06	.10	.12			.40		.01				.34	24
25	.01					.04	.09	.08		.33	.43	.43	25
26		.02					.06	.12		.29	.40	.44	26
27		.07	.03			.90	.61	.22		1.60	.05	.66	27
28		.17				.08	.06	.80	.71	.36	.46	.50	28
29		.20	.02			.28	.07	.16	.81	.26		.05	29
30			.07			.13	.25		.22	.34			30
31			.21				.63	.01		.02		.35	31
Totals	4.37	5.16	6.16	.25	1.70	5.43	2.58	10.16	1.91	5.06	2.76	6.54	52.08
No Total from Rain I days	18	22	28	4	14	23	18	28	5	18	17	23	218

V

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
28 JAN 1914

Kept at Hartley Reservoir
in the County of 5 Devon 28 B
by Frank Howard

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 320.90 ft.
Time of Observation 9 AM
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.06	.11	.01	.25	.42						.15	.05	2
3	.64		.13		.28				.50	.02		.20	3
4	1.25		.08			.14			.10	.15	.10	.28	4
5	.05	.03	.08		.50	.13	.04		.06	.12	.67	.49	5
6	.15	.12	.04		.25	.18				.48	.27	.02	6
7	.03	.41	.07		.87	.05				.22	.46		7
8	.18	.21			.20		.19	.38		.03	.02	.12	8
9	.10	.17			.15	.04		.23			.52	.02	9
10	1.15			.01	.04	.08		.03		.23	.18		10
11	.55				.81	.06			.05	.03	.90	.07	11
12	.07				.01	.02			.07		.29		12
13	.05		.09	.07				.02	.16		.22		13
14	.40		.17	.03	.21				.06		.05	.06	14
15	.22		.44	.85					.22		.12	.02	15
16	.43		.57	.03					.06		.05		16
17	.05		.03	.08			.01				.02		17
18	.04		.37	.22	.01						.10		18
19	.54		.03		.03	.13			.55	.11			19
20	.23		.08	.35				.01	.01	.17	.49		20
21	.04		.19	.36			.03			.17	.30		21
22	.30		.41		.01	.23			.04	.06		.23	22
23			.07							.01	.08	.91	23
24	.03	.16		.14		.05		.02			.01		24
25		.03		.61				.05	.06	.07	.04	.01	25
26				.65				.02		.03		.23	26
27	.85		.30	.41				.20		.35		.06	27
28	.22		.15	.25	.04				.29	.20		.14	28
29	.12		.50	.20	.02		.05			.33	.02		29
30	.84			.09	.01		.02			.98			30
31	.08		.24					.27		.39			31
Total	8.67	1.49	4.55	4.72	4.07	1.11	.34	1.23	2.34	4.25	5.49	2.91	41.17
No. of Rain Days	27	9	22	18	18	11	6	10	15	21	23	16	196

REGISTER OF RAINFALL IN 18914

Kept at Hartley Reservoir

in the County of Devon S2

Lat. _____ Lon. _____ Time of Observation 9 AM

RAIN GAUGE.

by Frank Howard

Diameter 5"

Height of top above Ground 1' 0"

Sea Level 320.90 ft

26 JAN 1915

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I			.03	.19		.17	.27	.68			1.11	.06	I
2			.07	.02	.11	.02	.16	.02			.08	.47	2
3			.14	.20	.72								3
4	.15		.04	.59	.08		1.13	.11	.07		.07	.67	4
5	.19		.28	.15	.02							.02	5
6		.11	.10	.05	.20		.05	.04				.70	6
7	.08	.91	.46	.28	.09	.25	.46	.25	.77			.35	7
8	.23		.90	.05		.14		.03				.13	8
9	.09	.06	.40	.24	.10	.47		.19	.54				9
10	.13	.62	.08	.33	.11	.05			.36		.02	.26	10
11		.20	.88			.08			.05		.02	.81	11
12		.65	.26						.27	.03	.04	.57	12
13		.67	.28				.10		.17	.03	.36	.21	13
14		.41	.34			.05		.15	.05		.69	.37	14
15			.29				.08	.10	.02	.05	.30	.56	15
16							.04		.58			.01	16
17		.65	.29									.98	17
18		.12	.17				.21		.20			.25	18
19		.08	.45				1.49		.03		.07	.04	19
20		.39	.23			.09					.02	.25	20
21		.49					.03			.72			21
22		.06	.04	.04	.11		.08	.15		.23			22
23		.11	.41				.02	.01		.10			23
24		.08						.06		.06		.01	24
25	.15		.27		.12		.13	.74		.92	.07	.95	25
26	.01	.13	.24				.21	.01		.04	.22	.57	26
27	.03	.30					.06			.04	.15	.48	27
28	.03	.11	.51		.10		.07			.08	.55	.51	28
29	.38		.20		.16		.47				.59		29
30			.15			.06				.06	.27	.99	30
31	.06						1.23			.85		.48	31
Totals	1.53	6.15	7.51	2.14	1.92	1.38	6.59	2.54	3.11	3.21	4.63	10.70	Years Total
Rain Total from Jan. 1	12	19	26	11	12	10	19	14	12	13	14	25	190

REGISTER OF RAINFALL IN 1815

13 JAN 1916

Kept at Bartley Reservoir

by Frank Howard

in the County of Devon

Diameter 5"

Height of top above Ground 1'-0"

Lat. _____ Lon. _____ Time of Observation 9 AM

Sea Level 320.90 ft

RAIN GAUGE

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.30	.42			.03			.55	.62	.33		.10	I
2	.43	.19	.21	.11		.23		.13	.02	.01		.36	2
3	.04	.25	.30	.20	.08							.59	3
4	.07	.64	.02		.02	.03		.04	.10			.30	4
5	.20	.57	.01	.16				.49				.90	5
6	1.13	.21		.63			.47	.07				.28	6
7	.39	.56	.01	.04			.17			.71	.01	.49	7
8	.08	.26					.01	.12			.15	.15	8
9		.11		.01				.04			.35	.89	9
10	.38	.32	.01	.08				.05		.20	.02	.14	10
11	.11		.15				.05	.22			1.33	.20	11
12	.11	.55		.05	.59			.17		.05	.41	.02	12
13	.02	.52			.80		.04	.01	.02		.14	.05	13
14	.10	.02					.14	.07	.17	.27	.07	1.42	14
15	.14				.33		.64		.01		.07	.31	15
16	.02	1.68			.44		1.22					.20	16
17	.01	.15	.04		.01								17
18		.22					.03						18
19	.06	.02			.49		.14						19
20	.22	.03		.12		.23				.26			20
21	.25	.14			.23	.11	.45		.01	.09		.03	21
22	.01	.17	.43	.03			.41		.01	.04		.50	22
23	.04	.02	.03			.02	.11		.03	1.32		.72	23
24						.23	.14		.05	.19		.82	24
25						.07	.21					.34	25
26		.40				.33	.01		.01			.85	26
27	.02	.04				.13	.01		.02	.73			27
28		.05				.23			.31	.15	.03	.11	28
29						.38			.13	.11	.30	.12	29
30	.14			.01		.15			.06	.79	.51	.40	30
31	.01						.22			.80		.30	31
Totals	4.28	7.54	1.21	1.44	3.02	2.14	4.47	1.96	1.57	6.05	3.39	10.59	Year Total 47.66
Rain Days	24	24	10	11	10	12	18	12	15	16	12	26	190

REGISTER OF RAINFALL IN 1896

Kept at Hartley Reservoir

in the County of Devon

by Frank Howarth

Diameter 5"

Height of top above Ground 1'-0"

Lat. _____ Lon. _____ Time of Observation 9 AM

Sea Level 320.90 ft.

RAIN GAUGE.

1735
18 JAN 1911

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.27		.01		.16	.08	.03		.04	.64	.04	.01	I
2	.41	.09	.10		.01				.16	.42	.45		2
3	.06	1.24			.31	.04			.04	.82	.39		3
4	.15	.13		.02	.02	.33	.10		.03	.11	.66		4
5	.08	.21	.03		.02	.02				.16	.18		5
6	.06	.10	.03		.17	.05	.95			.14	1.13		6
7	.04	.20	.05		.02	.03	.02			.14	.83	.08	7
8	.03	.22	.30		.48						.14	.25	8
9		.10	.05			.08				.02	.32	.25	9
10		.93		.05	.17		.03			.01	.05	.06	10
11		.02		.09	.08		.02		.01			.05	11
12	.04	.09		.06	.15		.18	.09		.15	.01		12
13		.39	.10		.02		.14	.22		.01		.02	13
14	.02	.50			.06			.33		.05			14
15	.02	.28	.16	.16				.03					15
16	.40	.14		.12				.40		.30	.03	.02	16
17	.22	.13	.02						.07	.72	1.85		17
18	.03	.14	.19						.08	.04	.21	.10	18
19	.21	.15	.04	.08					.02		.20	.17	19
20	.08	.55	.14		.01						.05	1.30	20
21	.03		.08	.13							.06	.11	21
22						.32		.05		.23	.02	.52	22
23	.08	.01		.16		.24		.77		.39	.28	.08	23
24		.13	.04	.27	.04	.02		.20		.41	.05	.29	24
25	.08	.17	.12		.04	.03		.49		.02	.10	.04	25
26	.02	.03	.08			.45		.31	.47	.95	.03	.06	26
27	.01		1.35			.05		.57	.30	.37			27
28		.03	.01					.11	.38	.48		.66	28
29		.12	.04			.67		1.11	.16	.31		.64	29
30			.03			.06				.54		.01	30
31								.11		.46		.02	31
Totals	2.34	6.07	2.97	1.14	1.76	2.47	1.47	4.77	1.76	7.92	7.08	4.74	44.49
Rain from Days	21	25	21	10	16	15	8	14	12	25	22	21	210

REGISTER OF RAINFALL IN 1917

Kept at Hartley Reservoir
in the County of Devon
by Frank Howarth

Lat. Long. 18. JAN 1917
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 320.90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.01	.21		.46		.02			.09		1
2	.01		.06	.08		.03				.01	.01		2
3	.07			.01						.35	.61		3
4		.11	.69						.10	.37			4
5	.14		.41	.09		.02				.10	.11		5
6	.02		.24			.24		.09		.10	.09	.09	6
7	.58			.02			.15	.13		.14	.05	.08	7
8	.05		.40	.12		.01	.17	.42	.04	.42	.20	.46	8
9			.16	.03	.08		.03			.18	.14		9
10	.75		.47	.24				.42		.02			10
11	.03		.34	.11					.11	.54	.37		11
12	.16		.02	.01	.49			.01		.60	.01		12
13	.10		.34	.04		.03		.12	.09	.24		.04	13
14				.11			.07	.24	.03	.07	.01		14
15	.28			.03			.20	.01	.08	.42		.36	15
16		.19		.02		.05		.04	.03	.39		.19	16
17		.04		.10	.04		.42	.06	.91	.17			17
18		.03			.40	.04	.28	.03	.73				18
19		.84	.05			.55	.01	.02	.08				19
20		.29	.03		.65	.07	.01		.02			.08	20
21			.05			.01				.12		.17	21
22					.02	.04		.63		.09	.02		22
23		.34			.21			.44		.12			23
24		.02				.08	.37	.14		.14	.06	.02	24
25		.02					.03	.25	.23	.04	.03		25
26					.64	.18		.14	.21	.02	.03		26
27						.76		1.21			.01		27
28			.15			.08		.51			.01		28
29		~~X~~	.10			.01				.60	.05	.03	29
30		~~X~~	.27				.36	.29		.01	.02		30
31		~~X~~	.10	~~X~~	.25	~~X~~		.02	~~X~~	.19	~~X~~		31
Total	2.21	1.88	3.89	1.22	2.78	2.66	2.10	5.24	2.66	5.45	1.92	1.52	33.53
Rain Days.	12	9	18	15	9	17	12	22	13	25	19	10	181

REGISTER OF RAINFALL IN 1918

Kept at Hartley Reservoir
in the County of S Devon
by Mr F. Howarth

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 320.90 ft.

FORM A.
BRITISH RAINFALL.
14 2.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.45		.09	.04			.52		X	.90	.01	1
2		.41		.02				.02				.65	2
3		.15		.29	.04			.09	.09	.03	.27	.19	3
4		.10						.38	.97		.83	.65	4
5			.20	.09	.17			.30	.26	.40		.10	5
6	.36	.31	.23	.12				.07		.10		.29	6
7	.03	.21		.03				.06	.52	.03	.40	.49	7
8	.06	.09							.07	.57		.02	8
9	.05			.01		.15	.21		.53	.08	.02	.54	9
10	.05			.20			.22		.05	.12	.01	.28	10
11	.05	.02	.41				.19		.14		.04	.12	11
12	.02	.12			.30		.14		.07			.05	12
13		.01			.11		.17		.72	.68		.33	13
14	.37		.03		.08	.10	.04		.66	.03		.14	14
15	.66					.20	.48		.10	.11		.34	15
16	.80			.11		.11	.18		.26			.03	16
17	.16			.03	.02		.12		.15			.61	17
18	1.05		.33			.78	.15		.63	.41		.30	18
19	.15	.08	.25	.06			.03	.02	.04			.18	19
20	.04	.28		.17		.02	.03		.22				20
21	.16	.02				.07	.11		.69	.15		.47	21
22	.03				.09		.89		.19	.14	.12	.24	22
23	.23	.02					.26		.21		.06	.19	23
24	.03	.20					.10	.20	.15		.42	.19	24
25	.07			.03	.03		.09	.78		.09	.29	.01	25
26	.02	.04		.06			.22		.09	.02	.10	.40	26
27		.08	.06					.09	.13	.03	.09	.01	27
28		.22	.20						.05	.10	.05	.13	28
29			.44						1.43		.04	.06	29
30		X	.24	.05					.09	.04	.18	.04	30
31	.01	X	.09	X		X			X	.03	X		31
Total	4.40	2.81	2.48	1.36	.88	1.43	3.63	2.53	8.51	3.16	3.82	7.06	42.07
Rain Days.	20	18	11	15	9	4	18	11	26	19	16	29	200

REGISTER OF RAINFALL IN 1919

1565

FORM A.
BRITISH RAINFALL
14 JAN 20

Kept at Hartley Reservoir
in the County of Devon
by Frank Howarth

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 320.90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.85		.33	.21	.09		.15		.20	.32		.85	1
2	.20		.04				.02		.03	.03		.09	2
3	.23		.35		.12				.12		.01	.11	3
4	.13	.76	.55			.02		.45	.88		.01		4
5	.03	.30	.64		.02				.20			.08	5
6	.53	1.14	.16									.23	6
7	.46		.29	.08			.02					.23	7
8	.26		.31	.20		.01					.67		8
9	.06		.06	.21	.17						.07	.04	9
10	.15		.69	.01	.02							.70	10
11	.16		.33	.23	.39	.02	.06			.07	.05	.74	11
12	.27		.07	.04						.06	.12		12
13	.24	.10	.27	.44			.04			.04		.32	13
14	.45	.18		.67	.74		.01		.05	.09		.24	14
15	.10	.08		.07						.07		.53	15
16	.06	1.44			.04						.22	.01	16
17		.17				.04		.01			.32	.14	17
18	.15	.50	.70				.40	.16	.07		.44	.02	18
19	.73	.43	.28			.20	.35	.25	.16		.15	.01	19
20	.30	.03	.10		.03	.24		.17	.20		.17	.05	20
21	.38	1.11			.15		.08		.07	.01	.02	.09	21
22		.01			.02				.40		.01	.04	22
23										.91	.11	.09	23
24						.24		.13	.02	.45	.09	.29	24
25	.20	.01				.09		.74			.05	.06	25
26	.07	.01	.06					.08	.08	.03	.08	.72	26
27	.11	.01	.03	.33				1.36				.04	27
28		.03	.35	.11				.01			.57	.81	28
29		~~X~~		.04				.11		.04		.09	29
30		~~X~~	.01	.04		.08		.09	.03		.57	.81	30
31		~~X~~	.02	~~X~~		~~X~~			~~X~~		~~X~~	.30	31
Total	6.42	6.31	5.64	2.68	1.79	.94	1.13	3.56	2.51	2.12	3.73	4.73	44.56
Rain Days.	23	17	21	14	11	9	9	12	14	12	19	28	189

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Kept at Hartley Reservoir
in the County of Devon
by Frank Howarth

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 320.90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.02		.52		.47		.03		.02	.90	1
2	.49			.22			.10	.08	.10	.02		.22	2
3	.64	.10		.01			.01			.58		.25	3
4			.01				.01	1.01		.46			4
5			.25	.05	.15		.38	.02		.11			5
6			.12		.26		.32			.20			6
7	.04		.02	.40	.02		.36					.52	7
8	.02	.01		.50	.05		.04					.31	8
9	1.00	.05	.05	.03		.02	.57		.03				9
10	1.03	.21	.24	.01		.30	.31						10
11	.29	.02	.22	.64	.32		.35						11
12	.44	.17	.19	.15	.01	.01	.04			.05	.08	.14	12
13	.24	.03	.43	.50						.46		.42	13
14	.41	.07	.42	.72			.04		.16	.58	.26		14
15	.15	.12	.05	.09	.03				.05	.75	.10		15
16	.01	.03	.05	.03		.02	.14		.12	.11	.03		16
17	.08			.01	.45				.46	.03			17
18	.21			.06		.23	.22	.20	.06				18
19	.04	.02		.35		.68			.09				19
20		.01		.19		.26	.01			.53		.49	20
21				.17			.03			.03		.06	21
22	.07			.27			.03					.40	22
23	.01		.05				.11	.03				.81	23
24	.01		.29								.30	.18	24
25	.03	.05	.07				.94				.01	.03	25
26	.32		.18				.06				.38		26
27	.60	.04	.09	.05		.25	.15				.37	.30	27
28	.68		.50			.04	.23				.01	.13	28
29	.39	.01	.80		.01				.03		.40	.29	29
30	.28	~~X~~				.49	.22		1.05	.07	.27	.74	30
31	.12	~~X~~	.40	~~X~~		~~X~~			~~X~~	.39	~~X~~	.26	31
TOTAL	4.63	.94	4.45	4.45	1.82	2.30	5.14	1.34	2.18	4.47	2.23	6.45	YEAR'S TOTAL 43.40
Days with 0.1 in. or more	26	15	21	20	10	10	24	5	11	15	12	18	187

W.D. Contd. 10. IV. 12

REGI

HALBERTON

DEVON

Kept at *Halberton*

in the County of *Devon*

by *George C. J.*

1911 - 1916

IMPORTANT NOTE.

previous day. If an Observ
requested to add the reading
for it at the end of this pa
the selection and placing o
Organization are given in "R
Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
and ft. 6 in.
Level 249 ft.
Direction ESE
result entered to the
rule, he is earnestly
in the space provided
of rain,
Rainfall
Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			32				05	02			11	05	1
2			04	04	05						03		2
3			04	22	39			62		10	24	17	3
4			05		25			04	07		09	11	4
5			09					08		10	15	43	5
6	23		12					85		04	12	04	6
7	44		20					03		03	08	58	7
8			19								45		8
9	06										07	90	9
10	03										31	54	10
11	10		42		18							33	11
12	41										50	09	12
13			90						04		19	28	13
14									33	06	10	51	14
15												1.25	15
16		05				06					28	05	16
17		02				36					30	40	17
18		04	15	05		21					16	68	18
19		26	05	36		40				10	12	34	19
20		08		09		52			48	06	21	65	20
21		04	11	11					22	10		68	21
22	11	18							22	73		23	22
23		08		10		03		02	13	56		44	23
24		13				10			10	22		15	24
25		38				28		20		42		26	25
26		15		13		05		02	04	12		16	26
27		15		42	07			04		20		34	27
28		31	07	06	15			13	10	52	07	19	28
29			04	57				12		35			29
30				50		33	17		25		11		30
31		32				05	10			10	05	03	31
Total	1.38	1.87	2.79	2.65	1.09	2.34	32	2.17	1.98	3.81	3.69	9.88	TOTAL for year 33.97
No. of Rain Days.	1.38	2.19	2.47	2.65	1.09	2.39	29	2.15	1.98	3.92	3.63	9.83	
	7	14	14	12	6	11	3	11	11	18	20	26	

W.D. Cont. 10. IV. 12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Katherton
in the County of York S. 6
by George Ingham
Captn Rm

Pattern
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 6 ft.
" " " Sea Level 240 ft.
Time of Observation 8.30 am
Nearest Railway Station { Name Tewkesbury
Distance 230 yds Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			32				05	02			11	05	1
2			04	04	05						03		2
3			04	22	39			62		10	24	17	3
4			05		25			04	07		09	11	4
5			09					08		10	15	43	5
6	23		12					85		04	12	04	6
7	44		20					03		03	08	58	7
8			19								45		8
9	06										07	90	9
10	03										31	54	10
11	10		42		18							33	11
12	41										50	09	12
13			90						04		19	28	13
14									33	06	10	51	14
15												1.25	15
16		05				06					28	05	16
17		02				36					30	40	17
18		04	15	05		21					16	68	18
19		26	05	36		40				10	12	34	19
20		08		09		52			48	06	21	65	20
21		04	11	11					22	10		68	21
22	11	18							22	73		23	22
23		08		10		03		02	13	56		44	23
24		13				10			10	22		15	24
25		38				28		20		42		26	25
26		15		13		05		02	04	12		16	26
27		15		42	07			04		20		34	27
28		31	07	06	15			13	10	52	07	19	28
29			04	57				12		35			29
30				50		33	17		25		11		30
31		32				05	10			10	05	03	31
Total	1.38	1.87	2.79	2.65	1.09	2.34	.32	2.17	1.98	3.81	3.69	9.88	TOTAL 33.97
No. of Rain Days.	1.38	2.19	2.47	2.65	1.09	2.39	.29	2.15	1.98	3.92	3.63	9.83	
	9	14	14	12	6	11	3	11	11	18	20	26	

REGISTER OF RAINFALL IN 1912

Kept at Walterton
in the County of Devon
by Captain George Izat

RAIN GAUGE { Pattern ✓
Diameter of top 5 in.
Height of top above Ground 6 ft.
" " " Sea Level 240 ft.
Time of Observation 9 am. Tiverton
Nearest Railway Station { Name Walterton
Distance ESB Direction 3385

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12	.43			.30	.25		.13	.15		1
2			.29		.02	.55	.03		.09	.91		.32	2
3			.17	.03		.15	.02			.03	.02		3
4			.22			.18	.15	1.07	.06				4
5	.20		1.15			.25		.10			.25		5
6	.65	.15	.25					.50				.09	6
7	.92		.04		.19	.08	.15	.27				.03	7
8	.05	.76	.18	.03	.22	.85		.21			.03	.15	8
9	.57	.25	.40			.21	.13	.05				.05	9
10	.05	.07	.11	.23		.25	.05					.46	10
11	.20	.15	.15			.05		.11			.15	.21	11
12	.08	.08	.15								.05	.40	12
13	.03	.50	.25				.11	.05		.02		.08	13
14	.20					.05	.13					.18	14
15	.10	.03	.92		.18	.03		.10					15
16	.42	.07			.32	.66						.38	16
17	.61		.30					.15		.10	.13	.07	17
18	.22		.09		.03	.15		.95				.06	18
19			.22					.13			.05	.08	19
20		.16	.12			.05	.08	.55		.08	.05		20
21	.09	.07	.37		.15		.05	.15		.50			21
22		.20	.60		.56		.06	.10		.22			22
23	.27	.34	.18		.20			.25		.08		.11	23
24	.35	.50	.35				.10	.75		.10	.11	.31	24
25	.07	.03	.07			.38	.02	.04		.17		.12	25
26	.18	.05				.15		.39		.13	.23	.52	26
27								.06		.37	.43	.30	27
28						.49	.60	.05		.98	.03	.34	28
29		.11					.29	(.42)	.40	.46	(38)	.46	29
30			.10			.30	.13	.15	.83	.72		.06	30
31							.33			.35		.02	31
Total	5.26	3.52	6.80	.92	1.87	4.83	2.73	6.85	1.38	5.35	2.06	4.80	TOTAL
No. of Rain Days.	19	17	24	4	9	18	18	23	4	17	14	23	46.23
		18		3		19		23	5		13	24	192

Contd for W.D. 20-11-14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
8-JAN 1914

Kept at

in the County of

by

Lat. 50-54 Long. 3 25

Time of Observation 9 am.

Nearest Railway Station Tiverton June 1914

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	22	28	15		10		02	85			03	1
2		21		08	08		02		11	09	11	07	2
3	20	10		20	13					83	19		3
4	20		16	09	17					08	05	22	4
5	1-38		03		17				15	19	04	17	5
6	05	02			17	22			25			35	6
7	06	08	15			07	13			38	07	21	7
8	02	26	03		83	15	02			43	21		8
9		04			32	02	02			06			9
10		06	02		11	10	07	31			38	04	10
11					13	04				42	03		11
12	50			15	27	06				04	94		12
13	77				20	03			03		33		13
14	19							19	17		10		14
15	34		21						02		12	02	15
16	15	04	35	64					23		05		16
17	15		56	10				25	10				17
18			05	11							04		18
19	25		23	12		03					11		19
20	63		19		06	16	02		38	03	#		20
21	31		17	19						03	13		21
22			18	02	09						39		22
23	77		71	26		07		02	12			13	23
24	04		02					11			09	60	24
25	02	08		10							05		25
26		02		28					06	03	02	05	26
27				1-01				08				20	27
28	07		25	27				05		89			28
29	21		13	36	04					68		20	29
30	08		54	30						30			30
31	40				05					54			31
Total	6-22	2-28	4-15	4-43	2-82	1-05	2-28	1-03	2-47	5-02	3-45	2-29	55-08
Rain Days.	7-01	1-19	4-13	4-28	2-92	9-5	3-0	1-86	1-62	5-02	3-48	2-26	35-02
	23	11	19	18	15	12	6	8	12	16	20	13	173

REGISTER OF RAINFALL IN 1914

Kept at

Netherton

in the County of

Devon

by

Geo. Ingham

Lat. *50.54* Long. *3.25 W.*

Time of Observation *9 am.*

Nearest Railway Station *Tiverton Junction*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *6* ft.

" " " " Sea Level *240* ft.

Jan. 1, following.

128

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.10				.04	.41			.87	.27	1
2			.04	.13		.14	.13	.25			.10	.07	2
3				.11	.02	~~.24~~	.37				.27	.41	3
4			.35	.28	.47			.26				.07	4
5	.15		.14	.26	.18		.34	.18			.52	.47	5
6	.18		.20	.40	.07							.10	6
7		.07		.25	.06		.16	.03				.18	7
8		.43	.19	.12	.07	.24	.23	.09	.03			.15	8
9	.13		1.00	.05	.20	.60		.18					9
10			.34	.17	.03	.50		.15	.55				10
11	.05	.19		.20	.10	.05			.28			.03	11
12		.13	.68		.10	.15	.02				.12	.48	12
13		.25	.09						.30	.02	.04	.56	13
14		.25	.31				.03		.32	.39	.40	.17	14
15		.08	.54			.14		.42	.02	.18	.30	.05	15
16			.22					.96	.09	.03	.29	.10	16
17			.04				.03		.25				17
18		.45	.34				.03					.69	18
19		.10	.07			.06	.03		.10	.03		.28	19
20		.09	.49				1.73		.06		.09	.19	20
21		.38	.10			.24						.23	21
22		.50								.20		.08	22
23		.05	.03		.15	.19		.02		.53			23
24		.09	.17				.03			.15			24
25			.05		.05						.14		25
26	.15		.43		.02		.10	.54		.40		.33	26
27	.85		.10				.06	.04			.20	.48	27
28	.02									.13	.09	.24	28
29	.02		.19		.05					.26	.10	.90	29
30	.13	X	.04		.14					.20	.24	.08	30
31		X	.04	X		X			X	.15	X	.85	31
Total	~~88~~	~~3.08~~	~~6.29~~	~~1.97~~	~~1.71~~	~~2.31~~	~~3.38~~	~~3.53~~	~~2.00~~	~~2.67~~	~~3.77~~	~~7.46~~	39.00
Rain Days.	~~90~~	~~3.16~~	~~6.19~~	~~1.97~~	~~1.71~~	~~2.35~~	~~3.70~~	~~3.12~~	~~2.00~~	~~3.54~~	~~3.17~~	~~7.47~~	39.28
	~~10~~	~~15~~	~~26~~	~~10~~	~~10~~	~~14~~	~~15~~	~~12~~	~~10~~	~~4~~	~~15~~	~~25~~	78

REGISTER OF RAINFALL IN 1915

Kept at Halburton
in the County of Devon
by Capt G. Izat RN

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1906
FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	28		12					10	06		68	24	1
2	40	16						43	08	48		38	2
3	28	38	20		19	10		49		19		38	3
4		05	12	17	07		08					57	4
5	10	21					22					25	5
6	04	48	02	05				10				55	6
7	83	13		30			36					10	7
8	28	30		08	21		15	03			07	31	8
9	25	28						10			03	09	9
10	/	04		18							~~44~~	82	10
11	40	29	03	04				32		16	~~04~~	02	11
12	18	38					06	50			1.02	08	12
13	24	52		07	46			48		15	30		13
14		50			40			13	09		12		14
15	10						05	13	15	05		96	15
16	26	04			29		15				20	11	16
17	02	63			13		86					05	17
18		20			06								18
19		30											19
20					20		12						20
21	37	05		07		10				30		09	21
22	24	05					05			21		07	22
23	08	06	35	07		04	40		04			22	23
24		08	16			04	34		03	98		58	24
25				03			20		11	29		53	25
26				04		85	38				02	30	26
27	09	06				04	02					54	27
28		04				52	05		33	46		02	28
29						08				14		22	29
30		X				11	02				13		30
31	13	X	#	X		X			X	1.05	X	36	31
Total	4.67	5.23	1.00	1.10	1.95	1.88	3.51	2.81	8.9	4.46	3.04	7.84	38.38
Rain Days.	4.39	5.35	8.8	1.10	1.95	1.88	3.61	2.77	8.3	5.14	2.60	7.74	38.24
	19	23	76	11	9	9	17	11	87	12	11	25	162

W.C.S.S. ^{not in use} REGISTER OF RAINFALL IN 1916

Kept at Natheron
in the County of Devon
by Asst. Inst. Capt. R. R.

Lat. 50° 54' N. Long. 3° 25' W.
Time of Observation 9 a.m.
Nearest Railway Station Twerton Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 250 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14		39		47	03	32		08	50	27		1
2	20		03		04		02		03	40	31		2
3	29	05			25	02	05			43	50		3
4		83		02	20	41	03			09	72		4
5	14	15			20	15				02	23		5
6	05		13		11	06				04	37		6
7	04	26	02		14	08	60			05	90	20	7
8	09	12	25		27	06				23	26	10	8
9		22	10			10	04				13	39	9
10				03	13					03		18	10
11		51		20									11
12					16		10	20		03			12
13	13	05	18	10				30					13
14		38	06		10					05			14
15	02	38	05	11				20		#			15
16		20	13	17			06	1.20		10		04	16
17	10	18		04					40	40	80		17
18	09	25	23	07					22	04			18
19	12	36	25	07							10		19
20		09	22								08	100	20
21	17	51	19		09							18	21
22	08	09				09		04		40		57	22
23				07		11		20		18	12	14	23
24	03	13		08	63			05		70			24
25		23	19			02		54	03	02	20	30	25
26		52	13		04	08		22	1.12	76	03		26
27		15	1.34			14		18	33	50			27
28	03							06	07	68		43	28
29		16	03			39		1.92	15	35*		33	29
30		X						02		25			30
31		X	3.92	X		X		04	X	12	X	14	31
Total	1.72	5.82	3.92	.96	2.83	1.74	1.22	5.17	2.43	5.17	5.02	4.00	YEAR'S TOTAL 40.40
Rain Days.	16	22	18	11	14	14	8	14	9	24	15	400	41.20

and by rain stat
in the house

REGI

DEVON

Kept at Chivenor, Co. Devon
in the County of Devon
by M. E. Yong

HEANTON PUNCHARDON.
"CHIVENOR HOUSE"
1914-1917

14
ong. 40° 6' W
9 A.M.
on Wrapton
ge 5 in.
e above Ground 1 ft. 8 in.
Sea Level 18 ft.

FORM A.
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE

and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.01~~	-	-	(.10) .01	-	.30	Total fall from June 23 to this date	.67	-	-	.06	.13	1
2	.01	-	-	-	-	-		.01	-	-	.01	.40	2
3	.02	-	.14	.24	.30	-		.05	-	-	-	.07	3
4	.20	-	.07	.21	.05	-		.66	-	-	.33	.73	4
5	.09	-	.24	.27	-	-		-	2	-	.07	.02	5
6	-	.01	.08	.27	.02	-		.01	-	-	.27	.15	6
7	.03	.45	.14	.19	.10	.04		.12	.18	-	-	.14	7
8	.09	-	.79	-	.07	.33		.02	-	-	.01	.22	8
9	.11	.05	.17	-	.17	1.04		.13	.70	-	-	.01	9
10	.14	.25	.17	.28	.08	.04		-	.37	-	-	.02	10
11	-	.12	.27	-	.05	.11		-	.01	-	.16	.46	11
12	-	.56	.17	-	-	-		-	.35	-	.08	.07	12
13	-	.24	.47	-	-	-		-	.31	.05	.37	.09	13
14	-	.42	.32	-	-	-	(.83) 1.90	.35	-	.05	.30	.02	14
15	-	(.06)	.11	-	-	-	.02	.49	.05	-	.62	.14	15
16	-	-	(.08) .23	-	-	-	.03	-	.07	-	-	.02	16
17	-	.15	.24	-	-	-	.02	-	-	-	-	.38	17
18	-	.11	.28	-	-	-	.05	-	.22	-	-	.58	18
19	-	.06	.11	-	-	-	1.18	-	.04	-	.12	.06	19
20	-	.26	.14	-	-	.07	-	-	-	-	-	.01	20
21	-	.16	-	-	-	-	.06	-	-	.14	-	-	21
22	-	.03	.04	-	.04	.52	-	.08	-	.29	-	-	22
23	-	.04	.10	-	-	-	.07	.01	-	.23	-	-	23
24	-	-	.09	-	-	-	.03	.08	-	-	.19	-	24
25	.17	.02	.16	-	-	-	.26	.69	-	.31	.01	.22	25
26	.04	-	-	-	-	-	.32	(.03) .03	-	.18	.17	.41	26
27	.13	.01	-	-	-	-	-	-	-	.14	.30	.11	27
28	(.02)	.02	.20	-	.09	-	-	-	-	.54	.24	.82	28
29	.09	-	.28	-	.12	-	-	-	-	.23	.23	.06	29
30	-	X	.10	-	-	-	-	-	-	.04	.69	.15	30
31	.04	X	-	X	.05	X	.46	-	X	.41	X	.18	31
Total	1.18	3.02	4.96	1.56	1.14	6.05	6.05	3.40	2.25	2.61	4.23	5.77	YEAR'S TOTAL 36.97
Rain Days.	14	19	25	7	12	for the 2 months 2.52 4.33		15	10	12	19	27	

REGI

Kept at Chivenor, (Heanton Peverell)
in the County of Devon
by M. E. Gorge

Lat. 51° 5' N Long. 4° 6' W
Time of Observation 9 A.M.
Nearest Railway Station Wrapton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 18 ft.

FORM A.
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.01~~	-	-	(.10) .01	-	.30	Total fall from June 23 to this date	.67	-	-	.06	.13	1
2	.01	-	-	-	-	-		.01	-	-	.01	.40	2
3	.02	-	.14	.24	.30	-		.05	-	-	-	.07	3
4	.20	-	.07	.21	.05	-		.66	-	-	.33	.73	4
5	.09	-	.24	.27	-	-		-	2	-	.07	.02	5
6	-	.01	.08	.27	.02	-		.01	-	-	.27	.15	6
7	.03	.45	.14	.19	.10	.04		.12	.18	-	-	.14	7
8	.09	-	.79	-	.07	.33		.02	-	-	.01	.22	8
9	.11	.05	.17	-	.17	1.04		.13	.70	-	-	.01	9
10	.14	.25	.17	.28	.08	.04		-	.37	-	-	.02	10
11	-	.12	.27	-	.05	.11		-	.01	-	.16	.46	11
12	-	.56	.17	-	-	-		-	.35	-	.08	.07	12
13	-	.24	.47	-	-	-		-	.31	.05	.37	.09	13
14	-	.42	.32	-	-	-		.35	-	.05	.30	.02	14
15	-	(.06)	.11	-	-	-	.02	.49	.05	-	.62	.14	15
16	-	-	(.08) .22	-	-	-	.03	-	.07	-	-	.02	16
17	-	.15	.24	-	-	-	.02	-	-	-	-	.38	17
18	-	.11	.28	-	-	-	.05	-	.22	-	-	.58	18
19	-	.06	.11	-	-	-	1.18	-	.04	-	.12	.06	19
20	-	.26	.14	-	-	.07	-	-	-	-	-	.01	20
21	-	.16	-	-	-	-	.06	-	-	.14	-	-	21
22	-	.03	.04	-	.04	.52	-	.08	-	.29	-	-	22
23	-	.04	.10	-	-	-	.07	.01	-	.23	-	-	23
24	-	-	.09	-	-	-	.03	.08	-	-	.19	-	24
25	.17	.02	.16	-	-	-	.26	.69	-	.31	.01	.22	25
26	.04	-	-	-	-	-	.32	(.03) .03	-	.18	.17	.41	26
27	.13	.01	-	-	-	-	-	-	-	.14	.30	.11	27
28	(.02)	.02	.20	-	.09	-	-	-	-	.54	.24	.82	28
29	.09	-	.28	-	.12	-	-	-	-	.23	.23	.06	29
30	-	X	.10	-	-	-	-	-	-	.04	.69	.15	30
31	.04	X	-	X	.05	X	.46	-	X	.41	X	.18	31
Total	1.18	3.02	4.96	1.56	1.14	6.05		3.40	2.25	2.61	4.23	5.77	36.97
Rain Days.	14	19	25	7	12	for the 2 months 2.52 4.33		15	10	12	19	27	8...

REGISTER OF RAINFALL IN 1915

Kept at *Chivenor House Wrafton P.S.*
 in the County of *Devon North*
 by *Maurice E Yonge*

Lat. *51° 5' N* Long. *4° 6' W*
 Time of Observation *9 A.M.*
 Nearest Railway Station *Wrafton*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *8* in.
 " " " " Sea Level *18* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27	.21	-	-	.1	-	-	.03	.18	.4	.02	.18	1
2	.2	.15	.16	.07	-	.04	-	.32	.03	.02	-	.50	2
3	-	.03	.08	.23	.24	-	-	-	-	-	-	.49	3
4	-	.48	.02	-	.01	-	.97	-	-	-	-	.34	4
5	.25	.43	-	.06	-	-	-	.25	-	-	-	.33	5
6	.45	.06	-	.27	.03	-	.23	.12	-	-	-	.11	6
7	.2	.49	-	.01	-	-	.2	.02	-	.2	.02	.32	7
8	.28	.54	-	-	-	-	-	.25	-	.02	.2	.06	8
9	.04	.36	-	.11	-	-	-	.05	-	-	.38	.75	9
10	.3	.23	.18	.12	-	-	-	.04	-	.08	.02	.04	10
11	.13	-	.07	-	.03	-	.1	-	-	.01	.84	.18	11
12	.27	.03	-	.03	.36	-	.01	-	-	.02	.34	.19	12
13	.02	.29	-	.02	.58	-	.12	.2	.16	.02	.13	.1	13
14	.03	-	-	-	-	-	.4	.05	.08	-	.02	.5	14
15	.12	-	-	-	.34	-	.24	-	.15	-	.17	.1	15
16	-	.65	-	.01	.06	-	1.01	-	.06	-	-	-	16
17	.02	.16	-	-	.02	-	.4	-	-	-	-	-	17
18	.01	.23	.02	-	-	-	.2	-	-	-	.02	-	18
19	.01	.03	-	.04	.18	-	.22	-	-	-	-	.05	19
20	.42	.01	-	.1	-	.06	.15	-	-	-	-	.2	20
21	.37	.40	-	-	.1	.03	.15	-	.1	.23	-	.36	21
22	.17	.06	.18	.03	-	-	.02	-	-	.28	-	-	22
23	.07	.06	.08	-	-	.05	.16	-	.03	.68	-	1.09	23
24	-	-	.01	.01	-	-	.01	-	.24	.2	-	.2	24
25	.01	-	-	-	-	.18	.25	-	-	.02	-	.25	25
26	-	.10	-	-	-	.06	.02	-	.11	-	-	.41	26
27	-	.09	-	-	-	.38	.8	-	-	.41	-	.02	27
28	-	.12	.01	-	-	.02	.1	.01	.3	.27	-	.01	28
29	-	-	-	-	-	.07	.01	.01	.14	.03	.23	.03	29
30	.08	X	-	-	-	.07	.02	-	.04	.3	.33	.18	30
31	-	X	-	X	-	X	.01	.2	X	.15	X	.2	31
Total	3.72	5.21	.81	1.18	2.05	.96	5.80	1.35	1.67	3.34	2.72	7.11	YEAR'S TOTAL
Rain Days.	22	23	10	14	12	10	24	13	13	18	13	27	35.80
													199

REGISTER OF RAINFALL IN 1916

Kept at Chivenor House (Heanton Punchardon)
in the County of Devon
by Maurice E. Yonge

Lat. 51° 5' N Long. 4° 6' W
Time of Observation 9.9.10 Summer time
Nearest Railway Station Wrafton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 18 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	-	.07	-	.22	.21	.1	-	-	.04	.01	.01	1
2	.38	.02	.47	-	.07	-	-	-	.25	.76	.15	-	2
3	-	<u>1.08</u>	-	-	.14	.1	.3	-	.01	.36	.11	.11	3
4	.16	.24	-	.03	.32	.21	-	-	.17	.01	.23	-	4
5	.02	.01	.01	-	.02	.05	.02	-	.01	.05	.17	-	5
6	.1	.22	-	-	.09	.02	.25	-	-	.05	.41	.01	6
7	.02	.35	.17	-	.25	-	.1	-	-	-	.39	.27	7
8	-	.17	.12	-	.15	.15	-	-	-	-	.26	.12	8
9	-	.08	-	-	.2	-	.08	-	-	.03	.06	.29	9
10	-	<u>1.07</u>	-	.09	.3	-	.28	-	-	-	.03	-	10
11	-	.01	-	.12	.9	-	-	-	.01	-	.02	-	11
12	.06	.07	.1	.03	.41	-	.03	.01	-	.33	.02	-	12
13	-	.41	.02	.01	.2	-	.1	.05	.02	.02	-	-	13
14	.05	.44	.15	-	.5	-	-	.3	-	-	-	.01	14
15	.02	.15	.02	.19	.04	-	-	.06	-	-	-	-	15
16	-	.06	-	.43	.01	-	.12	.62	-	.1	-	-	16
17	.12	.18	-	-	-	-	-	.01	.62	.26	.45	-	17
18	.03	.23	.15	.01	-	-	-	.04	.1	.01	-	.13	18
19	.05	.16	.04	.06	-	-	-	.01	-	-	.24	.08	19
20	.05	.31	.22	-	-	-	-	-	-	-	.19	.25	20
21	.02	.06	.25	-	.03	.05	-	-	-	-	.11	.3	21
22	-	-	-	-	-	.08	-	.09	-	.16	.03	.58	22
23	.02	.02	.03	-	-	.45	-	.33	-	.13	.1	.34	23
24	-	.03	.42	-	.13	-	-	.02	-	.42	-	.23	24
25	-	.43	.23	-	-	.01	-	.35	.01	.16	.21	.01	25
26	.04	.05	.05	-	.05	.1	-	-	.36	.29	.03	-	26
27	.02	.15	.64	-	.09	-	-	.01	.35	.35	-	.01	27
28	-	.25	-	-	-	-	-	.02	.02	.28	.01	.37	28
29	-	.30	.02	-	-	.35	-	.46	.21	.2	-	.25	29
30	-	X	-	-	-	.15	-	.03	-	.34	-	.02	30
31	-	X	-	X	-	X	-	.07	X	.21	X	.05	31
Total	1.24	6.55	3.18	.97	4.12	1.93	1.00	2.48	2.14	4.56	3.23	3.44	34.84
Rain Days.	17	27	19	9	20	13	7	17	13	22	21	20	205

REGISTER OF RAINFALL IN 1917

Kept at Chiverton House Wrafton A.S.
in the County of Devon North
by M. E. Gorge

Lat. 51° 5' N Long. 4° 6' W
Time of Observation 9 a.m.
Nearest Railway Station Wrafton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 18 ft.

1826
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.22	.28	-	.43	-	.21	.01	-	.08	.01	1
2	.02	-	.06	.18	-	.12	-	-	-	.1	.21	-	2
3	.03	-	-	.11	-	.02	.78	-	-	.63	.51	-	3
4	-	.25	.39	-	-	-	.08	-	.1	.21	.03	-	4
5	.1	-	.20	.35	-	.15	-	-	.04	.03	.05	-	5
6	.08	-	.14	.03	-	.1	-	-	-	.03	.18	-	6
7	.29	-	-	-	-	-	.18	.21	-	.09	.07	.02	7
8	.03	-	.18	.06	-	.16	.13	.79	.2	.63	.31	.55	8
9	-	-	.03	-	.1	-	-	.23	-	.75	.08	-	9
10	.34	-	.30	.32	-	-	-	.04	-	.15	-	-	10
11	.02	-	.18	.34	-	-	-	.04	-	.38	.33	-	11
12	.23	-	-	.03	.27	-	-	.14	-	.48	.01	-	12
13	.27	-	.18	.06	-	-	-	.13	.31	.46	-	.01	13
14	-	-	-	.06	-	-	-	.11	.07	.11	.02	.02	14
15	-	-	-	.05	-	-	-	-	.02	.11	.48	.21	15
16	-	.01	-	.02	-	-	-	-	-	.05	.10	.20	16
17	-	-	.04	.32	-	-	.55	.13	.28	.2	.06	-	17
18	-	.01	.04	.01	.02	-	.35	.09	1.03	.09	.04	-	18
19	-	.61	.03	-	-	.32	-	.23	.01	.01	.01	-	19
20	-	.21	.15	-	.35	1.03	-	.01	-	-	.01	.08	20
21	-	-	.15	-	-	-	-	.14	-	.05	.02	-	21
22	-	-	.15	-	.03	-	-	.23	-	.15	-	-	22
23	-	.27	.48	-	.07	-	-	.33	-	.15	.05	.02	23
24	-	-	.49	-	-	.08	.26	.07	-	.26	.15	.01	24
25	-	.03	.03	-	-	.17	.01	.33	.02	.07	.08	-	25
26	-	-	.49	-	.43	.04	-	.3	.24	.06	.11	-	26
27	-	-	.45	-	-	.1	.01	1.37	-	.41	.01	-	27
28	-	.13	.03	-	.05	2.19	.02	.03	-	.12	.01	-	28
29	-	-	.16	-	-	.02	-	-	-	.49	-	.02	29
30	-	X	.01	-	-	-	.19	.28	-	.02	.01	-	30
31	-	X	-	X	.45	X	-	.13	X	.29	X	-	31
Total	1.42	1.52	2.44	2.22	1.77	4.93	2.56	5.57	2.33	6.58	2.98	1.55	YEAR'S TOTAL 35.53
Rain Days.	11	8	18	15	9	14	11	23	12	29	26	11	187

REGIST

HEMYOCK

Kept at Windlehurst, T
in the County of Devo
by M. S. Tedder

WINDLEHURST

DEVON

1917 - 1920

W.

Hemyock

ge 5 in.

round 1 ft. in.

ea Level 750 ft.

e result entered to the

al rule, he is earnestly

in the space provided

at of rain,

h Rainfall

lication to

Jan. 1, following.

0.03

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.

previous day. If an Observer is requested to add the reading for it at the end of this year, the selection and placing of Organization are given in "Dr. H. R. MILL, 62, Camde

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	-	0.24	0.02	-	0.17	-	0.60	0.07	-	0.07	0.02	1
2	0.09	-	0.03	0.24	-	0.06	-	0.12	0.04	-	0.04	Trace	2
3	0.04	-	0.01	0.10	-	-	-	0.01	-	0.03	0.28	-	3
4	0.11	0.12	0.22	0.02	-	-	0.55	0.03	-	0.64	0.35	0.02	4
5	0.07	0.08	0.60	0.18	-	-	0.02	-	0.13	0.03	Trace	-	5
6	0.08	-	0.38	0.12	-	0.10	Trace	0.01	Trace	0.17	0.12	-	6
7	0.20	-	0.03	-	-	0.02	-	-	-	0.33	0.11	0.02	7
8	0.16	-	-	0.11	-	0.08	0.72	0.31	-	0.57	0.21	0.10	8
9	0.01	-	0.17	0.06	-	-	0.13	0.04	0.07	0.03	0.12	0.05	9
10	0.01	-	0.21	0.02	0.02	-	0.48	0.14	0.01	0.27	0.05	0.01	10
11	0.26	-	0.38	0.30	-	0.01	Trace	0.68	0.04	0.01	Trace	-	11
12	0.14	0.01	0.40	0.07	0.33	-	-	0.07	-	0.57	0.07	Trace	12
13	0.01	-	0.07	0.02	0.21	-	-	0.08	0.05	0.13	-	-	13
14	Trace	-	0.12	0.05	-	0.01	-	0.88	0.06	0.05	-	Trace	14
15	-	-	0.03	0.05	-	-	0.42	0.42	0.03	0.01	-	-	15
16	Trace	0.04	-	0.10	-	Trace	0.20	0.04	0.01	0.31	-	0.35	16
17	Trace	0.04	-	-	-	0.03	0.09	0.01	0.08	0.20	-	-	17
18	-	0.04	-	0.04	0.01	-	0.48	0.07	0.48	0.05	-	-	18
19	0.01	0.10	0.07	-	-	0.18	0.09	0.01	0.55	-	-	-	19
20	Trace	0.42	0.06	-	0.28	0.07	-	0.29	0.06	-	0.05	-	20
21	-	0.20	0.01	-	0.16	0.16	-	-	-	0.02	-	-	21
22	-	-	0.22	-	-	-	-	0.20	-	0.01	-	-	22
23	-	0.12	-	-	0.10	Trace	-	0.36	-	0.16	0.03	-	23
24	-	0.02	-	-	0.08	0.80	Trace	0.29	-	0.09	0.02	0.02	24
25	-	0.10	0.01	-	-	0.07	0.22	-	Trace	0.11	0.15	-	25
26	-	-	0.04	-	-	-	0.01	0.72	0.20	0.07	0.02	-	26
27	-	-	-	-	0.35	0.06	-	0.56	Trace	0.11	0.05	-	27
28	-	-	-	-	0.75	1.00	-	0.64	-	0.01	0.05	0.01	28
29	-	~~X~~	0.18	-	0.07	2.25	0.01	0.14	-	-	0.01	0.05	29
30	-	~~X~~	0.07	-	-	0.01	0.16	0.11	-	0.41	0.01	0.26	30
31	0.01	~~X~~	0.10	~~X~~	-	~~X~~	0.04	0.02	~~X~~	0.11	~~X~~	0.01	31
Total	1.21	1.29	3.60	1.50	2.36	4.58	3.62	6.85	1.88	4.52	1.81	0.92	34.24
Rain Days.	15	12	23	16	11	17	15	27	15	26	19	12	208

YEAR'S TOTAL

REGISTER OF RAINFALL

Kept at Windlehurst, Hemnock
in the County of Devon
by M. F. Tedder

Lat. 5° 55' N Long. 3° 2' W
Time of Observation 8 p.m.
Nearest Railway Station Hemnock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 750 in.
" " " " Sea Level 750 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	-	0.24	0.02	-	0.17	-	0.60	0.07	-	0.07	0.02	1
2	0.09	-	0.03	0.24	-	0.06	-	0.12	0.04	-	0.04	Trace	2
3	0.04	-	0.01	0.10	-	-	-	0.01	-	0.03	0.28	-	3
4	0.11	0.12	0.22	0.02	-	-	0.55	0.03	-	0.64	0.35	0.02	4
5	0.07	0.08	0.60	0.18	-	-	0.02	-	0.13	0.03	Trace	-	5
6	0.08	-	0.38	0.12	-	0.10	Trace	0.01	Trace	0.17	0.12	-	6
7	0.20	-	0.03	-	-	0.02	-	-	-	0.33	0.11	0.02	7
8	0.16	-	-	0.11	-	0.08	0.72	0.31	-	0.57	0.21	0.10	8
9	0.01	-	0.17	0.06	-	-	0.13	0.04	0.07	0.05	0.12	0.05	9
10	0.01	-	0.21	0.02	0.02	-	0.48	0.14	0.01	0.27	0.05	0.01	10
11	0.26	-	0.38	0.30	-	0.01	Trace	0.68	0.04	0.01	Trace	-	11
12	0.14	0.01	0.40	0.07	0.33	-	-	0.07	-	0.57	0.07	Trace	12
13	0.01	-	0.07	0.02	0.21	-	-	0.08	0.05	0.13	-	-	13
14	Trace	-	0.12	0.05	-	0.01	-	0.88	0.06	0.05	-	Trace	14
15	-	-	0.03	0.05	-	-	0.42	0.42	0.03	0.01	-	-	15
16	Trace	0.04	-	0.10	-	Trace	0.20	0.04	0.01	0.31	-	0.35	16
17	Trace	0.04	-	-	-	0.03	0.09	0.01	0.08	0.20	-	-	17
18	-	0.04	-	0.04	0.01	-	0.48	0.07	0.48	0.05	-	-	18
19	0.01	0.10	0.07	-	-	0.18	0.09	0.01	0.55	-	-	-	19
20	Trace	0.42	0.06	-	0.28	0.07	-	0.29	0.06	-	0.05	-	20
21	-	0.20	0.01	-	0.16	0.16	-	-	-	0.02	-	-	21
22	-	-	0.22	-	-	-	-	0.20	-	0.01	-	-	22
23	-	0.12	-	-	0.10	Trace	-	0.36	-	0.16	0.03	-	23
24	-	0.02	-	-	0.08	0.30	Trace	0.29	-	0.09	0.02	0.02	24
25	-	0.10	0.01	-	-	0.07	0.22	-	Trace	0.11	0.15	-	25
26	-	-	0.04	-	-	-	0.01	0.72	0.20	0.07	0.02	-	26
27	-	-	-	-	0.35	0.06	-	0.56	Trace	0.11	0.05	-	27
28	-	-	-	-	0.75	1.00	-	0.64	-	0.01	0.05	0.01	28
29	-	~~X~~	0.18	-	0.07	2.25	0.01	0.14	-	-	0.01	0.05	29
30	-	~~X~~	0.07	-	-	0.01	0.16	0.11	-	0.41	0.01	0.26	30
31	0.01	~~X~~	0.10	~~X~~	-	~~X~~	0.04	0.02	~~X~~	0.11	~~X~~	0.01	31
Total	1.21	1.29	3.60	1.50	2.36	4.58	3.62	6.85	1.88	4.52	1.81	0.92	34.24
Rain Days.	15	12	23	16	11	17	15	27	15	26	19	12	208

YEAR'S TOTAL

119
REGISTER OF RAINFALL IN 1918.

(Blackdown Hills)
Kept at Windlehurst, Hemyoek
in the County of S Devon
by M. E. T. 8000

Lat. 50.51'N Long. 3.16 W. approx.
Time of Observation 8 P.M.
Nearest Railway Station Hemyoek
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 750 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	-	0.03	0.07	0.09	0.01	.	0.16	0.13	.	0.16	0.09	1
2	-	0.20	.	0.14	0.01	.	.	0.88	0.01	0.04	0.92	0.01	2
3	-	0.03	.	0.05	0.06	.	.	0.05	.	.	0.05	0.22	3
4	-	0.09	0.03	0.08	.	.	.	0.03	0.02	0.08	0.61	0.01	4
5	-	0.06	0.03	.	0.05	.	.	0.10	0.33	0.13	0.06	0.24	5
6	0.20	0.20	0.13	0.24	.	0.10	.	0.33	0.18	0.18	.	0.18	6
7	0.03	0.04	0.02	0.08	0.30	0.01	.	.	0.06	0.12	0.03	0.10	7
8	0.04	0.19	.	.	0.04	0.01	.	0.01	0.44	0.25	0.39	0.21	8
9	0.15	0.15	.	.	.	0.10	0.17	.	0.30	0.05	.	0.15	9
10	0.02	0.03	.	0.08	.	0.06	0.25	.	0.16	0.03	.	0.15	10
11	0.08	0.03	.	0.14	.	0.01	0.62	.	0.37	0.10	0.02	0.68	11
12	0.02	0.04	0.25	.	.	.	0.50	.	0.22	0.06	0.06	0.30	12
13	-	0.10	0.03	.	0.30	.	0.01	.	0.03	0.01	.	0.04	13
14	0.40	0.02	.	.	0.01	0.04	0.23	.	0.40	0.13	.	0.30	14
15	0.51	-	0.01	.	.	0.02	0.28	.	0.15	0.03	.	0.26	15
16	1.19	-	.	0.94	.	.	0.03	.	0.05	0.08	.	0.17	16
17	0.62	-	0.02	0.18	.	0.03	0.12	0.04	0.35	0.01	.	0.12	17
18	0.65	-	.	0.15	.	0.51	0.43	0.02	0.02	0.10	.	0.32	18
19	0.55	-	.	.	.	0.02	0.12	0.09	0.44	0.03	.	0.27	19
20	0.35	0.04	.	0.05	.	0.07	0.28	0.02	0.08	0.06	.	0.07	20
21	0.03	0.02	.	0.03	.	0.01	0.02	.	0.07	0.13	0.03	0.17	21
22	0.05	0.09	.	.	.	.	0.29	.	0.80	0.06	.	0.38	22
23	0.08	0.01	.	.	0.30	0.01	0.75	0.03	0.25	0.01	.	0.11	23
24	0.02	0.02	.	.	.	0.01	0.05	.	0.10	.	0.06	0.04	24
25	0.01	0.12	.	.	.	0.01	0.18	0.70	0.07	0.03	0.10	0.04	25
26	0.01	-	.	0.29	0.30	.	0.88	0.03	0.08	0.03	0.12	0.01	26
27	-	0.18	.	.	.	0.01	0.08	0.08	0.06	0.03	0.22	0.16	27
28	-	0.16	0.30	.	.	0.01	0.06	0.35	0.01	0.43	0.11	.	28
29	-	-	.	.	.	.	.	.	0.85	0.02	0.13	0.17	29
30	-	X	0.19	.	.	.	.	0.05	0.17	0.03	0.01	0.02	30
31	-	X	0.48	X	.	X	.	0.10	X	0.01	X	0.04	31
Total	5.04	1.87	1.52	2.56	1.46	0.94	5.30	2.78	6.54	1.85	3.10	5.14	YEAR'S TOTAL 38.10
Rain Days.	21	21	12	14	10	11	20	18	29	28	17	31	23 2

REGISTER OF RAINFALL IN 1919.

Kept at "Winthorpe" Hemmock,
in the County of Devon
by Miss M. E. Fidler

Lat. 5. 55' N. Long. 3. 12' W.
Time of Observation 9 a.m.
Nearest Railway Station Hemmock
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.60	.	0.10	0.04	0.19	.	0.50	.	0.06	0.25	.	1.30	1
2	0.13	.	0.01	.	0.06	.	0.02	.	.	0.07	.	0.07	2
3	0.48	.	0.42	.	0.02	.	.	.	0.20	.	0.23	0.33	3
4	0.65	0.42	0.42	.	.	0.17	0.04	0.05	0.35	.	0.04	0.05	4
5	0.13	0.29	0.91	.	0.01	.	0.11	.	0.43	.	0.05	0.25	5
6	0.83	0.24	0.09	.	.	.	.	.	.	.	.	0.35	6
7	0.38	.	0.27	0.16	.	.	.	.	0.02	.	.	0.10	7
8	0.23	.	0.17	0.01	.	0.02	.	.	.	.	.	.	8
9	0.10	.	0.03	0.12	0.06	.	.	.	.	.	0.30	.	9
10	0.07	.	0.17	0.01	0.02	.	.	.	.	0.08	0.03	0.32	10
11	0.01	.	0.30	0.18	0.17	0.01	0.14	.	.	.	.	0.24	11
12	0.22	.	0.03	0.02	.	0.11	.	.	.	0.08	0.10	0.04	12
13	0.06	0.03	0.06	0.43	.	.	.	.	0.02	0.03	.	0.09	13
14	0.60	0.06	.	0.75	0.40	.	0.03	.	0.09	0.10	.	0.27	14
15	0.19	0.04	.	0.04	.	.	.	0.15	.	0.01	.	0.23	15
16	0.08	0.64	.	.	.	.	.	0.23	.	.	0.10	.	16
17	.	0.52	.	0.02	.	0.01	.	0.09	.	.	0.36	.	17
18	0.07	0.08	0.56	.	.	.	0.09	0.45	0.50	.	0.27	.	18
19	0.55	0.28	0.43	.	.	0.05	0.72	0.16	0.33	.	0.12	0.11	19
20	0.50	0.05	0.17	.	.	0.12	.	0.01	0.12	.	0.02	0.13	20
21	0.02	0.68	0.01	.	.	.	0.20	.	0.25	.	.	0.03	21
22	0.01	0.05	.	.	.	0.02	0.08	.	.	.	0.08	0.15	22
23	.	.	0.04	.	.	.	.	.	0.02	0.94	0.06	0.05	23
24	.	.	.	0.04	0.61	0.07	.	.	.	1.43	0.05	0.61	24
25	0.12	.	.	0.07	.	0.07	.	1.19	.	0.02	0.04	0.07	25
26	0.20	0.01	0.17	0.19	.	.	.	0.11	0.18	.	.	0.50	26
27	0.15	.	0.02	0.18	.	0.04	0.02	0.92	.	.	.	0.06	27
28	0.07	.	0.31	.	.	.	.	.	.	.	.	0.38	28
29	0.01	~~X~~	0.01	0.09	.	.	.	0.23	.	0.08	0.30	0.05	29
30	.	~~X~~	.	0.07	.	0.07	.	0.38	.	0.03	0.30	0.63	30
31	0.01	~~X~~	.	~~X~~	.	~~X~~	0.05	.	~~X~~	.	~~X~~	0.41	31
TOTAL	6.47	3.39	4.70	2.42	0.94	0.77	2.00	3.97	2.57	3.12	2.45	6.82	39.62
Days with "01 in. or more	27	14	22	17	9	12	12	12	13	12	17	26	193
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1920.

Kept at Widdhurst, Hemlock
in the County of Devon
by Miss M. E. Tedder

Lat. 5.55 N Long. 3.12 W
Time of Observation 9 am.
Nearest Railway Station Hemlock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following



Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	.	0.02	0.15	0.35	.	0.44	0.12	0.10	0.13	0.14	0.63	1
2	0.35	.	.	0.18	.	.	0.70	0.28	0.09	0.11	.	0.07	2
3	0.13	0.06	.	0.12	.	.	0.05	.	0.09	0.80	.	0.07	3
4	.	.	0.07	0.02	.	.	0.05	0.50	.	0.22	.	.	4
5	.	.	0.24	0.20	0.22	0.01	0.40	0.07	.	0.15	.	.	5
6	.	.	0.33	0.02	0.20	.	0.07	.	.	0.13	0.01	.	6
7	0.02	.	.	0.34	.	.	0.78	.	0.06	.	0.01	.	7
8	0.05	0.06	.	0.30	0.10	.	0.75	.	.	0.01	.	0.16	8
9	0.73	0.13	0.03	0.10	.	0.22	0.13	0.01	0.01	.	.	.	9
10	0.89	0.14	0.04	0.05	.	0.40	0.50	.	.	.	.	.	10
11	0.13	0.02	0.11	0.60	0.35	0.01	0.53	.	.	.	.	.	11
12	0.25	0.07	0.10	0.17	.	0.08	0.07	.	.	0.03	0.15	.	12
13	0.27	0.11	0.60	0.10	.	.	.	.	.	0.03	.	.	13
14	0.02	0.07	0.33	0.78	.	.	0.02	.	0.10	0.13	0.34	.	14
15	.	0.18	0.06	0.56	0.12	0.13	0.01	.	0.14	0.44	0.01	.	15
16	.	0.01	0.07	0.06	0.09	0.25	0.20	.	0.14	0.25	0.03	.	16
17	0.03	.	0.11	0.13	0.25	0.06	.	.	0.51	.	0.01	.	17
18	0.06	0.01	0.03	0.06	0.10	0.18	0.07	0.43	0.04	.	.	0.15	18
19	0.06	0.01	.	0.40	0.02	0.35	.	.	0.03	0.01	.	.	19
20	0.03	0.09	.	0.25	0.20	0.08	0.03	.	.	.	.	0.31	20
21	.	.	.	0.06	.	.	0.11	.	.	0.01	.	0.13	21
22	0.02	.	.	0.06	.	0.01	0.05	.	.	.	.	0.55	22
23	.	.	.	.	.	.	0.70	0.11	.	.	.	0.45	23
24	0.03	.	0.23	.	.	.	.	.	.	.	0.18	0.08	24
25	0.06	0.03	0.13	.	.	0.01	0.54	.	.	.	.	0.01	25
26	0.38	0.03	0.33	0.09	0.13	0.06	.	.	.	.	0.28	0.18	26
27	0.47	0.02	0.23	0.10	0.02	0.31	0.07	.	.	.	0.35	0.37	27
28	0.67	0.01	0.10	.	.	0.02	0.10	.	.	.	.	0.18	28
29	0.22	.	0.51	0.03	0.02	0.01	0.01	.	.	.	0.28	0.22	29
30	0.12	~~X~~	.	0.01	0.15	0.17	0.08	.	0.40	0.04	0.43	0.33	30
31	0.06	~~X~~	0.48	~~X~~	0.02	~~X~~	0.01	.	~~X~~	0.98	~~X~~	0.13	31
TOTAL	5.12	1.05	4.15	4.94	2.34	2.36	6.17	1.52	1.71	3.47	2.22	4.02	YEAR'S TOTAL
Days with "01 in. or more	25	17	21	26	16	18	26	7	12	16	13	17	39.07
Days with "04 in. or more	18	9	18	22	12	12	21	6	10	11	8	16	244
													163

REGIST

DEVON.

FORM A2.
BRITISH RAINFALL.
-9 MAR 1912

Kept at Hennock Vicarage
in the County of Devon
by Rev. A. J. ...

HENNOCK VICARAGE

1911-1914-1916-1917.

1915 A/B

in. 12
ound - ft. 12 in.
Level 600 ft.
ne Trusham
ance 1 1/2 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.70	.00	.05	.00	.01	.00	.02	.02	1
2					.25	.00	.00	.00	.02	.01	.19	.45	2
3					.07	.00	.14	.00	.26	.00	.28	.17	3
4					.00	.00	.00	.00	.07	.14	.24	.80	4
5					.00	.00	.00	.00	.14	.10	.24	.05	5
6					.00	.00	.00	.10	.07	.01	.12	.43	6
7					.00	.00	.00	.00	.00	.00	.66	.03	7
8					.00	.25	.00	.00	.00	.00	.04	.90	8
9					.05	.00	.00	.00	.60	.00	.68	.94	9
10					.00	.00	.00	.00	.30	.01	.02	.30	10
11					.00	.00	.00	.01	.06	.00	.85	.18	11
12					.00	.00	.00	.00	.12	.53	.18	.37	12
13					.00	.00	.00	.00	.50	.01	.09	.43	13
14					.00	.00	.00	.00	.50	.11	.15	.74	14
15					.00	.68	.00	.00	.00	.00	.41	.13	15
16					.00	.15	.00	.00	.14	.00	.53	.90	16
17					.00	.40	.00	.00	.52	.02	.13	1.40	17
18					.00	.65	.00	.07	.12	.24	.58	.50	18
19					.07	.07	.07	.00	.00	.15	.31	.68	19
20					.00	.02	.07	.00	.00	.89	.04	.74	20
21					.00	.14	.07	.00	.00	.49	.00	.25	21
22					.07	.02	.00	.00	.00	.24	.00	.76	22
23					.00	.02	.00	.52	.00	.44	.15	.41	23
24					.00	.22	.00	.00	.00	.37	.00	.27	24
25					.00	.03	.00	.00	.07	.25	.00	.18	25
26					.00	.00	.00	.00	.00	.58	.05	.20	26
27					.00	.00	.01	.00	.00	.48	.00	.01	27
28					.30	.00	.65	.00	.00	.00	.11	.01	28
29					.00	.22	.00	.00	.16	.50	.00	.01	29
30					.00	.00	.00	.00	.00	.00	.35	.00	30
31					.00	—	.00	.00	—	.01	—	.00	31
Total					1.30	2.71	.85	.63	2.97	5.05	6.46	13.22	TOTAL for year
No. of Rain Days.					4	13	4	3	15	18	25	29	

REGIST

FORM A2.
BRITISH RAINFALL.

9 MAR 1912

Kept at

Hennock Vicarage

in the County of

Swon

by

Rev. A. H. Snipper

RAIN
GAUGE

Diameter of top 5 in.

Height of top above Ground ft. 12 in.

Sea Level 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station

Name

Trusham

Distance

1 1/2 miles

Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.70	.00	.05	.00	.01	.00	.02	.02	1
2					.25	.03	.00	.00	.02	.01	.19	.45	2
3					.01	.00	.14	.00	.26	.00	.28	.17	3
4					.00	.00	.00	.00	.01	.14	.24	.80	4
5					.00	.03	.00	.00	.14	.10	.24	.05	5
6					.00	.00	.00	.10	.01	.01	.12	.443	6
7					.00	.00	.00	.00	.10	.00	.66	.03	7
8					.00	.25	.03	.00	.00	.10	.04	.90	8
9					.05	.00	.03	.00	.60	.00	.68	.94	9
10					.00	.00	.00	.00	.30	.01	.02	.30	10
11					.03	.00	.00	.01	.06	.00	.2585	.18	11
12					.00	.00	.00	.00	.12	.53	.18	.37	12
13					.03	.00	.00	.00	.50	.01	.09	.43	13
14					.03	.00	.00	.00	.50	.11	.15	.74	14
15					.00	.68	.01	.00	.00	.00	.41	.13	15
16					.00	.15	.00	.00	.14	.00	.53	.90	16
17					.01	.40	.00	.00	.52	.02	.13	1.40	17
18					.00	.65	.00	.01	.12	.24	.58	.50	18
19					.03	.01	.01	.00	.00	.15	.31	.68	19
20					.00	.02	.01	.00	.00	.89	.04	.74	20
21					.00	.04	.00	.00	.00	.49	.00	.25	21
22					.01	.02	.00	.00	.00	.24	.00	.76	22
23					.00	.02	.00	.52	.00	.44	.15	.41	23
24					.00	.22	.00	.00	.00	.37	.00	.27	24
25					.00	.03	.00	.00	.01	.25	.00	.18	25
26					.00	.00	.00	.00	.00	.58	.05	.20	26
27					.00	.00	.01	.00	.00	.48	.04	.01	27
28					.30	.00	.65	.00	.00	.00	.11	.01	28
29					.00	.22	.00	.00	.16	.50	.00	.01	29
30					.00	.00	.00	.00	.00	.00	.35	.00	30
31					.00	—	.00	.01	—	.01	—	.00	31
Total					1.30	2.71	.85	.63	2.97	5.05	6.46	13.22	TOTAL for year
No. of Rain Days.					4	13	4	3	15	18	25	29	

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Hemlock Vicarage

in the County of Droon S.S.

by Rev. A. H. Skipper

RAIN GAUGE Pattern Modified Snow Gauge
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 600 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Trusham
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.6	0	.17	0	0	.70	.10	0	.21	0	0	.83	1
2	0	0	.31	0	0	.90	.10	0	0	0	0	0	2
3	0	0	.70	0	.05	.39	.26	1.51	0	0	0	.09	3
4	.15	0	.95	0	.04	.39	0	.22	0	0	.12	0	4
5	.64	.05	.16	0	.04	0	.03	.87	0	0	0	.38	5
6	.38	0	.03	0	.30	.30	0	.05	0	0	0	0	6
7	.24	.40	.43	0	.07	.68	0	.14	0	0	0	.55	7
8	.53	.99	.22	.05	0	.04	0	0	0	0	0	0	8
9	.03	.24	.23	.03	0	.68	.05	.14	0	0	0	.40	9
10	.23	.12	.17	0	0	0	.07	.15	0	0	.29	.45	10
11	.10	.10	0	0	0	0	0	.04	0	0	.38	.60	11
12	0	.10	.09	0	.06	0	.20	.48	0	0	0	.04	12
13	.33	.39	0	0	0	0	.90	.03	0	0	0	.26	13
14	.13	.02	.47	0	.14	0	0	.04	0	0	0	.05	14
15	.02	.14	.07	0	.58	.50	0	0	0	.08	0	.20	15
16	.26	.14	.50	0	.10	.08	0	.07	0	.09	0	.08	16
17	0	0	.21	0	0	0	0	1.52	0	0	.04	.08	17
18	0	0	.10	0	0	0	.06	.99	0	0	0	0	18
19	.07	.04	.45	0	0	0	.08	.56	0	0	0	.15	19
20	.05	.13	.59	0	.20	0	.04	.19	0	.13	.10	0	20
21	0	.09	.37	0	.78	0	.02	.12	0	.28	0	0	21
22	.23	.45	.20	0	0	0	.05	.06	0	.12	.03	.29	22
23	.35	.25	0	0	0	0	0	.49	0	0	.10	.74	23
24	.12	.33	0	0	0	.57	.04	0	0	0	0	.57	24
25	.15	.08	0	0	0	.05	.15	.58	0	.50	1.00	1.20	25
26	0	.07	0	0	0	0	.20	.10	0	1.25	1.15	.99	26
27	0	.07	0	0	0	.86	.35	.35	0	<u>2.42</u>	.09	.86	27
28	0	.40	0	0	0	.19	.35	1.37	.68	.81	.81	.77	28
29	0	.88	0	0	0	.02	.11	.37	.58	1.02	.08	.17	29
30	0	0	0	0	0	.10	.24	.04	.30	.60	0	0	30
31	0	0	.14	0	0	.8	1.45	0	0	.10	0	0	31
Total	4.91	5.48	6.56	.08	2.36	6.45	4.85	10.48	1.77	7.40	4.19	9.75	TOTAL for year
No. of Rain Days.	17	22	21	2	11	16	21	25	4	12	12	22	

REGISTER OF RAINFALL IN 1913

Kept at Hannock Vicarage
in the County of S Devon
by Rev. A. H. Skipper

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Tusham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 600 ft.

BRITISH RAINFALL FORM A.
27 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.18	.46	.21	.05	.00	.00	.00	.09	.61	.50	.00	1
2	.00	.44	.04	.09	.46	.00	.00	.00	.00	1.51	.30	.70	2
3	.22	.00	.14	.00	.49	.00	.03	.00	.00	.05	.00	.29	3
4	1.68	.00	.16	.04	.21	.15	.00	.00	.43	.29	.30	.88	4
5	1.43	.00	.00	.00	.31	.14	.00	.00	.95	.16	.25	.10	5
6	.23	.40	.35	.00	.21	.09	.00	.00	.00	.04	.05	.10	6
7	.02	1.05	.25	.00	.79	.14	.20	.00	.00	.26	.10	.00	7
8	.00	.59	.00	.00	.42	.00	.00	.05	.00	.10	.00	.00	8
9	.06	.03	.00	.00	.05	.00	.18	.07	.00	.00	.75	.00	9
10	.08	.00	.00	.02	.09	.00	.00	.09	.00	.25	.50	.00	10
11	1.63	.00	.00	.23	.76	.05	.00	.00	.00	.07	.90	.00	11
12	1.10	.00	.00	.00	.05	.15	.00	.00	.04	.00	.48	.00	12
13	.29	.00	.26	.00	.00	.00	.00	.07	.36	.00	.00	.00	13
14	.00	.00	.34	.09	.30	.00	.00	.00	.08	.00	.00	.00	14
15	.80	.00	1.03	1.48	.00	.00	.00	.00	.10	.00	.00	.02	15
16	.46	.00	.58	.09	.00	.00	.00	.06	.28	.00	.00	.00	16
17	.65	.00	.04	.24	.00	.00	.00	.00	.00	.00	.10	.00	17
18	.00	.00	.56	.13	.00	.00	.00	.00	.00	.00	.00	.00	18
19	.06	.00	.05	.05	.00	.18	.00	.00	.45	.06	.00	.00	19
20	1.02	.00	.20	.00	.00	.00	.00	.00	.00	.10	.70	.00	20
21	.15	.00	.70	.05	.19	.00	.00	.00	.00	.05	.00	.00	21
22	.00	.00	.55	.00	.00	.12	.00	.07	.04	.25	.00	.50	22
23	.36	.00	.00	.00	.00	.00	.00	.00	.00	.00	.18	.90	23
24	.00	.28	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	24
25	.00	.05	.00	.00	.00	.12	.00	.00	.05	.10	.00	.00	25
26	.00	.00	.00	.00	.00	.00	.00	.08	.00	.02	.00	.00	26
27	.00	.00	.57	.00	.00	.00	.00	.00	.00	.75	.00	.00	27
28	1.00	.00	.25	.44	.00	.00	.00	.00	.00	.35	.00	.06	28
29	.30	—	1.00	.09	.00	.00	.00	.00	.00	.40	.00	.05	29
30	.35	—	.00	.05	.10	.00	.00	.00	.26	.70	.00	.00	30
31	1.36	—	.20	—	.05	—	.00	.49	—	.05	—	.00	31
Total	13.44	3.04	8.49	6.26	4.53	1.16	.41	.98	3.17	6.17	5.13	4.20	56.98
Rain Days.	22	9	20	20	16	10	3	8	14	21	14	11	168

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
- 3 FEB 1915

Kept at Henmuck Vicarage
in the County of Devon
by Rev. A. H. Skipper

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 615 ft.
Time of Observation 9 a.m.
Name Trusham
Nearest Railway Station 2 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	.3	.12	0	0	.25	.29	0	0	.57	.9	1
2	0	0	.2	.6	.09	0	.26	.2	0	0	.11	.62	2
3	0	0	.5	.24	.87	0	0	0	0	0	.2	.77	3
4	0	0	0	.33	.9	0	.53	.18	0	0	.30	.92	4
5	.3	0	.2	.5	.2	0	0	0	0	.11	.2	.8	5
6	.6	.7	.5	.6	.9	0	.20	.2	0	.20	.1	.76	6
7	.4	.63	.23	.5	.5	.6	.26	.17	.15	.3	.0	.58	7
8	.1	.0	.66	.3	.1	.59	.0	.7	.26	.12	.0	.0	8
9	.0	.3	.23	.5	.0	.28	.0	.12	.69	.0	.0	.0	9
10	.1	.36	.14	.0	.0	.3	.2	.0	.35	.0	.0	.62	10
11	.2	.11	.39	.0	.0	.15	.0	.0	.5	.0	.9	.75	11
12	.0	.18	.3	.0	.0	.0	.0	.0	.18	.0	.6	.45	12
13	.0	.44	.66	.0	.0	.0	.5	.8	.11	.0	.31	.32	13
14	.0	.45	.72	.10	.0	.10	.0	.55	.0	.0	.59	.05	14
15	.0	.0	.9	.0	.0	.0	.17	.11	.0	.0	.45	.13	15
16	.0	.0	.3	.0	.0	.0	.0	.0	.47	.0	.0	.0	16
17	.0	.27	.35	.0	.0	.0	.0	.0	.10	.0	.0	.198	17
18	.0	.3	.3	.0	.0	.0	.2	.0	.13	.0	.0	.49	18
19	.0	.3	.57	.0	.0	.0	1.76	.0	.14	.0	.9	.23	19
20	.0	.25	.24	.0	.0	.0	.0	.0	.0	.0	.0	.25	20
21	.0	.65	.0	.0	.0	.0	.0	.0	.0	.27	.0	.0	21
22	.0	.0	.3	.0	.19	.0	.0	.0	.0	.27	.0	.0	22
23	.0	.5	.17	.0	.0	.0	.0	.0	.0	.17	.0	.0	23
24	.0	.0	.9	.0	.0	.0	.1	.0	.0	.6	.2	.0	24
25	.0	.0	.9	.0	.29	.0	.11	.45	.0	.48	.24	.54	25
26	.7	.3	.0	.0	.0	.0	.5	.0	.0	.3	.19	.80	26
27	.4	.9	.1	.0	.0	.0	.0	.0	.0	.6	.53	.45	27
28	.3	.2	.36	.0	.9	.0	.0	.0	.0	.5	.5	.86	28
29	.0	X	.24	.0	.9	.0	.0	.0	.0	.11	1.29	.5	29
30	.6	X	.36	.0	.0	.57	.0	.0	.0	.29	.83	1.30	30
31	.42	X	.0	X	.0	X	.12	.0	X	.84	X	.58	31
Total	7.9	3.69	5.86	1.09	1.80	1.72	3.87	1.50	2.53	3.89	6.27	11.01	TOTAL for year 44.68
No. of Rain Days.	11	17	27	10	11	17	14	10	10	15	19	24	75

REGISTER OF RAINFALL IN 1911

Kept at Hennock Vicarage
 in the County of Swon
 by Rev. A. H. Waipha

Lat. 46 Long. 36
 Time of Observation 9 am
 Nearest Railway Station Gristhorpe
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 12 in.
 " " " " Sea Level 615 ft.

FORM A.
 BRITISH RAINFALL.
 26. JAN. 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	0	.06	0	.54	0	0	0	.04	.30	.14	0	1
2	.18	.12	.53	0	.04	0	0	0	.07	.29	.45	0	2
3	0	1.62	0	0	.42	0	.20	0	.02	.53	.33	0	3
4	.18	.20	0	0	.07	.20	.14	0	.04	.09	1.17	.07	4
5	0	.05	.08	0	.05	.15	0	0	0	.32	.11	0	5
6	.04	.14	0	0	.10	0	.84	0	0	.36	.28	0	6
7	.06	.22	.10	0	.10	.10	0	0	0	0	.63	.08	7
8	0	.55	.30	0	.32	.15	.03	0	0	0	.06	.14	8
9	0	.11	0	0	0	.02	0	0	0	0	.10	.23	9
10	0	.25	0	0	.04	0	0	0	0	.03	0	0	10
11	.05	.02	.01	0	.05	.02	.05	0	0	0	0	0	11
12	0	.02	.25	.10	.11	0	0	0	0	0	0	0	12
13	0	.30	.25	.06	0	0	0	.03	.03	0	0	.03	13
14	0	.52	0	0	0	0	0	.79	0	0	0	0	14
15	0	.46	.16	.20	0	0	.06	0	0	.15	0	.04	15
16	.25	.22	0	.14	0	0	0	0	0	.17	0	0	16
17	.15	.08	0	.03	0	0	0	.07	.14	.21	1.22	0	17
18	.05	.12	.38	.10	0	0	0	0	.23	.03	.02	.06	18
19	.15	.18	.21	.16	0	0	0	0	0	0	.15	0	19
20	.15	.40	.25	0	0	0	0	0	0	0	.04	.95	20
21	0	.11	.09	.07	.10	0	0	0	0	0	0	.26	21
22	0	0	0	0	0	.20	0	.17	0	.23	0	.58	22
23	0	.16	0	.03	0	.15	0	.44	0	.26	.18	.15	23
24	0	.05	0	.09	.17	0	0	.12	.02	.57	.08	.32	24
25	.02	.30	.18	0	0	.04	0	.77	.00	.02	.28	0	25
26	.02	.10	.09	0	.11	.10	0	.52	1.04	1.08	.18	0	26
27	0	0	1.42	0	0	.07	0	.24	.29	.57	0	0	27
28	0	.15	.82	0	0	0	0	.17	.15	.45	0	0	28
29	0	.15	.83	0	0	.40	0	.55	.11	0	0	.34	29
30	0	X	0	0	0	.04	0	0	0	.38	0	.30	30
31	0	X	0	X	0	X	0	.16	X	.47	X	.07	31
Total	1.50	7.16	3.91	.92	2.16	1.64	1.32	4.96	2.16	6.45	5.90	3.50	44.82
Rain Days.	13	20	18	10	14	13	6	12	11	20	16	15	174

REGISTER OF RAINFALL IN 1918

Kept at Hennock
in the County of Devon
by Rev. A.H. Skipper

Lat. 40 Long. 40
Time of Observation 9 am
Nearest Railway Station Tristram
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 615 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	/	.05	.26	✓	.26	✓	.49	✓	✓	.02	✓	1
2	-	✓	.07	.17	✓	.02	✓	✓	✓	✓	✓	✓	2
3	.05	✓	✓	.12	✓	✓	.35	✓	✓	.61	1.33	.07	3
4	.07	✓	.77	-	✓	✓	✓	✓	.03	.33	✓	✓	4
5	.07	✓	.18	.14	✓	.51	✓	✓	.02	.14	.15	✓	5
6	✓	✓	.27	✓	✓	.07	✓	✓	✓	.19	.12	✓	6
7	.46	✓	✓	✓	✓	✓	.14	.21	✓	.20	✓	.53	7
8	✓	✓	.34	.12	✓	✓	.28	.05	.02	.42	.05	.33	8
9	.15	✓	.50	.10	.03	✓	.08	✓	.02	.32	.26	.04	9
10	.26	✓	.20	.14	✓	✓	.31	.41	.02	.04	.06	.01	10
11	✓	✓	1.30	.20	✓	✓	.07	.09	✓	.08	.21	✓	11
12	.39	✓	✓	✓	.35	✓	✓	✓	✓	.43	✓	✓	12
13	✓	✓	.29	.03	.41	✓	✓	.42	.06	.14	✓	✓	13
14	✓	✓	✓	✓	✓	✓	.06	.29	.02	.02	✓	✓	14
15	✓	✓	✓	.08	✓	✓	.11	.02	✓	.25	✓	.14	15
16	.0	.11	✓	.25	✓	✓	✓	✓	✓	.15	✓	.48	16
17	.05	.03	✓	✓	.05	✓	.02	.13	.50	.10	✓	✓	17
18	✓	.10	✓	.04	.85	.03	.04	✓	.70	✓	✓	✓	18
19	✓	.38	.12	✓	✓	.25	.30	.07	.07	✓	✓	✓	19
20	✓	.11	.02	✓	.05	.08	✓	✓	✓	✓	✓	✓	20
21	✓	✓	✓	✓	✓	.04	✓	✓	✓	✓	✓	.10	21
22	.02	✓	✓	✓	.10	✓	✓	1.02	✓	.05	✓	✓	22
23	✓	✓	✓	✓	.12	✓	✓	.28	✓	.25	✓	✓	23
24	✓	✓	✓	✓	✓	.08	.20	.06	✓	.30	.05	✓	24
25	✓	.02	.05	✓	✓	✓	✓	.45	.05	.15	.09	✓	25
26	✓	✓	✓	✓	.31	.30	✓	.26	.05	.03	✓	✓	26
27	✓	✓	✓	✓	.07	.53	✓	1.11	✓	✓	✓	✓	27
28	✓	✓	.12	✓	✓	.97	✓	.25	✓	✓	✓	✓	28
29	✓	✓	.10	✓	✓	.16	✓	.05	✓	.91	✓	.12	29
30	✓	✓	✓	✓	✓	✓	.12	.21	✓	.05	.07	.08	30
31	✓	✓	✓	✓	.40	✓	✓	.02	✓	.33	✓	✓	31
Total	1.52	.75	4.38	1.56	2.68	3.32	2.06	5.83	1.56	5.49	2.35	1.34	YEAR'S TOTAL 32.84
Rain Days.	9	6	16	12	11	13	12	20	12	23	11	10	155

88

Kept at Holne
in the County of Devon
by Rev. J. T.

HOLNE VICARAGE
DEVON

1911 - 1920

IMPORTANT
previous day. If a
requested to add the
for it at the end of
the selection and
Organization are given
Dr. H. R. MILL, 62,

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

in. _____
round 1 ft. 6 in.
a Level 650 ft.
me _____
Distance _____ Direction _____
The result entered to the
rule, he is earnestly
in the space provided
of rain, _____
Rainfall _____
lication to _____

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.04	.02	.13			.02			.11	.03	1
2			.03	.22	1.02			.69		.06	.21	.88	2
3			.02		.56				.04		.40	.18	3
4			.06					.42		.03	.50	.97	4
5	.42		.04					.71		.04	.29	.07	5
6	.78		.24							.09	.13	1.87	6
7	.04			.02							.76	.05	7
8	.04		.13								.13	1.28	8
9	.12			.01							.56	1.20	9
10	.11		.94		.01							1.19	10
11	.45										1.46	.16	11
12	.02	.04	.74						.19		.29	.26	12
13			.04						.18		.07	.72	13
14		.21	.03							.13	.03	.98	14
15		.04	.07			.05					.85	.17	15
16		.04				.93					.64		16
17	.02	.09	.63	.04		.27					.39	2.85	17
18	.02	.47	.72	.42		.42				.27	.24	1.15	18
19		.21	.16	.18		.59			.87	.47	.31	1.26	19
20	.05	.07	.14	.09		.03			.14	.73		.93	20
21	.04	.42		.03		.09			.27	.99		.18	21
22	.19	.19	.03	.12		.15			.55	.40		.97	22
23		.43	.11	.02		.02			.08	.64	.06	.75	23
24	.05	.36				.27		.22		.36		.57	24
25	.02	.21		.23		.04		.04	.28	.39		.26	25
26		.16		.69				.18		.33	.03	.36	26
27		.84	.02	.27	.16			.26	.21	.41		.23	27
28		.42		.69				.08			.34		28
29				.19	.15	.56	.45		.30	.68			29
30			.02			.07	.38		.03	.62	.49	.03	30
31			.02				.18			.11			31
Total	2.39	4.20	4.23	3.24	2.03	3.49	1.01	2.62	3.14	6.75	8.29	19.55	60.94
No. of Rain Days	16	16	21	16	6	13	3	9	12	18	22	28	180

REGISTER OF RAINFALL IN 1911

313
BRITISH RAINFALL
FORM A2
26 JAN 1912

Kept at Holne Vicarage
in the County of S. Devon 4
by Rev. J. Gill

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 650 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.04	.02	.13			.02			.11	.03	1
2			.03	.22	1.02			.69		.06	.21	.88	2
3			.02		.56				.04		.40	.18	3
4			.06					.42		.03	.50	.97	4
5	.42		.04					.71		.04	.29	.07	5
6	.78		.24							.09	.13	1.87	6
7	.04			.02							.76	.05	7
8	.04		.13								.13	1.28	8
9	.12			.01							.56	1.20	9
10	.11		.94		.01							1.19	10
11	.45										1.46	.16	11
12	.02	.04	.74						.19		.29	.26	12
13			.04						.18		.07	.72	13
14		.21	.03							.13	.03	.98	14
15		.04	.07			.05					.85	.17	15
16		.04				.93					.64		16
17	.02	.09	.63	.04		.27					.39	2.85	17
18	.02	.47	.72	.42		.42				.27	.24	1.15	18
19		.21	.16	.18		.59			.87	.47	.31	1.26	19
20	.05	.07	.14	.09		.03			.14	.73		.93	20
21	.04	.42		.03		.09			.27	.99		.18	21
22	.19	.19	.03	.12		.15			.55	.40		.97	22
23		.43	.11	.02		.02			.08	.64	.06	.75	23
24	.05	.36				.27		.22		.36		.57	24
25	.02	.21		.23		.04		.04	.28	.39		.26	25
26		.16		.69				.18		.33	.03	.36	26
27		.84	.02	.27	.16			.26	.21	.41		.23	27
28		.42		.69				.08			.34		28
29				.19	.15	.56	.45		.30	.68			29
30			.02			.07	.38		.03	.62	.49	.03	30
31			.02				.18			.11			31
Total	2.39	4.20	4.23	3.24	2.03	3.49	1.01	2.62	3.14	6.75	8.29	19.55	60.94
No. of Rain Days	16	16	21	16	6	13	3	9	12	18	22	28	180

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Holne Vicarage
in the County of South Devon **S4**
by Rev. J. Gill

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			25			36	03		13	1.12	01	61	1
2			54	03		1.07		06		10		02	2
3			49			48	06	2.27	11			18	3
4	35	12	1.34		02	79		39	04		20		4
5	1.09	33	38		08		05	1.09				29	5
6	1.15	17	03		32	05		23				03	6
7	06	1.11	58		23	55		35				32	7
8	1.16	31	60	02		21	13	03					8
9	23	16	30	22		10	08	16				68	9
10	27	10	04			07	10	08			40	30	10
11	04	10	11				03	05			37	1.07	11
12	03	68	28				05	39				04	12
13	57					02	28	02		07		45	13
14	27	15	87		06			12		06		15	14
15	1.19	32	15		33	64						64	15
16	55	03	95		19			37		18	03	20	16
17			30		03	08		1.65				28	17
18		04	36					55		06		05	18
19	04	37	54			03	06	5.6		04	03	08	19
20	10	15	66		19			27		58	10		20
21		54	59		87		03	17		25			21
22	68	1.11	32				09	29		05		36	22
23	28	47	36			15	03	1.17		06	20	44	23
24	10	08	06			70	05	02				49	24
25	30	05	01			11	09	25		31	63	45	25
26	01	13					18	20		84	1.18	88	26
27		04				78	48	09		2.60	05	1.28	27
28		23				47	34	1.22	40	60	68	49	28
29		58				03	29	34	50	73	03	21	29
30			05			15	35		23	51			30
31			30				89	02		04		16	31
Total	8.47	7.37	10.46	27	2.32	6.84	3.69	12.41	1.41	8.20	3.91	10.15	TOTAL for year 75.50
No. of Rain Days.	20	24	26	3	10	20	21	28	6	18	13	26	215

REGISTER OF RAINFALL IN 1913

27 JAN 1914
BRITISH RAINFALL
FORM A.
518

Kept at Holne Vicarage
in the County of S. Devon 4
by Rev. J. Gill

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	04	19	62	18	17	13			03	09	79	15	1
2	39	48	09	19	27		04			18	36	03	2
3	73	04	28	07	26				71	04		47	3
4	1.60	03	34	04	02	04			31	24	39	82	4
5	14	05	06		21	40			1.36	02	48	34	5
6	45	23	21		32	23	02		04	65	30	10	6
7	06	1.00	09		1.63	10	11			1.10	50		7
8	10	60			44	03	02			09	07		8
9	20	08			20	05	03	24			83	06	9
10	1.36		03	03	15	05		03		22	35		10
11	81			04	1.16	07				12	1.34	05	11
12	07				14				06	02	55	04	12
13	13		32	03				03	29		23		13
14	58		50	08	28				27		19		14
15	62		88	1.58					10		16		15
16	54		1.11	17				76	1.15		02		16
17	15		07	27				02			21		17
18	15		82	34	03						30		18
19	95		10			04			39	14			19
20	23		34	66		05				09	1.04		20
21			28	20	08		02			12	40		21
22	37		90			06		13	04	02		27	22
23	04		07			04		03			10	95	23
24	06	34		10		03		09			14		24
25	02			83					06	10	03	12	25
26				1.71				03		03		57	26
27	73		39	34	02			07		52		05	27
28	46		21	70	03				04	33		13	28
29	15		98	81	12					49		04	29
30	1.32			05	05		19	40		1.18	05		30
31	17		11		06			35		12			31
Total	12.62	3.04	8.80	8.42	5.54	1.32	43	2.18	4.86	5.91	8.83	4.19	66.13
Rain Days.	29	10	23	21	20	14	7	12	14	22	23	16	211

REGISTER OF RAINFALL IN 1914

Kept at Holne Vicarage
in the County of Devonshire **S4**
by Rev. J. Gill

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

303
FORM A.
BRITISH RAINFALL.
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			09	10		04	45	30			69	07	1
2			20	10	11		15	09			34	57	2
3			27	23	97						05	04	3
4	10		24	63	21		84	39			47	1.13	4
5	32		42	35	15						15	14	5
6	03	12	28	20	17		09	09				1.49	6
7	03	1.76	70	19	31		23	28	24			46	7
8	11	08	1.07	15	07	33		45				10	8
9	08		38	58		53		25	1.06				9
10	08	1.20	08	41	18	11			24			19	10
11		30	1.02		11	07			05		15	85	11
12		51	18						25	16	09	88	12
13		1.40	67				14		42	05	57	30	13
14		1.48	79			07		78	08		97		14
15		02	27				06	90		09	40	56	15
16			04						73			06	16
17		81	09						02			1.60	17
18		24	19				04		16			45	18
19		06	48				2.48		03		07	22	19
20		68	31			08			02		10	19	20
21		39	03							53		09	21
22		28	02		16	09		03		68			22
23		10	53		02		08			31			23
24		02	03		03		03	06		10			24
25	19		45		06		03	73		59	09	80	25
26	10	07	14				19	13		07	61	94	26
27	09	08								08	48	70	27
28	05	05	58		08		14			16	47	1.07	28
29	58		40		13		20			02	1.78	10	29
30	03		29							21	1.00	1.53	30
31	41						89			56		37	31
Total	2.20	9.65	10.44	2.94	2.76	1.32	6.04	4.48	3.30	3.61	8.48	14.90	70.12
Rain Days.	14	20	29	10	15	8	16	13	12	14	18	26	195

YEAR'S TOTAL

St ✓

REGISTER OF RAINFALL IN 1915

1828
300
FORM A.
BRITISH RAINFALL

Kept at Holne Vicarage
Church Park Cottages
in the County of Devonshire
by Rev. J. Gill & L. W. Frost

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40	49			02			1.18	17	38	07	28	1
2	39	59	22	10		06		55		01		80	2
3	09	48	28	21	42			01				74	3
4	02	46			12							84	4
5	03	1.26		30	02			36				1.20	5
6	1.19	25		95			84	02				52	6
7	83	1.14	01	16			30			28	02	55	7
8	28	91		01			02	07		03	25	47	8
9	03	27		15							60	1.65	9
10	71	73	01	02				02		21	26	19	10
11	30	14	08				03	18		23	1.77	09	11
12	04	63		03	76			11		10	70	01	12
13		2.47			1.46		01	02	01	01	25	09	13
14	16	01					32	03	04	15		2.88	14
15	30				42		24			18		24	15
16		3.44?			39		1.15			02		27	16
17		52	02										17
18		42			04								18
19		01		02	79		15	01					19
20	62	01		10	06	12				13		02	20
21	15	16			11	04	51			03		14	21
22	04	06	66			01	59			08	01	1.01	22
23	05	03	08			17	12		02	1.35		1.02	23
24				01		21	03		17	26		1.32	24
25				07		40	25		13		03	1.15	25
26		75				22	03		03			74	26
27	07	05				04	04			1.01		01	27
28		14				14		01	20	15	03	14	28
29						48	17		03		70	44	29
30	40	X				10	03		02	97	69	76	30
31	08	X		X		X	34	08	X	1.19	X	64	31
Total	6.18	15.42?	1.36	2.13	4.61	1.99	5.17	2.65	.82	6.77	5.38	18.21	70.69?
Rain Days.	21	25	8	13	12	12	19	14	10	20	13	28	195

8h ✓ REGISTER OF RAINFALL IN 1916

Kept at Holne Vicarage
in the County of S. Devonshire
by Rev. J. Gill L. Frost

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31		03		06	06	09		05	55	16		1
2	1.09	17	13		01				13	31	61		2
3	08	2.03			54	16	11		05	1.02	56		3
4	50	22			01	56	07		17	30	1.73		4
5	05	45	02		11	07	03			47	52		5
6	15	45	01		28	05	1.02			53	2.09		6
7	13	55	15		14	02				10	1.09	09	7
8		27	56		48	45	04				16	45	8
9		31	01		01	07				11	10	40	9
10	01	65		06	06					19	02	01	10
11			03	13	02	06			05			01	11
12	11	11	04	06	09		03	16		11			12
13		58	25	07				28		04		08	13
14		1.07	07		07		16	43		25			14
15	01	1.14	27	01				11		02		03	15
16	51	18		10				50		16		04	16
17	55	18		11					29	56	1.29		17
18	10	47	50	06					29	13	03	18	18
19	54	37	28	27							43	23	19
20	20	1.27	21	02							13	1.04	20
21	12	07	03	02	02							23	21
22	01		01	01		36		09		52	05	73	22
23	08		01	11		02		27		33	1.01	40	23
24		16	04	47	25	11		45		86	06	39	24
25	03	42	15			03		43		02	40		25
26	02	28	11			16		74	1.10	1.27	06	05	26
27	01		1.75			02		53	11	57			27
28		02	03					31	80	1.13		68	28
29		10	07			78		1.80	08	45		94	29
30		X				11		01		99		02	30
31		X		X		X		17	X	75	X	02	31
Total	4.61	11.52	4.76	1.50	2.15	3.09	1.55	6.28	3.12	11.74	10.50	6.02	66.84
Rain Days.	21	24	24	14	15	17	8	15	11	26	19	20	214

REGISTER OF RAINFALL IN 1917

Kept at *Holne*
in the County of *S. Devonshire*
by *L. W. Frost*, *J. Gill*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1707
26 JAN 1918
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06			.45		.42		.11	.03		.02	.02	1
2	.04		.05	.13		.04					.01		2
3	.08			.15			.02			.83	1.02		3
4		.06	1.00				.75		.05	.52	.02		4
5	.29		.27	.28		.60			.06	.22	.35		5
6	.02							.01	.81	.23	.26	.06	6
7	.96						.50	.12		.17	.17	.03	7
8	.44		.48	.14				.52	.01	.78	.31	.24	8
9			.23	.15	.06		.04	.09	.02	.39	.68	.01	9
10	.22		.73	.65				.80	.10	.02	.05	.02	10
11	.02		1.30	.35				.04	.02	.60	.16		11
12	.40		.05		.71			.07		.95	.02		12
13	.01		.34	.09		.05		.74	.25	.23			13
14				.06			.20	.22	.02	.13		.01	14
15	.22			.02			.32	.08		.98		.54	15
16		.02		.06				.02	.02	.49		.41	16
17		.15	.02	.22	.10		.60	.30	.75	.10			17
18		.08			1.07	.07	.36	.02	.84	.02			18
19		.80	.15			.50		.01	.09		.02		19
20		.16	.03		.67	.03		.01	.06		.03	.08	20
21								.08		.08	.02		21
22			.01		.02			1.11		.13	.01		22
23		.05			.20	.05		.62		.22	.01		23
24								.04		.52	.24		24
25		.02	.06				.22	.72	.15	.19	.13		25
26					.32	.42		.40	.13	.20	.07		26
27			.02			1.14		1.83		.04	.02		27
28			.37		.02	.35		1.58				.02	28
29			.43			.10	.01	.18		1.67		.09	29
30		X	.14				.40	.37		.08	.04		30
31		X	.03	X	.60	X		.09	X	.39	X		31
Total	2.76	1.34	5.71	2.75	3.77	3.77	3.42	10.18	3.41	10.18	3.66	1.53	52.48
Rain Days.	12	8	19	13	10	12	11	27	17	26	22	12	189

REGISTER OF RAINFALL IN 1918

Kept at Holne

in the County of Devonshire

by L. W. Frost

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	44		21	04			48		01	1.81		1
2		70		10				01		01	02	1.08	2
3		72		1.02					07	23	37	02	3
4		10		02				39	51		2.83	1.04	4
5		03	25	20	46			1.20	66	70	02	22	5
6	16	50	13	26				02		40		29	6
7		48		02					64	13	89	87	7
8	01	25					05		46	49		01	8
9	15	01		06		25	43		1.33	05	01	96	9
10	12			27			31		34	36	01	66	10
11			20	02	03		41		44	01	17	21	11
12	02	30	06		31		07		19		03	06	12
13		02			15		42		1.19	36		33	13
14	97				06	14	02		29	03		54	14
15	1.40			02	07	14	89		18	11		69	15
16	95		02	26		01	05		28			12	16
17	41			19			38	02	30			59	17
18	2.22		21			1.45	20		1.00	29		52	18
19	44	03	11				22		20	01		29	19
20	29	18		19		03	02		55	05			20
21	23	14				10	13		96	09		63	21
22	04	03			10		1.25		46	25	06	84	22
23	40	01			18		01	03	14		17	28	23
24	08	20					14	56	07		24	26	24
25	02			07	05		37	63		04	26		25
26	05	12		06			27		18	01	04	71	26
27	03	23	54					11	08	02	31	04	27
28		23	39						15	05	13	18	28
29			44						1.53	03		34	29
30		X	32	01				02	02	25	06	23	30
31		X	30	X		X		01	X	04	X	10	31
Total	8.02	4.72	2.97	2.98	1.45	2.12	5.64	3.48	12.22	4.02	7.43	12.11	67.16
Rain Days.	20	20	12	17	10	7	19	12	26	25	18	28	214

REGISTER OF RAINFALL IN 1919

Kept at Holne

in the County of S. Devonshire

by L. W. Frost

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	86		47		19		24		25	26		1.69	1
2	28		05		05				03	01		09	2
3	25		45				03		36		02	26	3
4	40	1.17	79				15	13	1.66		09	02	4
5	15	25	87						31		06	33	5
6	91	1.73	48								05	86	6
7	55		89	05			02					25	7
8	94		19	02							40		8
9	29		08	19	16	09					57	16	9
10	20		1.74	04	02					01		2.10	10
11	14		1.03	18	58	08	04			02	07	69	11
12	42		04	08		04				04	11	02	12
13	69	31	22	1.26			01			07		58	13
14	1.80	39		90	60				07	08		42	14
15	55	24		07					01	08		34	15
16	30	1.85						01			50	01	16
17	02	27						01			79	11	17
18	03	59	27				30	55	02		64	02	18
19	98	82	20			20	56	66	21		43	02	19
20	1.01	12	08		02	40		08	23		32	29	20
21	15	1.72	01				30	01	17		04	16	21
22		06					04		35		05	23	22
23			04					15		58	16	40	23
24		01				10		17	02	52	37	46	24
25	15	04				04		60	03		12	26	25
26	13	04	23	08				06	07	03	04	1.13	26
27	19		08	49				2.42				08	27
28		01	55	05				16		01	47	72	28
29				03				10		16		24	29
30		X	04	05		02		14	04		1.24	1.85	30
31		X	03	X		X			X		X	61	31
Total	11.39	9.62	8.83	3.49	1.62	97	1.69	5.25	3.83	1.87	6.54	14.40	69.50
Rain Days.	24	17	23	14	7	8	10	15	16	13	21	30	198

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920...

Kept at Holney, Church Park Cottage
in the County of S. Devon
by L. W. Frost

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.01	.01	.02	1.42		.87	.01		.04		1.03	1
2	.58			.15	.02		.08	.27	.03	.21		.65	2
3	.74	.05		.05	.01		.01			1.26		.63	3
4			.02				.02	1.46		.49			4
5		.02	.38		.09		.11	.22		.46			5
6			.64	.06	.37		.22			.03			6
7	.07		.05	.22	.02		.64					.15	7
8	.23	.05		.38	.04		.04	.01		.03		.19	8
9	1.72	.12		.06		.10	.78		.01				9
10	2.21	.38	.11	.05		.28	.14						10
11	.74	.01	.35	1.21	.35	.03	.25						11
12	.70	.34	.66	.44		.02	.11				.31	.18	12
13	.22	.03	.66	.05		.01				.34	.01	.06	13
14	.10	.10	.64	1.39	.02		.05		.31	.78	1.27	.03	14
15	.02	.40	.15	.87					.02	1.01	.21		15
16	.01	.09	.08	.11		.09	.36		.26	.07			16
17	.02		.05	.01	.77	.04	.01		.96				17
18	.33	.05		.18	.11	.39		.09	.07	.02			18
19	.08			.93		.27				.07			19
20	.06			.53	.31	.11			.22	.60		1.14	20
21				.15			.01		.14	.05		.24	21
22	.05			.05			.18					.39	22
23	.02		.04				.42	.01				1.20	23
24	.09	.03	.83				.06				.31	.64	24
25	.24	.01	.29				1.23				.01	.15	25
26	.57	.01	.52				.13				.36	.15	26
27	2.04	.10	.29	.24		.27	.10				.38	.68	27
28	1.20		.16	.03		.21	.04					.20	28
29	1.58		.82	.09	.04						1.06	1.44	29
30	.39	~~X~~	~~X~~	.02		.66	.10		.99	.05	.65	2.17	30
31	.21	~~X~~	.33	~~X~~		~~X~~	~~X~~		~~X~~	.59	~~X~~	.35	31
TOTAL	14.36	1.80	7.08	7.29	3.57	2.48	5.96	2.07	3.01	6.10	4.57	11.67	YEAR'S TOTAL 69.96
Days with ".01 in. or more	27	17	21	24	13	13	24	7	10	17	10	20	203
W(4) 253	23	16	19	20	9	10	20	4	7	13	8	19	162

REGI

DEVON.

Kept at Holne Moor

in the County of Devon

by Jb. Hawkins

HOLNE MOOR

1911

London

5 in.

Ground 1 ft. 0 in.

Sea Level 961 ft.

Name Buckfastleigh

Distance Direction

FORM A2.
BRITISH RAINFALL
10 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .01	in. —	in. .02	in. —	in. .04	in. —	in. —	in. .03	in. —	in. —	in. .07	in. .04	1
2	—	—	.01	.15	.95	—	—	.73	—	.05	.20	.96	2
3	—	—	—	—	.35	—	—	.02	.03	—	.25	.25	3
4	—	—	.03	—	—	—	—	.38	—	.03	.23	1.12	4
5	.31	.01	.03	—	—	—	—	.51	—	.04	.23	.04	5
6	.62	—	.32	—	—	—	—	.21	—	.10	.07	2.05	6
7	.02	—	—	—	—	—	—	—	—	—	.72	—	7
8	.03	—	.12	—	—	—	—	—	—	—	.11	1.34	8
9	.05	—	—	—	—	—	—	—	—	—	.37	1.84	9
10	.11	.02	.96	—	.07	—	—	—	—	—	.01	.45	10
11	.40	—	—	—	—	—	—	—	—	—	1.56	.09	11
12	—	—	.70	—	—	—	—	—	.09	—	.06	.50	12
13	—	—	.08	—	—	—	—	—	.21	—	.06	.90	13
14	—	.13	.02	—	—	—	—	—	—	.14	—	1.14	14
15	—	—	.03	—	—	—	—	—	—	.03	.77	.11	15
16	.02	.05	—	—	—	.86	—	—	—	—	.61	1.72	16
17	.02	.06	.92	—	—	.52	—	—	—	—	.25	1.71	17
18	—	.24	.93	.80	—	.34	—	—	—	.57	.20	1.70	18
19	—	.09	.18	.08	—	.47	—	—	.80	.34	.19	1.31	19
20	.05	.06	.15	.07	—	.02	—	—	.24	.40	—	1.21	20
21	.02	.24	.01	.03	—	.16	—	—	.22	1.40	—	.12	21
22	.16	.04	—	.04	—	.09	—	—	.60	.28	—	.91	22
23	—	.34	.11	.02	—	.03	—	—	—	.41	.07	.72	23
24	.03	.25	—	—	—	.20	—	.27	.05	.45	—	.43	24
25	.01	.12	—	.19	—	.05	—	.03	.10	.54	—	.14	25
26	—	.10	—	.55	—	—	—	.14	—	.11	—	.30	26
27	—	.64	.01	.10	—	—	—	.40	.16	.62	—	.22	27
28	—	.43	—	.56	—	—	—	—	—	—	.32	.01	28
29	—	—	—	.19	.24	.40	.53	—	.18	.54	—	—	29
30	—	—	.02	.01	—	.05	.37	—	.04	.51	.57	.04	30
31	—	—	.06	—	—	—	.28	—	—	.15	—	—	31
Total	1.86	2.82	4.71	2.79	1.65	3.19	1.18	2.72	2.72	6.71	6.92	21.37	TOTAL for year 58.64
No. of Rain Days	15	16	20	13	5	12	3	10	12	19	21	28	174

Kept at Holne Moor (Home Gauge)in the County of Devon S. 4by J. B. Hawkins Water Engineer

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 961 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Buckfastleigh
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .01	in. —	in. .02	in. —	in. .04	in. —	in. —	in. .03	in. —	in. —	in. .07	in. .04	1
2	—	—	.01	.15	.95	—	—	.73	—	.05	.20	.96	2
3	—	—	—	—	.35	—	—	.02	.03	—	.25	.25	3
4	—	—	.03	—	—	—	—	.38	—	.03	.23	1.12	4
5	.31	.01	.03	—	—	—	—	.51	—	.04	.23	.04	5
6	.62	—	.32	—	—	—	—	.21	—	.10	.07	2.05	6
7	.02	—	—	—	—	—	—	—	—	—	.72	—	7
8	.03	—	.12	—	—	—	—	—	—	—	.11	1.34	8
9	.05	—	—	—	—	—	—	—	—	—	.37	1.84	9
10	.11	.02	.96	—	.07	—	—	—	—	—	.01	.45	10
11	.40	—	—	—	—	—	—	—	—	—	1.56	.09	11
12	—	—	.70	—	—	—	—	—	.09	—	.06	.50	12
13	—	—	.08	—	—	—	—	—	.21	—	.06	.90	13
14	—	.13	.02	—	—	—	—	—	—	.14	—	1.14	14
15	—	—	.03	—	—	—	—	—	—	.03	.77	.11	15
16	.02	.05	—	—	—	.86	—	—	—	—	.61	1.72	16
17	.02	.06	.92	—	—	.52	—	—	—	—	.25	1.71	17
18	—	.24	.93	.80	—	.34	—	—	—	.57	.20	1.70	18
19	—	.09	.18	.08	—	.47	—	—	.80	.34	.19	1.31	19
20	.05	.06	.15	.07	—	.02	—	—	.24	.40	—	1.21	20
21	.02	.24	.01	.03	—	.16	—	—	.22	1.40	—	.12	21
22	.16	.04	—	.04	—	.09	—	—	.60	.28	—	.91	22
23	—	.34	.11	.02	—	.03	—	—	—	.41	.07	.72	23
24	.03	.25	—	—	—	.20	—	.27	.05	.45	—	.43	24
25	.01	.12	—	.19	—	.05	—	.03	.10	.54	—	.14	25
26	—	.10	—	.55	—	—	—	.14	—	.11	—	.30	26
27	—	.64	.01	.10	—	—	—	.40	.16	.62	—	.22	27
28	—	.43	—	.56	—	—	—	—	—	—	.32	.01	28
29	—	—	—	.19	.24	.40	.53	—	.18	.54	—	—	29
30	—	—	.02	.01	—	.05	.37	—	.04	.51	.57	.04	30
31	—	—	.06	—	—	—	.28	—	—	.15	—	—	31
Total	1.86	2.82	4.71	2.79	1.65	3.19	1.18	2.72	2.72	6.71	6.92	21.37	TOTAL for year 58.64
No. of Rain Days	15	16	20	13	5	12	3	10	12	19	21	28	174

REGIS

DEVON.

Kept at Hunts Ham

HUNTS HAM COURT

in the County of Devon

by _____

1911-1917

FORM A2.
BRITISH RAINFALL
JAN 1912

Ground _____ in.

Sea Level 640 ft.

Name Bampton

Distance 4 miles Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.07		0.03			0.01			0.03	0.02	1
2			0.03	0.36	0.46			0.43		0.09	0.23	0.27	2
3	0.01		0.05		0.41			0.03			0.16	0.05	3
4			0.08					0.20	0.02	0.14	0.22	0.45	4
5	0.22		0.18					0.48		0.04	0.23	0.03	5
6	0.28		0.18					0.01		0.02	0.16	0.44	6
7	0.08										0.62	0.02	7
8	~~0.08~~		0.17	0.02							0.04	0.90	8
9	0.04										0.62	0.63	9
10	0.12		~~0.07~~		0.45							0.31	10
11	0.37				0.10						0.54	0.25	11
12			0.78								0.19	0.32	12
13									0.42		0.13	0.48	13
14		0.05								0.04		1.29	14
15		0.04				0.07					0.41	0.08	15
16		0.03				0.35					0.25	0.34	16
17		0.07	0.17	0.03		0.25					0.07	0.70	17
18		0.48	0.16	0.40		0.31				0.12	0.16	0.52	18
19		0.08		0.20		0.34			0.75	0.10	0.10	0.91	19
20	0.05	0.04	0.08	0.16					0.16	0.23		0.52	20
21		0.28				0.05			0.34	0.47		0.19	21
22	0.10	0.04	~~0.22~~	0.08		0.07			0.19	0.47		0.68	22
23		0.22				0.02			0.18	0.23		0.20	23
24	0.01	0.20				0.07				0.45		0.26	24
25	0.02	0.18		0.14		0.09	0.28	0.12	0.08	0.19		0.19	25
26		0.20		0.41		0.04		0.05		0.13		0.40	26
27		0.44	0.03	0.09	0.08			0.04	0.13	0.45	0.08	0.19	27
28		0.32	0.02	0.46	0.03			0.25			0.30	0.02	28
29				0.42		0.41	0.23	0.15	0.23	0.38			29
30						0.01	0.03			0.22	0.16	0.05	30
31										0.22		0.01	31
Total	1.41	2.67	2.72	2.77	1.56	2.08	0.26	1.77	2.50	3.99	4.70	10.72	TOTAL for year 37.15
No. of Rain Days.	12	15	15	12	7	13	2	11	10	18	20	30	165

REGIS

FORM A2.
BRITISH RAINFALL.
JAN 1912

Kept at Dunstable Court
in the County of Devonshire S.6
by _____

RAIN GAUGE { Pattern _____
Diameter of top 8 in.
Height of top above Ground 1 ft. _____ in.
" " " Sea Level 640 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bampton
Distance 1 1/2 miles Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.07		0.03			0.01			0.03	0.02	1
2			0.03	0.36	0.46			0.43		0.09	0.23	0.27	2
3	0.01		0.05		0.41			0.03			0.16	0.05	3
4			0.08					0.20	0.02	0.14	0.22	0.45	4
5	0.22		0.18					0.48		0.04	0.23	0.03	5
6	0.28		0.18					0.01		0.02	0.16	0.44	6
7	0.08										0.62	0.02	7
8	~~0.08~~		0.17	0.02							0.04	0.90	8
9	0.04										0.62	0.63	9
10	0.12		~~0.07~~		0.45							0.31	10
11	0.37				0.10						0.54	0.25	11
12			0.78								0.19	0.32	12
13									0.42		0.13	0.48	13
14		0.05								0.04		1.29	14
15		0.04				0.07					0.41	0.08	15
16		0.03				0.35					0.25	0.34	16
17		0.07	0.17	0.03		0.25					0.07	0.70	17
18		0.48	0.16	0.40		0.31				0.12	0.16	0.52	18
19		0.08		0.20		0.34			0.75	0.10	0.10	0.91	19
20	0.05	0.04	0.08	0.16					0.16	0.23		0.52	20
21		0.28				0.05			0.34	0.47		0.19	21
22	0.10	0.04	~~0.22~~	0.08		0.07			0.19	0.47		0.68	22
23		0.22				0.02			0.18	0.23		0.20	23
24	0.01	0.20				0.07				0.45		0.26	24
25	0.02	0.18		0.14		0.09	0.27	0.12	0.08	0.19		0.19	25
26		0.20		0.41		0.04		0.05		0.13		0.40	26
27		0.44	0.03	0.09	0.08			0.04	0.13	0.45	0.08	0.19	27
28		0.32	0.02	0.46	0.03			0.25			0.30	0.02	28
29				0.42		0.41	0.23	0.15	0.23	0.38			29
30						0.01	0.03			0.22	0.16	0.05	30
31										0.22		0.01	31
Total	1.41	2.67	2.72	2.77	1.56	2.08	0.26	1.77	2.50	3.99	4.70	10.72	TOTAL for year 37.15
No. of Rain Days.	12	15	15	12	7	13	2	11	10	18	20	30	165

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.

Kept at Huntbam Court
in the County of Devonshire S.B
by Hugh Acland Hovte Esq

Lat. 50° 58' 23" N Long 3° 25' 21" W
Time of Observation 9 a.m
Nearest Railway Station Bampton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 640 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.34		0.02	0.87	0.02	0.03	0.10	1.07		0.57	1
2			0.24			0.19	0.03	0.02		0.04	0.02		2
3	0.03		0.19	0.03	0.01	0.28	0.05	0.21	0.17			0.04	3
4	0.26		1.19			0.39		0.06			0.25		4
5	0.74	0.26	0.29		0.02			0.47					5
6	0.76	0.07	0.07		0.32	0.05	0.13	1.30				0.10	6
7	0.04	0.59	0.11	0.01	0.30	0.82		0.28			0.04	0.15	7
8	0.35	0.19	0.42			0.43	0.04	0.05	0.04		0.01	0.01	8
9	0.02	0.14	0.22	0.16		0.26	0.03	0.18			0.02	0.45	9
10	0.27	0.17	0.15			0.18		0.02			0.17	0.16	10
11	0.03										0.07	0.50	11
12	0.03	0.05	0.28	0.02	0.01		0.10				0.01	0.15	12
13	0.23	0.34					(4.0)	0.03		0.05		0.33	13
14	0.13	0.05	0.97		0.16			0.10				0.05	14
15	0.63	0.04			0.20	0.77		0.01				0.62	15
16	0.82		0.35		0.01	0.03		0.19		0.13	0.10	0.07	16
17	0.12		0.04		0.05	0.12		1.00				0.14	17
18		0.07	0.57					0.38		0.08		0.10	18
19		0.05	0.12			0.04	0.11	0.36		0.11		0.04	19
20	0.11	0.42	0.47		0.20		0.13	0.42		0.71	0.06	0	20
21		0.23	0.61		0.61		0.16	0.38		0			21
22	0.31	0.35	0.24		0.49	0.01		0.39		0.23	0.03	0.07	22
23	0.49	0.47	0.30				0.08	1.04		0.13	0.15	0.45	23
24	0.07	0.06	0.13			0.29	0.01	0.01		0.04		0.23	24
25	0.07					0.25	0.11	0.28		0.35	0.35	0.80	25
26								0.08		0.57	0.52	0.25	26
27		0.05				0.64	0.61			1.40	0.02	0.45	27
28		0.17				0.07	0.07	0.81	0.32	0.37	0.35	0.52	28
29		0.08	0.06			0.16	0.26	0.11	0.62	0.62		0.07	29
30			0.02			0.10	0.28	0.01	0.15	0.43		0.01	30
31			0.45				0.34			0.07		0.19	31
Total	5.71	3.85	7.82	0.22	2.40	5.95	(3.26)	8.46	1.40	6.40	2.17	6.26	YEAR'S TOTAL 53.63
Rain Days.	20	20	24	4	13	20	19	27	6	17	16	20	212

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
17 JAN 1914

Kept at *Huntisham Court - Bampton*
in the County of *Devon*
by *H. L. Acland Thryte Esq*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Bampton*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *640* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.21	0.38	0.06	0.13				0.08		0.30	0.36	1
2	0.15	0.14	0.02	0.11	0.18		0.02			0.25	0.16	0.03	2
3	0.53		0.17	0.05	0.22					0.05		0.38	3
4	1.68	0.04	0.18		0.20				0.34	0.15	0.04	0.32	4
5	0.05	0.02	0.03		0.22	0.38			0.41		0.07	0.35	5
6	0.09	0.07	0.19			0.13	0.18			0.71	0.16	0.23	6
7	0.01	0.48	0.05		0.99	0.17	0.10			0.52	0.25	0.02	7
8	0.02	0.03			0.33					0.03			8
9		0.08	0.07	0.02	0.10	0.20	0.11	0.23			0.42	0.08	9
10			0.12		0.17	0.05				0.36	0.07		10
11	0.67			0.15	0.27	0.10			0.02	0.03	0.76	0.05	11
12	0.82				0.17	0.02					0.42		12
13	0.18		0.05				0.04	0.17	0.26		0.10		13
14	0.34		0.06	0.03					0.05	0.02	0.11		14
15	0.21		0.71	0.91					0.08		0.18		15
16	0.22	0.05	0.77	0.15				0.38	0.13		0.02		16
17	0.18		0.03	0.10			0.05				0.05		17
18	0.28		0.26	0.16							0.15		18
19	0.60		0.14		0.08	0.09	0.03		0.46	0.02	0.22		19
20	0.51		0.25	0.29					0.02				20
21			0.12		0.07						0.32		21
22	1.20		0.70				0.04	0.04	0.10				22
23											0.09	0.63	23
24	0.08	0.08		0.12		0.12		0.04			0.06		24
25		0.03		0.52					0.06	0.02	0.05	0.10	25
26				1.24				0.05				0.33	26
27	0.19		0.19	0.21						0.82		0.03	27
28	0.20		0.09	0.35				0.02		0.61		0.23	28
29	0.08		0.70	0.33	0.08					0.24	0.02		29
30	0.68			0.21	0.24					0.51	0.16		30
31	0.29		0.77					0.58		0.02			31
Total	9.26	1.26	5.48	5.01	3.45	1.26	0.57	1.51	2.01	4.40	4.18	3.14	41.53
Rain Days.	24	11	23	18	15	9	8	8	12	16	23	14	181

REGISTER OF RAINFALL IN 1914

Kept *Huntsham Court, Bampton*
in the County of *Devon* *56*
by *Hugh Acland Trayer*

Lat. *50.58.23.6"* Long. *3.25.21.7"*
Time of Observation *9 a.m.*
Nearest Railway Station *Bampton*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *640* ft.

FORM A
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the selection of the British Rainfall Organization. Dr. H. R.

HUNTSHAM COURT,
BAMPTON,
N. DEVON.

Jan. 1, following.

Date.	Jan.	N. DEVON.							Sept.	Oct.	Nov.	Dec.	Date.	
1		To The Chairman									0.12	0.12	1	
2		British Rainfall Organiser									0.32	0.60	2	
3		Dear Sir With reference to your										0.24	3	
4	0.19	Letter of the 21st April									0.37	0.71	4	
5	0.12	The rainfall as observed here									0.03	0.15	5	
6		during 1914, was slightly a-							0.03			0.33	6	
7		bove the average which is 43.5"										0.11	7	
8													8	
9	0.15	The weather is quite in the							0.73				9	
10	0.20	open & there is no leak in it							0.38		0.02	0.05	10	
11		Subsides are noticed as a							0.16		0.12	0.50	11	
12		mount season generally without							0.30	0.02	0.07	0.60	12	
13		any heavy downfall, except							0.45	0.30	0.44	0.21	13	
14		in December which was excep-								0.16	0.47	0.06	14	
15		tional wet - faithfully yours							0.29	0.05	0.32	0.05	15	
16		M. H. L. Ireland F.R.S. p.m.							0.09				16	
17									0.02			0.90	17	
18		0.15	0.08				0.05	0.10	0.01		0.37	18		
19		0.10	0.37				1.84	0.02		0.14	0.16	19		
20		0.33	0.07			0.35					0.15	20		
21		0.46							0.22		0.18	21		
22		0.04		0.17	0.34				1.14			22		
23		0.03	0.13				0.02	0.02	0.12			23		
24								0.04		0.21		24		
25	0.17		0.33				0.04	0.78	0.56	0.02	0.38	25		
26	0.08		0.13				0.06	0.09	0.04	0.22	0.76	26		
27		0.05							0.12	0.16	0.48	27		
28	0.02	0.07	0.24						0.30	0.10	0.98	28		
29	0.22		0.10		0.20				0.29	0.50	0.04	29		
30			0.05						0.28	0.40	0.82	30		
31									0.84		0.34	31		
Total		51.5	32.5	61.0	1.90	1.64	2.68	3.52	3.33	2.57	4.45	4.03	9.29	43.91
Rain Days.		8	17	23	9	10	8	11	14	11	15	18	25	169

Kept  in the County of Angus

IMPO
previous da
requested to
for it at t
the selectio
Organizatio
Dr. H. R.

N 19 14
8.23.6 Long 3.25.21.7

Observation 9 a.m.
Railway Station Bampton
of Rain Gauge 8 in.
top of Gauge above Ground 1 ft. in.
" " Sea Level 6.40 ft.

FORM A.
BRITISH RAINFALL
28 JAN 1915

At 9 a.m. and the result entered to the
s almost universal rule, he is earnestly
following year in the space provided
the measurement of rain,
to the British Rainfall
post-free on application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.10	0.13		0.10	0.15	0.34			0.12	0.12	1
2			0.04	0.12			0.42				0.32	0.60	2
3				0.25	0.61			0.16				0.24	3
4	0.19		0.51	0.36	0.04		0.46	0.05			0.37	0.71	4
5	0.12		0.21	0.37	0.05			0.10			0.03	0.15	5
6		0.05	0.06	0.08	0.07		0.13	0.20				0.33	6
7		0.46			0.12	0.12	0.26	0.06	0.03			0.11	7
8			1.30	0.13	0.23	0.60		0.04					8
9	0.15		0.24			0.62		0.14	0.73				9
10	0.20	0.20		0.09	0.10				0.38		0.02	0.05	10
11		0.15	0.72	0.27	0.05	0.19			0.16		0.12	0.50	11
12		0.34	0.05						0.30	0.02	0.07	0.60	12
13		0.33	0.25						0.45	0.30	0.44	0.21	13
14		0.10	0.56			0.36		0.62		0.16	0.47	0.06	14
15		0.09	0.24				0.09	0.69	0.29	0.05	0.32	0.05	15
16			0.03						0.09				16
17		0.32	0.29						0.02			0.90	17
18		0.13	0.08				0.05		0.10	0.01		0.37	18
19		0.10	0.37				1.84		0.02		0.14	0.16	19
20		0.33	0.07			0.35						0.15	20
21		0.46								0.22		0.18	21
22		0.04			0.17	0.34				1.14			22
23		0.03	0.13				0.02	0.02		0.12			23
24								0.04			0.21		24
25	0.17		0.33				0.04	0.78		0.56	0.02	0.38	25
26	0.08		0.13				0.06	0.09		0.04	0.22	0.76	26
27		0.05								0.12	0.16	0.48	27
28	0.02	0.07	0.24							0.30	0.10	0.98	28
29	0.22		0.10		0.20					0.29	0.50	0.04	29
30			0.05							0.28	0.40	0.82	30
31										0.84		0.34	31
Total	1.15	3.25	6.10	1.90	1.64	2.68	3.52	3.33	2.57	4.45	4.03	9.29	YEAR'S TOTAL 43.91
Rain Days.	8	17	23	9	10	8	11	14	11	15	18	25	169

REGISTER OF RAINFALL IN 1915

Kept at Huntsham Court
in the County of Devon
by Hugh Acland Trayle

Lat. 50.58 23.6" N Long. 3.25 21.7" W
Time of Observation 9 am
Nearest Railway Station Bampton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. Sea Level 640 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.10	0.03		0.01			0.82		0.50	0.03	0.07	1
2		0.07	0.26	0.04				0.40		0.10		0.88	2
3		0.14	0.22	0.25	0.11		0.03					0.70	3
4	0.19	0.50			0.04	0.08						0.28	4
5	0.12	0.58	0.02	0.08			0.08	0.16				0.68	5
6	0.16	0.10		0.33			0.33	0.04				0.30	6
7	0.49	0.41		0.12	1.10		0.15				0.02	0.38	7
8	0.90	0.32						0.11			0.03	0.03	8
9	0.28	0.06		0.18				0.05			0.52	1.01	9
10	0.05	0.32	0.03	0.05				0.14		0.22	0.05		10
11	0.38	0.45			0.01			0.06		0.02	1.31		11
12	0.25	0.50		0.04	0.57			0.15		0.14	0.30	0.03	12
13	0.26	0.53			0.49				0.10		0.19	0.05	13
14	0.03						0.34	0.33	0.16	0.04	0.05	1.37	14
15	0.14				0.33				0.04		0.30	0.13	15
16	0.19	1.18			0.14		0.22					0.06	16
17	0.05	0.22			0.03		1.12						17
18		0.32											18
19	0.02				0.18								19
20	0.24			0.06		0.04	0.21			0.26		0.05	20
21	0.51	0.06					0.06			0.16		0.17	21
22	0.06		0.49	0.16		0.05	0.38			0.04		0.31	22
23			0.07			0.04	0.42		0.04	1.04		0.69	23
24							0.27		0.07	0.38		0.53	24
25				0.01		0.75	0.50					0.32	25
26	0.04					0.18						0.15	26
27		0.13				0.20	0.05		0.04	0.50		0.03	27
28		0.14				0.02			0.50	0.16	0.03	0.04	28
29						0.12				0.60	0.20	0.29	29
30	0.22	X				0.01	0.12			0.75	0.37	0.39	30
31	0.01	X		X		X			X		X	0.23	31
Total	4.59	6.16	1.12	1.32	3.01	1.49	4.28	2.26	0.95	4.91	3.40	9.37	42.86
Rain Days.	21	19	7	11	11	10	15	10	7	15	13	26	145

REGISTER OF RAINFALL IN 1916

Kept at *Huntsham Court*

in the County of *Devon*

by *W. Taylor Gardener to Col. R. L. A. Broughton*

Lat. *50° 58' N* Long. *3° 25' W*

Time of Observation *9 a.m.*

Nearest Railway Station *Bampton*

Diameter of Funnel of Rain Gauge *9* in.

Height of top of Gauge above Ground *1* ft. *3* in.

" " " " Sea Level *640* ft.

Jan. 1, following.

0.09

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.14	"	0.16		0.92	0.06	0.29	"	0.06	0.38	0.04	"	1
2	0.55	0.09	0.01		0.02	"	0.04	"	0.08	0.30	0.50	"	2
3	0.01	0.87	"		0.44	0.01	0.31	"	0.06	0.60	0.30	"	3
4	0.29	0.19	"		0.05	0.56	0.16	"	0.02	0.06	1.05	"	4
5	0.19	0.03	0.13		0.29	0.11	"	"	"	0.05	0.67	"	5
6	0.16	0.24	0.02		0.24	0.13	0.55	"	"	0.17	0.75	"	6
7	0.04	0.16	0.12		0.20	0.08	0.02	"	"	0.04	1.05	0.20	7
8		0.17	0.09		0.32	0.51	"	"	"	"	0.31	0.13	8
9		0.12	"		0.13	0.01	0.04	"	"	0.11	0.10	0.33	9
10	0.03	0.61	0.03	0.06	0.06	"	"	"	"	0.05	0.02	0.20	10
11		"	"	0.28	0.09	"	"	"	"	"	"	"	11
12	0.13	0.13	0.10	0.09	0.32	"	0.04	0.11	"	0.10	"	"	12
13	0.03	0.53	0.10	0.04	"	"	"	0.45	"	0.02	"	"	13
14		0.53	0.05	"	0.20	"	"	0.06	"	0.06	"	"	14
15	0.04	0.39	0.08	0.10	0.01	"	"	0.28	"	0.02	"	"	15
16		0.26	"	0.30	"	"	0.08	0.80	"	0.06	"	"	16
17		0.47	"	0.11	"	"	"	"	"	0.46	"	"	17
18	0.30	0.45	0.25	0.12	"	"	"	"	0.44	0.11	0.36	"	18
19	0.16	0.04	0.34	0.16	"	"	"	"	0.25	"	0.52	"	19
20	0.22	0.04	0.39	"	"	"	"	"	"	"	0.19	0.75	20
21		~~0.04~~	0.20	0.07	0.08	0.01	"	"	"	"	"	"	21
22	0.05	0.12	"	"	"	0.09	"	"	"	0.55	"	0.62	22
23		0.15	0.01	0.08	"	0.02	"	0.24	"	0.14	0.25	0.20	23
24		0.33	0.01	0.08	0.45	0.01	"	0.08	"	0.75	0.05	0.38	24
25	0.04	0.09	0.17	"	0.02	"	"	0.40	0.05	0.02	0.31	"	25
26	0.05	0.02	0.14	"	0.01	0.50	"	0.32	0.86	0.80	0.02	"	26
27		0.01	2.00	"	"	0.34	"	0.07	0.40	0.81	"	"	27
28		0.10	"	"	0.06	"	"	0.08	0.20	0.50	"	0.63	28
29		0.35	0.20	"	"	0.55	"	2.00	0.12	0.40	"	0.48	29
30		~~X~~	"	~~X~~	"	~~X~~	"	"	"	0.20	~~X~~	0.03	30
31		~~X~~	"	~~X~~	"	~~X~~	"	0.05	~~X~~	0.21	~~X~~	0.19	31
Total	2.46	7.52	4.60	1.51	3.91	2.99	1.56	4.94	2.54	6.94	5.52	4.14	49.65
Rain Days.	17	26	21	12	19	15	9	13	11	26	18	12	198

REGISTER OF RAINFALL IN 1917

Kept at Huntsam Court

in the County of Devon

by M. Taylor

Lat. 50° 58' N Long. 3° 25' W

Time of Observation 9 6 clock

Nearest Railway Station Moorbath G.W.R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 640 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0-9	--	0-19	0-12	--	0-5	--	0-51	--	--	0-4	--	1
2	0-10	--	0-4	0-35	--	0-30	--	--	--	0-20	1-0	--	2
3	--	--	--	0-15	--	0-18	0-45	--	--	0-28	0-16	0-1	3
4	--	--	0-31	--	--	--	0-4	--	0-10	0-50	0-4	--	4
5	0-15	0-16	0-53	0-33	--	0-12	--	--	--	0-30	0-20	0-2	5
6	--	--	0-15	--	--	--	--	--	--	0-74	0-15	0-4	6
7	0-57	--	--	--	--	--	0-7	0-23	0-1	0-52	0-21	0-10	7
8	0-6	--	--	0-15	--	0-52	0-62	0-21	--	1-19	0-23	0-12	8
9	--	--	0-23	0-5	--	--	--	0-24	--	0-54	0-9	--	9
10	0-84	--	--	0-20	--	--	--	0-43	--	0-11	0-2	--	10
11	0-5	--	0-20	0-30	--	--	--	0-21	--	0-21	--	--	11
12	0-10	--	1-20	--	--	--	--	0-37	0-27	0-85	--	--	12
13	0-4	--	0-2	0-10	0-40	0-2	--	0-34	0-27	0-42	--	--	13
14	0-1	--	0-25	0-6	--	--	0-1	0-16	0-1	0-10	--	--	14
15	--	--	--	--	--	--	0-18	--	0-2	0-16	--	--	15
16	--	0-20	--	0-15	--	--	0-1	0-7	0-43	0-28	--	0-30	16
17	--	0-5	--	0-12	--	--	0-50	0-1	0-69	0-14	--	--	17
18	--	0-6	--	--	0-1	0-4	0-1	--	0-1	0-1	--	--	18
19	--	0-46	0-7	--	--	0-18	--	0-1	--	0-2	--	--	19
20	--	0-3	0-3	--	0-42	0-8	--	--	0-1	0-5	0-10	--	20
21	--	--	0-7	--	--	0-6	--	--	--	0-4	0-2	--	21
22	--	--	--	--	--	0-14	--	0-54	--	0-12	0-5	--	22
23	--	0-30	--	--	0-26	0-7	--	0-92	--	0-10	0-15	0-15	23
24	--	--	--	--	--	0-12	0-12	0-23	0-15	0-41	0-12	--	24
25	--	0-9	0-8	--	--	0-1	--	0-13	0-5	0-11	0-3	--	25
26	--	--	--	--	0-27	0-1	--	0-20	--	0-8	--	--	26
27	--	--	--	--	0-20	0-26	--	0-53	--	--	--	--	27
28	--	0-13	0-10	--	0-17	0-31	--	0-53	--	--	0-7	--	28
29	--	--	0-28	--	--	--	--	0-2	--	0-22	--	0-18	29
30	--	X	0-7	--	--	--	0-1	0-9	--	0-19	0-1	--	30
31	--	X	0-8	X	--	X	0-12	0-3	X	0-20	X	--	31
Total	1-51	1-48	3-90	2-08	1-73	2-47	2-17	6-21	2-08	2-89	2-69	0-92	YEAR'S TOTAL 35-016
Rain Days.	10	9	18	12	7	17	12	22	12	28	18	8	173

REG

DEVON.

14

FORM A.
BRITISH RAINFALL
12 JAN 1915

Kept at

in the County of

by

IDE.

1914

ong.

ion

age

in.

ge above Ground 1 ft. in.

Sea Level 130 ft.

IMPORTANT NOTE

and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.03	0.05	—	—	0.08	0.20	—	—	0.42	0.46	1
2	—	—	0.04	0.18	0.05	—	0.30	0.04	—	—	0.15	0.10	2
3	—	—	0.15	0.20	0.45	—	—	0.05	—	—	0.06	0.21	3
4	0.24	—	0.04	0.17	0.10	—	0.46	—	—	—	0.52	—	4
5	0.17	—	0.02	0.18	0.06	—	0.07	0.04	0.11	—	—	0.20	5
6	—	0.08	0.06	0.14	0.04	—	0.06	0.06	0.12	—	—	0.22	6
7	—	1.10	0.15	0.07	0.03	0.16	0.20	0.02	0.04	—	0.06	0.07	7
8	0.06	0.04	0.51	0.06	—	0.28	0.02	0.02	0.95	—	—	—	8 57
9	—	0.51	0.50	0.25	0.07	0.52	—	—	0.50	—	—	—	9 21
10	—	—	0.05	0.17	0.06	0.10	—	—	0.11	—	0.03	0.37	10
11	—	0.10	0.32	—	0.10	0.22	—	—	0.25	—	0.10	1.04	11
12	—	0.30	0.12	—	—	—	—	—	0.15	0.15	0.25	0.70	12
13	—	0.30	0.48	—	—	—	0.04	—	0.03	0.25	—	0.30	13
14	—	0.22	0.05	—	—	0.15	—	0.35	—	0.06	—	0.20	14
15	—	—	0.06	—	—	—	0.03	0.90	0.02	0.06	—	0.10	15
16	—	—	0.38	—	—	—	—	—	0.05	—	—	—	16
17	—	—	0.11	—	—	—	—	—	—	0.04	—	0.35	17
18	—	0.15	0.10	—	—	—	—	—	—	—	—	0.30	18
19	—	0.12	0.65	—	—	—	—	—	0.11	—	0.25	0.10	19
20	—	1.60	0.34	—	—	0.06	2.04	0.27	—	0.02	—	—	20
21	—	—	0.10	—	—	0.02	—	—	—	0.32	—	—	21
22	—	0.90	0.03	—	0.18	—	—	0.02	—	0.25	0.08	0.10	22
23	—	0.02	0.25	—	0.04	—	0.02	—	—	0.15	0.06	0.27	23
24	0.10	0.10	0.11	—	0.33	—	—	—	—	0.12	0.16	0.10	24
25	0.15	0.03	0.21	—	0.04	—	0.15	0.25	—	0.30	0.04	0.25	25
26	0.08	0.03	0.04	—	—	—	0.17	0.04	—	0.04	0.10	0.72	26
27	0.03	0.02	—	—	0.15	—	—	—	—	0.08	0.31	0.42	27
28	—	0.12	0.33	—	0.10	—	—	—	—	0.07	0.13	1.12	28
29	—	—	0.20	—	—	0.02	—	0.06	—	0.34	0.35	0.18	29
30	—	X	0.11	—	—	—	—	—	—	0.23	0.32	1.02	30
31	—	X	—	X	0.02	X	0.26	—	X	1.10	X	0.10	31
Total	0.83	5.74	5.54	1.47	1.82	1.53	3.84	2.32	2.54	3.58	3.39	9.00	YEAR'S TOTAL
Rain Days.	7	18	29	10	16	9	14	14	12	17	18	25	41.60

REG

14

FORM A.
BRITISH RAINFALL
12 JAN 1915

Kept at

Tide

in the County of

Devon SB

by

H. Payne

Lat.

Long.

Time of Observation

9. Am

Nearest Railway Station

Tide

Diameter of Rain Gauge

8

in.

Height of top of Gauge above Ground

1

ft.

in.

" " " "

Sea Level

130

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.03	0.05	—	—	0.08	0.20	—	—	0.42	0.46	1
2	—	—	0.04	0.18	0.05	—	0.30	0.04	—	—	0.15	0.10	2
3	—	—	0.15	0.20	0.45	—	—	0.05	—	—	0.06	0.21	3
4	0.24	—	0.04	0.17	0.10	—	0.46	—	—	—	0.52	—	4
5	0.17	—	0.02	0.18	0.06	—	0.07	0.04	0.11	—	—	0.20	5
6	—	0.08	0.06	0.14	0.04	—	0.06	0.06	0.12	—	—	0.22	6
7	—	1.10	0.15	0.07	0.03	0.16	0.20	0.02	0.04	—	0.06	0.07	7
8	0.06	0.04	0.51	0.06	—	0.28	0.02	0.02	0.95	—	—	—	8 57
9	—	0.51	0.50	0.25	0.07	0.52	—	—	0.50	—	—	—	9 21
10	—	—	0.05	0.17	0.06	0.10	—	—	0.11	—	0.03	0.37	10
11	—	0.10	0.32	—	0.10	0.22	—	—	0.25	—	0.10	1.04	11
12	—	0.30	0.12	—	—	—	—	—	0.15	0.15	0.25	0.70	12
13	—	0.30	0.48	—	—	—	0.04	—	0.03	0.25	—	0.30	13
14	—	0.22	0.05	—	—	0.15	—	0.35	—	0.06	—	0.20	14
15	—	—	0.06	—	—	—	0.03	0.90	0.02	0.06	—	0.10	15
16	—	—	0.38	—	—	—	—	—	0.05	—	—	—	16
17	—	—	0.11	—	—	—	—	—	—	0.04	—	0.35	17
18	—	0.15	0.10	—	—	—	—	—	—	—	—	0.30	18
19	—	0.12	0.65	—	—	—	—	—	0.11	—	0.25	0.10	19
20	—	1.60	0.34	—	—	0.06	2.04	0.27	—	0.02	—	—	20
21	—	—	0.10	—	—	0.02	—	—	—	0.32	—	—	21
22	—	0.90	0.03	—	0.18	—	—	0.02	—	0.25	0.08	0.10	22
23	—	0.02	0.25	—	0.04	—	0.02	—	—	0.15	0.06	0.27	23
24	0.10	0.10	0.11	—	0.33	—	—	—	—	0.12	0.16	0.10	24
25	0.15	0.03	0.21	—	0.04	—	0.15	0.25	—	0.30	0.04	0.25	25
26	0.08	0.03	0.04	—	—	—	0.17	0.04	—	0.04	0.10	0.72	26
27	0.03	0.02	—	—	0.15	—	—	—	—	0.08	0.31	0.42	27
28	—	0.12	0.33	—	0.10	—	—	—	—	0.07	0.13	1.12	28
29	—	—	0.20	—	—	0.02	—	0.06	—	0.34	0.35	0.18	29
30	—	X	0.11	—	—	—	—	—	—	0.23	0.32	1.02	30
31	—	X	—	X	0.02	X	0.26	—	X	1.10	X	0.10	31
Total	0.83	5.74	5.54	1.47	1.82	1.53	3.84	2.32	2.54	3.58	3.39	9.00	YEAR'S TOTAL
Rain Days.	7	18	29	10	16	9	14	14	12	17	18	25	41.60

REGI

DEVON.

IDDLESLEIGH

"ASH"

1914

14
ong. 4.2
9 am
on North Tawton
ge 6 in.
e above Ground 1 ft. in.
,, Sea Level 340 ft.

FORM A.
BRITISH RAINFALL
6 JAN 1915

Kept at "Ash" Iddlesleigh
in the County of Devon
by C. J. Medland

IMPORTANT NOTE

measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	2		17	—	22	56				30	17	1
2	2			7	—		25					46	2
3	5			15	33	—		37			29	14	3
4	25		52	23	15	—	8	66				76	4
5	17		29	32	8	—	3	3				6	5
6		8	18	31	5	—	109	6				27	6
7	2	45	40	16	15	11	34	15	10			4	7
8	14		115	2	6	40		9	2		60	10	8
9	10	8	39	7	11	(50)		10	56			7	9
10	6	26	14	21	11	5			90			3	10
11		13	66			12			3			51	11
12		50	10						36	9	14	26	12
13		40	44				5		34	10	43	14	13
14		36	47			2		46			23		14
15		1	19				32	31	28		43	24	15
16									14			3	16
17		50	33				5		10			77	17
18		24	17						20			35	18
19		6	55				170		15		10	25	19
20		27	21			78						19	20
21		25				6		48		13		14	21
22		10			8	7		4		(.70)			22
23		5	16				17			14			23
24		3	8					13		9	21		24
25	15		14		8		11	17		24		28	25
26	16	1	17				19	5		6	24	10	26
27	13		4				1			23	14	40	27
28	4	8	10		13		(03)			46	16	109	28
29	29		9		10					10	46	3	29
30	3	X	7							22	55	60	30
31	9	X		X	4	X	22		X	94	X	24	31
Total	172	382	704	171	147	233	520	310	318	350	428	772	4508
Rain Days.	16	20	24	10	13	10	16	14	12	13	14	27	189

YEAR'S TOTAL

REGI

Kept at "Ash" Iddesleigh.
in the County of Devon
by G. J. Medland (Gardener)

Lat. 50.50 Long. 4.2
Time of Observation 9 a.m.
Nearest Railway Station North Newton
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

FORM A.
BRITISH RAINFALL
6 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	2		17	—	22	56				30	17	1
2	2			7	—		25					46	2
3	5			15	33	—		37			29	14	3
4	25		52	23	15	—	8	66				76	4
5	17		29	32	8	—	3	3				6	5
6		8	18	31	5	—	109	6				17	6
7	2	45	40	16	15	11	34	15	10			4	7
8	14		115	2	6	40		9	2		60	10	8
9	10	B	39	7	11	(50)		10	56			7	9
10	6	26	14	21	11	5			90			3	10
11		13	66			12			3			51	11
12		50	10						36	9	14	26	12
13		40	44				5		34	10	43	14	13
14		36	47			2		46			23		14
15		1	19				32	31	28		43	24	15
16									14			3	16
17		50	33				5		10			77	17
18		24	17						20			35	18
19		6	55				170		15		10	25	19
20		27	21			78						19	20
21		25				6		48		13		14	21
22		10			8	7		4		(.70)			22
23		5	16				17			14			23
24		3	8					13		9	21		24
25	15		14		8		11	17		24		28	25
26	16	1	17				19	5		6	24	10	26
27	13		4				1			23	14	40	27
28	4	8	10		13		(03)			46	16	109	28
29	29		9		10					10	46	3	29
30	3	X	7							22	55	60	30
31	9	X		X	4	X	22		X	94	X	24	31
Total	172	383	704	171	147	233	520	310	318	350	428	772	4508
Rain Days.	16	20	24	10	13	10	16	14	12	13	14	27	189

REG

DEVON.

IDEFORD RECTORY.

1911-1917.

Kept at Ideford
in the County of Devon
by The Rev. J. G. G. G.

11.
Standard in 1884.
p 4 in.
above Ground 1 ft.
Sea Level 300 ft.
9 a.m.
(Name Chudleigh
Distance 2 1/2 Direction N.W.

FORM A2
BRITISH RAINFALL
JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.01	0.05	0.07	-	-	-	-	0.04	0.02	-	1
2	-	-	-	0.02	0.44	-	-	0.14	-	0.09	0.10	0.30	2
3	-	0.01	-	-	0.15	-	-	-	0.03	-	0.10	0.09	3
4	-	-	0.12	-	-	-	-	0.03	-	-	0.11	0.57	4
5	0.12	-	0.17	-	-	-	-	0.41	-	0.04	0.09	-	5
6	0.35	-	0.31	-	-	-	-	-	-	-	0.06	1.04	6
7	0.03	-	-	-	-	-	-	-	-	-	0.44	-	7
8	-	-	-	-	-	-	-	-	-	-	0.04	0.50	8
9	-	-	-	-	-	0.89	-	-	-	-	0.46	0.74	9
10	0.01	0.02	0.30	-	0.16	-	-	-	0.01	-	-	0.43	10
11	0.24	-	-	-	-	-	-	-	-	-	0.91	0.03	11
12	-	-	0.50	-	-	-	-	-	0.09	-	0.06	0.12	12
13	-	-	-	-	-	-	-	-	0.19	-	-	0.44	13
14	-	0.07	0.20	-	-	-	-	-	-	0.11	-	0.72	14
15	-	0.01	-	-	-	0.02	-	-	-	-	0.25	0.05	15
16	-	-	0.06	-	-	0.36	-	-	-	-	0.50	0.63	16
17	-	-	0.60	0.01	-	0.26	-	-	-	-	0.20	0.61	17
18	-	0.21	0.60	0.20	-	0.26	-	-	-	0.25	0.30	0.45	18
19	-	0.07	-	0.05	-	1.00	-	-	0.40	0.17	0.15	0.45	19
20	-	0.02	0.22	0.01	-	-	-	-	0.04	0.47	-	0.97	20
21	-	0.13	-	-	-	-	-	0.29	0.08	0.40	-	0.08	21
22	0.03	0.02	-	0.03	-	0.04	-	-	0.40	0.14	-	0.53	22
23	0.01	0.13	0.03	-	-	-	-	-	0.02	0.26	0.20	0.32	23
24	-	0.12	-	0.01	-	0.29	-	0.05	-	0.40	-	0.26	24
25	-	0.09	-	-	-	0.02	-	-	0.09	0.10	-	0.15	25
26	0.16	0.08	-	0.22	-	-	-	0.01	-	0.62	-	0.12	26
27	-	0.30	0.02	0.02	-	-	-	0.08	0.16	0.51	0.05	0.15	27
28	-	0.11	-	0.44	-	-	-	0.07	-	-	0.05	-	28
29	-	-	0.01	0.17	0.47	0.18	0.57	-	0.09	0.25	-	-	29
30	-	-	-	-	-	0.01	-	-	-	0.19	0.20	0.02	30
31	-	-	-	-	-	-	0.04	-	-	0.01	-	-	31
Total	0.95	1.39	3.15	1.23	1.29	3.33	0.61	1.08	1.60	4.05	4.29	9.77	TOTAL for year
No. of Rain Days	8	15	14	12	5	11	2	8	12	17	20	25	

REG

11.

FORM A2
BRITISH RAINFALLKept at Tedford Rectoryin the County of Devonby The Revd Gerard John FordRAIN
GAUGEPattern Standard in 1884
Diameter of top 4 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.Time of Observation 9 a.m.Nearest Railway Station { Name Chudleigh
Distance 2 1/4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.01	0.05	0.07	-	-	-	-	0.04	0.02	-	1
2	-	-	-	0.02	0.44	-	-	0.14	-	0.09	0.10	0.30	2
3	-	0.01	-	-	0.15	-	-	-	0.03	-	0.10	0.09	3
4	-	-	0.12	-	-	-	-	0.03	-	-	0.11	0.57	4
5	0.12	-	0.17	-	-	-	-	0.41	-	0.04	0.09	-	5
6	0.35	-	0.31	-	-	-	-	-	-	-	0.06	1.04	6
7	0.03	-	-	-	-	-	-	-	-	-	0.44	-	7
8	-	-	-	-	-	-	-	-	-	-	0.04	0.50	8
9	-	-	-	-	-	0.89	-	-	-	-	0.46	0.74	9
10	0.01	0.02	0.30	-	0.16	-	-	-	0.01	-	-	0.43	10
11	0.24	-	-	-	-	-	-	-	-	-	0.91	0.03	11
12	-	-	0.50	-	-	-	-	-	0.09	-	0.06	0.12	12
13	-	-	-	-	-	-	-	-	0.19	-	-	0.44	13
14	-	0.07	0.20	-	-	-	-	-	-	0.11	-	0.72	14
15	-	0.01	-	-	-	0.02	-	-	-	-	0.25	0.05	15
16	-	-	0.06	-	-	0.36	-	-	-	-	0.50	0.63	16
17	-	-	0.60	0.01	-	0.26	-	-	-	-	0.20	0.61	17
18	-	0.21	0.60	0.20	-	0.26	-	-	-	0.25	0.30	0.45	18
19	-	0.07	-	0.05	-	1.00	-	-	0.40	0.17	0.15	0.45	19
20	-	0.02	0.22	0.01	-	-	-	-	0.04	0.47	-	0.97	20
21	-	0.13	-	-	-	-	-	0.29	0.08	0.40	-	0.08	21
22	0.03	0.02	-	0.03	-	0.04	-	-	0.40	0.14	-	0.53	22
23	0.01	0.13	0.03	-	-	-	-	-	0.02	0.26	0.20	0.32	23
24	-	0.12	-	0.01	-	0.29	-	0.05	-	0.40	-	0.26	24
25	-	0.09	-	-	-	0.02	-	-	0.09	0.10	-	0.15	25
26	0.16	0.08	-	0.22	-	-	-	0.01	-	0.62	-	0.12	26
27	-	0.30	0.02	0.02	-	-	-	0.08	0.16	0.51	0.05	0.15	27
28	-	0.11	-	0.44	-	-	-	0.07	-	-	0.05	-	28
29	-	-	0.01	0.17	0.47	0.18	0.57	-	0.09	0.25	-	-	29
30	-	-	-	-	-	0.01	-	-	-	0.19	0.20	0.02	30
31	-	-	-	-	-	-	0.04	-	-	0.01	-	-	31
Total	0.95	1.39	3.15	1.23	1.29	3.33	0.61	1.08	1.60	4.05	4.29	9.77	TOTAL for year
No. of Rain Days	8	15	14	12	5	11	2	8	12	17	20	25	

REGISTER OF RAINFALL IN 1912.

FORM A2
BRITISH RAINFALL
JAN 1913

Kept at Tideford Rectory
in the County of Devon
by The Rev. & Francis John Ford

Pattern Standard in 1881
RAIN GAUGE Diameter of top 4 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Chudleigh
Distance 2 1/4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.10	-	-	0.60	0.07	0.01	-	-	-	0.25	1
2	-	-	0.19	-	-	0.26	0.02	0.06	0.16	0.79	0.01	-	2
3	-	-	0.28	-	0.04	0.20	0.10	1.19	-	0.05	-	0.04	3
4	0.08	0.07	0.61	-	0.01	0.43	-	0.09	-	-	0.20	-	4
5	0.48	0.34	0.14	-	0.02	0.02	-	0.64	-	-	-	0.22	5
6	0.25	0.11	0.01	-	0.28	0.12	-	0.02	-	-	-	-	6
7	0.16	0.79	0.19	-	0.05	0.79	-	0.04	-	-	-	0.35	7
8	0.43	0.14	0.46	0.02	-	0.09	0.02	-	-	-	-	0.02	8
9	0.04	0.05	0.05	0.04	-	0.32	0.02	0.12	-	-	-	0.26	9
10	0.23	0.10	0.20	0.01	-	0.21	-	0.09	-	-	0.09	0.20	10
11	0.04	0.05	0.03	-	-	-	-	0.05	-	-	0.15	0.47	11
12	-	0.35	0.07	-	0.01	-	0.10	0.61	-	-	-	0.02	12
13	0.16	-	-	-	-	0.01	0.75	0.04	-	-	-	0.09	13
14	0.07	0.05	0.48	-	0.08	-	-	0.05	-	-	-	0.01	14
15	0.55	0.07	0.04	-	0.46	0.28	-	-	-	-	-	0.08	15
16	0.24	-	0.26	-	0.08	0.02	-	0.04	-	0.05	0.02	0.04	16
17	0.05	0.01	0.36	-	0.01	0.06	-	0.85	-	-	0.01	0.05	17
18	-	0.02	0.13	-	-	-	-	0.18	-	-	0.01	0.04	18
19	0.08	0.04	0.34	-	-	0.01	0.06	0.16	-	-	0.03	0.01	19
20	0.03	0.06	0.43	-	0.22	-	0.02	0.30	-	0.12	0.02	-	20
21	-	0.24	0.26	-	0.27	-	-	0.05	-	0.10	-	-	21
22	0.58	0.27	0.18	-	-	-	0.07	0.04	-	0.08	0.02	0.17	22
23	0.75	0.28	0.14	-	-	0.02	0.05	0.32	-	-	0.04	0.36	23
24	0.09	0.04	-	-	-	0.32	-	0.03	-	-	-	0.21	24
25	0.07	0.01	-	-	-	0.03	0.02	0.62	-	0.30	0.20	0.39	25
26	-	0.03	-	-	-	-	0.03	0.03	-	0.25	0.54	0.47	26
27	-	0.02	-	-	-	0.33	0.33	0.29	-	1.20	-	0.39	27
28	-	0.12	-	-	-	0.17	0.15	0.49	0.35	0.35	0.35	0.52	28
29	-	0.45	0.01	-	-	0.02	0.10	0.45	0.64	0.46	0.01	0.03	29
30	-	-	0.04	-	-	0.17	0.16	-	0.24	0.20	-	-	30
31	-	-	0.31	-	-	-	0.32	-	-	-	-	0.03	31
Total	4.38	3.71	5.31	0.07	1.53	4.48	2.39	6.86	1.39	3.95	1.70	4.72	TOTAL for year
No. of Rain Days	19	24	25	3	12	22	18	27	4	12	15	25	
Total from 1881 to 1912	8.09	13.40	13.47	15.00	19.48	21.87	28.73	30.12	34.07	35.77	40.49		

REGISTER OF RAINFALL IN 1913.

Kept at Tideford Rectory

in the County of Devon

by The Rev. Gerard John Ford

Pattern Standard in 1887
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. 0 in.
 " " " Sea Level 300 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Chudleigh
 Distance 2 1/4 Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. -	0.73	0.16	0.05	0.04	-	-	-	0.09	0.18	0.27	0.01	1
2	0.16	0.17	0.01	0.28	0.20	-	0.11	-	0.02	-	0.14	-	2
3	0.64	-	0.04	0.01	0.25	-	-	-	0.02	0.58	-	0.20	3
4	1.00	0.01	0.04	-	0.11	0.04	-	-	0.18	0.18	0.17	0.10	4
5	0.11	0.07	0.05	-	0.13	0.05	-	-	1.16	0.21	0.33	0.36	5
6	0.06	0.06	0.10	-	0.12	0.03	-	-	0.03	1.07	0.06	0.07	6
7	0.02	0.48	0.09	-	0.88	0.04	-	-	-	0.28	0.19	-	7
8	0.06	0.25	-	-	0.22	-	0.25	0.02	-	0.04	0.02	-	8
9	0.03	0.01	-	-	0.14	0.01	-	0.07	-	-	0.45	-	9
10	0.76	0.01	-	0.01	0.09	-	0.20	0.05	-	0.21	-	-	10
11	0.55	-	-	0.05	0.56	0.01	-	-	0.01	0.09	0.78	-	11
12	0.08	0.01	-	-	0.05	-	-	-	-	-	0.22	-	12
13	0.09	0.01	0.05	0.02	0.03	-	-	0.08	0.06	-	0.03	-	13
14	0.37	-	0.10	0.08	0.35	-	-	-	-	-	0.05	-	14
15	0.30	-	0.44	0.56	-	-	-	-	0.22	-	-	-	15
16	0.31	-	0.32	0.06	-	-	-	-	0.21	-	-	-	16
17	0.13	-	0.03	0.12	-	-	-	-	-	-	-	-	17
18	0.62	-	0.30	0.08	-	-	-	-	-	-	0.06	-	18
19	0.54	-	0.01	-	-	0.08	-	-	0.30	0.07	-	-	19
20	0.07	-	0.19	0.25	-	-	-	-	-	0.05	0.30	-	20
21	0.01	-	0.34	0.01	0.07	-	-	-	-	0.03	0.34	-	21
22	0.27	-	0.52	-	-	0.01	-	0.04	0.03	0.36	-	0.22	22
23	-	-	-	-	-	0.02	-	-	-	-	0.06	0.88	23
24	-	0.09	-	0.04	-	0.02	-	-	-	-	-	0.01	24
25	-	-	-	0.38	-	-	-	-	-	0.08	-	-	25
26	-	-	-	1.20	-	-	-	0.09	0.01	0.01	-	0.18	26
27	0.36	-	0.26	0.25	0.08	-	-	-	-	0.29	-	-	27
28	0.20	-	0.03	0.20	0.01	-	-	-	-	0.36	0.01	0.04	28
29	0.18	-	0.64	0.28	0.02	-	-	-	-	0.17	-	-	29
30	0.40	-	-	0.03	0.01	-	-	-	0.38	0.52	-	-	30
31	0.09	-	0.20	-	0.02	-	-	0.35	-	0.03	-	-	31
Total	6.81	1.30	3.92	3.96	3.38	0.31	0.56	0.70	2.72	4.81	3.48	2.07	TOTAL for year
No. of Rain Days	26	12	21	20	20	10	3	7	14	20	17	10	34.02

REGISTER OF RAINFALL IN 1914.

FORM A2.
BRITISH RAINFALL.

Kept at Tideford Rectory
in the County of Devon SS
by The Rev. Gerard John Ford

RAIN GAUGE Pattern Standard in 1881
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Chudleigh
Distance 2 1/2 Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	-	-	0.18	-	0.09	0.06	0.41	-	-	0.92	0.08	1
2	-	-	-	0.07	0.03	-	0.16	0.02	-	-	0.20	0.37	2
3	0.02	-	0.04	0.16	0.73	-	-	-	-	-	0.01	0.03	3
4	0.04	-	-	0.19	0.13	-	0.32	0.30	-	-	0.53	0.78	4
5	0.05	-	0.05	0.10	0.02	-	-	-	0.08	-	-	0.06	5
6	-	0.11	0.03	0.08	0.10	-	0.02	0.01	-	-	0.03	0.62	6
7	0.01	0.93	0.15	0.13	0.06	0.09	0.20	0.06	0.16	-	-	0.34	7
8	0.02	-	0.50	0.08	0.02	0.36	-	0.03	0.12	-	-	0.06	8
9	-	0.03	0.57	0.15	0.12	0.47	-	0.21	0.88	-	-	-	9
10	0.02	0.45	0.10	0.14	0.01	0.07	-	-	0.58	-	-	0.09	10
11	-	0.10	0.30	-	-	0.15	-	-	0.05	-	-	0.95	11
12	-	0.18	0.08	-	-	-	-	-	0.09	0.09	0.04	0.81	12
13	-	0.39	0.30	-	-	-	0.05	-	0.10	0.21	0.20	0.18	13
14	-	0.30	0.27	-	-	0.18	0.01	0.62	-	0.04	0.38	0.09	14
15	-	-	0.07	-	-	-	0.08	0.40	0.04	0.10	0.18	0.09	15
16	-	-	0.04	-	-	-	-	-	0.31	-	-	-	16
17	-	0.18	0.21	-	-	-	-	-	-	-	-	0.73	17
18	-	0.02	0.15	-	-	-	0.02	-	0.18	-	-	0.27	18
19	-	0.03	1.06	-	-	-	2.07	-	0.08	-	0.04	0.09	19
20	-	0.28	0.19	-	-	0.07	-	-	-	-	0.08	0.24	20
21	-	0.54	-	-	-	-	-	-	-	0.36	-	0.02	21
22	-	-	-	-	0.18	-	-	-	-	0.20	-	0.01	22
23	-	0.10	0.34	-	0.01	-	-	-	-	0.40	-	-	23
24	-	0.04	-	-	0.33	-	-	0.06	-	0.02	0.01	-	24
25	0.07	-	0.24	-	0.02	-	0.05	0.29	-	0.32	0.04	0.32	25
26	0.04	0.01	0.03	-	-	-	0.03	0.07	-	0.03	0.15	0.48	26
27	0.01	-	-	-	-	-	-	-	-	0.02	0.33	0.27	27
28	-	0.03	0.40	-	0.08	-	-	-	-	0.04	0.19	0.58	28
29	0.04	-	0.15	-	0.12	-	-	-	-	0.10	0.61	0.03	29
30	-	-	0.09	0.03	-	-	-	-	-	0.35	0.51	0.67	30
31	0.08	-	-	-	-	-	0.38	-	-	1.09	-	0.36	31
Total	0.48	3.72	5.36	1.31	1.96	1.48	3.45	2.48	2.67	3.37	4.45	8.62	TOTAL for year
No. of Rain Days.	12	17	23	11	15	8	13	12	12	15	18	27	183

REGISTER OF RAINFALL IN 1915

Kept at Tideford Rectory
in the County of Devon
by The Rev. Gerard John Ford

Lat. 50° 05' Long. 3° 54'
Time of Observation 9 a.m.
Nearest Railway Station Chudleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

1861
8 - JAN 1916
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	0.11	-	-	-	-	-	0.55	0.23	0.40	-	0.03	1
2	0.23	0.16	0.02	0.01	-	0.09	-	0.32	-	0.07	-	0.87	2
3	0.01	0.14	0.04	0.01	0.32	-	-	-	-	-	-	0.43	3
4	0.02	0.06	-	-	0.04	-	-	-	-	-	-	0.27	4
5	0.02	0.79	-	0.12	-	-	-	0.18	-	-	-	0.56	5
6	0.68	0.12	-	0.26	-	-	0.43	-	0.01	-	-	0.30	6
7	0.19	0.24	-	0.10	-	-	0.18	-	-	0.06	-	0.36	7
8	0.11	0.31	-	-	-	-	0.04	0.08	-	0.07	0.07	0.21	8
9	-	0.12	-	0.04	-	-	-	-	-	-	0.23	0.67	9
10	0.13	0.42	0.03	0.05	-	-	-	-	-	0.19	0.03	0.06	10
11	0.20	0.33	0.10	0.02	0.06	-	0.04	0.40	-	0.19	0.80	0.02	11
12	0.05	0.62	-	0.03	0.59	-	-	0.18	0.01	-	0.22	-	12
13	-	0.34	-	-	0.55	-	0.01	0.08	0.05	-	0.20	-	13
14	0.02	-	-	-	-	-	0.27	0.05	0.02	0.13	-	0.63	14
15	0.09	-	-	-	0.28	-	0.24	-	-	-	0.06	0.13	15
16	0.03	1.10	-	-	0.22	-	0.65	-	-	-	-	0.09	16
17	0.02	0.24	-	-	0.04	-	-	-	-	-	-	-	17
18	0.02	0.12	-	-	-	-	-	-	-	-	-	-	18
19	-	-	-	-	0.40	-	0.13	-	-	-	-	-	19
20	0.19	-	-	0.11	-	0.11	0.02	-	-	0.25	-	0.04	20
21	0.24	0.09	-	-	0.02	0.02	0.21	-	0.02	0.21	-	0.01	21
22	0.12	-	0.37	0.10	-	0.09	0.41	-	-	0.04	-	0.28	22
23	-	0.02	0.10	-	-	0.02	0.06	-	0.06	1.51	-	0.36	23
24	-	-	0.08	0.03	-	-	0.12	-	0.08	0.21	-	0.54	24
25	0.02	-	0.03	0.05	-	0.70	0.06	-	-	-	-	0.22	25
26	0.04	0.13	-	-	-	0.21	0.06	-	-	-	-	0.79	26
27	-	-	-	-	-	0.18	0.03	-	-	0.36	-	0.04	27
28	-	0.05	-	0.02	-	0.18	-	-	0.39	0.05	-	0.09	28
29	-	-	-	-	-	0.61	0.11	-	0.09	-	0.20	0.09	29
30	0.23	X	-	-	-	0.10	-	-	-	1.10	0.37	0.32	30
31	-	X	-	X	-	X	0.22	0.02	X	1.32	X	0.25	31
Total	2.89	5.51	0.77	0.95	2.52	2.31	3.29	1.86	0.96	6.16	2.18	7.66	YEAR'S TOTAL
Rain Days.	22	20	8	14	10	11	19	9	10	16	9	26	37.06
													17.4

REGISTER OF RAINFALL IN 1916

Kept at Ideford Rectory
in the County of Devon
by The Rev. H Bouchier Wrey

Lat. 50.05 Long. 3.54
Time of Observation 9 a.m.
Nearest Railway Station Chudleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

FORM A.
BRITISH RAINFALL
18 MAR 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10	0.01	0.12	-	0.30	-	0.01	-	0.12	0.24	0.04	-	1
2	0.11	0.01	0.03	-	0.01	-	-	-	0.09	0.21	0.50	-	2
3	-	0.98	-	-	0.41	-	-	-	-	0.55	0.30	-	3
4	0.10	0.11	-	-	0.05	0.10	-	-	0.01	0.17	0.67	-	4
5	-	0.04	0.05	0.06	0.02	0.09	-	-	-	0.13	0.09	-	5
6	0.01	0.06	0.01	-	0.13	0.04	0.60	-	-	0.10	0.80	-	6
7	0.02	0.13	0.11	-	0.02	0.05	0.01	-	-	0.02	0.72	-	7
8	-	0.40	0.31	-	0.17	0.03	~~0.02~~	-	-	-	0.07	0.05	8
9	-	0.09	-	-	-	0.26	0.02	-	-	0.02	0.10	0.15	9
10	-	0.34	-	0.02	0.01	-	-	-	-	0.06	-	0.08	10
11	-	-	-	-	0.02	0.02	-	-	-	-	-	0.10	11
12	0.03	0.01	0.48	0.03	0.12	-	-	0.04	-	-	-	-	12
13	-	0.19	0.22	0.02	0.01	-	-	0.19	-	-	-	-	13
14	-	0.41	0.16	0.01	0.01	-	-	0.19	-	0.04	-	-	14
15	-	0.30	0.22	0.10	-	-	-	-	-	0.08	-	-	15
16	0.18	0.06	-	0.11	-	-	0.08	0.20	-	0.15	-	0.07	16
17	0.16	0.04	-	-	-	-	-	-	0.09	0.15	-	-	17
18	0.08	0.08	0.47	0.02	-	-	-	-	0.20	0.04	0.82	-	18
19	0.10	0.25	0.28	0.03	-	-	-	-	-	-	-	-	19
20	0.03	1.75	0.27	-	-	-	-	-	-	-	0.10	0.04	20
21	-	0.11	0.14	-	0.05	-	-	-	-	-	0.02	0.90	21
22	-	-	0.01	-	-	0.09	-	0.03	-	0.37	-	0.72	22
23	0.03	0.04	-	-	-	0.08	-	0.28	-	0.27	-	-	23
24	-	0.07	-	0.03	0.22	-	-	0.06	-	0.60	0.10	0.59	24
25	0.01	0.52	0.01	-	-	0.02	-	0.42	-	0.02	-	0.01	25
26	~~0.01~~	0.10	0.06	-	0.12	0.16	-	0.15	0.88	1.06	0.18	0.04	26
27	-	-	1.65	-	-	0.54	-	0.05	0.50	0.13	-	-	27
28	-	0.16	0.02	-	-	-	-	0.09	0.08	0.38	-	0.27	28
29	-	0.25	0.01	-	-	0.25	-	2.79	0.18	0.12	-	0.26	29
30	-	X	-	-	-	-	-	0.01	-	0.61	-	0.01	30
31	-	X	-	X	-	X	-	0.05	X	0.28	X	0.01	31
Total	0.96	6.51	4.63	0.43	1.67	1.73	0.72	4.63	2.15	5.80	4.51	3.30	YEAR'S TOTAL 36.96
Rain Days.	13	26	20	10	16	13	5	14	9	24	14	15	179

REGISTER OF RAINFALL IN 1917

Kept at

Idelford Rectory

in the County of

Devon

by

Rev. H. Boucherley

Lat.

50.05

Long.

3.54

Time of Observation

9 a.m.

Nearest Railway Station

Chudleigh

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

0

in.

"

"

"

"

Sea Level

300

ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	-	-	0.15	-	0.29	-	0.45	-	-	-	-	1
2	-	-	0.11	0.09	-	0.04	-	0.01	-	-	-	-	2
3	0.07	-	-	0.06	-	-	0.28	0.01	0.01	0.27	1.02	-	3
4	0.01	-	0.97	-	-	-	-	-	-	0.21	-	-	4
5	0.05	-	0.25	0.10	-	0.51	-	-	-	0.08	0.09	-	5
6	-	-	0.26	-	-	-	-	-	0.04	0.11	0.07	0.05	6
7	0.33	-	~~0.23~~	-	-	-	0.08	-	-	0.28	0.03	-	7
8	0.08	-	0.23	0.14	-	-	0.02	0.51	-	0.29	-	-	8
9	0.01	-	~~0.75~~	0.17	0.02	-	-	0.05	0.03	0.22	0.18	-	9
10	0.18	-	0.75	0.11	-	-	-	0.15	-	0.04	-	-	10
11	0.02	-	1.16	-	-	-	0.27	0.02	-	0.22	-	0.32	11
12	0.06	-	~~0.18~~	0.03	0.25	-	0.04	0.01	-	0.27	-	-	12
13	0.02	-	0.18	-	-	-	-	0.09	-	0.04	0.22	-	13
14	-	-	-	0.07	-	-	0.28	0.19	-	-	-	-	14
15	0.03	-	-	-	-	-	0.04	0.04	-	0.21	-	0.36	15
16	-	0.11	-	-	-	-	-	0.02	-	-	-	0.26	16
17	0.02	0.11	-	-	-	-	0.24	-	0.45	-	-	-	17
18	-	0.07	-	0.05	0.80	-	0.08	-	0.54	-	0.02	-	18
19	-	0.31	-	-	-	0.11	-	-	0.17	-	-	-	19
20	-	0.05	0.07	-	0.04	0.01	-	0.05	0.04	-	-	0.06	20
21	-	-	-	-	-	0.10	-	-	-	-	-	-	21
22	-	-	-	-	-	-	-	0.53	-	0.04	-	-	22
23	-	0.08	-	-	0.28	-	-	0.06	-	0.21	-	-	23
24	-	-	-	-	-	-	0.28	0.05	-	-	-	-	24
25	-	-	0.04	-	-	0.14	0.08	0.01	0.19	0.16	0.11	-	25
26	-	-	-	-	0.29	-	-	0.52	-	0.04	-	-	26
27	-	-	-	-	0.13	0.52	-	0.76	-	0.02	-	-	27
28	-	(.09)	0.04	-	-	0.01	-	0.35	-	-	-	-	28
29	-	-	0.11	-	0.06	0.74	-	0.19	-	0.45	0.02	0.27	29
30	-	~~X~~	0.16	-	-	-	0.20	0.06	-	0.03	-	-	30
31	-	~~X~~	0.12	~~X~~	0.07	~~X~~	-	0.01	~~X~~	0.31	~~X~~	-	31
Total	0.89	0.82	4.45	0.97	1.94	2.47	1.89	4.15	1.58	3.51	1.76	1.32	25.75
Rain Days.	13	7	14	10	9	10	12	23	8	20	9	6	141

YEAR'S TOTAL

11

ILFRACOMBE

BICKLEIGH SCOMBE

1911-1920

Name _____

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in. 02	in. 12	in. 05	in.	in.	in. 85	in.	in.	in. 32	in. 03	1
2			02		23			27		03	56	17	2
3			08		53			04		01	29	27	3
4			22		02			24			42	63	4
5	62		17					23		07	12	21	5
6	19		07					03			24	61	6
7	20										53	04	7
8	31		22								67	94	8
9	26										35	36	9
10	06	04	73		53						03	53	10
11	31		02								36	38	11
12									03		22	26	12
13			76		07				49		10	12	13
14		24	04						27	07	09	25	14
15	04	11	02			07					54	20	15
16	02	03				14					10	21	16
17		12				38					34	45	17
18		27				01				07	09	25	18
19		18		27		01	02			06	20	118	19
20	01	21	05	49					61	40		17	20
21	02	42	02	25		09		43	60	49		09	21
22	09	08	06			31			20	08		42	22
23	03	13	02			01			18	09	04	22	23
24	04	42			03	48		24	46	57		17	24
25	12	06				02		06	04	20		07	25
26	03	27		48			02	31	07	43		44	26
27		27	03	54				49	02	29		33	27
28		130		03		01		15	17		18	03	28
29				08		114	11	06		64	03	04	29
30				50		04	05			27	16	13	30
31							05			19		04	31
Total	238 138	415	255	276	146	271	25	340	314	396	598	924	TOTAL for year 4198
No. of Rain Days	17	16	17	9	7	13	5	13	12	17	23	31	178

REG

11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at

Buckleighscombe

in the County of

N. Devon

by

Mrs Slade King

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 300 ft.
Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in. 02	in. 12	in. 05	in.	in.	in. 85	in.	in.	in. 32	in. 03	1
2			02		23			27		03	56	17	2
3			08		53			04		01	29	27	3
4			22		02			24			42	63	4
5	62		17					23		07	12	21	5
6	19		07					03			24	61	6
7	20										53	04	7
8	31		22								67	94	8
9	26										35	36	9
10	06	04	73		53						03	53	10
11	31		02								36	38	11
12									03		22	26	12
13			76		07				49		10	12	13
14		24	04						27	07	09	25	14
15	04	11	02			07					54	20	15
16	02	03				14					10	21	16
17		12				38					34	45	17
18		27				01				07	09	25	18
19		18		27		01	02			06	20	118	19
20	01	21	05	49					61	40		17	20
21	02	42	02	25		09		43	60	49		09	21
22	09	08	06			31			20	08		42	22
23	03	13	02			01			18	09	04	22	23
24	04	42			03	48		24	46	57		17	24
25	12	06				02		06	04	20		07	25
26	03	27		48			02	31	07	43		44	26
27		27	03	54				49	02	29		33	27
28		130		03		01		15	17		18	03	28
29				08		114	11	06		64	03	04	29
30				50		04	05			27	16	13	30
31							05			19		04	31
Total	238	415	255	276	146	271	25	340	314	396	598	924	TOTAL for year
No. of Rain Days	17	16	17	9	7	13	5	13	12	17	23	31	178
													180

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Bickleighscombe, Sparacombe
in the County of N. Devonshire
by Maude Slade King

PATTERN
RAIN GAUGE
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			57		07	64	10	23	06	1.10			1
2			37	04		1.05	08	01			05	20	2
3	12	02	26	03	01	20	05	1.00	19		01		3
4	47		99	01				09			48	02	4
5	1.04	10	28	03	08			59			01	10	5
6	49	10	01	04	28			60			04	15	6
7	10	24	37	02	19	93	19	20	01		03	06	7
8	59	11	33	01		23	06	25	03				8
9	20	18	14	11		10	15	1.90	04		04	1.15	9
10	44	02	01			11	19	03			24		10
11	02	02					02				17	95	11
12	09	03	42		09		16	01				19	12
13	17		05					11		17		41	13
14	15	04	79		05			37		03	02	09	14
15	13	08	10		08			03			02	71	15
16	26	01	34		01	1.17		23		15		14	16
17	03		17		02	03		61			03	70	17
18	01	09	30			25		30		20	03	20	18
19	01	11	09		02			87		02			19
20	02	03	53		08	02		20		30			20
21	41	19	42		45		01	39		03	03		21
22	12	31	20		01	60	04	54		14	08		22
23	02	53	31			32	21	1.01		35	20	02	23
24		05	03			39	05			19		76	24
25			01			19	05	48		25	72	15	25
26		15	03				04	03		68	21	49	26
27		04	09			84	85			1.03	08	34	27
28		09				23	65	1.04	26	14		1.10	28
29		10			14	02	83	10	25	35		35	29
30			24		02		23			44		10	30
31			48				21	10		03		27	31
Total	4.89	2.64	7.93	29	1.60	7.32	4.17	11.32	84	5.60	2.49	8.65	TOTAL for year
No. of Rain Days.	21	23	28	8	16	18	20	27	7	18	20	24	57.74

REGISTER OF RAINFALL IN 1913

Kept at Bickleighcombe, Tisbury
in the County of W. Devonshire
by M. Slade King

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A. 334

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	22		11					06			12	1
2	02	27	35		07				06	04	21	50	2
3	01	20	03	04	19	05					18	25	3
4	02	01	05	03	18							33	4
5	95		05	07	01	18			04	01	10	22	5
6	15	09	08		29	46	30		09		85	50	6
7	04	14	19		07	27				14	20	24	7
8	01	38	06		67	39	11			29	15	02	8
9	02	22			27	02	01	03		01		09	9
10		09	15	03	20	25		09	03	15	53	16	10
11	66		20	03	17	06		19		50	12		11
12	68		05	11	11	14		02	07	10	113	12	12
13	36			03	03	10			16		37		13
14	28		56	07			06	24	49		12		14
15	08		50	125				01	06	29	12	12	15
16	31		37	17					01		32		16
17	33		66	10			06		03		18		17
18	34		03	20		01	11				21		18
19	10		23				05				12		19
20	53		09	20	14	03	02		50	55	03		20
21	27		19	09	02				06	25	95		21
22			20	42	09	02	22	03		06	45		22
23	116		103	01	09	28	03	73	22			02	23
24	02				02	02		11	05		21	45	24
25	07	05		43		01					15		25
26				42					08	03	25	12	26
27	10	03		108		03		01	03	02	08	17	27
28	22		11	27						45	03	03	28
29	09		21	37	25			02		15	01	09	29
30	02		24	40	06					49	12		30
31	49				16					35			31
Total	758	170	563	593	309	232	97	148	204	388	719	355	YEAR'S TOTAL
Rain Days.	28	11	23	23	20	17	10	11	17	18	26	18	222

82

REGISTER OF RAINFALL IN 1914

FORM A
BRITISH RAINFALL
28 JAN 1915

Kept at *Pickleighscombe*

in the County of *N. Devonshire*

by *Mrs. Slade King*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

_____ " _____ " _____ " _____ Sea Level _____ ft. _____ in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12	.07			.06		.18			.09	.33	1
2		.01	.07	.03		.21	.21	.85			.01	.37	2
3	.01				.05		.23	.10				.04	3
4	.05		.22	.34	.60			.04		.04	.44	1.20	4
5	.35		.13	.44	.11		.53	.38			.07	.10	5
6	.07		.47	.37	.02		.02	.01			.38	.20	6
7		.07	.11	.07	.09		.03	.14	.06			.14	7
8	.07	.42	.34	.20	.23		.40	.33			.02	.18	8
9	.05		.85	.07	.04	.24	.02	.28	1.15		.01		9
10	.30	.07	.22	.12	.26	.81		.63	.30		.02	.04	10
11	.17	.43	.05	.30	.18	.01			.03		.06	.57	11
12		.19	.86		.06	.27			.36		.22	.06	12
13		.45	.17						.50	.03	.48	.10	13
14		.62	.43				.09		.04	.07	.42	.02	14
15		.67	.52				.04	.30	.22		1.12	.11	15
16		.03	.30					.75	.34				16
17		.03					.06					.74	17
18	.04	.35	.21				.11		.11	.02		.80	18
19		.18	.56				.11		.03		.08	.19	19
20		.05	.12				1.05					.29	20
21		.67	.12			.15	.14			.17		.02	21
22		.19		.07						.16			22
23		.26	.03		.06	.33	.01	.10		.11	.02		23
24		.15	.30			.02	.08	.05		.01	.32		24
25			.12			.02		.08		.59	.04	.35	25
26	.32	.01	.46				.18	1.14		.33	.35	.40	26
27	.02	.01	.06				.13			.14	.39	.32	27
28	.02	.07			.10		.01			.26	.15	.79	28
29	.03		.20		.07					.05	.35	.27	29
30	.27		.33							.17	.95	.22	30
31	.02		.29							.43		.10	31
Total	1.79	5.05	7.61	2.01	1.87	2.12	3.95	5.06	3.14	2.57	5.99	7.95	49.41
Rain Days.	16	22	27	10	13	10	20	16	11	15	22	26	204
	16		26		14	9	21	15					
YEAR'S TOTAL													

52

REGISTER OF RAINFALL IN 1915

1936
373
FORM A.
BRITISH RAINFALL

Kept at Bickleighcombe, Tlraconk
in the County of N. Devonshire
by M. Slade King

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	47	38			27		32	19	76	17	16	19	1
2	22	30	08	21		09		14	07			25	2
3	01	21	32	29	27		04			01		42	3
4	09	40	32		02		50					53	4
5	09	41	04	05				21				38	5
6	42	04	01	69			21	11				35	6
7	22	84		07	06		22	08		21	11	64	7
8	12	48						14			23	11	8
9	03	34		05				04			57	97	9
10	45	37	24					06		13		03	10
11	04		07	11	06			03		12	1.09	11	11
12	20	02		05	35			01		12	31	12	12
13	09	34	01	03	73		06	05	23	02	10	14	13
14	15	33	01				04	17	17		23	1.33	14
15	29				23		23		23		02	18	15
16				02	06		1.29		03				16
17	04	86			04								17
18		20					08						18
19	03	48			20		74						19
20	55	01		19		09	04			15		04	20
21	17	01			06	03	50		10	33		23	21
22	03	60	18	02		03	38			20		39	22
23	12		09				05		08	71		49	23
24		05	04	06			02		15	24		49	24
25			04			13	46					09	25
26						02	58		03			53	26
27		11				22	06	01		68		08	27
28		08				10	01	01	37	20		01	28
29						03			04	04	23	04	29
30	20	X		06		02			02	37	30	18	30
31	01	X		X		X	13	39	X	36	X	23	31
Total	4.04	6.86	1.45	1.90	2.35	.76	5.96	1.64	2.28	4.06	3.35	8.55	43.20
Rain Days.	23	22	13	13	12	11	21	15	13	17	11	27	198

82

1872
278

REGISTER OF RAINFALL IN 1916

Kept at *Pickleighcombe*
in the County of *Devonshire*
by *M. Shade King*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	41				17	47	47		04	34	06	01	1
2	64	10	55		07		01		30	95	20	02	2
3		1.13	14		17	11	03		04	53	29	03	3
4	43	60			24	47			22	04	24	01	4
5	09	72	01	03	07	10	03			10	46		5
6	24	30		03	13		40			19	52		6
7		17	06		07					02	63	40	7
8		19	02		22						19	14	8
9		03					23			11	12	44	9
10		86	01	19	06	04	03			02	03		10
11		01		20	09	02			01	03	03		11
12		12	01	04	39		23			53	01		12
13	04	69	03	01	01		02	11		06			13
14		59	27	01	12			20		09			14
15	09	45	01	19	02		01	21		02			15
16	03	04		40	05		33	51		13			16
17	37	28		08				04	1.03	23	40		17
18	05	32	17	02					10	04			18
19	25	20	03	09							12	27	19
20	13	42	12	03				10			29	50	20
21	09	17	34		05	10		02			18	24	21
22	01		01			71				13		82	22
23	09	09	04	07		01		01		11	33	27	23
24		03	09	09	11	02		25		35	02	24	24
25	01	16	30		02	20		05		15	23	01	25
26	14	03	10		03	04		37	47	23	03		26
27	11	02	03		10			04	30	54			27
28		11	1.18			82		01	03	44	04	71	28
29		39				03		78	19	53		48	29
30		~~X~~	08					01		61		02	30
31		~~X~~		~~X~~		~~X~~		04	~~X~~	36	~~X~~	16	31
Total	3.22	8.22	3.60	1.48	2.19	3.14	1.79	2.75	2.73	6.88	4.42	4.77	45.19
Rain Days.	18	27	22	15	20	14	11	16	11	27	21	18	220

W. 8,000. X. 151

82
REGISTER OF RAINFALL IN 1917

Kept at Pickleighcombe, Plympton
in the County of Devonshire
by M. Slade King

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
26 JAN 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		30	12		44		33	10		19		1
2	03		03	18		08		02			23		2
3	16			06			44			22	11		3
4		08	29				03		04	1.34	47		4
5	26		34	13		26			26	12	01		5
6	03		41	02		12				38	15	14	6
7	38			10		01	25	13		20	38		7
8	04			03		09	05	48	15	08	03	25	8
9			09	45	10			07	02	70	68		9
10	26		31	04				08		20	09	01	10
11	04		15	37				01		07			11
12	13	29	03	04	27			08		67	28		12
13	09		25	16		05		24	50	1.03	01	04	13
14				05				13	06	08		06	14
15	01			04			01		02	11	06	38	15
16		01		03			05			38		18	16
17		04	08	03			49	38	32	08	12		17
18		02		36	01		53	05	1.58	12	09		18
19			03	03		34		03	01	02	01	01	19
20		54			59	1.25			01		03	03	20
21		08	09					12			03		21
22		02			03			24		13			22
23					08			46		35		02	23
24		03	03			14	20	09		16	12		24
25		02	04			07	01	32	10	49	01		25
26		09			42	03	01	35	38	38	23		26
27		01	02			25	15	1.12		08	22		27
28		09	13		06	1.47	07	05		22	03	01	28
29			04			05	03	01		03	03	26	29
30		X	03					62		68	02	01	30
31		X		X	43	X		20	X	23	X		31
Total	1.45	1.32	2.69	2.24	1.99	4.65	2.32	5.61	3.55	8.55	3.68	1.40	39.45
Rain Days.	12	13	19	18	9	15	14	24	14	27	26	13	204

REGISTER OF RAINFALL IN 1918

Kept at Pickleighcombe, Plympton
in the County of Devonshire
by M. Slade King

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		09		20	07			1.36			60	01	1
2		24		20				34		02	14	50	2
3		08		03	20				11		40	11	3
4		08						10	28	10	74	72	4
5	02	04	05	24	20			38	91	15	06	03	5
6	20	86		27					03	41		15	6
7		44			07	09		02	94	15	26	09	7
8	03	02				29			27	10	06	01	8
9	09	05		09		07	03		62	29	11	45	9
10	09	05		31			60		72	23	17	47	10
11	07	12	20	06			16		22	20	25	17	11
12		13	06		33	01	23		12	02		04	12
13	09					04			83			44	13
14	61	01			05	16	09	05	62	29		14	14
15	1.28				01		70		02	10		71	15
16	57			77			07	06	21	15		12	16
17	53		16	07			11	12	03			26	17
18	1.56					76	01	08	02	06		31	18
19	05	12	36	06		04	18	11	63	20		10	19
20	09	36		45		09	23	02	06	04			20
21	05	02		01			13		18	05		38	21
22	01				29	09	36	01	59	02		60	22
23	15	01			10	04	61		26		04	20	23
24	03	36					11	13	02		32	02	24
25	01				41		66	16	87	05	14	01	25
26	01	11			04		24			01	15	03	26
27		11	23			04		26	11	01	39	67	27
28		12	08						50	02	36	58	28
29			20						16			07	29
30		X	45					11	1.56	09	06	19	30
31		X	53					03	X		X	06	31
Total	5.54	3.42	2.32	2.76	1.77	1.72	4.52	3.34	10.89	2.76	4.25	7.64	50.93
Rain Days.	20	21	9	13	11	12	17	17	27	23	17	30	218

81
REGISTER OF RAINFALL IN 1919

Kept at Bickleighcombe, Ilfracombe
in the County of N. Devonshire
by M. Slade King

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51		11	16	19		03		19	21		83	1
2	33		14		05		01		13	03		43	2
3	02		14		33						01	70	3
4	13	45	21		03	22		09	21			10	4
5	10	26	14		07				01			51	5
6	10	10	23								01	24	6
7	09		28	12		01			06			02	7
8	17		23	07		09						01	8
9	05		04	07					01		75		9
10	31		11	02	01					04	04	29	10
11	26		53	17	22	06	35			04		01	11
12	16	02	11	03	02	70				15	15		12
13	40	01	06	35			01		15	03	02	24	13
14	65	03		57	09		01		03	04		65	14
15	36			16	03					05		03	15
16	18	16	01			03					34		16
17		85	04		02	06	04	01			72	06	17
18	03	05	84				10	62	11		53	06	18
19	40	16	28			13	01	52	55		43	01	19
20	31	11	24		03	04		02	12		11	32	20
21	04	81	04		09		45	02	05		03	05	21
22		04	02			01	06	01	35		03	16	22
23										38	07	33	23
24						19		01	06	60	34	12	24
25	33							86	03	01	10	02	25
26	29		16			03		10	29	05	05	55	26
27	16			36		04		31				12	27
28	03		48	13				02			14	65	28
29	02			03				05		02	13	32	29
30		X	07	08		05		26			27	72	30
31	02	X	11	X	02	X	19		X		X	42	31
Total	5.45	4.05	5.62	2.32	1.20	1.65	1.26	2.90	2.35	1.65	4.27	7.96	40.68
Rain Days.	26	13	24	14	13	13	11	14	16	13	20	27	205

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Kept at Ilfracombe, P. Rickleighscombe
 in the County of N. Devonshire
 by Mr. S. S. King

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		03	08	38		1.40	03	13	06	10	55	1
2	06			19	05		26	35	45	07		18	2
3	14	20		09			30	11	20	88		17	3
4			03	22	04			74	03	08			4
5			20		45		56	05	01	10			5
6			36	02	55		30	03		23	03		6
7	10		03	18	03		06			01	06		7
8	05	11		66	13		37	31					8
9	85	31	09	10		21	45		05		10		9
10	1.30	45	22	09		11	26				15		10
11	11	01	11	28	38	35	09						11
12	38	14	05	15	03	09	07	10			21		12
13	08	11	59	20		01	01		01	46	04		13
14	18	03	50	96		03	25		35	21	53	04	14
15	41	20		75	10		01		05	62	16		15
16			07	01	02	26	12		40	95	04		16
17	22			04	38	09	02	03	1.12	07		04	17
18	35		05	10		10	13	70	07				18
19	05	11		55		23	03					04	19
20	06	01		19		21	12			04		30	20
21				05			10			08		12	21
22	08			10			11					66	22
23			07				71	18				64	23
24	06	04	42	03		04	14				03	38	24
25	06	17	14			05	94		01				25
26	48		27		10	12	02		01		06	05	26
27	29	10	19	15	10	85	09				53	62	27
28	66	03	28	11		22	30				03	15	28
29	20		37		12	05	20				27	55	29
30	38			02		45	10		1.43	10	46	75	30
31	20		45				03			70		15	31
TOTAL	6.65	2.02	4.52	5.32	2.86	3.47	7.55	2.63	4.32	4.66	2.80	5.39	52.19
Days with 01 in. or more	25	15	21	25	15	18	30	11	15	16	16	17	22

I regret error, you are quite
right, they should be 2.66 inches
the 7 ears being 52.19 in.

I was away from the mill
I may tell the 10th of June
that is why the mistake was.

M. Stadelberg
Bickleigh Corn & Flour
Dunsmuir
March 15th 1891

16 MAR 1891

POST



CARD



The Superintendent
British Rainfall Organization
62 Camden Square
London. N. W. 1.

REGISTE

DEVON.

Kept at Ilfracombe Highe
in the County of Devon
by R Barrett

ILFRACOMBE
HIGHER COUNCIL SCH.
1914.

date of part WD. 28.8.15.

FORM A.
BRITISH RAINFALL.

4' m
d + 8 W Railway
5 in.
Ground 1 ft. 1 1/2 in.
Sea Level 24.5 ft.

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	001	060	040	nil	220	190	006	nil	nil	120	310	1
2	020	nil	001	nil	070	001	210	830	nil	nil	060	400	2
3	030	nil	160	320	680	nil	nil	006	nil	nil	005	009	3
4	340	nil	055	430	010	nil	590	145	nil	nil	nil	900	4
5	040	nil	370	310	nil	nil	008	nil	nil	nil	425	1000	5
6	nil	040	090	080	110	006	120	125	nil	nil	005	200	6
7	110	440	290	230	195	250	400	40	011	nil	130	140	7
8	060	005	750	003	070	770	005	nil	nil	nil	053	140	8
9	250	075	210	110	270	055	nil	845	1400	nil	077	005	9
10	130	410	065	320	075	330	nil	nil	335	nil	005	503	10
11	nil	190	790	nil	070	nil	nil	nil	nil	nil	006	700	11
12	nil	490	150	nil	nil	nil	nil	nil	390	nil	010	150	12
13	nil	560	490	nil	nil	nil	100	nil	409	006	130	008	13
14	nil	550	540	nil	nil	nil	100	360	005	090	300	100	14
15	nil	005	250	nil	nil	nil	001	510	210	005	510	nil	15
16	nil	004	040	nil	nil	nil	009	001	330	nil	940	100	16
17	011	325	280	nil	nil	nil	110	nil	006	nil	nil	726	17
18	nil	075	080	nil	nil	nil	nil	nil	nil	nil	nil	670	18
19	nil	0275	130	nil	nil	nil	1160	nil	nil	004	nil	170	19
20	nil	690	160	nil	nil	nil	001	nil	013	nil	015	190	20
21	nil	125	nil	nil	nil	150	150	nil	nil	nil	nil	nil	21
22	nil	285	060	040	050	270	002	075	nil	180	nil	nil	22
23	nil	120	300	001	nil	nil	017	nil	002	nil	nil	nil	23
24	nil	058	100	nil	nil	nil	121	135	nil	190	025	nil	24
25	245	002	460	nil	nil	nil	719	1260	nil	nil	240	380	25
26	065	nil	110	nil	nil	nil	130	nil	nil	640	009	455	26
27	070	050	nil	nil	nil	nil	002	nil	nil	290	345	310	27
28	065	nil	250	nil	090	nil	nil	nil	nil	180	335	700	28
29	125	nil	300	nil	070	nil	nil	nil	nil	260	210	220	29
30	016	X	340	nil	nil	nil	nil	nil	nil	008	400	190	30
31	110	X	nil	X	055	X	50	nil	X	40	100	160	31
Total	1687	4527	6881	1884	1815	2052	4045	4728	3111	2253	5355	7236	YEAR'S TOTAL
Rain Days.	16	22	18	28	7	8	21	13	11	12	23	26	45

REGISTE

Kept at Ilfracombe Higher Council Sch
in the County of Devon N.I.
by R Barrett

Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe & S.W. Railway
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 1/4 in.
" " " " Sea Level 245 ft.

FORM A.
BRITISH RAINFALL
17 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	001	060	040	nil	220	190	006	nil	nil	120	310	1
2	020	nil	001	nil	070	001	210	830	nil	nil	060	400	2
3	030	nil	160	320	680	nil	nil	006	nil	nil	005	009	3
4	340	nil	055	430	010	nil	590	145	nil	nil	nil	900	4
5	040	nil	370	310	nil	nil	008	nil	nil	nil	425	1000	5
6	nil	040	090	080	110	006	120	125	nil	nil	005	200	6
7	110	440	290	230	195	250	400	40	011	nil	130	140	7
8	060	005	750	003	070	770	005	nil	nil	nil	053	140	8
9	250	075	210	110	270	055	nil	875	1400	nil	077	005	9
10	130	410	065	320	075	330	nil	nil	335	nil	005	503	10
11	nil	190	790	nil	070	nil	nil	nil	nil	nil	006	100	11
12	nil	490	150	nil	nil	nil	nil	nil	390	nil	010	150	12
13	nil	560	490	nil	nil	nil	100	nil	409	006	130	008	13
14	nil	550	540	nil	nil	nil	100	360	005	090	300	100	14
15	nil	005	250	nil	nil	nil	001	510	210	005	510	nil	15
16	nil	004	040	nil	nil	nil	009	001	330	nil	940	100	16
17	011	325	280	nil	nil	nil	110	nil	006	nil	nil	726	17
18	nil	075	080	nil	nil	nil	nil	nil	nil	nil	nil	670	18
19	nil	0275	130	nil	nil	nil	1160	nil	nil	004	nil	170	19
20	nil	690	160	nil	nil	nil	001	nil	013	nil	015	190	20
21	nil	125	nil	nil	nil	150	150	nil	nil	nil	nil	nil	21
22	nil	285	060	040	050	270	002	075	nil	180	nil	nil	22
23	nil	120	300	001	nil	nil	017	nil	002	nil	nil	nil	23
24	nil	058	100	nil	nil	nil	121	135	nil	190	025	nil	24
25	245	002	460	nil	nil	nil	119	1260	nil	nil	240	380	25
26	065	nil	110	nil	nil	nil	130	nil	nil	640	009	455	26
27	070	050	nil	nil	nil	nil	002	nil	nil	290	345	310	27
28	065	nil	250	nil	090	nil	nil	nil	nil	180	335	700	28
29	125	nil	300	nil	070	nil	nil	nil	nil	260	210	220	29
30	016	X	340	nil	nil	nil	nil	nil	nil	008	400	190	30
31	110	X	nil	X	055	X	50	nil	X	40	X	160	31
Total	1687	4527	6881	1884	1815	2052	4045	4728	3111	2253	5355	7236	YEAR'S TOTAL
Rain Days.	16	2218	287	119	13	8	2118	1213	119	112	22	26	45574

RE

ILFRA COMBE

Kept at Langleigh
in the County of D
by Herbert M

LANGLEIGH.

DEVON

1914

IMPORTANT

previous day. If a
requested to add the
for it at the end o
the selection and p
Organization are gi
Dr. H. R. MILL, 62

FORM A.
BRITISH RAINFALL
28 JAN 1918
9.30 A.M.
Ilfracombe
in Gauge 5 in
above Ground — ft. 11 in.
Sea Level 127 ft.
and the result entered to the
universal rule, he is earnestly
bear in the space provided
ement of rain,
British Rainfall
in application to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	.04	-	.26	.22	.87	-	-	.03	.25	1
2	-	-	-	-	-	-	.23	.25	-	-	-	.44	2
3	-	-	.22	.32	.84	-	-	.16	-	.02	-	.05	3
4	.42	-	.07	.40	.15	-	.85	.35	-	-	.43	1.14	4
5	.02	-	.43	.34	-	-	.07	.01	-	-	-	.08	5
6	-	.06	.11	.08	.15	-	.16	.12	-	-	.36	.18	6
7	.13	-	.32	-	.22	-	.44	.38	.09	-	-	.14	7
8	.11	.48	.87	.03	.05	.24	-	.39	-	-	-	.11	8
9	.25	-	.18	.09	.30	.80	-	.56	1.36	-	-	-	9
10	.13	.49	.06	.33	.11	-	-	-	.36	-	-	.05	10
11	-	.21	.81	-	.08	.33	-	-	.01	-	.05	.61	11
12	-	.49	.15	-	-	-	-	-	.33	-	.18	.16	12
13	-	.53	.42	-	-	-	.09	-	.48	.03	.30	.10	13
14	-	.59	.53	-	-	-	.09	.31	.01	.06	.47	.04	14
15	-	.02	.31	-	-	-	-	.70	.25	-	1.00	.11	15
16	-	.02	.04	-	-	-	.06	-	.33	-	-	-	16
17	-	.33	.24	-	-	-	.12	-	-	-	-	.69	17
18	.08	.20	.58	-	-	-	.20	-	-	-	-	.76	18
19	-	.04	.12	-	-	-	1.02	-	.09	-	.07	.18	19
20	-	.72	.15	-	-	.15	-	-	-	-	-	.20	20
21	-	.14	-	-	-	-	.12	-	-	.19	-	-	21
22	-	.24	.06	.04	.05	.30	-	.10	-	.18	-	-	22
23	-	.10	.29	-	-	-	.08	.03	-	.11	.01	-	23
24	-	-	.09	-	-	-	-	-	-	-	.27	-	24
25	.27	-	.50	-	-	-	.20	1.26	-	.51	.03	.36	25
26	-	-	-	-	-	-	.15	.12	-	.31	.31	.42	26
27	.10	.07	-	-	-	-	-	-	-	.18	.39	.32	27
28	-	.09	.23	-	.10	-	-	-	-	.23	.22	.78	28
29	.26	-	.31	-	.09	-	-	-	-	.04	.32	.22	29
30	.01	X	.28	-	-	-	-	-	-	.12	.78	.23	30
31	.13	X	-	X	.07	X	.52	-	X	.43	X	.15	31
Total	1.91	4.32	7.46	1.67	2.21	2.08	4.42	5.60	3.36	2.41	5.22	7.76	YEAR'S TOTAL 48.92
Rain Days.	12	18	26	9	12	6	17	15	10	13	17	25	180

REGISTER

Kept at Langleigh, Ilfracombe
in the County of Devon
by Herbert B. Holland

Lat. _____ Long. _____
Time of Observation 9.30 A.M.
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 127 ft.

FORM A.
BRITISH RAINFALL
28 JAN 1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	.04	-	.25	.22	.57	-	-	.03	.25	1
2	-	-	-	-	-	-	.23	.25	-	-	-	.44	2
3	-	-	.22	.32	.84	-	-	.15	-	.02	-	.05	3
4	.42	-	.07	.40	.15	-	.55	.35	-	-	.43	1.14	4
5	.02	-	.43	.34	-	-	.07	.01	-	-	-	.08	5
6	-	.06	.11	.08	.15	-	.16	.12	-	-	.36	.18	6
7	.13	-	.32	-	.22	-	.44	.38	.09	-	-	.14	7
8	.11	.48	.87	.03	.05	.24	-	.39	-	-	-	.11	8
9	.25	-	.18	.09	.30	.80	-	.56	1.36	-	-	-	9
10	.13	.49	.06	.33	.11	-	-	-	.36	-	-	.05	10
11	-	.21	.81	-	.08	.33	-	-	.01	-	.05	.81	11
12	-	.49	.15	-	-	-	-	-	.38	-	.18	.15	12
13	-	.53	.42	-	-	-	.09	-	.48	.03	.30	.10	13
14	-	.59	.53	-	-	-	.09	.31	.01	.06	.47	.04	14
15	-	.02	.31	-	-	-	-	.70	.25	-	1.00	.11	15
16	-	.02	.04	-	-	-	.06	-	.33	-	-	-	16
17	-	.33	.24	-	-	-	.12	-	-	-	-	.69	17
18	.08	.20	.58	-	-	-	.20	-	-	-	-	.76	18
19	-	.04	.12	-	-	-	1.02	-	.09	-	.07	.18	19
20	-	.72	.15	-	-	.15	-	-	-	-	-	.20	20
21	-	.14	-	-	-	-	.12	-	-	.19	-	-	21
22	-	.24	.06	.04	.05	.30	-	.10	-	.18	-	-	22
23	-	.10	.29	-	-	-	.08	.03	-	.11	.01	-	23
24	-	-	.09	-	-	-	-	-	-	-	.27	-	24
25	.27	-	.50	-	-	-	.20	1.26	-	.51	.03	.36	25
26	-	-	-	-	-	-	.15	.12	-	.31	.31	.42	26
27	.10	.07	-	-	-	-	-	-	-	.18	.39	.32	27
28	-	.09	.23	-	.10	-	-	-	-	.23	.22	.78	28
29	.26	-	.31	-	.09	-	-	-	-	.04	.32	.22	29
30	.01	X	.28	-	-	-	-	-	-	.12	.78	.23	30
31	.13	X	-	X	.07	X	.52	-	X	.43	X	.15	31
Total	1.91	4.82	7.46	1.67	2.21	2.08	4.42	5.60	3.36	2.41	5.22	7.76	48.92
Rain Days.	12	18	26	9	12	6	17	15	10	13	17	25	180

REGISTER OF RAINFALL IN 1915

Kept at Langleigh, Upton
in the County of Devon
by Herbert B. Holland

Lat. _____ Long. _____
Time of Observation 9.30 A.M.
Nearest Railway Station Upton
Diameter of Funnel of Rain Gauge 5 in 0
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level 127 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.27	-	-	.25	-	-	.22	.23	.24	.10	.27	1
2	.20	.24	.27	.18	-	.12	-	.10	.04	.01	-	.30	2
3	-	.20	.30	.27	.26	-	.02	-	-	.01	-	.59	3
4	.07	.40	.07	-	.04	~~.70~~	.40	-	-	-	-	.41	4
5	.11	.41	.02	.12	-	.01	-	.24	-	-	-	.41	5
6	.42	.02	-	.59	-	-	.27	.13	-	-	-	.27	6
7	.32	.80	-	.03	.08	-	.22	.08	-	.24	-	.51	7
8	.20	.42	-	-	-	-	-	.17	-	-	.37	.11	8
9	.09	.32	-	.07	-	-	-	.03	-	-	.36	.86	9
10	.33	.37	.19	-	-	-	-	-	-	.19	-	.02	10
11	.04	-	.05	-	.05	-	-	.02	-	.13	1.14	.09	11
12	.17	.37	-	.13	.37	-	-	.08	-	.11	.21	.12	12
13	.07	.33	-	-	.70	-	.04	.03	.23	-	.10	.14	13
14	.12	-	-	-	-	-	.02	.08	.13	-	-	1.13	14
15	.24	-	-	-	.23	-	.32	-	.20	-	.25	.23	15
16	-	.89	-	.01	-	-	1.23	-	.02	-	-	-	16
17	.04	.20	-	-	.01	-	-	-	-	-	-	-	17
18	-	.38	-	-	-	-	.09	-	-	-	-	-	18
19	.01	-	-	.13	.20	-	.64	-	-	-	-	-	19
20	.50	-	-	.06	-	.07	-	-	-	.16	-	.07	20
21	.22	.60	-	-	.09	.03	.41	-	.13	.36	-	.17	21
22	.05	-	.22	-	-	.02	.40	-	-	.25	-	.34	22
23	.08	.05	.10	-	-	.05	.01	-	.07	.85	-	.62	23
24	-	-	.01	.05	-	-	-	-	.15	.21	-	.30	24
25	-	-	-	-	-	.13	.39	-	.09	-	-	.14	25
26	-	.10	-	-	-	.03	.50	-	.02	-	-	.51	26
27	-	.08	-	-	-	.25	.11	-	.01	.80	-	.04	27
28	-	.03	-	-	-	.01	.01	-	.37	.22	-	-	28
29	-	-	-	-	-	.25	-	-	.07	.14	.31	.03	29
30	.17	X	-	.06	-	.17	-	-	-	.27	.25	.17	30
31	-	X	-	X	-	X	.16	.56	X	.36	X	.23	31
Total	3.92	6.48	1.23	1.70	2.28	1.14	5.24	1.74	1.76	4.55	3.09	8.08	YEAR'S TOTAL 41.21
Rain Days.	21	20	9	12	11	12	18	12	14	17	9	26	181

REGISTER OF RAINFALL IN 1916

Kept at Langley, Ighite
 in the County of Storn
 by Herbert B. Holland

Lat. _____ Long. _____
 Time of Observation 9.30 a.m.
 Nearest Railway Station Ighite
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. 11 in.
 " " " " Sea Level 127 ft.

FORM A.
 BRITISH RAINFALL
 28 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.52	-	-	-	.16	.30	.44	-	-	.48	.05	-	1
2	.52	.13	.67	-	.58	-	.01	-	.29	.93	.20	-	2
3	-	1.25	-	-	.19	.17	-	-	.01	.51	.26	.03	3
4	.36	.58	-	.06	.26	.36	-	-	.18	.02	.23	-	4
5	.07	.07	-	-	.05	.04	.03	-	-	.10	.42	-	5
6	.23	.28	-	.02	.15	-	-	-	-	.19	.53	-	6
7	-	.10	.05	-	.11	-	-	-	-	-	.64	.36	7
8	-	.21	-	-	.24	.13	-	-	-	-	.17	.15	8
9	-	.02	.01	-	-	-	.17	-	-	.06	.05	.41	9
10	-	.85	-	.17	.04	-	.03	-	-	.01	.02	-	10
11	-	.02	-	.23	.12	-	-	-	-	-	.02	-	11
12	.03	.11	-	.01	.33	-	.21	.12	.05	.52	-	-	12
13	-	.77	-	.01	.01	-	-	.22	-	.05	-	-	13
14	.07	.63	.32	-	.09	-	-	.32	-	.08	-	-	14
15	-	.30	-	.21	.01	-	.04	.27	-	-	-	-	15
16	-	.02	-	.40	.03	-	.35	.01	-	.15	-	-	16
17	.37	.29	-	.09	-	-	-	-	.91	.16	.43	-	17
18	-	.21	.20	.01	-	-	-	-	.09	.10	-	.18	18
19	.22	.20	.03	.07	-	-	-	.09	-	-	.14	.11	19
20	.10	.62	.15	.04	-	-	-	-	-	-	.30	.45	20
21	.07	.10	.29	-	.05	-	-	-	-	-	-	.24	21
22	.05	-	-	-	-	.10	-	.05	-	.18	-	.76	22
23	.05	.06	.05	.07	-	.63	-	-	-	.09	.44	.20	23
24	-	.05	.08	.07	.12	.02	-	.30	-	.37	.01	.25	24
25	.03	.16	.33	-	-	.07	-	.49	.02	.06	.18	-	25
26	.10	.02	.11	-	.03	.10	-	-	.44	.40	-	-	26
27	.11	-	1.15	-	-	-	-	.11	.30	.47	-	-	27
28	-	.21	.02	-	-	-	-	-	.07	.46	.02	.70	28
29	-	.31	.07	-	-	.83	-	.70	.19	.47	-	.23	29
30	-	X	-	-	-	.04	-	.03	-	.48	-	-	30
31	-	X	-	X	-	X	-	.12	X	.45	X	.12	31
Total	2.90	7.57	3.53	1.46	2.07	2.79	1.28	2.83	2.55	6.79	4.11	4.18	42.06
Rain Days.	16	26	15	14	18	12	8	13	11	24	18	14	189

REGISTER OF RAINFALL IN 1917

Kept at Langleigh, Mraconbe
in the County of Devon
by Herbert B. Holland

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Mraconbe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level 127 ft.

FORM A.
BRITISH RAINFALL
28 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.30	.19	-	.29	-	.32	.10	-	.21	-	1
2	.04	-	.04	.22	-	.09	.45	.02	-	.20	.12	-	2
3	.11	.40	-	.04	-	.01	.03	-	-	1.34	.55	-	3
4	.24	-	.35	-	-	-	-	-	.09	.13	.01	-	4
5	-	-	.37	.08	-	.31	-	-	.29	.40	.09	-	5
6	.03	-	.42	.01	-	.09	-	-	-	.18	.46	.08	6
7	.35	-	-	-	-	-	.22	.18	-	.07	.03	.02	7
8	.04	-	.10	.07	-	.07	.10	.57	.16	.66	.57	.20	8
9	-	-	.02	.01	.13	-	-	.05	-	.19	.03	-	9
10	.22	-	.35	.45	-	.01	-	.14	.02	.09	-	-	10
11	.01	-	.15	.42	-	-	-	.01	-	.75	.29	-	11
12	.14	-	.01	.03	.24	-	-	.10	-	.94	.01	-	12
13	.08	-	.22	.11	-	.04	-	.32	.50	.09	-	.02	13
14	-	-	-	.08	-	-	-	.11	.06	.11	.04	-	14
15	-	-	-	.03	-	-	.05	-	.02	.26	-	.38	15
16	-	.07	-	.01	-	-	.07	.01	-	.16	.17	.32	16
17	-	-	.07	.32	-	-	.59	.33	.37	.11	.09	-	17
18	-	-	-	-	.02	-	.44	.02	2.06	.02	-	-	18
19	-	.60	.02	-	-	.35	-	.05	.01	-	.01	-	19
20	-	.03	-	-	.60	1.23	-	-	.04	-	.01	.03	20
21	-	-	.08	-	-	-	-	.17	-	.03	-	-	21
22	-	-	-	-	.04	-	-	.36	-	.35	-	-	22
23	-	-	-	-	.10	.08	-	.51	-	.21	.08	-	23
24	-	.15	.01	-	-	-	.19	.06	-	.39	.16	-	24
25	-	.25	.02	-	-	.09	.01	.51	.16	.21	.04	-	25
26	-	.02	-	-	.40	.07	.01	.21	.36	.09	.08	-	26
27	-	-	-	-	-	.22	.16	1.17	-	.34	-	-	27
28	-	.20	.12	-	.05	1.31	.07	.08	.01	.02	.01	.01	28
29	-	-	.03	-	-	-	-	.03	-	.60	-	.25	29
30	-	X	.02	-	-	-	-	.54	-	.20	.04	-	30
31	-	X	-	X	.54	X	-	.22	X	.19	X	-	31
Total	1.27	1.72	2.70	2.07	2.12	4.26	2.39	6.09	4.25	8.33	3.10	1.31	YEAR'S TOTAL 39.61
Rain Days.	11	8	19	15	9	15	13	25	15	28	22	9	189

Remarks re Rain gauge, Penzance or at Langleigh

Rain gauge: I have stated height of top of funnel from ground as 11 inches but since doing so I remember that when I fixed the gauge it was exactly one foot above the ground so that during the 4 years the grass accumulation of soil at base of gauge accounts for the loss of one inch -

Height above
Sea level } This was given me by the Town Surveyor when taking levels in the vicinity of the Parish Church

Situation In the valley of the West Wolder about a quarter of a mile South North West of the Ipswich Railway Station which is I should think 150 feet above it -

It is fixed on the most open level ground I have of fully 40 yards from any trees -

Latitude & Longitude I have left this for you to fill in.

Herbert Holland -

January 25. 1918.

REGISTER OF RAINFALL IN 1918

Kept at Longleigh, Sparcombe
in the County of N Devon
by Herbert B. Howard

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Sparcombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 127 ft.

Jan. 1, following.

.06

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.09	-	.25	-	-	-	1.40	.01	.01	.61	-	1
2	-	.25	-	.01	.06	-	-	.31	-	.01	.16	.48	2
3	-	.07	-	.02	.14	-	-	-	.14	.10	.32	.07	3
4	-	.08	-	-	-	-	-	.11	.31	.16	.75	.72	4
5	.02	.01	.04	.25	.22	-	-	.40	1.00	.50	.01	.02	5
6	.18	.74	-	.23	-	.04	-	-	.14	.23	-	.18	6
7	.01	.34	-	-	.07	.12	-	.03	.87	.22	.29	.11	7
8	.04	.05	-	-	-	.22	-	-	.34	.33	.03	.01	8
9	.07	.05	-	.09	-	.13	.12	-	.66	.19	.09	.42	9
10	.08	.05	-	.29	-	-	.62	-	.87	.22	.16	.44	10
11	.05	.12	.15	.02	-	-	.17	-	.24	-	.26	.16	11
12	-	.11	.05	.07	.36	-	.17	-	.13	-	.05	.03	12
13	.27	-	-	-	-	.09	.02	-	.84	.29	-	.45	13
14	.51	-	-	-	.03	.20	.05	.06	.68	.10	-	.14	14
15	1.23	-	-	-	.02	-	.74	-	.02	.10	-	.64	15
16	.47	-	-	-	-	-	.16	.04	.23	.06	-	.10	16
17	.51	-	-	.83	-	-	.07	.12	.06	-	-	.25	17
18	1.40	-	.16	.05	-	.83	.01	.09	.70	.23	-	.28	18
19	.05	.12	.37	-	-	-	.21	.10	.13	.05	-	.10	19
20	.12	.27	-	.04	-	.04	.20	.02	.21	.03	-	-	20
21	.06	.01	-	.47	-	.08	.16	-	.67	.04	-	.33	21
22	-	-	-	.02	.32	-	.37	-	.32	-	-	.47	22
23	.16	-	-	-	.12	-	.35	-	.02	-	.09	.15	23
24	.02	.36	-	-	-	.09	.09	.11	.74	-	.28	.02	24
25	-	-	-	-	.47	-	.80	.18	.01	.08	.13	.01	25
26	-	.10	-	-	-	-	.19	.01	.12	.02	.13	.46	26
27	-	.11	.20	-	-	.03	-	-	.46	.01	.37	.09	27
28	-	.12	.12	-	-	-	-	-	.18	.02	.33	.40	28
29	-	~~X~~	.26	-	-	-	-	-	1.54	-	.01	.06	29
30	-	~~X~~	.47	-	-	-	-	.04	-	.08	.05	.18	30
31	-	~~X~~	.38	~~X~~	-	~~X~~	-	.03	~~X~~	-	~~X~~	.06	31
Total	5.25	3.05	2.20	2.64	1.81	1.87	4.60	3.05	11.64	3.08	4.12	6.83	50.04
Rain Days.	18	19	10	14	10	11	18	16	28	23	19	29	215

REGISTER OF RAINFALL IN 1919

Kept at Lough, Wexford
in the County of Down
by Herbert B. Holden

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Wexford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 127 ft.

FORM A.
BRITISH RAINFALL
FEB 20 1898

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	~~.52~~	-											
1	.50	-	.13	.12	.11	-	.04	-	.17	.27	-	.78	1
2	.29	-	.11	-	.03	-	.01	-	.03	.03	-	.43	2
3	.02	-	.10	-	.31	-	-	-	.01	-	-	.56	3
4	.11	.41	.22	-	.03	.22	-	.08	.23	-	.01	.12	4
5	.09	.29	.12	-	.09	-	-	-	.01	-	-	.38	5
6	.09	.10	.25	-	-	-	-	-	.03	-	-	.28	6
7	.13	-	.20	.14	-	.01	-	-	.08	-	.01	.01	7
8	.18	-	.24	.04	-	-	-	-	.01	-	-	-	8
9	.06	-	.04	.05	-	-	-	-	-	-	.86	-	9
10	.32	-	.92	.07	-	-	-	-	-	.04	.11	.28	10
11	.24	-	.51	.14	.27	.08	.34	-	-	.03	.01	.01	11
12	.14	.01	.11	.02	-	.57	-	-	-	.13	-	-	12
13	.33	-	.06	.37	-	-	.02	-	.25	.03	-	.26	13
14	.68	.05	-	.57	.12	-	.03	-	.02	.04	-	.13	14
15	.32	-	-	.08	-	-	-	-	-	.14	-	.64	15
16	.08	<u>1.28</u>	-	-	.01	.05	.01	-	-	-	.29	.03	16
17	.01	.83	.03	-	-	.10	.06	-	-	-	.47	.05	17
18	.08	.05	.92	-	.01	.08	.12	.56	.09	-	.41	.05	18
19	.38	.16	.28	-	-	.11	-	.58	.53	-	.40	.04	19
20	.30	.09	.19	-	.03	.05	-	.08	.20	-	.11	.26	20
21	.05	.77	.04	-	.18	-	.40	.03	.06	-	.01	.04	21
22	-	.02	-	-	-	.02	.06	-	.34	-	.01	.08	22
23	-	-	-	-	-	-	-	-	.01	-	.05	.22	23
24	-	-	-	-	-	.20	-	.01	.06	.48	.29	.38	24
25	.29	-	-	-	-	.08	-	.84	.04	.69	.15	.03	25
26	.25	-	-	.33	-	.08	-	.13	.25	-	.07	.61	26
27	.16	-	.13	.13	-	-	-	.36	-	-	-	.09	27
28	-	-	.42	.05	-	-	-	.02	-	.01	.18	.76	28
29	-	-	-	.09	-	.01	-	.04	-	-	.13	.30	29
30	-	X	.24	.17	.01	.08	.24	.29	.01	-	.36	.81	30
31	-	X	.09	X	-	X	.19	-	X	-	X	.48	31
Total	5.07	4.06	5.22	2.31	1.20	1.74	1.28	2.97	2.43	1.79	3.92	8.11	YEAR'S TOTAL 40.10
Rain Days	24	12	22	15	12	15	11	12	20	11	19	28	201

REGISTER OF RAINFALL IN 1920...

Kept at Langley, Wiltshire
in the County of Wilt
by Herbert B. Holland

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Wiltshire
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 127 in.
" " " " Sea Level 127 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:
11

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.01	.08	.32	-	1.30	.04	.14	.04	.07	.50	1
2	.08	-	-	.23	.05	-	.28	.28	.144	.07	-	.13	2
3	.21	.15	-	.11	-	-	.30	.08	.17	.84	-	.20	3
4	-	-	.33	.22	.02	-	-	.70	.02	.34	-	-	4
5	-	-	.25	-	.52	-	.67	.05	-	.10	-	-	5
6	-	-	.34	.01	.51	-	.24	-	-	.19	.05	-	6
7	.05	-	.01	.18	.01	-	.05	-	-	-	.06	-	7
8	.03	.12	-	.72	.11	-	.35	.30	-	-	-	-	8
9	.77	.31	.08	.39	-	.17	.53	-	.05	-	.10	-	9
10	1.24	.35	.16	.13	-	.10	.17	-	-	-	.17	-	10
11	.15	.01	.15	.25	.30	.28	.08	-	-	-	-	-	11
12	.50	.13	.08	.16	.02	.08	.09	.08	.01	-	.20	-	12
13	.08	.08	.57	.17	-	-	-	-	-	.51	.01	-	13
14	.13	.03	.55	.92	-	.03	.19	-	.33	.22	.50	.03	14
15	.07	.21	-	.77	.15	-	-	-	-	.62	.20	-	15
16	-	-	.05	-	.02	.28	.13	.04	.53	.94	.02	-	16
17	.14	-	-	.03	.36	.08	-	.29	1.18	.07	-	.02	17
18	.28	-	.04	.09	.01	.11	.09	.67	.05	-	-	-	18
19	.13	.14	-	.66	.03	.17	-	-	-	-	-	-	19
20	.04	-	-	.06	-	.19	.13	-	-	-	-	.27	20
21	-	-	-	.09	-	-	.10	-	-	-	-	.15	21
22	.07	-	-	.06	-	-	.14	-	-	-	-	.58	22
23	-	-	.07	-	-	-	.60	.16	-	-	-	.50	23
24	.02	.05	.42	.03	-	.05	.15	-	-	-	.02	.29	24
25	.07	.06	.16	-	-	.03	.80	-	-	-	-	-	25
26	.44	.01	.34	-	.10	.12	.01	-	-	-	.06	.04	26
27	.33	.08	.27	.15	.11	.83	.10	-	-	-	.46	.34	27
28	.66	.04	.32	.15	-	.24	.22	-	-	-	-	.13	28
29	.21	.01	.37	.01	.20	.03	.16	-	-	-	.29	.46	29
30	.31	X	-	.06	.01	.42	.17	-	.86	.10	.34	.69	30
31	.15	X	.47	X	-	X	.01	-	X	.72	X	.11	31
TOTAL	6.16	1.78	5.05	5.73	2.85	3.22	7.06	2.69	3.78	4.76	2.55	4.44	YEAR'S TOTAL 50.07
Days with ".01 in. or more	24	16	21	25	18	17	26	11	11	13	15	16	213
Days with ".04 in. or more	22	12	19	21	11	14	24	11	9	13	12	14	182

Latitude 51°
Longitude 4°
Kept at Self
in the County of
by The Vicar

ILFRACOMBE
METEOROLOGICAL STATION
DEVON

1912 - 1920.

1915
Snowden
of top 5 in.
of top above Ground 1 ft. 0 in.
" " Sea Level 25 ft.
on 9 am
Station { Name Ilfracombe
Distance — Direction —

m., and the result entered to the
most universal rule, he is earnestly
giving year in the space provided
measurement of rain,
the British Rainfall
Jan. 1, following.

IMPORTANT
previous day. If
requested to add
for it at the end
the selection and
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			59	04	065	63	11	585	06	98	05	29	2
3	10		39	02	02	18	005	1.03	19			09	3
4	49		90		002	005		08			40		4
5	1.04	13	29	01	095			59	01			06	5
6	32	10		03	305			59	01		01	13	6
7	10	585	34	005	21	94	31	26			01	05	7
8	61	33	14		002	21		24					8
9	20	19	49	04		09	16	1.58	04		02	099	9
10	43	01	01			09	16	04			11	02	10
11	005	005			01		20				21	89	11
12	10	03	35	005	15		01	035				05	12
13	22		035		13	01	01	12		10		32	13
14	16	04	99		105			33		03		05	14
15	14	05	06		01	1.29		03			01	59	15
16	27	02	40		03	08		33		10	02	14	16
17	035		175			39		62			02	46	17
18	01	09	225		08			45		10	03	15	18
19		09	12		01	015		93		02		05	19
20	005	03	54		495		095	30		33	03		20
21		19	43					45		10			21
22	40	33	22			10	05	62		13	04	18	22
23	15	62	26			34	19	1.08		39	46	58	23
24	01	03	04			39	14			33		12	24
25						21		50		35	55	69	25
26		12	04			005	035	02		55	43	34	26
27		015	065			88	95			95		08	27
28		095				31	1.20	1.29	26	13	56	34	28
29		15			12	01	28	15	22	33		12	29
30			20		01		24			43		03	30
31			50				12	09				18	31
Total	4.995	2.99	9.65	.15	1.829	9.185	4.18	12.025	.99	4.95	2.66	9.98	56.99
No. of Rain Days	20	22	26	6	18	21	19	29	9	19	19	26	229

latitude 51°

longitude 4° 4'

Kept at Ilfracombe
Meteorological Station
in the County of Devon

by The Ilfracombe Urban District Council

1915

Pattern Snowden
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 25 ft.
Time of Observation 9 am
Nearest Railway Station { Name Ilfracombe
Distance — Direction —

FORM A2.
BRITISH RAINFALL.
JAN 1915
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			59	04	065	63	11	285	06	98		29	2
3	10		29	04		1.19	03	005			05		3
4	49		39	04	02	18	045	1.03	19			09	4
5	1.04	13	40		002	005					40		5
6	32	10	29	01	095			59	01			06	6
7	10	285	03	03	305			59	01		01	13	7
8	61	33	34	005	21	94	31	26			01	05	8
9	20	19	14	002	21			24					9
10	43	01	49	04		09	16	1.58	04		02	99	10
11	005	01	01			09	16	04			41	02	11
12	10	03	07		07	20					21	89	12
13	10	03	005	005	15		01	035				05	13
14	22		035		13	01	01	12		10		32	14
15	16	04	49		105			33		03		05	15
16	14	05	06		01	1.29		02			01	59	16
17	27	12	40		03	08		33		10	02	14	17
18	035		175			29		62			02	46	18
19	01	09	225		08			45		10	03	15	19
20		09	12		01	015		93		02		05	20
21	005	03	54		495		095	30		33	03		21
22		19	43					45		10			22
23	40	33	22			10	05	62		13	04	18	23
24	15	62	26			34	19	1.08		29	16	55	24
25	01	06	04			39	14			13		12	25
26						21		50		05	55	69	26
27		12	04			005	035	02		05	43	34	27
28		015	065			88	95			05		08	28
29		095				31	1.20	1.29	26	13	56	34	29
30		15			12	01	28	15	22	33		12	30
31			20		01		24			43		03	31
			50				14	09				18	
Total	4.995	2.99	9.65	15	1.829	9.185	4.75	12.045	99	2.95	2.66	9.98	56.99
No. of Rain Days	20	22	26	6	18	21	19	29	9	19	19	26	224

REGISTER OF RAINFALL IN 1913

Kept at Sejacombe (Meteorological Observatory)
in the County of Devon
by The Sejacombe Urban District Council

Lat. 51° 12' Long. 4° 4'
Time of Observation 9 a.m.
Nearest Railway Station Sejacombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 25 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.26	.49	.03					.04	.08	.19	.49	1
2	.03	.15	.03	.04	.20	.03				.07	.14	.18	2
3	.03		.04	.03	.18						.03	.22	3
4	.80		.04	.06		.18	.05		.04	.03	.10	.25	4
5	.24	.09	.06		.24	.44	.07		.03		.40	.34	5
6	.03	.10	.13		.05	.18				.10	.36	.18	6
7		.36	.04		.64	.28	.44			.31	.13	.07	7
8	.03	.14			.21	.08	.07	.04		.07		.06	8
9		.08	.13	.03	.18	.21		.09	.03		.59	.09	9
10	.44		.11	.03	.10	.03		.14		.53	.14		10
11	.48		.03	.14	.08	.11		.03	.04	.09	1.06	.13	11
12	.22			.03	.03	.04			.03		.50	.03	12
13	.04		.40	.03			.05	.20	.34		.16		13
14	.08		.38	.09					.08	.20	.25	.10	14
15	.36		.24	1.18							.34	.04	15
16	.34		.64	.13			.04		.03		.08		16
17	.23		.03	.10			.05				.09		17
18	.09		.14	.23		.03	.03				.04		18
19	.54		.09		.08	.03	.05		.46	.49	.03		19
20	.33		.15	.15	.07				.05	.23	.49		20
21			.24	.38	.08		.09	.03		.08	.36		21
22	.93		.96	.07	.06	.29	.03	.43	.13			.04	22
23	.04							.14	.09		.24	.40	23
24	.04	.04							.07		.12		24
25				.25					.08	.03	.16	.19	25
26		.03		.50		.03		.04	.03	.03	.03	.33	26
27	.15		.10	1.04	.34					.42	.07	.03	27
28	.05		.18	.28	.04			.10		.22	.07	.12	28
29	.03		.18	.48	.07					.31	.05		29
30	.43			.34	.13					.24	.04		30
31	.10		.65					.05		.04			31
Total	6.56	1.31	5.54	5.58	2.60	1.92	.53	1.59	1.53	3.49	6.61	3.21	40.44
Rain Days.	26	9	24	23	18	14	11	11	16	19	28	19	218

1887

Lat. 51° 12' Long. 4° 30'
Time of Observation 9 am
Nearest Railway Station St. John's
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

CAPSTONE HILL

Kept at Ilfracombe (Meteorological Station)

in the County of Devon

by The Ilfracombe Urban District Council

Lat. 51° 12' 15" Long.

Time of Observation 9 a.m.

Nearest Railway Station Ilfracombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 25.00 ft.

1938
FORM A.
BRITISH RAINFALL
13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Inches	Inches	Inches	Inches	Inches	Millimetres	mm	mm					
1	.43	.25			.21	Inches		4.2	4.7	0.4	6.7	4.9	1
2	.18	.24	.25	.16		.07	.1	2.1	0.8	5.0	1.8	10.6	2
3		.18	.26	.22	.17		.7			0.3		10.1	3
4	.04	.36	.02		.02		9.7			0.1		11.2	4
5	.11	.42	.01	.10		.01		4.8				9.5	5
6	.38	.02		.55			5.4	1.7				6.5	6
7	.27	.82		.04	.04		4.5	1.0				12.6	7
8	.11	.48		.01				3.7		5.4	1.0	1.7	8
9	.04	.33		.05				0.6		0.4	6.8	17.4	9
10	.37	.37	.13	.10			0.0				9.6	.6	10
11	.02	.02	.03		.02		0.4	0.3		4.8	.3	3.1	11
12	.16	.31			.27		0.0	0.5		3.0	6.7	3.0	12
13	.03	.32		.05	.38		0.5	0.4	4.4	2.4	3.3	3.2	13
14	.09	.01	.01				0.4	0.3	2.2	0.1	1.8	27.2	14
15	.24				.21		6.2		2.2		.3	3.3	15
16		1.07		.01	.05		26.6		0.3	0.3	5.9		16
17	.06	.19			.32								17
18		.37					1.3						18
19	.01	.02		.14	.16		14.6						19
20	.44	.02		.05	.07	.08						1.0	20
21	.22	.55				.02	7.4		2.5	3.6		5.0	21
22	.03	.02	.15	.01		.02	12.4			8.9		8.8	22
23	.11	.04	.14			.02	0.4		1.2	5.0		13.5	23
24			.01	.04			0.8		3.9	14.5		8.7	24
25			.04			.11	11.0		3.4	5.0		3.0	25
26		.12				.02	12.2		0.4			12.5	26
27		.09				.19	3.2		7.7			0.8	27
28		.01				.02		0.4	1.3	19.0			28
29						.22		0.3		5.5		0.9	29
30	.17	X		.06		.17	3.1		0.4	3.4	6.2	3.9	30
31		X		X		X		8.8	X	6.3	X	5.5	31
Total	3.51	6.63	1.05	1.59	1.92	.95	120.8	29.1	35.4	23.4	52.4	188.5	36.35
Rain Days.	21	25	11	15	12	12	19	14	14	21	12	26	202

REGISTER OF RAINFALL IN 1916

Kept at Uffacombe (Meteorological Station)
in the County of Devon.
by The Uffacombe Urban District Council

Lat. 51.12 Long. 4.7
Time of Observation 9 a.m.
Nearest Railway Station Uffacombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 25.00 ft.

1893
FORM A.
BRITISH RAINFALL
25 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	✓	✓	0.6	26	06	✓	01	38	03	✓	1
2	9.11	✓	58	✓	11	✓	01	✓	23	69	15	01	2
3	01	1.08	✓	✓	15	15	01	✓	02	48	19	✓	3
4	31	61	✓	05	17	28	✓	✓	20	01	14	02	4
5	06	05	01	✓	04	03	✓	✓	✓	08	16	✓	5
6	15	26	✓	✓	14	01	34	✓	✓	18	47	✓	6
7	01	14	04	✓	17	✓	✓	✓	✓	✓	61	27	7
8	✓	12	01	✓	21	02	✓	✓	✓	✓	18	13	8
9	01	03	✓	✓	01	✓	11	✓	✓	11	05	33	9
10	✓	69	01	15	✓	✓	02	✓	✓	✓	01	01	10
11	✓	02	✓	19	✓	✓	✓	✓	02	01	01	✓	11
12	02	09	01	✓	02	✓	18	09	✓	34	✓	✓	12
13	02	61	02	02	30	✓	✓	✓	✓	02	✓	✓	13
14	✓	67	18	✓	07	✓	✓	20	✓	02	✓	✓	14
15	01	25	01	18	01	✓	02	19	✓	24	✓	✓	15
16	02	04	✓	28	03	✓	23	✓	✓	14	✓	✓	16
17	29	21	✓	05	✓	✓	✓	✓	69	15	22	✓	17
18	02	19	17	01	✓	✓	✓	✓	10	11	01	13	18
19	15	14	02	06	✓	✓	✓	08	✓	✓	11	10	19
20	10	35	12	26	✓	✓	✓	✓	✓	✓	28	41	20
21	08	07	16	✓	03	✓	✓	01	✓	✓	13	19	21
22	01	✓	✓	✓	01	09	✓	04	✓	15	10	81	22
23	02	04	✓	07	✓	49	✓	23	✓	10	19	23	23
24	01	02	06	02	01	02	✓	02	✓	36	01	20	24
25	01	16	33	01	02	✓	✓	14	01	13	17	✓	25
26	08	02	07	✓	02	12	✓	✓	40	23	04	✓	26
27	06	✓	78	✓	10	02	✓	18	27	33	✓	✓	27
28	01	20	✓	✓	01	✓	✓	01	10	44	02	50	28
29	✓	33	05	✓	✓	70	✓	39	11	47	✓	45	29
30	✓	X	✓	✓	✓	04	✓	04	✓	39	✓	01	30
31	✓	X	✓	X	✓	X	✓	09	X	42	X	02	31
Total	2.37	6.39	2.63	1.35	1.69	2.23	98	1.71	2.16	5.98	3.28	3.82	34.59
Rain Days.	24	25	18	13	21	13	9	14	12	25	22	17	213

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914.

Kept at Ilfracombe (Meteorological Station).
in the County of Devon.
by The Ilfracombe Urban District Council.

Lat. 51° 12' 15" Long. 4° 21' 15"
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250.0 ft.

FORM A.
BRITISH RAINFALL.
21 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	nil	.27	.17	nil	.20	nil	.27	.05	nil	.19	nil	1
2	.01	nil	.07	.09	nil	.09	nil	.02	nil	.18	.15	nil	2
3	.05	.41	nil	.07	nil	.02	.41	nil	nil	1.13	.17	nil	3
4	nil	.07	.23	.01	nil	nil	.02	nil	.05	.11	.34	.01	4
5	.19	nil	.27	nil	nil	.26	nil	nil	.10	.04	.18	nil	5
6	.02	nil	.36	.13	nil	.11	nil	nil	nil	.11	.38	nil	6
7	.32	nil	nil	.04	nil	nil	.18	.15	nil	.17	.06	.06	7
8	.06	nil	.07	.03	nil	nil	.19	.49	.06	.56	.46	nil	8
9	nil	nil	.02	.02	.08	nil	nil	.17	.04	.17	.05	.01	9
10	.18	nil	.29	.40	nil	.05	nil	.14	nil	.19	nil	nil	10
11	.02	nil	.19	.48	nil	nil	nil	.01	nil	.43	.25	nil	11
12	.15	nil	nil	nil	.22	nil	nil	.15	nil	.68	nil	.02	12
13	.02	nil	.19	nil	.01	.02	nil	.37	.35	nil	.01	.02	13
14	nil	nil	nil	nil	nil	nil	.01	nil	.04	.29	.02	nil	14
15	nil	.02	nil	.08	.48	nil	.03	nil	nil	.27	nil	nil	15
16	nil	.04	nil	.02	nil	nil	.01	.01	nil	.14	.10	.38	16
17	nil	nil	.05	.28	.01	nil	.42	.15	.32	.28	nil	nil	17
18	nil	nil	nil	nil	nil	nil	.37	.01	1.46	.03	.05	nil	18
19	.03	.57	.03	nil	nil	.34	nil	.11	nil	nil	.01	nil	19
20	nil	.03	.00	nil	.49	1.09	nil	nil	.01	nil	.02	nil	20
21	nil	.01	.01	nil	nil	nil	nil	.15	nil	.09	.02	nil	21
22	nil	nil	nil	nil	.06	nil	nil	.30	nil	.21	nil	.02	22
23	nil	.24	nil	nil	.08	.04	nil	.50	nil	.19	.01	nil	23
24	nil	.03	nil	nil	nil	.16	.15	.09	nil	.42	.09	nil	24
25	nil	.07	.09	nil	nil	.10	.01	.11	.10	.18	.05	nil	25
26	nil	.02	nil	nil	.04	.02	.01	.56	.31	.11	.24	nil	26
27	nil	nil	.01	nil	.03	.30	nil	.89	.18	.18	.01	nil	27
28	nil	.23	.08	nil	.04	.42	nil	.12	nil	.17	.01	nil	28
29	nil	X	nil	nil	nil	.01	.04	.09	nil	.59	nil	nil	29
30	nil	X	nil	nil	nil	nil	.02	.37	nil	.19	.01	nil	30
31	.27	X	nil	X	.48	X	nil	.17	X	.19	X	nil	31
Total	1.33	1.41	2.23	1.92	2.02	3.53	1.87	5.40	3.37	4.60	2.58	.52	34.30
Rain Days.	13	12	16	13	12	16	14	24	13	24	24	4	191

REGISTER OF RAINFALL IN 1918

Kept at Sefracombe
(Meteorological Observatory)
 in the County of N. Devon
 by Sefracombe Urban District Council

Lat. 51° 12' Long. 4° 4'
 Time of Observation 9. am
 Nearest Railway Station Sefracombe
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 25 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	<i>millimetres</i>												
1			4		1			31.5	.3	.3		~~11.2~~	1
2		6.7			1.2			8.0		.1	17.0	11.2	2
3		1.9			3.6				3.0	.2	8.0	1.6	3
4					1			1.5	6.6	3.0	17.6	17.0	4
5	1.4	4.8		4.5	5.9			7.0	23.0	11.2	.2	.1	5
6	5.2	12.6			.3	1.1		.1	2.3	5.5		3.6	6
7	2.4	10.2		1.2	1.1	.9		.4	20.3	4.0	7.0	3.0	7
8	15.9				.2	3.3	.1		6.0	6.6	.2	.2	8
9	4.9	1.8				2.9	1.9		15.7	5.0	3.0	9.7	9
10		2.1		1.0			14.0		19.5	4.0	2.6	11.0	10
11		3.8	1.2				5.6		3.3	.3	4.1	2.7	11
12	4.6	4.3	4.8		8.3		2.4		7.0		.1	.2	12
13	6.1	4		2.6	.1	0.1	1.0		18.3	5.4		9.0	13
14	4.6				.6	4.7	1.3	.9	13.3	2.6		2.8	14
15	21.2					0.1	14.7		.2	1.0		14.0	15
16	8.2			4.9	.4		3.4	.4	3.8	1.1		1.8	16
17	14.7			7.6			1.6	1.5	1.3	.1		6.5	17
18	18.6		4.6			13.0	1.1	1.6	13.3	5.1		6.8	18
19	2.7		8.4			2.0	5.0	1.0	3.3	.9		1.0	19
20	4.1			4.9		.9	4.0	.2	5.6	.4		2.0	20
21	1.6	.2		4.7		1.3	2.6		16.3	.7		5.9	21
22	.6				7.8		8.1		6.0			9.5	22
23	3.1				2.6	2.0	5.5		4.0		1.3	2.5	23
24		.6			.1		2.5	0.1	13.0		4.6	.1	24
25					11.0		15.1	7.5	.1	1.1	2.6	.2	25
26		.7			.2		3.2	0.1	2.8	.2	4.1	9.5	26
27						4		5.0	9.3	.1	7.8	1.2	27
28		4.2	6.8						3.6	.2	6.7	6.9	28
29			10.1						28.8		.1	1.1	29
30		X	16.5						.2	1.4	1.1	3.0	30
31		X	22.6	X		X		0.1	X		X	2.0	31
Total	119.9	54.3	75.4	31.4	42.6	32.7	93.1	66.9	250.2	60.5	88.1	146.1	1062.2
Rain Days.	17	14	9	8	17	13	19	17	29	25	18	30	216

REGISTER OF RAINFALL IN 1919.

Kept at Ilfracombe (meteorological station)
in the County of Devon
by Oswald H. Prouse, for
Ilfracombe Urban District Council.

Lat. 51. 12 Long. 4. 4
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.0		3.8	3.3	2.4		0.9		3.9	9.5		19.1	1
2	11.4		3.0		0.6		0.9		0.8	1.2		8.2	2
3	0.9		1.8		5.9				0.2		0.5	12.1	3
4	0.9	10.5	3.0		0.9	5.1		0.9	5.5			6.2	4
5	2.5	6.2	2.8		1.5				0.4			8.2	5
6	1.6	1.8	1.9						1.5			6.8	6
7	2.1		6.0	4.3		0.4			0.5				7
8	1.9		4.0	1.9		1.9			0.2				8
9	4.5		4.6	2.3							19.1	0.1	9
10	2.1		1.1			0.2				0.5	5.8	6.3	10
11	6.0		21.5	3.2	9.1	1.2	9.3			0.8	0.1	0.2	11
12	6.2	0.5	12.3	0.3	0.2	12.1				1.3	1.2		12
13	2.9		4.6	10.6			0.3		4.6	0.9		5.6	13
14	9.8	1.0	1.4	10.0	2.0		0.5					2.9	14
15	14.8	4.2		2.5						0.5		16.1	15
16	9.4	21.6			0.4	0.9					6.3	0.4	16
17	2.3	19.8				1.9	1.1	0.3			10.1	1.4	17
18	0.2	1.0	1.6				2.3	11.2	2.3		8.8	1.1	18
19	0.9	3.1	24.0			2.0	0.2	13.9	12.1		6.9	0.6	19
20	9.1	1.5	3.6		0.6	0.9		0.9	4.9		2.3	4.1	20
21	6.3	19.0	0.9		3.7		5.9	0.5	1.3		0.2	1.1	21
22	0.9	0.3	0.2			0.2	1.0		9.0		0.2	1.2	22
23										9.8	1.0	5.0	23
24						4.3			0.8	11.4	6.3	8.0	24
25	6.9							19.1	0.3		3.9	0.9	25
26	4.3		2.5	9.8		0.5		4.2	4.4	0.5	0.5	14.1	26
27	4.5			4.9		0.3		9.5				1.8	27
28			9.3	1.3				0.3			3.6	15.2	28
29				2.1				1.1		0.3	4.2	9.5	29
30		~~X~~	2.0	3.8		1.9		6.2			9.0	19.6	30
31		~~X~~	0.8	~~X~~		~~X~~	2.9		~~X~~		~~X~~	9.1	31
TOTAL	109.8	90.5	116.9	58.1	25.1	33.0	22.9	65.5	50.5	36.5	89.8	180.2	YEAR'S TOTAL
Days with 0.2 mm. or more	25	13	23	14	11	15	11	12	19	11	18	29	199

REGISTER OF RAINFALL IN 1919.

Kept at Ilfracombe (M.O.)
in the County of Devonshire
by Wald B. Bowse

Lat. 51° 12' N Long. 4° 7' W
Time of Observation 9h. Local Time
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.0	-	3.8	3.3	2.4	-	0.9	-	3.9	9.5	-	19.1	1
2	11.4	-	3.0	-	0.6	-	0.9	-	0.8	1.2	-	8.2	2
3	0.9	-	1.8	-	5.9	-	-	-	0.2	-	0.5	12.1	3
4	0.7	10.5	3.0	-	0.7	5.1	-	0.7	5.5	-	-	6.2	4
5	2.5	6.2	2.8	-	1.5	-	-	-	0.4	-	-	8.2	5
6	1.6	1.8	1.9	-	-	-	-	-	1.5	-	-	6.5	6
7	2.1	-	6.0	4.3	-	0.4	-	-	0.5	-	-	-	7
8	1.9	-	4.0	1.9	-	1.7	-	-	0.2	-	-	-	8
9	4.5	-	4.6	2.3	-	-	-	-	-	-	19.1	0.1	9
10	2.1	-	1.1	-	-	0.2	-	-	-	0.5	5.8	6.3	10
11	6.0	-	21.5	3.2	7.1	1.2	7.3	-	-	0.8	0.1	0.2	11
12	6.2	0.5	12.3	0.3	0.2	12.1	-	-	-	1.3	1.2	-	12
13	2.9	-	4.6	10.6	-	-	0.3	-	4.6	0.7	-	5.6	13
14	7.8	1.0	1.4	10.0	2.0	-	0.5	-	-	-	-	2.7	14
15	14.8	4.2	-	2.5	-	-	-	-	-	0.5	-	16.1	15
16	7.4	21.6	-	-	0.4	0.7	-	-	-	-	6.3	0.4	16
17	2.3	19.8	-	-	-	1.9	1.1	0.3	-	-	10.1	1.4	17
18	0.2	1.0	1.6	-	-	-	2.3	11.2	2.3	-	8.8	1.1	18
19	0.9	3.1	24.0	-	-	2.0	0.2	13.7	12.1	-	6.7	0.6	19
20	9.1	1.5	3.6	-	0.6	0.7	-	0.7	4.7	-	2.3	4.1	20
21	6.3	19.0	0.9	-	3.7	-	5.7	0.5	1.3	-	0.2	1.1	21
22	0.7	0.3	0.2	-	-	0.2	1.0	-	7.0	-	0.2	1.2	22
23	-	-	-	-	-	-	-	-	-	9.8	1.0	5.0	23
24	-	-	-	-	-	4.3	-	-	0.8	11.4	6.3	8.0	24
25	6.7	-	-	-	-	-	-	19.1	0.3	-	3.9	0.7	25
26	4.3	-	2.5	7.8	-	0.5	-	4.2	4.4	0.5	0.5	14.1	26
27	4.5	-	-	4.7	-	0.3	-	7.5	-	-	-	1.8	27
28	-	-	9.3	1.3	-	-	-	0.3	-	-	3.6	15.2	28
29	-	-	-	2.1	-	-	-	1.1	-	0.3	4.2	7.5	29
30	-	~~X~~	2.0	3.8	-	1.7	-	6.2	-	-	9.0	17.6	30
31	-	~~X~~	0.8	~~X~~	-	~~X~~	2.7	-	~~X~~	-	~~X~~	9.1	31
TOTAL	109.8	90.5	116.7	58.1	25.1	33.0	22.9	65.5	50.5	36.5	89.8	180.2	YEAR'S TOTAL
Days with 0.2 mm. or more	25	13	23	14	11	15	11	12	17	11	18	27	197

REGISTER OF RAINFALL IN 1920.

Kept at Ilfracombe
in the County of Devon
by Borough Surveyor

Lat. 51° 12' N Long. 4° 7' W
Time of Observation 9h 25m
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	-	0.2	1.7	7.0	-	29.0	-	3.0	0.4	1.2	11.4	1
2	1.1	-	-	4.4	0.9	-	5.6	5.5	8.1	1.4	-	3.0	2
3	6.7	3.2	-	1.9	-	-	6.7	0.4	2.1	17.8	-	3.4	3
4	-	-	0.7	4.6	0.2	-	-	3.1	0.3	6.6	-	-	4
5	-	-	5.7	-	11.3	-	15.5	15.6	-	2.5	-	-	5
6	-	-	8.1	0.3	12.4	-	4.0	0.7	-	4.7	0.6	-	6
7	1.0	-	0.1	2.8	0.7	-	0.7	-	-	-	2.0	-	7
8	0.3	3.0	-	15.6	2.2	-	7.2	6.0	-	-	-	-	8
9	16.1	5.5	1.1	11.7	-	4.3	10.7	0.8	0.7	-	2.4	-	9
10	29.8	7.5	3.4	2.7	-	1.8	3.7	-	-	-	2.6	-	10
11	4.4	0.1	4.8	5.2	6.8	6.0	1.5	-	-	-	-	-	11
12	11.7	2.3	1.4	3.2	0.5	1.6	1.5	1.3	0.3	-	4.9	-	12
13	1.5	1.6	16.8	4.4	-	0.4	-	0.8	-	11.3	-	-	13
14	3.4	0.7	12.8	22.5	-	0.9	3.5	-	6.8	4.8	11.0	0.4	14
15	1.0	5.1	0.3	19.5	3.0	(53)	-	-	-	13.7	3.5	-	15
16	-	-	0.9	0.2	0.3	(35)	2.8	-	13.2	17.9	0.1	-	16
17	2.7	-	-	0.1	8.5	2.9	-	0.5	26.7	0.5	-	0.4	17
18	6.5	-	0.6	2.1	0.5	1.9	0.2	19.2	1.3	-	-	0.3	18
19	0.4	3.0	-	16.7	0.5	2.4	0.3	-	-	-	-	-	19
20	0.7	0.2	-	1.5	-	4.0	1.4	-	-	-	-	6.5	20
21	-	-	-	2.0	-	-	1.1	-	-	0.7	-	3.5	21
22	1.3	-	-	1.0	-	-	2.6	-	-	-	-	13.1	22
23	0.1	-	1.1	-	-	-	13.9	-	-	-	-	11.0	23
24	0.5	0.9	9.8	0.3	-	0.3	2.9	2.5	-	-	-	7.3	24
25	1.2	0.7	4.4	-	-	0.3	17.6	-	-	-	0.1	-	25
26	10.8	-	9.1	-	2.0	1.5	-	-	-	-	1.3	1.0	26
27	11.2	1.8	5.7	3.2	2.2	17.8	1.9	-	-	-	12.4	7.2	27
28	15.1	0.4	7.1	3.1	-	4.9	3.8	-	-	-	0.1	3.1	28
29	6.3	-	9.4	0.9	4.4	1.4	1.6	-	-	-	6.3	10.9	29
30	7.0	~~X~~	5.4	0.8	0.3	8.9	3.0	-	17.6	2.2	7.6	17.8	30
31	3.7	~~X~~	11.5	~~X~~	-	~~X~~	-	-	~~X~~	20.2	~~X~~	3.2	31
TOTAL	114.8	36.0	120.4	132.4	63.7	66.6	142.7	56.4	80.1	104.7	56.1	103.5	YEAR'S TOTAL 1107.4
Days with 0.2 mm. or more	25	14	22	25	18	18	25	12	11	14	12	17	213

ILFRACOMBE.

1911.

Snowden

FORM A2.
BRITISH RAINFALL.

Kept at

RESERVOIR.

in the County of

DEVON.

by Ilfracombe

IMPORTANT
previous day. I
requested to add
for it at the end
the selection and
Organization are
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

er of top 5 in.

of top above Ground 1 ft. 0.32

" " Sea Level 395 ft. 0.0.

ion 9 am.

Station { Name Ilfracombe
Distance 1 1/2 Direction S.E.W.

m., and the result entered to the
most universal rule, he is earnestly
wing year in the space provided
measurement of rain,
the British Rainfall
ee on application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .10	in.	in. .02	in. .14	in. .03	in. .10	in.	in. .85	in.	in. .03	in. .32	in. .03	1
2			.01		.28			.30		.13	.64	.20	2
3			.08		.49			.05	.05	.01	.58	.20	3
4			.28		.02			.26			.13	.49	4
5	.48		.19					.30		.09	.25	.22	5
6	.29		.11	.01				.02			.44	.43	6
7	.30										.53	.01	7
8	.42		.22								.41	1.18	8
9	.28		.01								.38	.39	9
10	.04	.08	.90		.38				.03		.38	.36	10
11	.29	.01	.01						.06		.21	.33	11
12			.44						.39		.10	.28	12
13			.02		.20				.32		.02	.08	13
14		.26	.02		.01						.65	.29	14
15	.06	.12	.01			.09					.08	.14	15
16	.02	.03				.15					.03	.25	16
17		.11				.33					.31	.48	17
18		.36		.26		.05				.10	.10	.28	18
19		.04		.05			.03	.04		.04	.11	1.10	19
20	.01	.14	.10	.42				.01	.59	.62		.19	20
21	.02	.44		.03		.11		.21	.54	.29		.08	21
22	.04	.04	.03	.28		.32	.03		.22	.15		.49	22
23	.05	.21	.02	.49		.02		.12	.54	.08	.06	.20	23
24	.06	.45			.04	.55		.18	.03	.64		.18	24
25	.14	.08				.06		.09	.11	.20		.06	25
26	.05	.24		.55			.01	.32	.02	.43		.50	26
27		1.14	.03					.50	.19	.34	.14	.22	27
28		.12		.45		.04		.35				.03	28
29			.01	.09		1.12	.11	.03	.36	.63	.16	.04	29
30						.05	.10			.28	.18	.11	30
31							.05			.21		.02	31
Total	2.64	4.02	2.81	2.80	1.45	2.99	.33	3.63	3.49	4.24	6.20	9.49	TOTAL for year 44.12
No. of Rain Days	14	14	19	11	8	13	6	16	14	14	23	31	192

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

Kept at Ilfracombe
in the County of Devon N.I.
by Ilfracombe Urban District Council.

Pattern Snowden
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0.00
" " " Sea Level 395 ft. 0.0
Time of Observation 9 a.m.
Nearest Railway Station { Name Ilfracombe
Distance 1 1/2 Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. <u>.10</u>	in.	in. <u>.02</u>	in. <u>.14</u>	in. <u>.03</u>	in. <u>.10</u>	in.	in. <u>.85</u>	in.	in. <u>.03</u>	in. <u>.32</u>	in. <u>.03</u>	1
2			<u>.01</u>		<u>.28</u>			<u>.30</u>		<u>.13</u>	<u>.54</u>	<u>.20</u>	2
3			<u>.08</u>		<u>.49</u>			<u>.05</u>	<u>.05</u>	<u>.01</u>	<u>.58</u>	<u>.20</u>	3
4			<u>.28</u>		<u>.02</u>			<u>.26</u>			<u>.13</u>	<u>.49</u>	4
5	<u>.48</u>		<u>.19</u>					<u>.30</u>		<u>.09</u>	<u>.25</u>	<u>.22</u>	5
6	<u>.29</u>		<u>.11</u>	<u>.01</u>				<u>.02</u>			<u>.44</u>	<u>.43</u>	6
7	<u>.30</u>										<u>.53</u>	<u>.01</u>	7
8	<u>.42</u>		<u>.22</u>								<u>.41</u>	<u>1.18</u>	8
9	<u>.28</u>		<u>.01</u>								<u>.38</u>	<u>.39</u>	9
10	<u>.04</u>	<u>.08</u>	<u>.90</u>		<u>.38</u>				<u>.03</u>		<u>.38</u>	<u>.36</u>	10
11	<u>.29</u>	<u>.01</u>	<u>.01</u>						<u>.06</u>		<u>.21</u>	<u>.33</u>	11
12			<u>.44</u>						<u>.39</u>		<u>.10</u>	<u>.28</u>	12
13			<u>.02</u>		<u>.20</u>				<u>.32</u>		<u>.02</u>	<u>.08</u>	13
14		<u>.26</u>	<u>.02</u>		<u>.01</u>						<u>.65</u>	<u>.29</u>	14
15	<u>.06</u>	<u>.12</u>	<u>.01</u>			<u>.09</u>					<u>.08</u>	<u>.14</u>	15
16	<u>.02</u>	<u>.03</u>				<u>.15</u>					<u>.03</u>	<u>.25</u>	16
17		<u>.11</u>				<u>.33</u>					<u>.31</u>	<u>.48</u>	17
18		<u>.36</u>		<u>.26</u>		<u>.05</u>				<u>.10</u>	<u>.10</u>	<u>.28</u>	18
19		<u>.04</u>		<u>.05</u>			<u>.03</u>	<u>.04</u>		<u>.04</u>	<u>.11</u>	<u>1.10</u>	19
20	<u>.01</u>	<u>.14</u>	<u>.10</u>	<u>.42</u>				<u>.01</u>	<u>.59</u>	<u>.62</u>		<u>.19</u>	20
21	<u>.02</u>	<u>.44</u>		<u>.03</u>		<u>.11</u>		<u>.21</u>	<u>.54</u>	<u>.29</u>		<u>.08</u>	21
22	<u>.04</u>	<u>.04</u>	<u>.03</u>	<u>.28</u>		<u>.32</u>	<u>.03</u>		<u>.22</u>	<u>.15</u>		<u>.49</u>	22
23	<u>.05</u>	<u>.21</u>	<u>.02</u>	<u>.49</u>		<u>.02</u>		<u>.12</u>	<u>.54</u>	<u>.08</u>	<u>.06</u>	<u>.20</u>	23
24	<u>.06</u>	<u>.45</u>			<u>.04</u>	<u>.55</u>		<u>.18</u>	<u>.03</u>	<u>.64</u>		<u>.18</u>	24
25	<u>.14</u>	<u>.08</u>				<u>.06</u>		<u>.09</u>	<u>.11</u>	<u>.20</u>		<u>.06</u>	25
26	<u>.05</u>	<u>.24</u>		<u>.55</u>			<u>.01</u>	<u>.32</u>	<u>.02</u>	<u>.43</u>		<u>.50</u>	26
27		<u>1.14</u>	<u>.03</u>					<u>.50</u>	<u>.19</u>	<u>.34</u>	<u>.14</u>	<u>.22</u>	27
28		<u>.12</u>		<u>.45</u>		<u>.04</u>		<u>.35</u>				<u>.03</u>	28
29			<u>.01</u>	<u>.09</u>		<u>1.12</u>	<u>.11</u>	<u>.02</u>	<u>.36</u>	<u>.63</u>	<u>.16</u>	<u>.04</u>	29
30						<u>.05</u>	<u>.10</u>			<u>.28</u>	<u>.18</u>	<u>.11</u>	30
31							<u>.05</u>			<u>.21</u>		<u>.02</u>	31
Total	<u>2.64</u>	<u>4.02</u>	<u>2.81</u>	<u>2.80</u>	<u>1.45</u>	<u>2.99</u>	<u>.33</u>	<u>3.63</u>	<u>3.49</u>	<u>4.24</u>	<u>6.20</u>	<u>9.49</u>	TOTAL for year <u>44.12</u>
No. of Rain Days	<u>14</u>	<u>14</u>	<u>19</u>	<u>11</u>	<u>8</u>	<u>13</u>	<u>6</u>	<u>16</u>	<u>14</u>	<u>14</u>	<u>23</u>	<u>31</u>	<u>192</u>

REGISTER OF RAINFALL IN 1912

Kept at *Sepracombe (Waterworks)*
in the County of *Devon*
by *The Sepracombe Urban District Council*

Lat. *51° 48'* Long. *4° 38'*
Time of Observation *9 a.m.*
Nearest Railway Station *Sepracombe*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *395* ft.

BRITISH RAINFALL
FORM A.
4 - JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.42		.01	.54	.01	.29	.105	1.15		.19	1
2			.33	.08		1.295	.05				.06		2
3	.23		.25	.055	.01	.18	.045	1.04	.24			.10	3
4	.66		.63		.025			.10			.50		4
5	1.14	.15	.255	.09	.085			.53				.06	5
6	.34	.10		.10	.25			.99	.02		.13	.13	6
7	.05	.31	.045		.36	.855	.04	.11			.04	.09	7
8	.69	.32	.40	.09		.16	.23	.21					8
9	.13	.18	.43	.08		.04	.21	1.95	.03		.04	1.12	9
10	.43	.01	.02			.10	.155	.03			.20	.01	10
11		.01					.06				.16	.99	11
12	.09	.02	.36		.13		.20	.04				.19	12
13	.18		.11			.05	.01	.19		.19		.45	13
14	.13	.03	.65					.49		.01		.14	14
15	.10	.09	.145		.21	1.23		.09			.03	.89	15
16	.31	.01	.39		.03	.035		.31		.14		.21	16
17	.02		.195		.03	.355		.62			.05	.64	17
18	.01	.10	.395					.465		.23	.04	.15	18
19		.13	.13			.035		.99		.01	.02	.08	19
20		.04	.42		.09		.09	.155		.25	.05		20
21		.11	.49		.41			.40		.09			21
22	.42	.42	.085			.08		.615		.16	.09	.22	22
23	.16	.53	.455			.395	.14	1.12		.44	.08	.59	23
24	.07	.09	.065			.43	.155			.26		.14	24
25						.16		.43		.19	.99	.53	25
26		.13	.045				.03			.96	.15	.39	26
27		.01	.09			.69	.55			1.03	.02	1.12	27
28		.09	.095			.295	1.14	1.09	.23	.14	.59	.38	28
29		.12			.165	.055	.28	.08	.29	.29		.11	29
30			.23				.25			.41		.09	30
31			.495				.15	.095				.14	31
Total	5.08	3.94	9.49	.455	1.985	6.96	2.805	12.15	.95	5.80	3.42	9.05	59.85
Rain Days.	18	22	29	6	13	19	19	25	6	18	18	26	214

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Syracoub (Waterworks)
in the County of Devon
by The Syracoub Urban District Council

Lat. 51° 11' Long. 4° 8'
Time of Observation 9 a.m.
Nearest Railway Station Syracoub
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 395 ft.

FORM A
BRITISH RAINFALL
6-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.30	.30	.02	.06				.03	.02	.21	.53	1
2	.03	.16	.03	.03	.22	.06					.16	.31	2
3	.05		.04	.03	.24						.01	.43	3
4	.89		.04	.04		.24	.09		.06		.14	.25	4
5	.14	.08	.08		.34	.54	.02		.10		.99	.42	5
6	.03	.12	.19		.06	.29	.10			.14	.12	.31	6
7		.43	.04		.59	.31	.03			.94	.14	.01	7
8	.02	.24	.02		.30	.02						.13	8
9		.09	.26	.01	.12	.32		.14	.04	.02	.80	.19	9
10	.03		.29	.04	.10	.04	.04	.13		.44	.19		10
11	.74		.02	.10	.15	.15		.24	.13	.13	.80		11
12	.52			.02	.05	.12	.01	.01	.10		.40	.01	12
13	.05	.01	.54	.02		.01	.10	.39	.53		.19		13
14	.08		.44	.05					.05	.22	.20	.21	14
15	.28		.20	1.21							.30	.11	15
16	.40		.69	.16			.06		.06		.16		16
17	.29		.02	.08		.07	.14				.22		17
18	.11		.19	.20	.16	.01	.02				.11		18
19	.44		.11	.2		.02	.09		.63	.45	.03		19
20	.25		.16	.19	.08				.04	.31	1.04		20
21			.22	.51	.16	.02	.19			.08	.29		21
22	1.24		1.04		.04	.25		.49	.20			.05	22
23	.03		.01					.09	.12		.23	.40	23
24	.10	.05		.40		.01					.18		24
25				.24					.04	.04	.26	.21	25
26				1.12		.08		.06	.05	.02	.08	.39	26
27	.16		.15	.29						.39	.04	.01	27
28	.16		.15	.29	.26					.15	.02	.11	28
29	.02		.24	.59	.05					.25	.16		29
30	.58				.02					.23	.12		30
31	.20		.40		.14			.04		.04			31
Total	9.45	1.49	6.41	5.91	2.20	2.66	.91	1.89	2.26	2.53	9.59	4.08	49.38
Rain Days.	26.	9	25	22	19	18	12	9	15	14	28	18	218

REGISTER OF RAINFALL IN 1914

Kept at Ilfracombe (Waterworks)
in the County of Devon **NI**
by The Ilfracombe Urban District Council

Lat. 51° 11' Long. 4° 8'
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 375.00 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06	05		34	20	09			04	35	1
2	03				06		24	10			03	41	2
3	04		22	38	46			05		00		04	3
4	42		11	42	09		44	39			48	1 11	4
5	08		50	35			00				07	04	5
6		08	15	08	16	01	05	19			03	15	6
7	16	51	35	22	25	07	07	43	11			13	7
8	19		84	09	04	21	07	03				14	8
9	34	06	27	09	33	84		61	1 16				9
10	22	44	04	33	11				42			02	10
11		19	80		08	28			02		09	05	11
12		58	20						49		22	13	12
13		64	04				73		59	05	36	12	13
14		62	43				03	27	04	04	42	05	14
15		03	33					88	22		1 19	08	15
16		01	01				09		58			01	16
17	05	32	24				14		07			45	17
18		15	42				09		08			14	18
19		04	16				1 14				04	14	19
20		41	11			41						32	20
21		06					13			22		04	21
22		26	06	08	06	39		16		21			22
23		12	21				14			14	03		23
24			10			02		05			58		24
25	34	01	23				12	1 38		61	05	42	25
26	02	07	03				19	17		34	34	44	26
27	11	09								22	56	50	27
28	05	08	24		11					28	09	43	28
29	25		36		10					06	44	13	29
30	02	X	30							13	18	23	30
31	13	X		X	10	X	04		X	01	X	10	31
Total	2.50	5.03	7.53	2.09	2.31	2.24	4.58	6.10	3.52	2.78	6.40	4.11	52.93
Rain Days.	16	21	24	10	13	9	18	25	11	13	8	24	198

REGISTER OF RAINFALL IN 1915

Kept at Ilfracombe (waterworks)
in the County of Devon
by the Ilfracombe Urban District Council

Lat. 51° 11' 15" Long. 4° 8' 20" W
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Sea Level 395 ft.

1935
FORM A.
BRITISH RAINFALL
JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.36			.29			.26	(.29)	.08	.11	.12	1
2	.26	.28	.35	.20		.15	.01	.15	.07			.30	2
3		.22	.37	.37	.26	.01	.01					.65	3
4	.07	.41	.09		.02	.01	.54					.30	4
5	.07	.40	.05	.08				.22				.39	5
6	.42	.06		.62			.27	.15				.28	6
7	.31	.83		.06	.08		.28	.12		.09	.08	.62	7
8	.18	.42						.14		.02	.30	.13	8
9	.11	.36		.08				.05			.60	1.00	9
10	.38	.32	.23	.13				.01		.14	.04	.02	10
11	.06	.02	.08		.08			.01		.14	1.04	.19	11
12	.25	.32		.05	.36			.01		.11	.28	.08	12
13	.10	.31	.01	.03	.78		.08	.01	.24		.06	.13	13
14	.15		.01				.02	.06	.19		.02	.27	14
15	.30				.26		.35		.25		.17	.20	15
16		.82		.02	.10		1.44		.03				16
17	.07	.20			.01			.06					17
18		.44					.13						18
19	.04	.02		.14	.23		.77						19
20	.55	.01		.05		.10				.14		.05	20
21	.27	.61	.02		.14	.01	.44		.12	.35		.24	21
22	.03	.03	.23	.04		.01	.49			.26		.39	22
23	.13	.04	.05			.08	.05		.05	.73		.66	23
24			.03	.06					.15	.22		.28	24
25			.04			.14	(1.33)					.17	25
26		.14				.09			.04			.57	26
27		.10				.34	.07		.01	.79		.07	27
28		.04				.02			.36	.20			28
29						.25		.04	.08	.08	.25	.05	29
30	.15	X		.06		.18		.01	.01	.26	.28	.16	30
31		X		X		X	.17	.61	X	.48	X	.26	31
Total	4.37	6.76	1.56	1.99	2.61	1.39	5.13	1.91	1.89	4.09	3.23	7.52	YEAR'S TOTAL 42.50 43.83 198 200
Rain Days.	21	24	13	15	12	13	16	16	14	16	12	26	

REGISTER OF RAINFALL IN 1916

Kept at *Alfracombe (Waterworks)*

in the County of *Devon*

by *Alfracombe Urban District Council*

Lat. *51° 11' 15"* Long. *4° 8' 19"*

Time of Observation *9 a.m.*

Nearest Railway Station *Alfracombe*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. — in.

" " " " Sea Level *395* ft.

FORM A.
BRITISH RAINFALL
25 JAN 1917
1828

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.645	✓	✓	✓	.19	.41	.44	✓	.02	.48	.09	.02	1
2	.47	.12	.66	✓	.10	✓	.02	✓	.30	1.08	.23	✓	2
3	.01	1.14	✓	✓	.70	.19	✓	✓	.03	.55	.25	.03	3
4	.47	.58	✓	.07	.37	.45	✓	✓	.20	.03	.25	✓	4
5	.12	.09	✓	✓	.05	.07	.04	✓	✓	.13	.38	✓	5
6	.35	.31	✓	.02	.13	✓	.43	✓	✓	.19	.43	✓	6
7	✓	.17	.03	✓	.13	✓	✓	✓	✓	✓	.62	.47	7
8	✓	.22	.04	✓	.25	.20	✓	✓	✓	✓	.25	.15	8
9	✓	.03	✓	✓	.05	✓	.31	✓	✓	.13	.10	.37	9
10	✓	1.03	✓	.19	.06	✓	.02	✓	✓	✓	.05	✓	10
11	✓	.03	✓	.28	.13	✓	✓	✓	.08	✓	.03	✓	11
12	.04	.12	.03	.75	.39	✓	.28	.11	✓	.60	✓	✓	12
13	✓	.73	.05	.01	.02	✓	.02	.13	.03	.06	✓	✓	13
14	1.05	.64	.26	✓	.13	✓	✓	.23	✓	.08	✓	✓	14
15	.04	.38	✓	.21	.02	✓	.05	.62	✓	✓	✓	✓	15
16	.03	.03	✓	.58	.06	✓	.37	.02	✓	.18	✓	✓	16
17	.39	.32	✓	.06	✓	✓	✓	✓	1.06	.22	.43	.25	17
18	.04	.32	.21	.02	✓	✓	✓	✓	.07	.12	.02	.09	18
19	.23	.18	.03	.09	✓	✓	✓	.09	✓	✓	.16	.38	19
20	.12	.71	.13	.02	✓	✓	✓	✓	✓	✓	.37	.32	20
21	.11	.17	.42	✓	.06	✓	✓	✓	✓	✓	.29	.65	21
22	.03	✓	✓	✓	✓	.12	✓	.26	✓	.15	.16	✓	22
23	.07	.06	.02	✓	✓	.68	✓	.09	✓	.09	.18	✓	23
24	✓	.04	.16	.08	.15	✓	✓	.05	✓	.33	.02	.25	24
25	✓	.21	.27	.08	✓	.05	✓	.41	.03	.18	.20	.32	25
26	.16	.05	.11	✓	.02	.19	✓	✓	.40	.25	✓	.47	26
27	.14	.03	1.19	✓	.19	.04	✓	.03	.33	.50	✓	✓	27
28	✓	.26	✓	✓	✓	✓	✓	✓	.03	.39	.06	.74	28
29	✓	.48	.09	✓	✓	.90	✓	.74	.25	.55	✓	.43	29
30	✓	✕	✓	✓	✓	.06	✓	.05	✓	.54	✓	.03	30
31	✓	✕	✓	✕	✕	✕	✓	.15	✕	.34	✕	.19	31
Total	3.50	8.45	3.70	2.46	2.60	3.36	1.98	2.98	2.83	7.17	4.57	5.16	48.83
Rain Days.	19	27	16	14	20	12	10	14	13	23	21	17	206

REGISTER OF RAINFALL IN 1914

Kept at Ilfracombe (Waterworks).
in the County of Devon.

by The Ilfracombe Urban District Council

Lat. 51° W. Long. 4° 5' 20" W.
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 39.5 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	.34	.24	nil	.29	nil	.34	.08	.03	.38	nil	1
2	.11	nil	.04	.19	nil	.10	nil	.03	nil	.24	.15	nil	2
3	.12	.30	nil	.04	nil	nil	.46	nil	nil	1.40	.64	nil	3
4	nil	nil	.36	nil	nil	nil	.03	nil	.08	.14	.02	nil	4
5	.25	nil	.31	.16	nil	.33	nil	nil	.23	.19	.14	nil	5
6	nil	nil	.36	.02	nil	.04	nil	nil	nil	.24	.30	.12	6
7	.46	nil	nil	nil	nil	nil	.20	.21	nil	.14	.05	.04	7
8	.04	nil	.12	.09	nil	.10	.10	.34	.20	.41	.58	.23	8
9	nil	nil	.55	.04	.14	nil	nil	.04	.04	.20	.05	nil	9
10	.31	nil	.38	.41	nil	nil	nil	.14	nil	.12	.02	nil	10
11	nil	nil	.16	.41	nil	nil	nil	nil	nil	.68	.36	nil	11
12	.18	nil	.24	.04	.25	nil	nil	.11	nil	1.00	nil	.02	12
13	.10	nil	nil	.16	nil	.06	nil	.36	.61	.14	nil	.05	13
14	nil	nil	nil	.16	nil	nil	.02	.18	.08	.16	.11	nil	14
15	nil	nil	nil	.06	nil	nil	.03	nil	.06	.36	nil	.05	15
16	nil	.05	nil	.04	nil	nil	.06	nil	.04	.14	.13	.48	16
17	nil	nil	.08	.38	nil	nil	.43	.34	.31	.15	.12	.24	17
18	nil	nil	nil	.02	.04	nil	.53	.02	2.13	.08	.02	nil	18
19	nil	.69	.04	nil	nil	.36	nil	.03	.04	nil	.04	nil	19
20	nil	.04	nil	nil	.50	1.34	nil	nil	.04	nil	.02	.06	20
21	nil	.02	.11	nil	nil	nil	nil	.19	nil	.13	nil	.02	21
22	nil	nil	nil	nil	.03	nil	nil	.36	nil	.36	nil	nil	22
23	nil	.41	nil	nil	.11	.13	nil	.59	nil	.24	.12	nil	23
24	nil	.10	.02	nil	nil	.16	.25	.09	nil	.44	.22	nil	24
25	nil	.08	.04	nil	nil	.12	.03	.54	.14	.38	.05	nil	25
26	nil	.03	nil	nil	.39	.02	.03	.24	.38	.08	.14	nil	26
27	nil	nil	.04	nil	.15	.32	.14	1.24	nil	.21	.03	nil	27
28	nil	.23	.14	nil	.04	1.43	.09	.09	nil	.05	.03	nil	28
29	nil	X	.05	nil	nil	.04	nil	.36	nil	.61	.03	.30	29
30	nil	X	.04	nil	nil	nil	.03	.62	nil	.25	.04	nil	30
31	nil	X	nil	X	.56	X	nil	.22	X	.29	X	nil	31
Total	1.54	1.98	2.94	2.49	2.24	4.84	2.46	6.50	4.49	9.17	3.85	1.61	42.99
Rain Days.	8	10	18	16	10	14	15	23	15	29	25	11	194

low 9 76
REGISTER OF RAINFALL IN 1918.

Key at Ilfracombe. (Waterworks)
in the County of N Devon
by Ilfracombe Urban District Council

Lat. 51° 11' Long. 4° 8'
Time of Observation 9 am
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 395 0.2 ft.

1828
FORM A.
BRITISH RAINFALL
10 16 10
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.09		.24				1.55		.04	.62		1
2		.25			.08			.28	.04	.02	.16	.59	2
3		.10		.04				.13	.15	.11	.15	.14	3
4		.08			.15			.45	.38	.15	.93	.75	4
5		.03	.05	.23				.05	.76	.57	.21	.03	5
6	.22	.47		.25	.17				.09	.16		.02	6
7	.03	.40		.25		.14			.86	.19	.30	.09	7
8	.04				.06	.20	.03		.26	.35	.04	.03	8
9	.12	.07				.09	.05		.67	.24	.14	.49	9
10	.16	.04		.33			1.09		.67	.22	.17	.50	10
11	.06	.12	.17	.09		.05	.16		.31	.04	.26	.18	11
12		.12	.08		.39		.24		.13			.05	12
13	.23	.02				.11			.91	.35		.43	13
14	.59				.08	.11	.08	.07	.72	.14		.26	14
15	1.25						1.34		.03	.26		.62	15
16	.56			1.39			.18		.23	.06		.18	16
17	.50			.05			.08	.05	.06			.25	17
18	1.43		.20			.34	.01	.01	.73	.23		.34	18
19	.05	.11	.39	.10			.24	.01	.06	.06		.14	19
20	.10	.39		.44		.06	.24	.13	.20	.02			20
21	.03	.02		.01		.11	.06	.02	.48	.07		.31	21
22	.06				.49		1.04		.29			.41	22
23	.19				.07		1.05		.60		.13	.26	23
24	.03	.36				.11	.10	.06	.89		.41	.03	24
25	.03				.44		1.06	.23		.05	.15		25
26		.14					.43		.09	.05	.18	.60	26
27		.11	.06			.04		.28	.41	.03	.46		27
28		.14	.22						.13	.02	.40	.61	28
29			.21						1.56	.02	.02	.09	29
30		X	1.00					.09	X	.11	.10	.18	30
31		X	1.03	X		X		.19	X	.02	X		31
Total	5.68	3.36	3.41	3.42	1.93	1.36	7.38	3.60	11.71	3.58	4.83	7.58	57.84
Rain Days	19	19	10	12	9	11	18	16	27	26	18	26	211

REGISTER OF RAINFALL IN 1919.

Kept at Ilfracombe (Waterworks)
in the County of Devon
by Ilfracombe Urban District Council

Lat. 51. 11. Long. 4. 8
Time of Observation 9. am
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	69		15	09	18		04		17	27		79	1
2	30		14	13	03				09	05		52	2
3			09		34				01		03	69	3
4	19	31	26		02			08	26			08	4
5	08	41	14		11	24			01			48	5
6	13	16	14									27	6
7	11			15		02			10			03	7
8	17		34	12		08			02		02		8
9	10		28	17							1.13.	01	9
10			06	03		2				05	07	32	10
11	34		96	13	27	07	37			04	06	01	11
12	18		41	03	02	61				21	07		12
13	30	03	11	29			02		17	05		24	13
14	85	07	02	50	10		02		06			14	14
15	83				02					04		65	15
16	17	1.23				07	01				33	03	16
17		1.03				09	07				61	08	17
18	03	05	01				11	60	07		47	06	18
19	48	23	89			13	01	56	54		27	04	19
20	35	09	43		06	02		02	27		08	40	20
21	04	75	22		17		56	03	06		03	06	21
22		12	02				07	01	37		03	11	22
23										54	06	27	23
24						24			08	81	32	33	24
25	35							80	04	02	20	03	25
26	17			34		07		07	32	09	04	56	26
27	23		15	18		02		33				09	27
28	02		50	06				01			24	75	28
29				10				07			10	34	29
30		X	10	17		11		37			30	73	30
31		X	06	X		X	25	X			X	53	31
TOTAL	6.11	4.48	5.48	2.49	1.32	1.77	1.53	2.95	2.64	2.17	4.46	8.67	YEAR'S TOTAL
Days with 01 in. or more	22	12	22	15	11	13	11	12	17	11	20	29	195

REGISTER OF RAINFALL IN 1920.

Kept at The Ilfracombe Waterworks
in the County of Devon
by Ilfracombe Urban District Council

Lat. 51° 4' Long. 4° 8'
Time of Observation 9 a.m.
Nearest Railway Station Ilfracombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 395 ft. 0.0

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	.02	.10	.36	—	~~1.30~~	~~.70~~	.15	.06	.04	.54	1
2	.03	—	—	.31	.02	—	.33	.24	.54	.10	—	.19	2
3	.19	.18	—	.14	—	—	.34	.10	.23	.82	—	.12	3
4	—	—	.04	.14	.03	—	—	.43	.04	.35	—	—	4
5	—	—	.24	—	.49	—	.61	.11	—	.16	—	—	5
6	—	—	.36	.02	.56	—	.19	—	—	.14	.03	—	6
7	.09	—	—	.21	.06	—	.06	—	—	—	.08	—	7
8	.03	.11	—	.42	.16	—	.43	.31	—	—	—	—	8
9	.88	.29	.09	.38	—	.18	.53	—	.08	—	.09	—	9
10	1.14	.44	.20	.14	—	.14	.23	—	—	—	.09	—	10
11	.12	.03	.12	.24	.22	.19	.09	—	—	—	—	—	11
12	.56	.13	.06	.19	.04	.10	.09	.01	.03	—	.24	—	12
13	.06	.10	.59	.14	—	—	.01	—	—	.54	.03	—	13
14	.18	.03	.55	.49	—	.04	.24	—	.34	.16	.56	—	14
15	.11	.20	—	.45	.16	—	—	—	—	.64	.19	—	15
16	.01	—	.06	—	.02	.24	.13	.05	.29	.95	—	—	16
17	.18	—	.01	.04	.39	.04	.10	.51	1.11	.04	—	.02	17
18	.35	—	.06	.08	.13	.12	—	.31	.09	—	.06	.04	18
19	.06	.12	—	.65	.05	.26	.03	—	—	—	—	—	19
20	.05	—	—	.12	—	.20	.15	.02	—	.03	—	.24	20
21	—	—	—	.10	—	—	.11	—	—	.06	—	.15	21
22	.08	—	—	.11	—	—	.13	.03	—	—	—	.66	22
23	—	—	.19	—	—	—	.69	.22	—	—	—	.53	23
24	.05	.05	.38	.04	—	.06	.15	—	—	—	.04	.29	24
25	.09	.18	.13	—	—	.09	.84	—	—	—	—	.02	25
26	.40	—	.29	—	.06	.25	.02	—	.01	—	.04	.15	26
27	.40	.12	.24	.18	.14	.80	.13	—	—	—	.56	.34	27
28	.66	.06	.32	.30	—	.24	.28	—	—	—	—	.14	28
29	.24	.02	.35	.10	.25	.05	.22	—	—	—	.24	.50	29
30	.35	X	.10	.02	—	.44	.16	—	.83	.11	.39	.69	30
31	.16	X	.48	X	—	X	—	—	X	.45	X	.15	31
TOTAL	6.51	2.09	4.88	6.04	3.14	3.53	4.56	2.77	3.44	4.94	2.44	4.86	52.89
Days with 0.1 in. or more	26	15	22	25	14	14	24	13	12	15	15	14	221
Days with 0.4 in. or more	23	12	20	23	14	14	24	11	10	14	13	15	198

REGIS

DEVON.

Kept at Ilsington

in the County of Devon

by W. J. H. Burne

ILSINGTON.

1911-1920

1.

5 in.

Ground 1 ft. — in.

Sea Level 600 ft.

Name Bovey Tracey

Distance 3 m. Direction E

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.02	.01	.07	.00	.00	.00	.00	.00	.03	.03	1
2	.00	.00	.01	.07	.51	.00	.00	.42	.00	.17	.14	.48	2
3	.00	.00	.00	.00	.33	.00	.00	.01	.00	.00	.33	.34	3
4	.00	.00	.04	.00	.00	.00	.00	.12	.00	.04	.39	.69	4
5	.23	.00	.12	.00	.00	.00	.00	.78	.00	.08	.27	.07	5
6	.37	.00	.34	.00	.00	.00	.00	.00	.00	.04	.35	1.21	6
7	.01	.00	.00	.02	.00	.00	.00	.00	.00	.00	.45	.00	7
8	.00	.00	.11	.00	.00	.00	.00	.00	.00	.00	.06	1.09	8
9	.02	.00	.00	.00	.00	.36	.00	.00	.00	.00	.69	.95	9
10	.02	.02	.59	.00	.14	.00	.00	.00	.00	.00	.04	.66	10
11	.41	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.18	.15	11
12	.06	.00	.56	.00	.00	.00	.00	.00	.16	.00	.23	.29	12
13	.00	.00	.12	.00	.00	.00	.00	.00	.11	.00	.06	.63	13
14	.00	.06	.02	.00	.00	.00	.00	.00	.00	.17	.03	.70	14
15	.00	.61	.01	.00	.00	.03	.00	.00	.00	.00	.59	.17	15
16	.02	.02	.10	.00	.00	.85	.00	.00	.00	.00	.50	.96	16
17	.00	.03	.82	.00	.00	.39	.00	.00	.00	.00	.20	1.08	17
18	.00	.41	.31	.33	.00	.74	.00	.00	.00	.21	.48	.97	18
19	.00	.11	.04	.09	.00	.25	.00	.00	.73	.26	.13	.63	19
20	.03	.02	.26	.09	.00	.01	.00	.00	.04	.51	.00	.79	20
21	.02	.32	.01	.00	.00	.07	.00	1.77	.23	.67	.00	.13	21
22	.19	.04	.03	.08	.00	.07	.00	.00	.66	.30	.00	.90	22
23	.01	.33	.17	.00	.00	.06	.00	.00	.11	.32	.13	.49	23
24	.00	.30	.60	.00	.00	.22	.00	.46	.00	.39	.00	.44	24
25	.00	.10	.00	.08	.00	.02	.00	.00	.32	.00	.00	.16	25
26	.00	.09	.00	.40	.00	.00	.00	.00	.00	.72	.02	.25	26
27	.00	.40	.04	.07	.16	.00	.00	.12	.19	.47	.00	.19	27
28	.00	.23	.53	.66	.00	.00	.00	.32	.00	.00	.21	.00	28
29	.00		.00	.28	.41	.30	.64	.00	.22	.59	.00	.00	29
30	.00		.01	.00	.00	.03	.04	.00	.03	.44	.34	.02	30
31	.00		.07		.00		.22	.00		.02		.00	31
Total	1.40	2.49	3.83	2.15	1.62	3.11	.90	3.70	2.82	5.40	6.90	14.38	TOTAL for year 1913
No. of Rain Days.	13	16	23	12	6	13	3	8	12	17	23	27	48%

REGIS

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Islington

in the County of Devon

by W. J. H. Burnett

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Bovey Tracey
Distance 3 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.02	.01	.07	.00	.00	.00	.00	.00	.03	.03	1
2	.00	.00	.01	.07	.51	.00	.00	.42	.00	.17	.14	.48	2
3	.00	.00	.00	.00	.33	.00	.00	.01	.00	.00	.33	.34	3
4	.00	.00	.04	.00	.00	.00	.00	.12	.00	.04	.39	.69	4
5	.23	.00	.12	.00	.00	.00	.00	.78	.00	.08	.27	.07	5
6	.37	.00	.34	.00	.00	.00	.00	.00	.00	.04	.35	1.21	6
7	.01	.00	.00	.02	.00	.00	.00	.00	.00	.00	.45	.00	7
8	.00	.00	.11	.00	.00	.00	.00	.00	.00	.00	.06	1.09	8
9	.02	.00	.00	.00	.00	.36	.00	.00	.00	.00	.69	.95	9
10	.02	.02	.59	.00	.14	.00	.00	.00	.00	.00	.04	.66	10
11	.41	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.18	.15	11
12	.06	.00	.56	.00	.00	.00	.00	.00	.16	.00	.23	.29	12
13	.00	.00	.12	.00	.00	.00	.00	.00	.11	.00	.06	.63	13
14	.00	.06	.02	.00	.00	.00	.00	.00	.00	.17	.03	.70	14
15	.00	.61	.01	.00	.00	.03	.00	.00	.00	.00	.57	.17	15
16	.02	.02	.10	.00	.00	.85	.00	.00	.00	.00	.50	.95	16
17	.00	.03	.82	.00	.00	.39	.00	.00	.00	.00	.20	1.08	17
18	.00	.41	.31	.33	.00	.74	.00	.00	.00	.21	.48	.97	18
19	.00	.11	.04	.09	.00	.05	.00	.00	.73	.26	.13	.63	19
20	.03	.02	.26	.09	.00	.01	.00	.00	.07	.51	.00	.79	20
21	.02	.32	.01	.00	.00	.07	.00	1.77	.23	.67	.00	.13	21
22	.19	.04	.03	.03	.00	.07	.00	.00	.66	.30	.00	.90	22
23	.01	.33	.17	.00	.00	.06	.00	.00	.11	.32	.13	.49	23
24	.00	.30	.00	.00	.00	.22	.00	.16	.00	.39	.00	.44	24
25	.00	.10	.00	.08	.00	.02	.00	.00	.32	.00	.00	.16	25
26	.00	.09	.00	.40	.00	.00	.00	.00	.00	.72	.02	.25	26
27	.00	.40	.04	.07	.16	.00	.00	.12	.19	.47	.00	.19	27
28	.00	.23	.83	.66	.00	.00	.00	.32	.00	.00	.21	.00	28
29	.00		.00	.28	.41	.30	.64	.00	.22	.57	.00	.00	29
30	.00		.01	.00	.00	.03	.04	.00	.03	.44	.34	.02	30
31	.02		.07		.00		.22	.00		.02		.00	31
Total	1.40	2.49	3.83	2.15	1.62	3.11	.90	3.70	2.82	5.40	6.90	14.38	TOTAL for year 173
No. of Rain Days.	13	16	23	12	6	13	3	8	12	17	23	27	43%

REGISTER OF RAINFALL IN 1912.

Kept at Ilminster
in the County of Devon. 5.5
by W. J. H. Burnett

Lat. 50° 35' Long. 3° 46'
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 650 ft.

BRITISH RAINFALL FORM A.
16 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.15	.00	.00	.40	.11	.02	.17	.94	.00	.35	1
2	.00	.00	.33	.00	.00	.56	.03	.19	.00	.04	.00	.02	2
3	.00	.00	.42	.00	.01	.29	.11	.68	.06	.00	.00	.12	3
4	.19	.04	.16	.00	.04	.59	.00	.23	.00	.00	.14	.01	4
5	.69	.41	.23	.00	.04	.02	.06	.69	.00	.00	.01	.21	5
6	.73	.10	.02	.00	.28	.12	.02	.13	.00	.00	.00	.02	6
7	.10	.86	.30	.00	.11	.60	.00	.14	.00	.00	.00	.34	7
8	.75	.16	.61	.10	.00	.24	.07	.06	.00	.00	.00	.01	8
9	.06	.09	.18	.13	.00	.14	.05	.11	.00	.00	.00	.30	9
10	.24	.12	.09	.02	.00	.19	.10	.12	.03	.00	.40	.31	10
11	.04	.09	.10	.00	.00	.00	.01	.05	.00	.00	.28	.62	11
12	.02	.54	.09	.00	.03	.00	.07	.40	.00	.00	.04	.08	12
13	.47	.00	.00	.00	.00	.03	.60	.01	.00	.07	.00	.38	13
14	.07	.10	.75	.00	.08	.00	.00	.04	.00	.02	.00	.14	14
15	.86	.20	.07	.00	.43	.45	.00	.01	.00	.00	.00	.27	15
16	.36	.02	.59	.00	.05	.01	.00	.18	.00	.11	.06	.13	16
17	.01	.00	.26	.00	.01	.06	.00	1.06	.00	.00	.01	.10	17
18	.00	.02	.28	.00	.00	.00	.00	.69	.01	.03	.01	.04	18
19	.08	.28	.58	.00	.00	.03	.07	.58	.00	.04	.00	.09	19
20	.13	.11	.49	.00	.19	.00	.00	.18	.00	.32	.00	.00	20
21	.00	.29	.43	.00	.72	.00	.05	.12	.00	.22	.00	.00	21
22	.58	.56	.21	.00	.00	.00	.06	.12	.00	.10	.02	.24	22
23	.36	.29	.24	.00	.00	.06	.02	.62	.00	.03	.09	.25	23
24	.12	.12	.04	.00	.00	.66	.00	.01	.00	.00	.00	.45	24
25	.27	.05	.00	.00	.00	.08	.19	.32	.00	.31	.38	.41	25
26	.00	.08	.00	.00	.00	.00	.03	.27	.00	.83	.92	.70	26
27	.00	.02	.00	.00	.00	.58	.35	.39	.00	2.08	.00	.78	27
28	.00	.14	.00	.00	.00	.26	.34	.98	.57	.61	.68	.48	28
29	.00	.46	.00	.00	.00	.03	.17	.25	.52	.69	.19	.28	29
30	.00		.02	.00	.00	.16	.23	.00	.24	.44	.00	.01	30
31	.00		.21		.00		.74	.02		.03		.05	31
Total	6.13	5.18	7.85	.25	1.99	5.56	3.48	9.67	1.59	6.91	3.23	7.19	59.03
Rain Days.	20	24	25	3	12	22	22	30	25	18	14	29	226

REGISTER OF RAINFALL IN 1913

Kept at Ilminster
in the County of Devon
by W. J. J. H. Burnett

Lat. 50°36' N Long. 3°12' W
Time of Observation 9 a.m.
Nearest Railway Station Bonnybridge
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

BRITISH RAINFALL FORM A
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.18	.29	.13	.07	.00	.00	.00	.03	.34	.48	.07	1
2	.30	.28	.03	.22	.52	.00	.03	.00	.01	.30	.28	.02	2
3	.67	.01	.15	.05	.35	.00	.00	.00	.05	.13	.00	.56	3
4	1.13	.03	.15	.02	.13	.04	.00	.00	.27	.45	.25	.37	4
5	.08	.06	.03	.00	.23	.19	.01	.00	.67	.06	.34	.33	5
6	.31	.17	.21	.00	.21	.09	.00	.00	.52	.88	.17	.05	6
7	.04	.87	.05	.00	.08	.11	.14	.00	.00	.66	.44	.00	7
8	.09	.38	.00	.00	.39	.00	.01	.00	.00	.05	.02	.00	8
9	.12	.01	.00	.00	.14	.05	.20	.14	.00	.00	.61	.04	9
10	1.18	.00	.00	.04	.15	.03	.00	.00	.00	.15	.49	.00	10
11	.93	.00	.00	.03	.96	.05	.00	.06	.00	.08	.92	.02	11
12	.11	.00	.00	.02	.07	.05	.00	.01	.00	.00	.35	.04	12
13	.12	.00	.18	.01	.05	.00	.00	.00	.20	.00	.10	.00	13
14	.42	.00	.35	.12	.24	.00	.00	.04	.08	.00	.15	.00	14
15	.40	.00	.89	.96	.00	.00	.00	.00	.07	.00	.08	.00	15
16	.39	.00	.62	.17	.00	.00	.00	.00	1.14	.00	.00	.00	16
17	.14	.00	.08	.28	.00	.00	.00	.00	.00	.00	.06	.00	17
18	.09	.00	.51	.15	.00	.00	.00	.00	.00	.00	.15	.00	18
19	.61	.00	.06	.00	.03	.20	.00	.00	.36	.10	.00	.00	19
20	.17	.00	.26	.48	.08	.01	.00	.00	.00	.04	.66	.00	20
21	.02	.00	.33	.17	.00	.00	.00	.00	.00	.05	.35	.00	21
22	.39	.00	.79	.03	.00	.07	.02	.01	.03	.29	.00	.29	22
23	.00	.00	.02	.00	.00	.04	.00	.12	.00	.00	.11	.96	23
24	.02	.25	.00	.05	.00	.04	.00	.02	.00	.00	.05	.00	24
25	.00	.02	.00	.62	.00	.00	.00	.00	.04	.10	.01	.04	25
26	.00	.00	.00	1.43	.00	.00	.00	.08	.00	.02	.00	.38	26
27	.58	.00	.29	.22	.00	.00	.00	.01	.00	.42	.00	.06	27
28	.41	.00	.17	.33	.00	.00	.00	.00	.00	.39	.00	.16	28
29	.16		.66	.51	.02	.00	.00	.00	.00	.27	.00	.00	29
30	.87		.00	.06	.03	.00	.02	.00	.09	.81	.06	.00	30
31	.16		.12		.03		.00	.36		.11		.00	31
Total	9.91	2.26	6.27	6.10	4.78	9.9	4.3	8.53	0.6	5.70	6.13	3.40	49.58
Rain Days.	27	11	22	23	19	13	7	10	14	21	22	15	204

REGISTER OF RAINFALL IN 1914

Kept at Ilsington
in the County of Devon
by W. J. J. H. Burnett

Lat. 50°36' N Long. 3°12' W
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 650 ft.

Form A.
BRITISH RAINFALL
JAN 1915
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.08	.09	.00	.05	.15	.26	.00	.00	.59	.06	1
2	.00	.00	.07	.13	.14	.00	.11	.07	.00	.00	.28	.60	2
3	.00	.00	.20	.32	.78	.00	.00	.01	.00	.00	.13	.08	3
4	.14	.00	.12	.33	.17	.00	.66	.34	.00	.00	.49	1.13	4
5	.22	.00	.22	.24	.10	.00	.00	.01	.01	.00	.09	.08	5
6	.04	.08	.15	.24	.17	.00	.17	.06	.00	.00	.00	1.08	6
7	.02	1.70	.23	.14	.20	.09	.24	.23	.31	.00	.00	.34	7
8	.03	.00	.77	.34	.09	.51	.00	.19	.12	.00	.00	.15	8
9	.02	.04	.44	.37	.02	.42	.00	.23	.67	.00	.00	.01	9
10	.04	.86	.10	.36	.02	.09	.00	.00	.30	.00	.00	.23	10
11	.00	.22	.51	.00	.00	.12	.00	.00	.03	.00	.08	.94	11
12	.00	.38	.11	.00	.00	.00	.00	.00	.29	.12	.11	.76	12
13	.00	.89	.74	.00	.00	.00	.06	.00	.25	.20	.05	.26	13
14	.00	1.14	.58	.00	.00	.36	.00	.65	.05	.02	.71	.03	14
15	.00	.01	.23	.00	.00	.00	.09	.66	.01	.08	.18	.18	15
16	.00	.00	.03	.00	.00	.00	.00	.00	.64	.00	.00	.01	16
17	.00	.45	.38	.00	.00	.00	.00	.00	.01	.00	.00	1.12	17
18	.00	.11	.26	.00	.00	.02	.08	.00	.17	.00	.00	.38	18
19	.00	.04	.99	.00	.00	.00	2.20	.00	.08	.00	.07	.27	19
20	.00	.63	.25	.00	.00	.13	.00	.00	.00	.00	.06	.23	20
21	.00	.56	.01	.00	.00	.00	.00	.00	.00	.44	.00	.10	21
22	.00	.06	.01	.00	.48	.05	.00	.00	.00	.46	.00	.00	22
23	.00	.16	.41	.00	.00	.00	.02	.00	.00	.38	.00	.00	23
24	.00	.30	.07	.00	.07	.00	.02	.00	.00	.02	.08	.00	24
25	.11	.00	.34	.00	.06	.00	.04	.10	.00	.50	.08	.51	25
26	.05	.07	.01	.00	.00	.00	.06	.51	.00	.03	.35	.87	26
27	.03	.10	.00	.00	.00	.00	.02	.00	.00	.08	.56	.51	27
28	.01	.04	.47	.00	.07	.00	.00	.00	.00	.15	.25	1.05	28
29	.26		.31	.00	.16	.00	.21	.00	.00	.03	1.37	.08	29
30	.02	X	.25	.00	.00	.00	.01	.00	.00	.30	.91	1.23	30
31	.44	X	.00	X	.00	X	.59	.00	X	1.50	X	.08	31
Total	1.43	7.84	8.34	2.53	2.19	1.84	4.73	3.32	2.94	4.35	6.44	12.37	68.32
Rain Days.	14	20	29	10	15	10	17	13	14	15	19	28	204

REGISTER OF RAINFALL IN 1915

Kept at Ilminster
in the County of Devon
by W. J. J. A. Burnett

Lat 50° 36' N Long 3° 12' W.
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

1862
FORM A.
BRITISH RAINFALL
8 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	.21	.00	.00	.00	.00	.00	.95	.31	.54	.03	.19	1
2	.31	.34	.08	.04	.00	.07	.00	.25	.04	.05	.00	.96	2
3	.22	.36	.09	.05	.33	.00	.00	.02	.00	.00	.00	.57	3
4	.07	.20	.00	.00	.08	.00	.00	.01	.00	.00	.00	.69	4
5	.08	.08	.00	.16	.02	.00	.00	.25	.00	.00	.00	.90	5
6	.98	.17	.00	.42	.01	.00	.57	.01	.00	.00	.00	.37	6
7	.64	.66	.00	.17	.01	.00	.17	.00	.00	.28	.02	.40	7
8	.25	.45	.00	.00	.00	.00	.03	.09	.00	.11	.06	.30	8
9	.01	.24	.00	.14	.00	.00	.00	.01	.00	.00	.43	1.18	9
10	.46	.47	.00	.04	.00	.00	.00	.07	.00	.17	.18	.12	10
11	.27	.19	.15	.00	.00	.00	.00	.10	.00	.33	1.20	.09	11
12	.04	.53	.00	.03	.72	.00	.00	.20	.00	.12	.49	.02	12
13	.00	.32	.00	.00	.88	.00	.00	.07	.02	.00	.19	.07	13
14	.10	.02	.00	.00	.00	.00	.26	.23	.04	.14	.00	1.35	14
15	.27	.00	.00	.00	.41	.00	.17	.00	.00	.06	.11	.32	15
16	.02	1.96	.00	.00	.39	.00	.90	.00	.00	.02	.00	.20	16
17	.00	.30	.04	.00	.09	.00	.01	.00	.00	.00	.00	.00	17
18	.00	.31	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	18
19	.02	.00	.00	.00	.74	.00	.10	.00	.00	.00	.00	.00	19
20	.45	.01	.00	.11	.04	.10	.02	.00	.00	.20	.00	.02	20
21	.27	.08	.00	.00	.06	.03	.37	.00	.00	.29	.00	.09	21
22	.12	.07	.47	.14	.00	.01	.39	.00	.01	.05	.00	.57	22
23	.07	.02	.09	.00	.00	.03	.06	.00	.16	1.68	.00	.65	23
24	.00	.00	.00	.02	.00	.05	.02	.00	.07	.28	.00	.85	24
25	.03	.00	.01	.06	.00	.61	.11	.00	.00	.00	.02	.58	25
26	.02	.28	.00	.00	.00	.16	.10	.00	.01	.00	.00	1.32	26
27	.01	.08	.00	.00	.00	.07	.06	.00	.00	.68	.00	.02	27
28	.00	.13	.00	.03	.00	.10	.00	.00	.31	.16	.02	.12	28
29	.00		.00	.00	.00	.39	.00	.00	.09	.00	.32	.30	29
30	.40	X	.00	.00	.00	.03	.00	.00	.02	.89	.00	.51	30
31	.10	X	.00	X	.00	X	.30	.08	X	1.02	X	.62	31
Total	5.78	9.48	.95	1.41	3.78	1.65	3.64	2.34	1.07	7.07	3.57	13.35	54.09
Rain Days.	25	24	8	13	13	12	17	14	11	19	13	28	197

REGISTER OF RAINFALL IN 1916.

Kept at Ilminster
in the County of Devon
by W. J. J. H. Burnett

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One in.
" " " " Sea Level 650 ft.

1822
FORM A.
BRITISH RAINFALL.
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.00	.07	.00	.21	.06	.08	.00	.04	.36	.11	.00	1
2	.38	.08	.04	.00	.04	.00	.00	.00	.07	.18	.44	.00	2
3	.03	1.36	.00	.00	.42	.01	.03	.00	.10	.72	.35	.02	3
4	.37	.20	.00	.00	.14	.38	.02	.00	.04	.41	1.05	.00	4
5	.03	.13	.03	.00	.10	.25	.00	.00	.00	.39	.26	.00	5
6	.09	.20	.01	.00	.13	.03	.98	.00	.00	.44	1.46	.00	6
7	.10	.39	.19	.00	.11	.06	.00	.00	.00	.04	.80	.06	7
8	.00	.41	.38	.00	.26	.25	.00	.00	.00	.00	.18	.25	8
9	.00	.22	.01	.00	.01	.19	.00	.00	.00	.06	.16	.34	9
10	.00	.48	.00	.03	.04	.00	.00	.00	.00	.10	.02	.00	10
11	.00	.04	.07	.08	.02	.00	.00	.00	.02	.00	.00	.00	11
12	.06	.06	.18	.10	.13	.00	.08	.03	.00	.02	.00	.00	12
13	.00	.40	.22	.03	.00	.00	.00	.36	.00	.00	.00	.06	13
14	.00	.76	.48	.00	.05	.00	.00	.31	.00	.15	.00	.00	14
15	.01	.80	.29	.09	.00	.00	.00	.03	.00	.04	.00	.00	15
16	.28	.21	.00	.19	.00	.00	.00	.72	.00	.09	.00	.00	16
17	.34	.09	.00	.04	.00	.00	.00	.00	.17	.34	1.06	.00	17
18	.07	.28	.45	.06	.00	.00	.00	.00	.22	.07	.01	.13	18
19	.21	.27	.22	.18	.00	.00	.00	.00	.00	.00	.16	.10	19
20	.16	.97	.25	.00	.00	.00	.00	.00	.00	.00	.08	.98	20
21	.05	.06	.05	.01	.07	.00	.00	.00	.00	.00	.00	.22	21
22	.60	.00	.00	.00	.00	.26	.00	.00	.00	.26	.00	.73	22
23	.04	.03	.00	.04	.00	.15	.00	.36	.00	.32	.44	.23	23
24	.00	.12	.02	.14	.19	.03	.00	.19	.00	.57	.02	.36	24
25	.02	.22	.20	.00	.00	.01	.00	.73	.00	.00	.27	.00	25
26	.01	.21	.15	.00	.02	.08	.00	.41	1.42	1.05	.05	.03	26
27	.00	.00	1.30	.00	.00	.49	.00	.09	.44	.46	.00	.00	27
28	.00	.04	.02	.00	.04	.00	.00	.13	.83	.58	.00	.44	28
29	.00	.19	.05	.00	.00	.46	.00	2.37	.19	.32	.00	.48	29
30	.00	X	.00	.00	.00	.05	.00	.03	.01	.58	.00	.00	30
31	.00	X	.00	X	.00	X	.00	.05	X	.64	X	.00	31

Total	2.50	8.24	4.62	1.01	1.98	2.78	1.19	5.83	3.55	8.19	6.92	3.47	51.26
Rain Days.	18	26	22	12	17	16	5	14	12	24	18	15	199

Average for 6 yrs 53.54"

REGISTER OF RAINFALL IN 1917.

Kept at Ilminster
in the County of Devon
by H. J. J. H. B. B. B.

Lat. 50.30N Long. 3.30W.
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.01	.19	.00	.46	.00	.24	.03	.00	.01	.02	1
2	.00	.00	.15	.14	.00	.07	.00	.00	.00	.00	.00	.00	2
3	.00	.00	.00	.15	.00	.00	.20	.00	.00	.53	.94	.00	3
4	.11	.03	.77	.00	.00	.00	.00	.00	.02	.64	.00	.00	4
5	.09	.00	.28	.15	.00	.60	.00	.00	.06	.27	.22	.00	5
6	.01	.00	.13	.00	.00	.07	.00	.00	.02	.28	.13	.02	6
7	.59	.00	.00	.00	.00	.00	.16	.11	.00	.17	.09	.00	7
8	.14	.00	.35	.17	.00	.00	.19	.30	.00	.68	.18	.32	8
9	.00	.00	.14	.19	.04	.00	.04	.11	.03	.36	.29	.00	9
10	.23	.00	.59	.28	.00	.00	.00	.06	.01	.01	.02	.01	10
11	.05	.00	1.26	.20	.00	.00	.00	.60	.01	.44	.18	.00	11
12	.39	.00	.00	.02	.37	.00	.00	.11	.00	.69	.00	.00	12
13	.04	.00	.38	.03	.00	.02	.00	.68	.11	.14	.00	.00	13
14	.00	.00	.00	.17	.00	.00	.14	.19	.03	.02	.00	.00	14
15	.04	.00	.00	.02	.00	.00	.13	.05	.00	.34	.00	.50	15
16	.00	.23	.00	.03	.00	.00	.00	.01	.00	.22	.00	.35	16
17	.00	.02	.00	.08	.00	.00	.35	.19	.57	.06	.00	.00	17
18	.00	.16	.00	.02	.90	.01	.28	.01	.73	.02	.00	.00	18
19	.00	.45	.10	.00	.00	.33	.00	.00	.29	.00	.00	.00	19
20	.00	.10	.03	.00	.58	.05	.00	.00	.03	.00	.00	.00	20
21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.01	.00	21
22	.00	.00	.02	.00	.02	.00	.00	.82	.00	.12	.00	.00	22
23	.00	.01	.00	.00	.16	.00	.00	.37	.00	.20	.00	.00	23
24	.00	.00	.00	.00	.00	.14	.19	.14	.00	.37	.06	.01	24
25	.00	.00	.04	.00	.00	.00	.00	.31	.11	.32	.06	.00	25
26	.00	.00	.00	.00	.27	.08	.00	.39	.07	.06	.03	.00	26
27	.00	.00	.00	.00	.00	1.25	.02	1.23	.00	.08	.00	.00	27
28	.00	.00	.24	.00	.01	.37	.00	.79	.00	.00	.00	.02	28
29	.00	X	.28	.00	.00	.29	.00	.05	.00	1.05	.00	.14	29
30	.00	X	.13	.00	.00	.00	.09	.29	.00	.09	.02	.00	30
31	.00	X	.02	X	.28	X	.00	.00	X	.30	X	.00	31
Total	1.69	1.00	4.02	1.86	2.63	3.74	1.79	7.05	1.92	7.49	2.24	1.40	37.73
Rain Days	10	10	18	15	9	13	11	22	15	26	14	10	173

REGISTER OF RAINFALL IN 1918.

Kept at Schoolhouse, Usington
in the County of Devon
by W. J. J. H. Bennett

Lat. 50° 30' N Long. 3° 30' W.
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 650 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.23	.00	.19	.02	.00	.00	.66	.00	.03	1.27	.01	1
2	.00	.40	.00	.05	.00	.00	.00	.02	.00	.03	.03	.44	2
3	.00	.46	.00	1.18	.06	.00	.00	.08	.00	.07	.17	.00	3
4	.00	.07	.00	.03	.00	.00	.00	.25	.48	.00	1.67	.49	4
5	.00	.01	.09	.07	.44	.00	.00	.99	.75	.37	.03	.15	5
6	.15	.34	.11	.22	.00	.00	.00	.13	.00	.40	.00	.24	6
7	.00	.20	.00	.09	.00	.00	.00	.00	.41	.19	.45	.38	7
8	.00	.21	.00	.00	.00	.00	.00	.00	.18	.29	.00	.00	8
9	.16	.02	.00	.00	.00	.13	.29	.00	.80	.02	.03	.47	9
10	.07	.00	.00	.36	.00	.00	.30	.00	.35	.16	.03	.45	10
11	.01	.02	.15	.07	.00	.00	.12	.00	.26	.06	.08	.10	11
12	.00	.15	.06	.00	.26	.00	.11	.00	.07	.00	.05	.06	12
13	.00	.03	.00	.00	.12	.00	.30	.00	.53	.11	.00	.13	13
14	.51	.00	.00	.00	.06	.10	.05	.00	.19	.04	.00	.26	14
15	1.34	.00	.00	.00	.03	.08	.65	.00	.17	.08	.00	.39	15
16	.76	.00	.00	.47	.00	.02	.08	.00	.35	.05	.00	.09	16
17	.34	.00	.01	.20	.00	.00	.42	.00	.18	.00	.00	.30	17
18	1.33	.00	.02	.00	.00	.68	.15	.00	.88	.32	.00	.69	18
19	.30	.00	.17	.01	.00	.01	.20	.00	.06	.00	.00	.33	19
20	.41	.11	.00	.20	.00	.01	.21	.00	.35	.06	.00	.00	20
21	.19	.10	.00	.01	.00	.00	.01	.00	.62	.13	.00	.48	21
22	.03	.02	.00	.00	.08	.00	.43	.00	.26	.03	.06	.53	22
23	.14	.01	.00	.00	.12	.00	.33	.00	.08	.00	.07	.22	23
24	.02	.15	.00	.00	.00	.00	.11	.00	.02	.00	.24	.34	24
25	.00	.00	.00	.15	.02	.00	.27	.00	.00	.06	.27	.00	25
26	.07	.05	.00	.00	.00	.00	.18	.00	.11	.00	.06	.16	26
27	.04	.09	.20	.00	.00	.00	.00	.80	.15	.02	.19	.05	27
28	.00	.22	.25	.00	.00	.00	.00	.17	.00	.05	.04	.15	28
29	.00	X	.12	.00	.00	.00	.00	.00	1.55	.02	.00	.05	29
30	.00	X	.27	.00	.00	.00	.00	.00	.03	.15	.08	.19	30
31	.00	X	.21	X	.00	X	.00	.00	X	.00	X	.00	31
Total	5.81	2.89	1.66	3.30	1.21	1.03	4.21	3.10	8.79	2.74	4.82	7.17	46.73
Rain Days.	17	20	12	15	10	7	18	8	24	23	18	26	195

REGISTER OF RAINFALL IN 1919.

Kept at School House, Ilminster
in the County of Devon
by W. J. A. Barnett

Lat. 50.30N Long. 3.30W.
Time of Observation 9 a.m.
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	59	00	34	00	25	00	21	00	12	24	00	99	1	
2	29	00	02	00	02	00	02	00	01	02	00	03	2	
3	34	00	30	00	01	00	00	00	27	00	03	18	3	
4	52	76	49	00	00	00	00	06	10	00	03	03	4	
5	09	25	136	00	00	00	00	00	28	00	09	29	5	
6	50	132	15	00	00	00	00	00	00	00	01	70	6	
7	38	00	74	08	00	00	01	00	00	00	00	03	7	
8	48	00	20	02	01	00	00	00	00	00	40	00	8	
9	40	00	03	12	12	00	00	00	00	00	53	03	9	
10	10	00	86	00	02	00	00	00	00	02	01	78	10	
11	08	00	64	10	49	01	04	00	00	02	00	31	11	
12	49	00	06	02	01	02	01	00	00	07	12	03	12	
13	23	22	20	68	00	00	00	00	00	07	00	28	13	
14	83	52	00	118	37	00	02	00	15	11	00	46	14	
15	50	16	00	11	00	00	00	00	02	12	00	26	15	
16	17	48	00	00	01	00	00	00	00	00	19	10	16	
17	03	49	00	00	00	00	00	00	00	00	54	00	17	
18	00	35	49	00	00	00	23	13	02	00	36	01	18	
19	59	83	16	00	00	11	51	42	33	00	29	01	19	
20	63	14	01	00	00	46	00	06	14	00	23	10	20	
21	04	29	00	00	04	01	06	00	05	02	00	26	21	
22	00	03	02	00	01	00	05	00	06	00	02	17	22	
23	00	00	02	00	00	00	00	18	02	35	14	30	23	
24	00	02	00	00	00	17	00	14	00	62	25	38	24	
25	07	03	00	07	00	21	00	54	00	00	02	21	25	
26	17	03	12	05	00	00	00	04	04	07	10	51	26	
27	46	00	02	44	00	00	00	185	00	00	00	03	27	
28	01	00	33	14	00	00	00	03	00	00	51	53	28	
29	00		01	06	00	00	00	09	00	11	00	10	29	
30	00	X	02	02	00	02	00	15	04	00	61	81	30	
31	00	X	08	X	00	X	00	00	X	00	X	51	31	
TOTAL	799	792	637	309	136	101	115	369	275	204	448	863	5048	YEAR'S TOTAL
Days with 0.1 in. or more	24	16	24	14	12	8	10	12	15	13	20	29	197	

REGISTER OF RAINFALL IN 192.....

Kept at School House, Llanymyneir
in the County of Denbigh
by W. J. H. Russell

Lat. 52° 30' Long. 3° 30' W.
Time of Observation 9 a.m.
Nearest Railway Station Banerley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.00	.02	.04	.90	.00	.59	.03	.05	.03	.01	.82	1
2	.35	.00	.00	.21	.00	.76	.16	.00	.03	.05	.00	.29	2
3	.45	.03	.00	.13	.01	.00	.02	.00	.00	.04	.00	.48	3
4	.00	.00	.00	.00	.00	.00	.01	.80	.00	.47	.00	.00	4
5	.00	.06	.27	.02	.04	.00	.20	.23	.00	.20	.00	.00	5
6	.00	.00	.32	.02	.19	.00	.19	.00	.00	.11	.00	.00	6
7	.03	.00	.01	.16	.02	.00	.63	.00	.01	.00	.00	.00	7
8	.17	.03	.00	.36	.02	.00	.17	.00	.00	.05	.00	.15	8
9	1.43	.09	.02	.02	.00	.14	.19	.00	.01	.00	.00	.00	9
10	1.72	.23	.04	.04	.00	.31	.30	.00	.00	.00	.00	.00	10
11	.61	.00	.19	1.02	.22	.06	.23	.00	.00	.00	.00	.00	11
12	.34	.15	.10	.35	.02	.11	.06	.00	.00	.01	.16	.22	12
13	.10	.04	.66	.11	.00	.00	.00	.00	.00	.06	.00	.16	13
14	.04	.07	.64	1.11	.00	.00	.02	.00	.08	.29	.55	.02	14
15	.00	.20	.10	.51	.05	.00	.00	.00	.06	1.24	.12	.00	15
16	.00	.04	.02	.11	.00	.06	.39	.00	.35	.13	.02	.00	16
17	.01	.00	.03	.01	.38	.25	.00	.00	.47	.00	.00	.00	17
18	.17	.06	.01	.09	.13	.45	.01	.13	.05	.00	.00	.00	18
19	.04	.02	.00	.43	.04	.20	.01	.00	.00	.02	.00	.00	19
20	.01	.01	.00	.56	.13	.12	.00	.00	.00	.21	.00	.54	20
21	.00	.00	.00	.05	.00	.00	.01	.00	.00	.20	.00	.25	21
22	.03	.00	.00	.07	.00	.01	.08	.00	.00	.00	.00	.42	22
23	.02	.00	.01	.00	.00	.00	.34	.04	.00	.00	.00	.69	23
24	.02	.03	.38	.00	.00	.00	.00	.00	.00	.00	.34	.26	24
25	.03	.00	.12	.00	.00	.00	.95	.00	.00	.00	.00	.14	25
26	.25	.01	.29	.00	.00	.00	.12	.00	.00	.00	.28	.17	26
27	1.13	.12	.17	.12	.01	.15	.11	.00	.00	.00	.46	.46	27
28	1.00	.00	.11	.04	.00	.10	.02	.00	.00	.00	.02	.13	28
29	.72	.00	.71	.04	.02	.03	.00	.00	.00	.00	.49	.73	29
30	.24	X	.00	.01	.08	.26	.05	.00	.96	.01	.46	.97	30
31	.23	X	.26	X	.00	X	.00	.00	X	.59	X	.24	31
TOTAL	9.27	1.19	4.48	5.63	2.26	2.25	4.86	1.33	2.07	4.74	2.91	7.14	48.13
Days with ".01 in. or more	25	16	22	25	16	14	23	6	10	17	11	19	204
Days with ".04 in. or more	18	10	15	20	10	12	17	5	7	13	8	18	153

REGIS

DEVON.

INSTOW.

1911-1914

Kept at Instow

in the County of Devon

by Miss (Mary J.

5 in.

Ground 1 ft. in.

Sea Level 100 ft.

16 in

Name Instow

Distance 300 Direction S.W.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.5	—	—	22	—	—	—	60	—	—	03	—	1
2	—	—	—	—	20	—	—	18	—	57	30	22	2
3	—	—	03	—	33	—	—	05	—	—	13	13	3
4	—	—	15	—	—	—	—	17	—	—	25	62	4
5	23	—	26	—	—	—	—	18	—	07	15	06	5
6	14	—	05	—	—	—	—	—	04	—	17	73	6
7	06	—	—	—	—	—	—	—	—	—	52	—	7
8	07	—	10	—	—	—	—	—	—	—	47	90	8
9	00	—	06	—	—	—	—	—	—	—	48	25	9
10	02	—	44	—	27	—	—	—	—	—	—	22	10
11	22	—	—	—	—	—	—	—	—	—	35	43	11
12	35	—	52	—	—	—	—	—	45	—	13	30	12
13	35	—	03	—	13	—	—	—	30	—	—	06	13
14	—	05	—	—	—	—	—	—	—	08	07	22	14
15	03	06	—	—	—	05	—	—	—	—	27	08	15
16	20	—	—	—	—	12	—	—	—	—	02	22	16
17	10	—	—	—	—	32	—	—	—	—	24	45	17
18	33	22	04	18	—	05	—	—	—	12	12	40	18
19	02	—	—	12	—	24	—	—	38	05	10	64	19
20	10	04	10	12	—	—	—	—	50	38	—	25	20
21	02	12	—	—	—	02	—	55	20	26	—	08	21
22	02	06	—	08	—	08	—	—	16	40	—	32	22
23	55	05	05	—	—	06	—	12	20	07	20	10	23
24	08	18	—	—	—	84	—	08	02	35	—	12	24
25	—	03	—	22	—	03	—	—	05	10	—	04	25
26	—	08	—	18	—	—	25	08	—	41	—	23	26
27	—	42	—	—	—	—	—	48	13	27	—	22	27
28	—	12	02	37	—	—	—	21	—	—	35	02	28
29	—	—	—	08	—	66	20	15	22	20	—	—	29
30	—	—	—	—	—	03	04	—	—	24	07	04	30
31	—	—	—	—	—	—	04	—	—	09	—	02	31
Total	98	1.43	1.85	1.57	0.93	2.50	0.53	2.85	2.65	3.66	4.42	7.37	TOTAL for year 3074
No. of Rain Days	11	12	13	9	4	12	4	12	12	16	20	28	153

REGI

FORM A2.
BRITISH RAINFALL

Kept at *Yuslocia*

in the County of *Devon*

by *Miss (Mary J. Lock)*

RAIN GAUGE
Diameter of top *5* in.
Height of top above Ground *1* ft. — in.
" " " Sea Level *100* ft.
Time of Observation *9.16 a.m.*
Nearest Railway Station { Name *Yuslocia*
Distance *300* Direction *S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>0.5</i>	—	—	<i>22</i>	—	—	—	<i>60</i>	—	—	<i>03</i>	—	1
2	—	—	—	—	<i>20</i>	—	—	<i>18</i>	—	<i>57</i>	<i>30</i>	<i>22</i>	2
3	—	—	<i>03</i>	—	<i>33</i>	—	—	<i>05</i>	—	—	<i>13</i>	<i>13</i>	3
4	—	—	<i>15</i>	—	—	—	—	<i>17</i>	—	—	<i>25</i>	<i>62</i>	4
5	<i>23</i>	—	<i>26</i>	—	—	—	—	<i>18</i>	—	<i>07</i>	<i>15</i>	<i>06</i>	5
6	<i>14</i>	—	<i>05</i>	—	—	—	—	—	<i>04</i>	—	<i>17</i>	<i>73</i>	6
7	<i>06</i>	—	—	—	—	—	—	—	—	—	<i>52</i>	—	7
8	<i>07</i>	—	<i>10</i>	—	—	—	—	—	—	—	<i>47</i>	<i>90</i>	8
9	<i>00</i>	—	<i>06</i>	—	—	—	—	—	—	—	<i>48</i>	<i>25</i>	9
10	<i>02</i>	—	<i>44</i>	—	<i>27</i>	—	—	—	—	—	—	<i>22</i>	10
11	<i>22</i>	—	—	—	—	—	—	—	—	—	<i>35</i>	<i>43</i>	11
12	<i>05</i>	—	<i>52</i>	—	—	—	—	—	<i>45</i>	—	<i>13</i>	<i>30</i>	12
13	<i>05</i>	—	<i>03</i>	—	<i>13</i>	—	—	—	<i>30</i>	—	—	<i>06</i>	13
14	—	<i>05</i>	—	—	—	—	—	—	—	<i>08</i>	<i>07</i>	<i>22</i>	14
15	<i>05</i>	<i>06</i>	—	—	—	<i>05</i>	—	—	—	—	<i>27</i>	<i>08</i>	15
16	<i>20</i>	—	—	—	—	<i>12</i>	—	—	—	—	<i>02</i>	<i>22</i>	16
17	<i>10</i>	—	—	—	—	<i>32</i>	—	—	—	—	<i>24</i>	<i>45</i>	17
18	<i>53</i>	<i>22</i>	<i>04</i>	<i>18</i>	—	<i>05</i>	—	—	—	<i>12</i>	<i>12</i>	<i>40</i>	18
19	<i>02</i>	—	—	<i>12</i>	—	<i>24</i>	—	—	<i>38</i>	<i>05</i>	<i>10</i>	<i>64</i>	19
20	<i>10</i>	<i>04</i>	<i>10</i>	<i>12</i>	—	—	—	—	<i>50</i>	<i>38</i>	—	<i>25</i>	20
21	<i>02</i>	<i>12</i>	—	—	—	<i>02</i>	—	<i>55</i>	<i>20</i>	<i>26</i>	—	<i>08</i>	21
22	<i>02</i>	<i>06</i>	—	<i>08</i>	—	<i>08</i>	—	—	<i>16</i>	<i>40</i>	—	<i>32</i>	22
23	<i>45</i>	<i>05</i>	<i>05</i>	—	—	<i>06</i>	—	<i>12</i>	<i>20</i>	<i>07</i>	<i>20</i>	<i>10</i>	23
24	<i>08</i>	<i>18</i>	—	—	—	<i>84</i>	—	<i>08</i>	<i>02</i>	<i>35</i>	—	<i>12</i>	24
25	—	<i>03</i>	—	<i>22</i>	—	<i>03</i>	—	—	<i>05</i>	<i>10</i>	—	<i>04</i>	25
26	—	<i>08</i>	—	<i>18</i>	—	—	<i>25</i>	<i>08</i>	—	<i>41</i>	—	<i>23</i>	26
27	—	<i>42</i>	—	—	—	—	—	<i>48</i>	<i>13</i>	<i>27</i>	—	<i>22</i>	27
28	—	<i>12</i>	<i>02</i>	<i>37</i>	—	—	—	<i>21</i>	—	—	<i>35</i>	<i>02</i>	28
29	—	—	—	<i>08</i>	—	<i>66</i>	<i>20</i>	<i>15</i>	<i>22</i>	<i>20</i>	—	—	29
30	—	—	—	—	—	<i>03</i>	<i>04</i>	—	—	<i>24</i>	<i>07</i>	<i>04</i>	30
31	—	—	—	—	—	—	<i>04</i>	—	—	<i>09</i>	—	<i>02</i>	31
Total	<i>98</i>	<i>1.43</i>	<i>1.85</i>	<i>1.57</i>	<i>0.93</i>	<i>2.50</i>	<i>0.53</i>	<i>2.85</i>	<i>2.65</i>	<i>3.66</i>	<i>4.42</i>	<i>7.37</i>	TOTAL for year <i>3074</i>
No. of Rain Days	<i>11</i>	<i>12</i>	<i>13</i>	<i>9</i>	<i>4</i>	<i>12</i>	<i>4</i>	<i>12</i>	<i>12</i>	<i>16</i>	<i>20</i>	<i>28</i>	<i>153</i>

REGISTER OF RAINFALL IN 1912

Kept at Instow

in the County of Devon

by Mary J. Dock

N. 3

Lat. 51° 8' N Long. 4° 10' W

Time of Observation 9° 15' a.m.

Nearest Railway Station Instow

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 100 ft.

BRITISH RAINFALL FORM A. JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	26	—	09	36	14	22	02	1.28	—	25	1
2	—	—	24	02	—	1.27	—	—	—	10	07	—	2
3	02	—	38	—	—	05	—	1.09	04	—	—	—	3
4	32	—	84	—	02	—	—	03	—	—	47	—	4
5	53	06	06	—	09	—	—	53	—	—	—	05	5
6	26	05	02	—	28	01	—	1.18	—	—	02	03	6
7	04	34	21	—	09	70	08	20	—	—	—	06	7
8	32	05	07	—	—	15	—	02	—	—	—	—	8
9	—	17	13	03	—	10	09	83	02	—	—	45	9
10	34	03	02	—	—	16	03	02	—	—	13	03	10
11	—	03	—	—	—	—	—	—	—	—	16	5.6	11
12	02	—	06	—	15	02	14	—	—	—	13	02	12
13	15	—	—	—	—	03	29	03	—	04	—	16	13
14	08	—	44	—	18	—	—	34	—	—	01	02	14
15	08	03	04	—	10	1.05	—	—	—	—	01	48	15
16	17	—	15	—	08	11	—	03	—	04	03	10	16
17	—	—	12	—	02	25	—	37	—	—	02	25	17
18	—	09	25	—	—	—	—	25	—	07	03	05	18
19	—	08	14	—	02	02	—	51	—	01	—	02	19
20	—	04	20	—	—	02	—	28	—	42	02	—	20
21	—	04	24	—	43	—	—	17	—	10	—	—	21
22	38	15	17	—	—	03	02	32	—	12	03	02	22
23	18	45	17	—	—	30	—	78	—	45	08	30	23
24	03	03	02	—	—	28	65	—	—	31	—	12	24
25	02	—	—	—	—	21	02	19	—	12	38	56	25
26	—	04	—	—	—	—	—	06	—	22	55	23	26
27	—	—	—	—	—	45	85	—	—	71	—	50	27
28	—	08	—	—	—	37	24	55	22	12	45	49	28
29	—	14	—	—	—	61	53	18	24	25	02	04	29
30	—	—	06	—	—	08	20	—	02	30	—	02	30
31	—	—	31	—	—	—	14	01	—	05	—	03	31
Total	2.94	1.90	4.60	0.5	1.55	6.63	3.42	8.19	0.56	4.41	2.61	4.84	41.70
Rain Days.	16	18	24	2	12	23	14	24	6	18	18	25	200

REGISTER OF RAINFALL IN 1913

Kept at Juston

in the County of Devon

by Mary J. Lock

Lat. 51° 8' N Long. 4° 10' W

Time of Observation 9° 15' a.m.

Nearest Railway Station Juston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.5	0.22	0.18	0.05	0.04	—	—	—	0.02	—	0.17	0.22	1
2	0.2	0.15	—	0.03	0.20	0.02	—	—	—	0.62	0.14	—	2
3	0.3	—	0.02	—	0.24	—	—	—	—	—	—	0.15	3
4	0.85	—	—	—	—	0.33	0.02	—	0.07	0.45	0.15	0.17	4
5	0.13	—	0.07	—	0.23	0.56	0.03	—	0.28	—	0.43	0.67	5
6	0.03	0.08	0.10	—	0.01	0.08	—	—	—	0.13	0.31	0.30	6
7	—	0.45	0.05	—	0.54	0.08	—	—	—	0.41	0.11	0.03	7
8	0.02	0.20	—	—	0.15	—	—	0.02	—	—	—	—	8
9	—	0.06	0.03	0.03	0.08	0.16	0.07	0.12	—	—	0.44	0.03	9
10	0.64	—	0.02	0.02	0.10	0.02	—	0.10	—	0.57	0.14	—	10
11	0.40	—	—	0.05	0.11	0.17	0.03	0.05	0.02	0.06	0.91	0.04	11
12	0.28	—	—	0.10	—	0.02	0.05	—	0.17	—	0.63	—	12
13	0.02	—	0.14	—	—	—	—	0.12	0.47	—	0.13	—	13
14	0.10	—	0.15	—	—	—	—	—	0.05	0.18	0.18	0.02	14
15	0.05	—	0.30	0.97	—	—	—	—	—	—	0.14	0.03	15
16	0.20	—	0.68	0.05	—	—	0.02	—	0.21	—	0.03	—	16
17	0.10	—	0.03	0.04	—	—	0.02	—	—	—	0.04	—	17
18	0.14	—	0.13	0.08	—	0.03	—	—	—	—	0.06	—	18
19	0.42	—	0.05	—	0.11	0.08	0.06	—	0.30	0.43	—	—	19
20	0.10	—	0.25	0.06	—	—	—	—	0.04	0.12	0.35	—	20
21	—	—	0.10	0.25	0.10	0.02	0.09	—	—	—	0.23	—	21
22	0.42	—	0.90	0.05	0.02	0.20	—	0.30	0.06	—	—	0.06	22
23	0.04	—	0.03	—	—	—	—	0.04	0.02	—	0.15	0.68	23
24	0.08	0.07	—	0.17	—	—	—	—	—	—	0.11	—	24
25	—	—	—	0.40	—	—	—	—	0.07	0.03	0.10	0.10	25
26	—	0.02	—	0.78	—	—	—	—	0.02	0.03	0.02	0.31	26
27	0.20	—	0.22	0.17	—	—	—	0.01	—	0.40	0.02	0.05	27
28	0.05	—	0.07	0.16	0.37	—	—	—	—	0.30	0.02	0.06	28
29	0.01	—	0.12	0.50	0.03	—	—	—	—	0.13	0.01	—	29
30	0.31	—	—	—	—	—	—	—	—	0.36	0.02	—	30
31	0.13	—	0.77	—	0.42	—	—	0.10	—	0.02	—	—	31
Total	4.82	1.25	4.41	3.96	2.75	1.77	0.39	0.86	1.80	4.21	5.04	2.92	YEAR'S TOTAL 34.18
Rain Days.	26	8	22	19	16	13	9	9	14	15	26	16	193

REGISTER OF RAINFALL IN 1914

Kept at Ysleu
in the County of Devon
by Mary J. Lock

N3

Lat. 51° 8' N Long. 4° 10' W
Time of Observation 9° 15' a.m.
Nearest Railway Station Ysleu
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

Form A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.02	0.11	—	0.27	0.13	0.56	—	—	0.13	0.06	1
2	—	—	—	—	0.01	—	0.51	0.10	—	—	—	0.37	2
3	0.6	—	0.12	0.23	0.38	—	—	0.02	—	—	—	0.12	3
4	0.30	—	0.06	0.22	—	—	0.58	1.05	—	—	0.40	0.80	4
5	0.12	—	0.22	0.28	—	—	—	—	—	—	0.08	0.05	5
6	—	—	0.04	0.26	0.03	—	0.22	0.03	—	—	0.05	0.23	6
7	0.3	0.50	0.14	0.06	0.07	0.09	0.59	0.10	0.08	—	—	0.12	7
8	0.3	—	0.84	—	0.10	0.35	0.05	0.02	—	—	—	0.03	8
9	0.14	0.05	0.18	0.04	0.16	0.63	—	0.15	0.71	—	—	0.02	9
10	0.15	0.20	0.06	0.34	0.04	0.02	—	—	0.30	—	—	0.02	10
11	—	0.10	0.28	—	0.04	0.10	—	—	—	—	0.07	0.40	11
12	—	0.53	0.15	—	—	—	—	—	0.23	—	0.10	0.05	12
13	—	0.32	0.53	—	—	—	0.06	—	0.28	0.18	0.24	0.07	13
14	—	0.56	0.30	—	—	—	0.21	0.68	0.04	0.02	0.25	0.03	14
15	—	0.05	0.12	—	—	—	0.04	0.35	0.13	—	0.53	0.12	15
16	—	—	0.02	—	—	—	0.02	—	0.10	—	—	0.03	16
17	—	0.20	0.23	—	—	—	—	—	0.03	—	—	0.46	17
18	—	0.21	0.26	—	—	—	0.06	—	0.23	—	—	0.37	18
19	—	0.02	0.20	—	—	—	1.13	—	—	—	0.10	0.15	19
20	—	0.30	0.10	—	—	0.06	—	—	—	—	—	0.07	20
21	—	0.15	—	—	—	—	0.07	—	—	0.20	—	0.08	21
22	—	0.05	0.03	0.01	0.05	0.31	0.03	0.03	—	0.83	—	—	22
23	—	0.04	0.11	—	—	—	0.10	0.02	—	0.15	—	—	23
24	—	—	0.10	—	—	0.02	0.11	—	—	—	0.17	—	24
25	0.27	0.01	0.16	—	—	—	0.15	0.48	—	0.31	0.02	0.23	25
26	0.07	—	—	—	—	—	0.05	0.04	—	0.12	0.30	0.37	26
27	0.12	0.02	—	—	—	—	—	—	—	0.10	0.32	0.15	27
28	0.02	0.02	0.16	—	0.07	—	—	—	—	0.28	0.11	0.86	28
29	0.14	—	0.35	—	0.06	—	—	—	—	0.15	0.37	0.03	29
30	0.02	X	0.13	—	—	—	—	—	—	0.07	0.53	0.15	30
31	0.05	X	—	X	0.04	X	0.40	—	X	0.65	X	0.21	31
Total	1.52	3.33	4.91	1.55	1.05	1.85	4.51	3.63	2.13	3.06	3.77	5.65	YEAR'S TOTAL 36.96
Rain Days.	14	18	26	9	12	9	19	14	10	12	17	28	188

REGISTER OF RAINFALL IN 1915

Kept at Instaice
in the County of H. Devon
by Mary J. Lobb

Lat. 51° 8' N Long. 4° 10' W
Time of Observation 9° 15' a.m.
Nearest Railway Station Instaice
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 100 ft.

1983
FORM A.
BRITISH RAINFALL
JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.25	0.10	—	—	0.10	—	—	0.33	0.06	0.34	—	0.15	1
2	0.20	06	0.15	05	—	02	—	0.10	0.10	—	—	0.57	2
3	04	04	07	06	0.22	—	—	—	—	—	—	0.42	3
4	02	0.53	—	—	—	—	0.13	—	—	—	—	0.40	4
5	0.15	0.37	—	08	—	—	—	0.26	—	—	—	0.41	5
6	0.50	06	—	0.23	—	—	0.25	06	—	—	—	0.15	6
7	0.19	0.60	—	02	1.76	—	0.18	02	—	0.25	05	0.30	7
8	0.18	0.47	—	—	—	—	—	0.26	—	—	0.15	05	8
9	04	0.30	—	0.11	—	—	—	06	—	—	0.42	0.80	9
10	0.25	0.28	0.15	08	—	—	—	03	—	07	04	02	10
11	09	—	06	—	02	—	—	—	—	—	0.87	07	11
12	0.16	0.28	—	03	0.42	—	—	—	—	0.3	0.21	0.10	12
13	03	0.30	—	02	0.70	—	0.20	0.16	0.13	02	04	04	13
14	04	—	—	—	—	—	0.10	03	02	—	—	0.21	14
15	08	02	—	—	0.35	—	0.17	—	—	—	0.11	0.21	15
16	03	0.72	—	—	0.10	—	0.97	—	—	—	—	—	16
17	02	0.15	—	—	06	—	—	—	—	—	—	—	17
18	03	0.22	—	—	—	—	—	—	—	—	—	—	18
19	05	02	—	0.12	0.16	—	0.18	—	—	—	—	—	19
20	0.44	06	—	0.10	—	05	—	—	—	0.13	—	03	20
21	0.22	0.32	—	—	0.15	02	0.13	—	0.12	0.21	—	0.16	21
22	0.10	08	0.15	04	—	02	0.26	—	—	0.26	—	0.28	22
23	05	02	—	—	—	05	06	—	—	0.84	—	0.87	23
24	—	—	—	02	—	—	0.15	—	0.10	0.30	—	0.20	24
25	—	—	05	—	—	0.23	08	—	—	—	—	08	25
26	—	0.14	—	—	—	02	08	—	06	—	—	0.43	26
27	—	04	—	—	—	0.45	07	—	04	0.40	—	02	27
28	—	07	—	—	—	05	—	—	0.33	0.22	—	—	28
29	—	~~X~~	—	—	—	0.10	—	—	05	0.3	0.15	02	29
30	0.14	~~X~~	—	—	—	05	—	—	08	0.30	0.25	0.20	30
31	—	~~X~~	—	~~X~~	—	~~X~~	0.12	0.45	~~X~~	0.28	~~X~~	0.20	31
Total	24.	24.	6.	13	11	11	16	11	11	15	10	26	YEAR'S TOTAL 178
Rain Days.	3.30	5.25	.63	96	40.4	106	31.3	176	109	36.8	23.2	6.59	33.81

REGISTER OF RAINFALL IN 1916

Kept at Yusloia

in the County of Devon

by Mary J. Dock

Lat. 51° 8' N Long. 4° 10' W

Time of Observation 9° 15' a.m.

Nearest Railway Station Yusloia

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL.
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.8	—	—	—	0.18	0.12	0.20	—	—	0.23	—	—	1
2	0.33	0.05	0.50	—	0.08	—	—	—	0.13	0.73	0.16	—	2
3	—	0.92	—	—	0.23	0.06	0.33	—	0.02	0.32	0.06	0.04	3
4	0.23	0.13	—	0.02	0.52	0.26	—	—	0.10	0.04	0.25	—	4
5	—	0.03	—	—	0.05	0.07	—	—	—	0.05	0.35	—	5
6	0.04	0.20	—	—	0.06	—	0.25	—	—	0.12	0.36	—	6
7	—	0.26	0.16	—	0.22	—	—	—	—	—	0.37	0.15	7
8	—	0.20	0.06	—	0.11	—	—	—	—	—	0.28	0.12	8
9	—	0.07	—	—	0.04	—	0.12	—	—	0.06	0.07	0.32	9
10	—	1.10	—	0.07	—	—	—	—	—	—	—	—	10
11	—	—	—	0.11	0.03	—	—	—	—	—	0.02	—	11
12	0.03	0.07	0.18	0.09	0.37	—	—	—	—	0.21	—	—	12
13	—	0.43	0.02	—	0.03	—	0.02	0.02	—	0.02	—	—	13
14	—	0.42	0.05	—	0.06	—	—	0.08	—	0.06	—	—	14
15	—	0.10	0.02	0.16	—	—	—	1.02	—	0.02	—	—	15
16	—	0.06	—	0.23	—	—	0.02	0.10	—	0.17	—	—	16
17	0.12	0.16	—	—	—	—	—	0.15	0.67	0.12	0.94	—	17
18	—	0.24	0.21	—	—	—	—	—	0.18	0.02	—	0.10	18
19	0.06	0.21	0.02	0.06	—	—	—	—	—	—	0.30	0.06	19
20	0.04	0.94	0.20	—	—	—	—	—	—	—	0.28	0.18	20
21	0.03	0.04	0.32	—	0.02	0.12	—	—	—	—	0.20	0.21	21
22	—	—	—	—	—	0.05	—	—	—	0.20	0.04	0.82	22
23	—	0.05	0.04	—	—	0.33	—	0.12	—	0.05	0.11	0.18	23
24	—	0.06	0.36	—	0.09	—	—	0.21	—	0.41	—	0.27	24
25	—	0.22	0.20	—	—	—	—	0.02	—	0.15	0.17	—	25
26	0.04	0.05	0.06	—	—	—	—	0.22	0.40	0.33	0.01	—	26
27	0.03	—	1.03	—	0.04	—	—	—	0.47	0.35	—	—	27
28	—	0.14	—	—	—	—	—	0.02	0.05	0.32	—	0.32	28
29	—	0.41	0.01	—	—	0.54	—	0.07	0.13	0.17	—	0.26	29
30	—	X	—	—	—	0.02	—	0.47	—	0.27	—	—	30
31	—	X	—	X	—	X	—	0.02	X	0.20	X	0.2	31
Total	1.03	6.66	3.44	0.74	2.13	1.57	0.94	2.52	2.15	4.62	3.97	3.05	YEAR'S TOTAL 32.82
Rain Days.	11	25	17	7	16	9	6	13	9	24	17	14	168

REGISTER OF RAINFALL IN 1917

Kept at Instow
 in the County of Devon
 by Mary J. Dock

Lat. 51° 8' N. Long. 4° 10' W.
 Time of Observation 9° 15' a.m.
 Nearest Railway Station Instow
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0.17	0.27	—	0.46	—	0.14	—	—	0.03	—	1
2	—	—	0.05	0.15	—	0.10	—	—	—	0.08	0.10	—	2
3	—	—	—	0.13	—	—	0.92	—	0.02	0.50	0.56	—	3
4	—	0.13	0.45	—	—	—	0.03	—	—	0.18	—	—	4
5	0.12	—	0.18	0.37	—	0.23	—	—	—	0.15	0.04	—	5
6	0.10	—	0.15	—	—	0.13	—	—	0.02	0.06	0.18	—	6
7	0.25	—	—	—	—	—	0.15	0.22	—	0.38	0.07	0.09	7
8	—	—	0.22	0.07	—	0.21	0.15	0.58	0.07	0.55	0.18	0.41	8
9	—	—	0.03	0.02	0.10	—	0.01	0.10	—	0.56	0.15	—	9
10	0.22	—	0.31	0.34	—	—	—	0.03	—	0.05	0.02	—	10
11	0.02	—	0.22	0.32	—	—	—	—	—	0.32	0.30	—	11
12	0.20	—	—	0.05	0.20	—	—	0.04	—	0.38	—	—	12
13	0.27	—	0.20	0.04	—	0.01	—	0.20	0.31	0.22	—	—	13
14	—	—	—	0.02	—	—	—	0.35	0.08	0.06	—	—	14
15	—	—	—	0.03	—	—	—	—	—	0.17	—	0.25	15
16	—	—	—	0.02	—	—	—	—	—	0.03	0.10	—	16
17	—	0.02	0.03	0.28	—	—	0.50	0.13	0.18	0.26	0.02	—	17
18	—	—	—	—	—	—	0.37	0.03	0.02	0.15	—	—	18
19	—	—	0.07	—	—	0.40	—	0.12	—	—	—	—	19
20	—	0.51	—	—	0.33	0.78	—	—	—	—	—	—	20
21	—	0.30	0.15	—	—	—	—	0.12	—	0.04	—	0.21	21
22	—	—	—	—	0.02	—	—	0.23	—	0.03	—	—	22
23	—	0.17	—	—	0.10	—	—	0.22	—	0.25	—	0.09	23
24	—	—	—	—	—	0.04	0.20	0.10	—	0.20	—	—	24
25	—	0.02	—	—	—	0.23	—	0.43	—	0.12	0.16	—	25
26	—	—	—	—	0.50	0.03	—	0.21	0.21	0.07	0.06	—	26
27	—	—	—	—	—	0.12	—	0.86	—	0.57	—	—	27
28	—	0.08	—	—	0.05	2.07	0.03	0.02	—	0.08	—	—	28
29	—	—	0.14	—	—	—	—	—	—	0.50	—	—	29
30	—	X	0.04	—	—	—	0.23	0.17	—	0.04	0.03	—	30
31	—	X	0.02	X	0.45	X	—	0.12	X	0.33	X	—	31
Total	1.18	1.23	2.43	2.11	1.76	4.81	2.59	4.42	1.91	6.33	2.00	0.98	31.74
Rain Days.	7	7	16	14	8	13	10	21	8	28	15	5	152

IMPORTANT NOTICE
previous day. If an
 requested to add the
 for it at the end of
 the selection and pla
 Organization are give
 Dr. H. R. MILL, 62,

1915 - 1920

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

9.75
5 in.
1 ft. -
Level 273 ft.

result entered to the
rule, he is earnestly
in the space provided
of rain,
Rainfall
lication to

Jan. 1, following.

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.25	.35	1
2										.09		.51	2
3										.01		.57	3
4												.35	4
5												.62	5
6												.20	6
7										.08		.49	7
8											.09	.28	8
9										.01	.21	1.09	9
10										.13	.07	.07	10
11										.25	.90	.02	11
12										.03	.29	.00	12
13											.09	.02	13
14										.08		1.40	14
15										.05		.15	15
16												.15	16
17												.02	17
18												.00	18
19												.00	19
20										.12		.04	20
21										.05		.00	21
22										.03		.46	22
23										1.55		.63	23
24										.13		.65	24
25												.42	25
26												1.17	26
27										.42		.00	27
28										.07	.01	.09	28
29											.30	.11	29
30		X								.70	.44	.54	30
31		X		X		X		X		1.13	X	.47	31
Total										5.34	2.45	10.67	YEAR'S TOTAL
Rain Days.										19	10	26	

RE IDATE BEN 110351305

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Appleton Vicarage
in the County of Shrop
by Rev R. D. Cooke

Time of Observation 9 A.M.
Nearest Railway Station Wings/Buswell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - 273 ft.
" " " " Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.41	.05	.35	1
2										.09		.51	2
3										.01		.57	3
4												.35	4
5												.62	5
6												.20	6
7										.08		.49	7
8											.09	.28	8
9										.01	.21	1.09	9
10										.13	.07	.07	10
11										.25	.90	.02	11
12										.03	.29	.00	12
13											.09	.02	13
14										.08		1.40	14
15										.05		.15	15
16												.15	16
17												.02	17
18												.00	18
19												.00	19
20										.12		.04	20
21										.05		.00	21
22										.03		.46	22
23										1.55		.63	23
24										.13		.65	24
25												.42	25
26												1.17	26
27										.42		.00	27
28										.07	.01	.09	28
29											.30	.11	29
30		X								.70	.44	.54	30
31		X		X		X			X	1.13	X	.47	31
Total										5.34	2.45	10.67	YEAR'S TOTAL
Rain Days.										19	10	26	

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at *Applepen Vicarage*
in the County of *S. Devon*
by *D. W. Horner*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22	01	11		26	07	01		12	25	14		1
2	50	11	02		02				11	26	47		2
3	04	1.20			46	02			04	67	27		3
4	34	18			05	26			02	12	1.05		4
5	01	31	02		02	04				25	10		5
6	03	20			16	05	81			14	1.15		6
7	05	20	20		06	04				01	60	09	7
8		35	38		20	41					09	20	8
9		11	05			06				04	18	26	9
10		45		01	03		16			04	02	01	10
11		02		05	03						01		11
12	03	07	16	08	15		10	05		02			12
13		38	22		01		04	19				04	13
14		66	28		04			18		12			14
15	01	28	30	11				07		02		23	15
16	26	14		11			02	21		12		11	16
17	35	06		04					08	30	1.08		17
18	07	11	56	01					11			14	18
19	40	18	12	04							08	05	19
20	13	1.42	25	04							04	1.25	20
21	04	09	14		07							33	21
22				01		19		07		45	02	76	22
23	05	03		03		16		12		16	50	10	23
24		09		36	24			14		66	08	43	24
25	01	46	09			02		27		01	20		25
26		21	09		01	27		20	1.35	1.19	03	09	26
27	01		1.53			06		44	25	24			27
28		11				04		12	62	70		61	28
29		16	05			52		2.66	07	11		43	29
30		~~X~~				04		01		71			30
31		~~X~~		~~X~~		~~X~~		06	~~X~~	37	~~X~~		31
Total	2.55	7.59	4.57	.89	1.81	2.25	1.14	4.79	2.77	6.96	6.11	5.13	46.56
Rain Days.	18	27	18	12	16	16	6	15	10	24	19	17	198

REGISTER OF RAINFALL IN 1917

Kept at Explepen Vicarage
in the County of Devonshire
by D. W. Flower

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				12		22		22	01		01	01	1
2			02	13		04							2
3	02			02			15			42	95		3
4	02		69						05	43			4
5	04		34	08		46			01	10	14		5
6	02		17			07				12	09	05	6
7	37						19	16		19	03	03	7
8	08		49	08			09	39		37	08	26	8
9			17	04	03		05	05		17	15		9
10	22		31	34				37				05	10
11	02		1.75	22				13		35	19		11
12	15		03		36					38			12
13	03		23	07		01		14	09	04			13
14				15			03	60					14
15	27						07	04		41		45	15
16		14		05				01	02	39		18	16
17		04		02	07		37	09	24	11	01		17
18		08			68	08	41	10	1.22	03			18
19		45	06			07		06	14				19
20		04			51	03		04	01			03	20
21	05							04		03	02		21
22					04			51		09			22
23		08			20			37		15			23
24							30	03		15	03		24
25			06					37	08				25
26					27	09		23	09		04		26
27			01			1.00	04	1.10					27
28			14			30		36				04	28
29			08		30	24		01		74		13	29
30		X	17	X			07	25		02	02	01	30
31		X		X	15	X		03	X	22	X		31
Total	1.29	.83	4.72	1.32	2.61	2.61	1.77	5.70	1.96	4.91	1.76	1.24	30.72
Rain Days.	12	6	16	12	10	12	11	25	11	21	13	11	160

REGISTER OF RAINFALL IN 1918

Kept at Ipplepen Vicarage
in the County of S. Devon
by J. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

49
58
27.1.19
BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		30		09	02			58			96		1
2		18		07				10	04	01		66	2
3		18		60	08			12	03		11	04	3
4		01		03				20	58		1.11	26	4
5			12	06	71			45	24	46		02	5
6	17	39	07	10						20	48	10	6
7		18			02			02	37	07		22	7
8		16							07	20	01	04	8
9	07					03	36		85	04		48	9
10	02			42			51		02	20		29	10
11			31	04			61		04	09	06	05	11
12		13	06		18		09				04	02	12
13					09		28		50	08		24	13
14	31				08	02	03		38	03		13	14
15	81			01	06	08	60		12	08		20	15
16	70			15		20	03		08			06	16
17	32		01	16			40		01			30	17
18	95		04			73	14		69	44		46	18
19	17		18	01		01	14		05	02		20	19
20	06	22		15			04		36	02			20
21	07	04					09		43	20		47	21
22	02				18		1.21	02	15	03		25	22
23	20	02					01	01	06		01	26	23
24	02	14					03	13	03		13	22	24
25				05	01		12	57		06	24	03	25
26	02						18	07	13	01	05	19	26
27	02	02	31					11	05	03	04		27
28		14	18						09	05		03	28
29			18						1.48			02	29
30		X	34							09	06	05	30
31		X	14	X		X				04	X		31
Total	3.93	2.11	1.94	1.94	1.43	1.07	4.87	2.38	6.85	2.45	3.30	5.29	37.56
Rain Days.	16	14	12	14	10	6	18	12	25	22	13	27	189

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.41		.15		.07		.13		.03			1.01	1
2	.23		.02				.02		.14	.02		.03	2
3	.39		.41		.01				.28			.04	3
4	.96	.54	.50				.04	.08	.52		.11		4
5	.04	.27	.65						.39		.06	.10	5
6	.68	1.29	.12	.03							.01	.48	6
7	.31		.50	.08								.04	7
8	.42					.01					.34		8
9	.18		.03	.07	.14						.50		9
10	.15		.80				.09			.01		.43	10
11	.10		.32	.12	.36					.03		.38	11
12	.38		.10		.01	.01				.04	.08	.02	12
13	.18	.13	.18	.51								.22	13
14	.90	.24		.49	.39				.15	.04		.29	14
15	.33	.12		.05						.04		.27	15
16	.06	1.25			.01						.07		16
17	.02	.65									.25	.04	17
18		.35	.53				.44	.10	.01		.28		18
19	.62	.42	.06			.21	.44	.60	.08		.14	.02	19
20	.52	.03	.02			.30		.12	.08		.19	.03	20
21	.08	.89					.02		.25		.01		21
22		.02	.05				.01		.12		.02	.11	22
23			.09					.09		.35	.14	.10	23
24						.24		.06		.30	.12	.15	24
25	.06	.04		.01		.05		.33			.02	.20	25
26	.09	.01	.05	.03				.02	.05		.03	.57	26
27	.28		.01	.14			.29	1.70				.03	27
28	.02	.02	.23	.14				.08			.50	.48	28
29				.01				.03		.12		.14	29
30		X						.06	.03		.65	.86	30
31		X	.03	X		X			X		X	1.02	31
Total	7.41	6.27	4.85	1.68	.99	.82	1.48	3.27	2.13	.95	3.52	7.06	40.43
Rain Days	24	16	21	12	7	6	9	12	13	9	19	25	173

REGISTER OF RAINFALL IN 1920.

Kept at Lpplepen Vicarage

in the County of Devonshire

by X. W. Horner

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25		01	08	63		38		07	11	02	84	1
2	35			10			02	10	04	08		23	2
3	30	08		35			06			71		22	3
4			04				03	71		48			4
5		03	12	03	02		27	26		12			5
6			32		17		38			02			6
7	07		02	13	01		62						7
8	07	03		34	01		05			01		16	8
9	1.11	03		02		12	26						9
10	1.70	18	04			34	21						10
11	77	01	20	54	29	06	27						11
12	25	21	14	38		07	07				24	17	12
13	10	07	47							01		12	13
14	09	03	48	74			03		14	50	72	05	14
15	01	08	07	47	04				04	65	04		15
16		02	02	01		04	20		16	04			16
17	02			05	40	02	03		65				17
18	18	02		05	05	24	17	30	03		01		18
19	03			56		36			03				19
20		04		14		15				18		56	20
21				03						04			21
22	08			04			13					43	22
23	03						17	05				90	23
24	04		32				04				28	46	24
25	02	01					73					07	25
26	27		44				08				12	10	26
27	74	06	14	03		16	10				34	33	27
28	59		08			05	06					14	28
29	72		78	02		01			04		32	63	29
30	24					31	08		71	02	34	75	30
31	15		41							38		38	31
TOTAL	8.18	90	4.10	4.11	1.62	1.93	4.44	1.42	1.91	3.35	2.43	6.53	40.92
Days with "01 in. or more	25	15	18	20	9	13	24	5	10	15	10	18	182
Days with "04 in. or more	20	7	15	14	6	11	20	5	8	11	8	18	143

REGIST

IVYBRIDGE

Kept at Filham House

in the County of South

FILHAM HOUSE

by Harold A. G.

DEVON

1917 - 1920

FORM A.
BRITISH RAINFALL.

4'W 5 in.

ad 1 ft. 162 in.

level 162 ft.
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	-	-	22	-	48	-	-	01	-	11	-	1
2	01	-	03	14	-	02	-	-	-	-	03	-	2
3	10	-	-	07	-	-	-	-	-	37	60	-	3
4	-	22	65	-	-	-	05	-	07	57	01	-	4
5	16	-	10	24	-	51	-	-	-	17	09	-	5
6	01	-	42	04	-	15	-	24	-	09	10	09	6
7	63	-	-	-	-	01	27	14	-	22	12	13	7
8	09	-	57	11	-	-	11	38	06	36	25	47	8
9	-	-	08	04	04	-	03	-	-	24	43	-	9
10	52	-	50	26	-	-	-	53	-	05	01	02	10
11	02	-	87	12	-	-	-	-	14	63	24	-	11
12	33	-	04	-	08	-	-	-	-	40	-	-	12
13	06	-	27	03	-	06	-	-	15	27	-	02	13
14	-	-	-	06	-	-	01	08	-	02	-	-	14
15	29	-	-	01	-	-	17	11	10	62	-	56	15
16	-	12	-	06	-	-	-	-	03	57	-	22	16
17	35	10	02	27	20	-	45	10	104	15	-	-	17
18	-	06	-	-	49	05	32	02	75	03	-	-	18
19	02	80	03	-	-	43	-	01	10	-	06	-	19
20	-	13	02	-	46	02	-	-	03	-	03	05	20
21	-	-	02	-	01	01	-	05	-	03	02	-	21
22	-	-	01	-	02	-	-	84	-	15	03	-	22
23	-	26	-	-	16	-	-	48	-	15	01	-	23
24	-	01	-	-	-	03	41	13	-	19	08	02	24
25	-	03	03	-	-	-	02	31	24	06	06	-	25
26	-	-	-	-	27	20	01	31	23	-	08	-	26
27	-	-	-	-	-	85	-	123	-	11	03	-	27
28	-	02	17	-	-	28	-	71	-	-	10	03	28
29	-	-	11	-	04	22	-	01	-	61	05	12	29
30	-	X	45	-	-	-	38	38	01	02	03	-	30
31	-	X	05	X	22	X	-	03	X	21	X	-	31
Total	263	175	444	167	199	332	223	609	296	629	257	173	3767
Rain Days.	14	10	20	14	11	15	12	20	14	25	23	11	189
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1917

Kept at Filham House, Ivybridge
 in the County of South Devon
 by Harold Alger

Lat. 50° 23' Long. 3° 54' W.
 Time of Observation 9 am
 Nearest Railway Station Ivybridge
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 162 ft.

FORM A.
 BRITISH RAINFALL
 19 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	—	—	22	—	48	—	—	01	—	11	—	1
2	01	—	03	14	—	02	—	—	—	—	03	—	2
3	10	—	—	07	—	—	—	—	—	37	00	—	3
4	—	22	65	—	—	—	05	—	07	57	01	—	4
5	16	—	10	24	—	51	—	—	—	17	09	—	5
6	01	—	42	04	—	15	—	24	—	09	10	09	6
7	63	—	—	—	—	01	27	14	—	22	12	13	7
8	09	—	57	11	—	—	11	38	06	36	25	47	8
9	—	—	08	04	04	—	08	—	—	24	43	—	9
10	52	—	50	26	—	—	—	53	—	05	01	02	10
11	02	—	87	12	—	—	—	—	14	63	24	—	11
12	33	—	04	—	08	—	—	—	—	40	—	—	12
13	06	—	27	03	—	06	—	—	15	27	—	02	13
14	—	—	—	06	—	—	01	08	—	02	—	—	14
15	29	—	—	01	—	—	17	11	10	62	—	56	15
16	—	12	—	06	—	—	—	—	03	57	—	22	16
17	35	10	02	27	20	—	45	10	104	15	—	—	17
18	—	06	—	—	49	05	32	02	75	03	—	—	18
19	02	80	03	—	—	43	—	01	10	—	06	—	19
20	—	13	02	—	46	02	—	—	03	—	03	05	20
21	—	—	02	—	01	01	—	05	—	03	02	—	21
22	—	—	01	—	02	—	—	84	—	15	03	—	22
23	—	26	—	—	16	—	—	48	—	15	01	—	23
24	—	01	—	—	—	03	41	13	—	19	08	02	24
25	—	03	03	—	—	—	02	31	24	06	06	—	25
26	—	—	—	—	27	20	01	31	23	—	08	—	26
27	—	—	—	—	—	85	—	123	—	11	03	—	27
28	—	02	17	—	—	28	—	71	—	—	10	03	28
29	—	—	11	—	04	22	—	01	—	61	05	12	29
30	—	X	45	—	—	—	38	38	01	02	03	—	30
31	—	X	05	X	22	X	—	03	X	21	X	—	31
Total	263	175	444	167	199	332	223	609	296	629	257	173	3767
Rain Days.	14	10	20	14	11	15	12	20	14	25	23	11	189

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Filham House, Ivybridge
 in the County of S Devon
 by Wardle Agor

Lat. _____ Long. 3° 54' West
 Time of Observation 9 am.
 Nearest Railway Station Ivybridge
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 162 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.52	—	.10	.09	—	—	.43	—	—	.80	.01	1
2	—	.39	—	.03	—	—	—	—	.06	.01	.03	.65	2
3	—	.21	.01	.42	.04	—	—	.02	.03	.08	.30	.14	3
4	—	.02	—	—	—	—	—	.41	.41	—	.82	.43	4
5	—	.01	.27	.11	.32	—	—	.22	.47	.36	—	.07	5
6	.43	.31	.22	.13	—	—	—	.31	—	.13	—	.12	6
7	—	.16	—	.04	.02	—	—	.04	.45	.03	.49	.60	7
8	—	.15	—	.02	—	—	—	—	.06	.72	—	.02	8
9	.14	—	—	—	—	.15	.26	—	.58	.11	.03	.62	9
10	.06	—	—	.25	—	—	.52	—	.10	.15	.02	.36	10
11	.04	.02	.48	.01	.02	—	.59	—	.20	—	.07	.18	11
12	.03	.13	.05	—	.47	—	.07	—	.06	—	—	.03	12
13	—	—	—	—	.11	—	.33	—	.93	.60	—	.18	13
14	.37	—	—	—	.09	.08	.02	—	.64	.14	—	.21	14
15	.62	—	.02	—	.06	.14	.57	—	.10	.05	—	.33	15
16	1.12	—	.04	.24	—	.06	.07	—	.16	—	—	.05	16
17	.19	—	—	.07	—	—	.47	.02	.07	—	—	.48	17
18	1.03	—	.28	.06	—	.87	.11	.01	.81	.47	—	.35	18
19	.21	.05	.22	.14	—	—	.10	.04	.06	—	—	.26	19
20	.13	.25	—	—	—	.04	—	—	.31	.02	—	—	20
21	.12	.04	—	—	—	.12	.22	—	.46	.12	—	.54	21
22	.03	.01	—	—	.15	—	1.08	.01	.17	.06	—	.25	22
23	.30	.02	—	—	—	—	.31	—	.07	—	.11	.30	23
24	.02	.17	—	—	—	—	.03	.22	.24	—	.40	.75	24
25	.04	—	—	.07	.14	—	.11	.61	—	.08	.31	—	25
26	.05	.16	.10	.13	—	—	.27	.01	.06	.05	.04	.43	26
27	—	.17	—	—	—	—	—	.10	.25	.04	.29	.04	27
28	—	.16	.26	—	—	—	—	—	.03	.06	.12	.15	28
29	—	—	.53	—	—	—	—	—	.93	.04	.04	.06	29
30	—	X	.33	—	—	—	—	—	—	.04	.15	.08	30
31	—	X	.20	X	—	X	—	.01	X	—	X	—	31
Total	4.95	2.95	3.01	1.82	1.51	1.46	5.23	2.46	7.70	3.36	4.02	7.09	45.56
Rain Days.	19	19	14	15	11	7	17	15	26	21	16	28	208

REGISTER OF RAINFALL IN 1919.

Kept at Filham House, Irybridge
in the County of Devon
by Hauld Alger

Lat. _____ Long. 3° 54' W
Time of Observation 9 a.m.
Nearest Railway Station Irybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.77	-	.25	.04	.06	-	.16	-	.14	.29	-	.76	1
2	.20	-	.03	-	.02	-	.01	-	.12	.02	-	.60	2
3	.53	-	.37	-	.14	-	-	-	.48	-	.04	.06	3
4	.71	.96	.64	-	-	-	-	.43	.74	-	-	.01	4
5	.05	.15	.45	-	.02	-	-	-	.50	-	.07	.03	5
6	.61	1.21	.20	.10	-	-	-	-	-	-	-	.27	6
7	.06	-	.35	.09	-	.01	-	-	-	-	-	.22	7
8	.55	-	.37	.11	-	.02	-	-	-	-	.62	-	8
9	.12	-	.15	.43	.18	-	-	-	-	-	.25	.02	9
10	.08	-	.65	.05	.02	-	-	-	-	-	-	.50	10
11	.25	-	.34	.23	.56	.01	.03	-	.01	.06	-	.60	11
12	.48	-	.07	.04	-	-	-	-	-	.27	.14	.02	12
13	.18	.21	.25	.58	-	-	.06	-	-	.01	-	.27	13
14	.75	.16	-	.54	-	-	.03	-	-	(.13) (.73)	-	.26	14
15	.25	.11	-	.17	.97	-	-	-	-	(.16) (.76)	-	.21	15
16	.10	1.52	-	.03	.06	.03	-	-	-	-	.35	.02	16
17	-	.26	-	-	-	.04	-	.02	-	-	.25	.10	17
18	.06	.44	.56	-	-	-	.47	.21	.05	-	.44	.02	18
19	.98	.47	.27	-	-	.23	.66	.27	.17	-	.15	.05	19
20	.41	.05	.05	-	-	.27	.02	.26	.18	-	.17	.06	20
21	.31	.94	-	-	-	-	.14	-	.04	.02	.04	.05	21
22	-	.03	.06	-	.03	.02	.01	-	.25	-	.03	.03	22
23	-	-	.18	-	-	-	-	.13	.03	.73	.06	.10	23
24	-	-	-	-	-	.23	-	.14	.11	.42	.09	.35	24
25	.21	.06	-	-	-	-	-	.52	.01	-	.01	.06	25
26	.09	.01	.14	.02	-	-	-	.16	.06	.03	-	.56	26
27	.13	-	.10	.42	-	-	-	1.73	-	-	-	.04	27
28	-	.04	.41	.19	-	-	-	.11	-	.10	.62	1.83	28
29	-	-	-	-	-	.21	-	.11	-	-	.02	.10	29
30	.01	~~X~~	-	.07	-	-	-	.13	.06	-	.71	.78	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.01	-	~~X~~	-	~~X~~	.66	31
TOTAL	7.89	6.62	5.94	3.11	2.11	0.87	1.65	4.22	3.00	2.24	4.06	8.14	YEAR'S TOTAL
Days with ≥ 1 in. or more	24	16	21	16	10	10	11	10	16	12	18	30	197

REGISTER OF RAINFALL IN 1920.

Kept at Filham House, Ighite
in the County of Devon
by Harold Alger

Lat. 50° 23' Long. 3° 52'
Time of Observation 9 am
Nearest Railway Station Ighite
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	-	04	25	59	-	62	01	10	06	01	95	1
2	38	-	-	36	02	-	06	07	06	07	-	16	2
3	60	07	-	06	-	-	-	01	02	53	-	29	3
4	-	-	04	-	-	-	07	114	-	44	-	-	4
5	-	-	18	22	03	-	36	15	-	20	-	-	5
6	-	-	19	-	56	-	37	-	-	09	-	-	6
7	07	-	-	38	06	-	58	-	-	-	-	55	7
8	01	05	03	54	07	-	13	03	-	01	-	47	8
9	109	17	06	02	-	05	22	-	02	-	-	01	9
10	92	18	20	03	-	26	47	-	-	-	06	-	10
11	22	02	28	78	42	-	35	-	-	-	-	-	11
12	35	12	22	16	-	-	06	-	-	02	26	-	12
13	30	02	60	04	-	04	-	-	-	21	01	48	13
14	45	06	53	72	-	-	10	-	24	53	25	02	14
15	67	11	24	21	07	-	-	-	07	91	13	-	15
16	01	05	11	02	-	-	60	-	25	03	06	-	16
17	07	-	02	-	60	-	06	-	52	-	01	-	17
18	12	04	-	08	-	45	-	17	09	09	-	-	18
19	02	02	-	58	-	81	-	-	19	02	-	-	19
20	10	04	-	17	-	21	04	-	-	46	-	56	20
21	02	-	-	28	-	-	02	-	04	05	-	12	21
22	01	-	-	25	-	-	03	-	-	-	-	47	22
23	07	-	01	-	-	-	10	04	-	-	-	72	23
24	02	06	35	-	-	-	02	-	-	-	15	17	24
25	05	03	10	04	-	-	100	-	-	-	02	05	25
26	31	-	25	-	20	02	18	-	-	-	20	05	26
27	52	06	12	09	-	30	14	-	-	-	47	33	27
28	87	-	07	-	-	03	32	-	-	-	02	23	28
29	41	-	65	11	02	-	02	-	-	-	52	42	29
30	28	X	X	X	-	60	15	-	98	02	57	79	30
31	15	X	X	38	X	X	-	-	X	41	X	21	31
TOTAL	785	110	467	549	264	277	567	162	258	415	274	705	4833
Days with 01 in. or more	28	16	22	22	11	10	25	8	12	18	15	20	207

Sh
S. made ✓

REGI

DEVON

IVYBRIDGE

"LANGHAM HILL"

1911-1913

Kept at Langham
in the County of S. Devon
by Miss Glanville

11

in. _____

ve Ground _____ ft. _____

Sea Level _____ ft. _____

Name _____

Distance _____ Direction _____

310
26 JAN 1912
BRITISH RAINFALL
FORM A2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			01	23	60			30		10	18	55	2
3			05		37						34	17	3
4			20					47			53	59	4
5	50		13					64		09	14		5
6	50		14	05						22	14	1.20	6
7	20		25								61	05	7
8	07		18								14	1.03	8
9	13					50					20	92	9
10	50	14	1.24	03							04	50	10
11	47										1.18	04	11
12			1.03						28	09	10	33	12
13			09						17	02	09	68	13
14		18				06				02	10	48	14
15		07	05								44	06	15
16		13	04			44					56	73	16
17			76	02		14					51	75	17
18		40	48	25		18				04	21	48	18
19			04	05		83			59	23	32	1.02	19
20	03	08	07	25		03			09	64		78	20
21	01	66	02	32		16			24	42		11	21
22	03	09	02			13			57	32		72	22
23		29	01			10			26	49		72	23
24	05	46				23		19	01	38	02	50	24
25	04	11		33		08	01	01	19	30	02	19	25
26		23		70				27	14	80		58	26
27		93	05	07				18	12	30		20	27
28		33	05	50			1.55	03		01	23		28
29				18	20	75	27		23	75	01		29
30						05	30		03	25	37	10	30
31			10							05		01	31

Total	2.53	4.10	5.01	3.07	1.33	3.68	2.17	2.09	2.92	5.52	6.48	13.49	TOTAL for Year
No. of Rain Days	12	14	23	15	4	14	5	8	13	20	23	27	182

REG

Kept at *Langham Hill, Ivybridge*
in the County of *S. Devon*
by *Miss Glanville*

RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			01	23	60			30		10	18	55	2
3			05		37						34	17	3
4			20					47			53	59	4
5	50		13					64		09	14		5
6	50		14	05						22	14	1.20	6
7	20		25								61	05	7
8	07		18								14	1.03	8
9	13					5.0					20	92	9
10	50	14	1.24	03							04	50	10
11	47										1.18	04	11
12			1.03						28	09	10	33	12
13			09						17	02	09	68	13
14		18				06				02	10	48	14
15		07	05								44	06	15
16		13	04			44					56	73	16
17			76	02		14					51	75	17
18		40	48	25		18				04	21	48	18
19			04	05		83			59	23	32	1.02	19
20	03	08	07	25		03			09	64		78	20
21	01	66	02	32		16			24	42		11	21
22	03	09	02			13			57	32		72	22
23		29	01			10			26	49		72	23
24	05	46				23		19	01	38	02	50	24
25	04	11		33		08	01	01	19	30	02	19	25
26		23		70				27	14	80		58	26
27		93	05	07				18	12	30		20	27
28		33	05	50			1.55	03		01	23		28
29				18	20	75	27		23	75	01		29
30						05	30		03	25	37	10	30
31			10							05		01	31
Total	2.53	4.10	5.01	3.07	1.33	3.68	2.17	2.09	2.92	5.52	6.48	13.49	TOTAL for year
No. of Rain Days	12	14	22	15	4	14	5	8	13	20	23	27	182

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Langham Hill, Exeter
in the County of South Devon
by M. A. Glanville

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			23			44	01		11	51		39	1
2			25			90	02	05		01	02	02	2
3		03	35	13		36	03	1.35	27			24	3
4	04	12	46		05	46		11			43		4
5	44	23	46		02	15	10	90	01			24	5
6	14	07	01		62	28	02	30			02	02	6
7	1.16	71	26	04	22	81	01	20			06	28	7
8		29	25	01		06	05	10				01	8
9	09	15	20	11		24	10	15				74	9
10	45	06	14	03	01		12	17			25	24	10
11	03	14	26		01		01	11			26	79	11
12	02	43	38		01		28	56					12
13	50		10				21			11		41	13
14	20	48	1.00		05	01		12		05		19	14
15	69	43	04		46	57		04				67	15
16	33		58		11	02		72		30	02	04	16
17			18		05	35		1.36			08	25	17
18		07	11					39		10	03	09	18
19		14	36			12	08	08		20	03	01	19
20	10	15	49		18			12		35	16		20
21		74	34		33		04	08		54			21
22	01	54	40				05	38		19	11	19	22
23	31	50	43				01	1.38		04	20	39	23
24	50	39	12			49	02	~~1.40~~				37	24
25	07	63				06	02	1.15		26	63	30	25
26	14	07					03	22		33	59	46	26
27	23	13	09			71	53	23		1.80	04	83	27
28		15	04			27	18	88	54	32	92	46	28
29		36	10			09	19	25	59	82		06	29
30			05			08	38		33	44			30
31			24				73	03		30		56	31
Total	5.45	7.01	7.92	32	2.12	6.47	3.22	10.40	1.85	6.67	3.85	8.25	TOTAL 63.53
No. of Rain Days.	19	24	29	5	13	25	24	27	6	18	17	26	228

27 JAN 1914

BRITISH RAINFALL FORM A. 316

REGISTER OF RAINFALL IN 1913

Kept at *Langham Hill*
in the County of *S. Devon*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.11												1
2	.21												2
3	.58												3
4	1.50												4
5	.19												5
6	.18												6
7	.10												7
8	.11												8
9	.13												9
10	1.11												10
11	.76												11
12	.07												12
13	.16												13
14	.40												14
15	.52												15
16	.46												16
17	.10												17
18	.05												18
19	.54												19
20	.28												20
21	.01												21
22	.29												22
23	.03												23
24	.07												24
25													25
26													26
27	.84												27
28	.38												28
29	.11												29
30	.95												30
31	.15												31
Total	10.39												YEAR'S TOTAL
Rain Days.	29												

REGIS

DEVON

IVYBRIDGE

"WOODHAYE"

1911-1916

Kept at Woodhaye

in the County of Devon

by Harold Alge

5 in.

Ground 1 ft.

Sea Level 300 ft.

Name

Distance 50 yds direction W

FORM A2.
BRITISH RAINFALL

2-JAN-1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. '03	in. —	in. '01	in. —	in. '17	in. —	in. —	in. —	in. —	in. '01	in. '10	in. '01	1
2	—	—	'02	'72	'75	—	—	'37	—	'10	'35	'60	2
3	—	—	'05	—	'25	—	—	—	—	—	'23	'18	3
4	—	—	'21	—	—	—	—	'47	—	'01	'54	'61	4
5	'46	—	'14	—	—	—	—	'74	—	'18	'12	—	5
6	'53	—	'15	—	—	—	—	—	—	'17	'14	1.23	6
7	'19	—	—	'05	—	—	—	—	—	—	'60	'03	7
8	'11	—	'25	—	—	—	—	—	—	—	'17	'99	8
9	'14	—	—	—	—	'82	—	—	—	—	'17	'95	9
10	'13	'13	1.33	—	—	—	—	—	—	L	'02	'30	10
11	'47	—	—	—	—	—	—	—	'03	—	1.26	'02	11
12	—	—	1.04	—	—	—	—	—	'26	—	'11	'33	12
13	—	—	'07	—	—	—	—	—	'14	—	'09	'72	13
14	—	'18	'07	—	—	—	—	—	—	'08	'12	'47	14
15	—	'07	'04	—	—	'13	—	—	—	'01	'49	'05	15
16	—	'04	'02	—	—	'42	—	—	—	'02	'60	'75	16
17	—	'14	'79	—	—	'15	—	—	—	'01	'45	'73	17
18	—	'40	'44	'27	—	'27	—	—	—	'05	'21	'43	18
19	—	—	'04	'05	—	'61	—	—	'60	'26	'28	1.00	19
20	'03	'09	'06	'25	—	'03	—	'01	'09	'75	—	'79	20
21	'02	'63	'02	'01	—	'16	—	—	'20	'41	—	'11	21
22	'06	'10	—	'29	—	'15	—	—	'55	'33	—	'72	22
23	—	'25	'03	'01	—	'08	—	'04	'17	'57	'02	'73	23
24	'04	'45	—	'02	—	'36	—	'14	'02	'41	—	'49	24
25	'06	'11	—	'35	—	'07	—	'02	'15	'26	—	'17	25
26	'02	'25	—	'73	—	—	—	'29	—	'87	—	'55	26
27	—	'96	'02	'06	—	—	—	'21	'11	'30	'02	'30	27
28	—	'33	'03	'49	—	—	—	'03	'01	—	'16	—	28
29	—	—	—	'15	'11	'77	1.19	—	'18	'84	—	'01	29
30	—	—	—	—	—	'05	'28	—	'02	'26	'43	'11	30
31	—	—	'05	—	—	—	'17	—	—	'06	—	'01	31
Total	2.29	4.13	4.88	3.00	1.28	4.07	1.64	2.32	2.53	5.95	6.68	13.39	TOTAL for year 52.16
No. of Rain Days	14	15	22	14	4	14	3	10	14	22	23	29	184

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at Woodhays - Ivybridge
in the County of Devon
by Harold Alger

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 300 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Ivybridge
Distance 50 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} '03	^{in.} —	^{in.} '01	^{in.} —	^{in.} '17	^{in.} —	^{in.} —	^{in.} —	^{in.} —	^{in.} '01	^{in.} '10	^{in.} '01	1
2	—	—	'02	'72	'75	—	—	'37	—	'10	'35	'60	2
3	—	—	'05	—	'25	—	—	—	—	—	'23	'18	3
4	—	—	'21	—	—	—	—	'47	—	'01	'54	'61	4
5	'46	—	'14	—	—	—	—	'74	—	'18	'12	—	5
6	'53	—	'15	—	—	—	—	—	—	'17	'14	1.23	6
7	'19	—	—	'05	—	—	—	—	—	—	'60	'03	7
8	'11	—	'25	—	—	—	—	—	—	—	'17	'99	8
9	'14	—	—	—	—	'82	—	—	—	—	'17	'95	9
10	'13	'12	1.33	—	—	—	—	—	—	—	'02	'30	10
11	'47	—	—	—	—	—	—	—	'03	—	1.26	'02	11
12	—	—	1.04	—	—	—	—	—	'26	—	'11	'33	12
13	—	—	'07	—	—	—	—	—	'14	—	'09	'72	13
14	—	'18	'07	—	—	—	—	—	—	'08	'12	'47	14
15	—	'07	'04	—	—	'13	—	—	—	'01	'49	'05	15
16	—	'04	'02	—	—	'42	—	—	—	'02	'60	'75	16
17	—	'14	'79	—	—	'15	—	—	—	'01	'45	'73	17
18	—	'40	'44	'27	—	'27	—	—	—	'05	'21	'43	18
19	—	—	'04	'05	—	'61	—	—	'60	'26	'28	1.00	19
20	'03	'09	'06	'25	—	'03	—	'01	'09	'75	—	'79	20
21	'02	'63	'02	'01	—	'16	—	—	'20	'41	—	'11	21
22	'06	'10	—	'29	—	'15	—	—	'55	'33	—	'72	22
23	—	'25	'03	'01	—	'08	—	'04	'17	'57	'02	'73	23
24	'04	'45	—	'02	—	'36	—	'14	'02	'41	—	'49	24
25	'06	'11	—	'35	—	'07	—	'02	'15	'26	—	'17	25
26	'02	'25	—	'73	—	—	—	'29	—	'87	—	'55	26
27	—	'46	'02	'06	—	—	—	'21	'11	'30	'02	'30	27
28	—	'33	'03	'49	—	—	—	'03	'01	—	'16	—	28
29	—	—	—	'15	'11	'77	1.19	—	'18	'84	—	'01	29
30	—	—	—	—	—	'05	'28	—	'02	'26	'43	'11	30
31	—	—	'05	—	—	—	'17	—	—	'06	—	'01	31
Total	2.29	4.13	4.88	3.00	1.28	4.07	1.64	2.32	2.53	5.95	6.68	13.39	TOTAL for year 52.46
No. of Rain Days	14	15	22	14	4	14	3	10	14	22	23	29	184

Co2 21-11-13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Woodhaye Ivybridge
in the County of Devon
by Harold Alper

PATTERN
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 300 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Ivybridge
Distance 50 yds Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'20	—	'02	'46	—	'01	'11	'57	—	'43	1
2	—	—	'25	'16	—	'95	'04	'07	—	'01	'02	'01	2
3	'05	—	'37	—	—	'50	'03	'49	'20	—	—	'24	3
4	'45	'05	'50	—	'03	'36	—	'11	—	—	'46	—	4
5	'91	'21	'38	—	'04	'35	'05	'12	—	—	—	'29	5
6	'52	'07	—	—	'67	'25	—	'32	—	—	'01	'02	6
7	'16	'83	'25	'04	'20	'61	'01	'19	—	—	'05	'31	7
8	'03	'19	'34	—	—	'10	—	'04	—	—	—	—	8
9	'06	'16	'24	'12	—	'19	'15	'13	—	—	—	'80	9
10	'42	'06	'10	'02	—	—	'14	'18	—	—	'27	'22	10
11	'01	'14	'35	—	—	—	—	'10	—	—	'31	'90	11
12	'01	'54	'39	—	'02	—	'28	'57	—	—	—	—	12
13	'47	—	'11	—	—	'01	'21	—	—	'12	—	'47	13
14	'22	'27	'47	—	'03	'01	—	'12	—	'06	—	'16	14
15	'70	'37	'03	—	'44	'61	—	'06	—	—	—	'64	15
16	'29	—	'62	—	'16	'03	—	'75	—	'34	'01	'04	16
17	—	—	'18	—	'03	'35	—	'48	—	—	'07	'23	17
18	—	'60	'10	—	—	—	—	'28	—	'11	'04	'09	18
19	'01	'13	'41	—	—	'13	'07	'08	—	'03	'01	'01	19
20	'07	'16	'57	—	'21	'01	—	'11	—	'32	'20	—	20
21	—	'82	'39	—	'35	—	—	'10	—	'51	—	—	21
22	'36	'54	'51	—	—	—	'06	'50	—	'17	'10	'20	22
23	'52	'52	'20	—	—	—	'01	'39	—	'02	'31	'40	23
24	'06	'11	'28	—	—	'57	—	'02	—	—	—	'30	24
25	'25	'01	—	—	—	'07	'01	'13	—	'28	'63	'43	25
26	—	'06	'01	—	—	—	'05	'27	—	'35	'59	'47	26
27	—	'12	'03	—	—	'81	'55	'16	—	'97	'04	'82	27
28	—	'16	'01	—	—	'24	'22	'00	'70	'36	'89	'46	28
29	—	'39	'05	—	—	'04	'22	'20	'66	'95	—	'05	29
30	—	—	'05	—	—	'04	'32	—	'32	'51	—	—	30
31	—	—	'25	—	—	—	'76	'03	—	—	—	'57	31
Total	6.57	6.52	8.14	'34	2.20	6.69	7.18	10.01	1.99	6.68	4.01	8.56	TOTAL for year
No. of Rain Days.	20	23	29	4	12	22	18	29	5	17	17	25	64.88

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
24 FEB 1914

Kept at *Woodhays, Ivybridge*
in the County of *S Devon*
by *Harold Alger*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Ivybridge*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft.
" " " " Sea Level *300* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>06</i>	<i>23</i>	<i>47</i>	<i>14</i>	<i>05</i>	—	—	—	<i>02</i>	<i>20</i>	<i>55</i>	<i>03</i>	1
2	<i>25</i>	<i>15</i>	<i>02</i>	<i>10</i>	<i>54</i>	—	<i>02</i>	—	—	<i>03</i>	<i>29</i>	<i>11</i>	2
3	<i>60</i>	<i>02</i>	<i>21</i>	<i>09</i>	<i>30</i>	—	—	—	<i>1.11</i>	<i>05</i>	—	<i>31</i>	3
4	<i>1.58</i>	<i>05</i>	<i>17</i>	<i>11</i>	<i>01</i>	—	—	—	<i>11</i>	<i>04</i>	<i>15</i>	<i>33</i>	4
5	<i>18</i>	<i>03</i>	<i>02</i>	—	<i>42</i>	<i>10</i>	<i>02</i>	—	<i>41</i>	<i>15</i>	<i>45</i>	<i>60</i>	5
6	<i>16</i>	<i>20</i>	<i>05</i>	—	<i>16</i>	<i>39</i>	—	—	—	<i>48</i>	<i>36</i>	<i>11</i>	6
7	<i>05</i>	<i>53</i>	<i>13</i>	—	<i>1.24</i>	<i>31</i>	<i>10</i>	—	—	<i>32</i>	<i>54</i>	—	7
8	<i>09</i>	<i>26</i>	—	—	<i>40</i>	<i>10</i>	<i>14</i>	<i>22</i>	—	<i>12</i>	<i>02</i>	<i>20</i>	8
9	<i>15</i>	<i>16</i>	<i>03</i>	—	<i>12</i>	—	—	<i>17</i>	—	—	<i>67</i>	<i>03</i>	9
10	<i>1.07</i>	—	<i>02</i>	—	<i>01</i>	<i>06</i>	—	<i>01</i>	—	<i>17</i>	<i>30</i>	—	10
11	<i>80</i>	—	—	<i>04</i>	<i>90</i>	<i>21</i>	—	—	<i>01</i>	<i>02</i>	<i>82</i>	<i>12</i>	11
12	<i>06</i>	—	—	—	<i>01</i>	<i>03</i>	—	—	<i>09</i>	—	<i>45</i>	<i>05</i>	12
13	<i>17</i>	—	<i>20</i>	<i>10</i>	—	—	—	<i>09</i>	<i>30</i>	—	<i>26</i>	—	13
14	<i>36</i>	—	<i>23</i>	<i>03</i>	<i>17</i>	—	—	—	<i>08</i>	—	<i>11</i>	<i>08</i>	14
15	<i>47</i>	—	<i>59</i>	<i>1.11</i>	—	—	—	—	<i>09</i>	—	<i>11</i>	<i>03</i>	15
16	<i>47</i>	—	<i>70</i>	<i>02</i>	—	—	<i>04</i>	<i>33</i>	<i>56</i>	—	<i>14</i>	—	16
17	<i>10</i>	—	—	<i>12</i>	—	—	<i>02</i>	—	—	—	<i>16</i>	—	17
18	<i>02</i>	—	<i>53</i>	<i>25</i>	<i>01</i>	<i>02</i>	—	—	—	—	—	—	18
19	<i>54</i>	—	<i>07</i>	—	<i>03</i>	<i>04</i>	<i>03</i>	—	<i>82</i>	<i>12</i>	<i>66</i>	—	19
20	<i>26</i>	—	<i>20</i>	<i>47</i>	—	—	—	—	<i>05</i>	<i>04</i>	<i>41</i>	—	20
21	<i>02</i>	—	<i>25</i>	<i>16</i>	<i>06</i>	—	<i>01</i>	<i>02</i>	—	<i>04</i>	—	—	21
22	<i>31</i>	—	<i>49</i>	—	<i>04</i>	<i>20</i>	—	<i>06</i>	<i>03</i>	—	<i>07</i>	<i>18</i>	22
23	<i>03</i>	—	<i>09</i>	—	<i>01</i>	—	—	<i>01</i>	—	—	<i>08</i>	<i>63</i>	23
24	<i>08</i>	<i>20</i>	—	<i>30</i>	—	<i>04</i>	—	<i>04</i>	—	<i>04</i>	<i>09</i>	—	24
25	—	—	—	<i>47</i>	—	—	—	<i>01</i>	<i>05</i>	<i>11</i>	—	<i>05</i>	25
26	—	—	—	<i>1.20</i>	—	—	—	—	—	<i>02</i>	—	<i>44</i>	26
27	<i>81</i>	—	<i>28</i>	<i>37</i>	—	—	—	<i>30</i>	—	<i>42</i>	—	<i>02</i>	27
28	<i>42</i>	—	<i>15</i>	<i>41</i>	<i>02</i>	—	—	<i>10</i>	<i>18</i>	<i>20</i>	<i>05</i>	<i>16</i>	28
29	<i>05</i>	—	<i>1.21</i>	<i>44</i>	<i>01</i>	—	<i>24</i>	—	—	<i>10</i>	—	—	29
30	<i>1.12</i>	—	—	—	<i>03</i>	—	<i>13</i>	—	—	<i>85</i>	<i>02</i>	—	30
31	<i>11</i>	—	<i>20</i>	—	—	—	—	<i>31</i>	—	<i>10</i>	—	—	31
Total	<i>10.39</i>	<i>1.83</i>	<i>6.31</i>	<i>5.93</i>	<i>4.54</i>	<i>1.50</i>	<i>0.75</i>	<i>1.67</i>	<i>3.91</i>	<i>3.62</i>	<i>6.76</i>	<i>3.48</i>	YEAR'S TOTAL. <i>50.69</i>
Rain Days.	<i>29</i>	<i>10</i>	<i>23</i>	<i>19</i>	<i>21</i>	<i>11</i>	<i>10</i>	<i>13</i>	<i>15</i>	<i>21</i>	<i>23</i>	<i>18</i>	<i>213</i>

REGISTER OF RAINFALL IN 1914

Kept at *Woodhaye Ivybridge*
in the County of *Devon* *S3*
by *Harold Alger*

Lat. _____ Long. _____
Time of Observation *9 am.*
Nearest Railway Station *Ivybridge.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *300* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'09	'25	'16	'09	'59	'54	—	—	1'13	'09	1
2	'02	—	'10	'05	'91	'02	'13	'02	—	—	'36	'41	2
3	'03	—	'39	'25	'12	—	—	'06	—	'01	'02	'04	3
4	'11	—	'12	'71	'11	—	'96	'20	'15	—	'11	'65	4
5	'28	—	'27	'28	'32	—	—	—	—	—	'09	'03	5
6	—	'09	'30	'08	'10	'01	'03	'10	—	—	—	1'10	6
7	'11	1'65	'55	'21	—	'02	'57	'31	'43	—	—	'41	7
8	'43	'01	1'02	'11	'08	'31	—	'13	—	—	'02	'18	8
9	'21	'06	'35	'31	—	'29	—	'24	'33	—	—	—	9
10	'17	'88	'25	'31	'31	'11	—	—	'47	—	'05	'26	10
11	—	'22	1'04	—	—	'05	—	—	'02	—	'09	'86	11
12	—	'38	'32	—	—	—	—	—	'44	'06	'06	'56	12
13	—	'85	'33	—	—	—	'18	—	'50	'04	'57	'27	13
14	—	'52	'41	—	—	'05	—	'30	'05	'02	'95	'26	14
15	'02	—	'39	—	—	—	'05	'17	'05	'14	'40	'50	15
16	'02	—	'03	—	—	—	'03	—	'65	—	—	'01	16
17	—	'80	'36	—	—	—	'02	—	—	—	—	1'21	17
18	—	'17	'21	—	—	—	'26	—	'20	—	—	'32	18
19	—	'08	1'00	—	—	—	1'91	—	'06	—	'08	'13	19
20	—	'37	'16	—	—	'10	—	—	—	—	'05	'30	20
21	—	'53	'12	—	—	—	—	—	—	'45	—	'01	21
22	—	'14	'09	'02	'11	'02	—	'22	—	'36	—	—	22
23	—	'10	'62	—	'02	'01	'20	'01	—	'13	—	—	23
24	—	—	'02	—	—	—	'03	—	—	'02	'04	—	24
25	'20	—	'25	—	'04	—	'09	1'02	—	1'06	'10	1'12	25
26	'07	'12	'02	—	—	—	'20	'01	—	'09	'37	'70	26
27	'08	'26	—	—	—	—	'03	—	—	'03	'20	'77	27
28	'06	'21	'71	—	'06	—	—	—	—	'15	'41	'76	28
29	'67	—	'25	—	'16	—	—	—	—	'01	'84	'02	29
30	'02	—	'14	—	—	—	—	—	—	'26	'48	'89	30
31	'10	—	—	—	—	—	1'05	—	—	1'47	—	'38	31
Total	2'60	7'44	9'81	2'58	2'50	1'08	6'33	3'33	3'35	4'30	6'36	12'24	61'92
Rain Days.	17	19	29	11	13	12	17	14	12	16	21	27	208

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Woodhaye, Ivybridge
in the County of Devon S3
by Harold Alger

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ivybridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

1817
FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.37	.70	.01	—	.07	.25	—	.77	.43	.44	.02	.28	1
2	.48	.20	.32	.16	—	—	—	.17	.06	.01	—	.41	2
3	.07	.51	.36	.45	.25	—	—	.01	—	—	—	.81	3
4	.07	.36	.03	—	.04	.03	—	.03	—	—	—	.61	4
5	.15	1.10	.01	.47	—	—	—	.54	—	—	—	.61	5
6	1.16	.51	—	.75	—	—	.52	.13	—	—	—	.32	6
7	.58	.81	—	.09	—	—	.34	.01	—	.47	.04	.52	7
8	.09	.26	—	—	—	—	.07	.07	—	.04	.17	.24	8
9	.01	.15	—	.10	—	—	.03	—	—	—	.52	1.19	9
10	.30	.50	.08	.05	—	—	.01	.01	—	.21	.10	.17	10
11	.24	.02	.17	.01	—	—	.06	.06	—	.09	1.86	.15	11
12	.20	.60	—	—	.68	—	—	.14	—	.12	.61	—	12
13	.04	.99	—	—	1.33	—	.07	.02	.03	.01	.17	.05	13
14	.15	.02	—	—	—	—	.30	.04	.02	.26	.04	2.33	14
15	.25	—	—	—	.43	—	.55	—	.07	.07	.03	.26	15
16	.04	2.39	—	—	.31	—	1.60	—	—	—	—	.23	16
17	.04	.28	—	—	.01	—	—	—	—	—	—	.01	17
18	.01	.36	.01	—	—	—	.10	—	—	—	—	—	18
19	.06	.01	—	.03	.77	—	.25	.02	—	—	—	—	19
20	.40	—	—	.10	.02	.20	—	—	—	.18	—	—	20
21	.32	.07	—	—	.24	.20	.75	—	—	.25	—	.10	21
22	.15	.03	.55	—	—	—	.62	—	.09	.04	—	.71	22
23	.02	.02	.05	—	—	.05	.05	—	.07	1.86	—	1.12	23
24	—	—	—	.01	—	.21	.42	—	.04	.32	—	1.06	24
25	—	—	—	.03	—	.07	—	—	—	—	—	.48	25
26	—	.61	—	—	—	.26	.06	—	.05	—	—	1.18	26
27	.01	.11	—	—	—	.27	.01	—	.02	.95	—	—	27
28	—	.10	—	—	—	.27	—	.06	.29	.12	.09	.10	28
29	—	~~X~~	—	—	—	.43	—	—	.04	.06	.33	.30	29
30	.20	~~X~~	—	.01	—	.11	—	—	—	1.08	.55	.47	30
31	.02	~~X~~	—	~~X~~	—	~~X~~	.38	.07	~~X~~	.72	~~X~~	.35	31
Total	5.63	10.51	1.59	2.26	4.15	2.35	6.19	2.15	10.1	7.30	4.53	14.06	61.93
Rain Days.	26	24	10	13	11	12	19	16	12	20	13	26	202
YEAR'S TOTAL													61.93

REGISTER OF RAINFALL IN 1916

Kept at Woodhaye Ivybridge
 in the County of Devon
 by Harold Alger

Lat. _____ Long. _____
 Time of Observation 9 am.
 Nearest Railway Station Ivybridge
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 300 ft.

FORM A.
 BRITISH RAINFALL

3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	—	.07	—	.09	.14	.04	—	.11	.60	.20	—	1
2	.57	.06	.13	—	.01	—	—	—	.50	.75	.50	—	2
3	.14	1.45	—	—	.37	.15	—	—	.08	.92	.10	—	3
4	.23	.28	—	—	.01	.57	.35	—	.10	.17	.65	—	4
5	.15	.34	.03	—	.03	.15	—	—	—	.23	.25	—	5
6	.09	.16	.04	—	.15	.08	1.35	—	—	.18	1.50	—	6
7	.11	.21	.20	—	.12	.32	.01	—	—	.22	.58	.10	7
8	.02	.18	.50	—	.55	—	—	—	—	—	.25	.29	8
9	.01	.08	—	—	.01	.10	—	—	—	.05	.19	.27	9
10	.03	1.10	.02	.10	.20	.02	.06	—	—	.05	.41	—	10
11	—	.01	—	.19	.08	—	.01	—	.06	—	—	—	11
12	.13	.13	.10	.05	.24	—	.38	.19	—	.41	—	—	12
13	—	.43	.16	.02	.04	—	.11	.35	—	.04	—	.22	13
14	.03	.59	.02	—	.20	—	—	.27	—	.12	—	—	14
15	.02	.48	.28	.12	.01	—	—	.06	—	.07	—	.33	15
16	.47	.13	—	.21	—	—	.04	.73	—	.26	—	.15	16
17	.37	.21	—	—	—	—	—	—	.14	.84	1.80	—	17
18	.11	.31	.31	.08	—	—	—	—	.37	.17	.10	.26	18
19	.37	.22	.07	.08	—	—	—	—	—	—	.02	.10	19
20	.18	.89	.19	.12	—	—	—	—	.01	—	.11	1.91	20
21	.06	.15	.12	.03	.03	—	—	—	—	—	—	.15	21
22	—	—	.05	—	—	.33	—	.50	—	.17	.10	.60	22
23	.07	—	—	.22	—	.21	—	.02	—	.60	.64	.05	23
24	—	.35	.08	.41	.32	.06	—	.29	—	.70	.10	.41	24
25	.03	.36	.14	—	—	.05	—	.25	—	—	.14	.02	25
26	.06	.06	.06	—	—	.43	—	.03	.83	1.13	.80	.14	26
27	.04	.01	1.65	—	—	.35	—	.09	.19	—	—	—	27
28	—	.09	.06	—	—	.02	—	.10	.68	1.02	—	.56	28
29	—	.01	.09	—	—	.83	—	1.75	.03	.26	—	.62	29
30	—	X	.03	—	—	.07	—	.30	—	.65	—	.03	30
31	—	X	—	X	—	X	—	.02	X	.70	X	.03	31
Total	3.59	8.29	4.40	1.63	2.46	3.88	2.35	4.95	3.10	10.31	8.44	6.24	59.64
Rain Days.	23	26	23	12	17	17	9	15	12	24	19	19	216
													YEAR'S TOTAL

REGIS

DEVON.

KENTON.

Kept at Kenton

in the County of Devon

by Edward J. H.

1914-1920

3° 28' W

am

Starcross. 1 1/2 m. S.W.

5 in.

Above Ground 1 ft. in.

Sea Level - 857 ft.

IMPORTANT NOTE.

... at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'04	'06	—	'08	'04	'39	—	—	'20	'04	1
2	—	—	'03	'12	'04	—	'29	'02	—	—	'30	'46	2
3	—	—	'09	'20	'70	—	'05	'04	—	—	—	'03	3
4	'13	—	—	'29	'10	—	'48	'13	—	—	'53	'94	4
5	'14	—	'03	'12	'06	—	—	—	'10	—	—	'04	5
6	—	'08	'02	'16	'10	—	'02	—	—	—	—	'60	6
7	'03	1.13	'10	'14	'08	'14	'25	'09	'12	—	'05	'34	7
8	'02	—	'40	'10	'02	'25	—	'02	'03	—	—	'06	8
9	—	'04	'46	'23	'04	'53	—	'16	'95	—	—	—	9
10	'01	'68	'06	'19	'03	'06	—	—	'23	—	—	'06	10
11	—	'15	'31	—	'01	'14	'11	—	—	—	'04	1.05	11
12	—	'25	'09	—	—	—	—	—	'12	'06	'02	'41	12
13	—	'31	'34	—	—	—	'08	—	'14	'18	'32	'21	13
14	—	'35	'30	—	—	'19	'02	'46	—	'03	'45	'10	14
15	—	—	'08	—	—	—	—	'30	—	'22	'26	'08	15
16	—	—	'03	—	—	—	—	—	'24	—	—	'05	16
17	—	'20	'24	—	—	—	—	—	—	—	—	'69	17
18	—	'03	'08	—	—	—	'03	—	'12	—	—	'25	18
19	—	'03	'68	—	—	—	1.89	—	'06	—	'04	'13	19
20	—	'52	'33	—	—	'04	—	'05	—	—	—	'19	20
21	—	'54	'01	—	—	—	—	—	—	'38	—	'08	21
22	—	'02	'02	—	'14	—	—	—	—	'14	—	—	22
23	—	'16	'24	—	'03	—	'01	—	—	'40	—	—	23
24	—	'14	—	—	'50	—	—	'04	—	'04	—	—	24
25	'09	—	'34	—	'03	—	'08	'35	—	'33	'06	'22	25
26	'06	—	'02	—	—	—	'09	'04	—	'03	'24	'60	26
27	'01	'02	—	—	—	—	'01	—	—	'04	'29	'26	27
28	—	'03	'38	—	'08	—	'01	—	—	'08	'21	'41	28
29	'04	X	'20	—	'09	—	'01	—	—	'11	'42	'04	29
30	—	X	'11	—	—	—	—	—	—	'34	'54	1.11	30
31	'10	X	—	X	—	X	'40	—	X	'44	X	'35	31
Total	'63	4.71	5.09	1.64	2.11	1.43	3.84	2.12	2.14	3.05	4.36	9.56	YEAR'S TOTAL 40.71
Rain Days.	10	18	24	10	16	8	18	13	10	15	16	24	188

REGIS

Kept at Keaton
in the County of Devon
by Edward Pitt

Lat. 50° 37' N Long. 3° 28' W
Time of Observation 9 am
Nearest Railway Station Starcross 1 1/2 m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 857 ft.

FORM A.
BRITISH RAINFALL
-3 FEB 1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'04	'06	—	'08	'04	'39	—	—	'20	'04	1
2	—	—	'03	'12	'04	—	'39	'02	—	—	'30	'46	2
3	—	—	'09	'20	'70	—	'05	'04	—	—	—	'03	3
4	'13	—	—	'29	'10	—	'48	'13	—	—	'53	'94	4
5	'14	—	'03	'12	'06	—	—	—	'10	—	—	'04	5
6	—	'08	'02	'16	'10	—	'02	—	—	—	—	'60	6
7	'03	1.13	'10	'14	'08	'14	'25	'09	'12	—	'05	'34	7
8	'02	—	'40	'10	'02	'25	—	'02	'03	—	—	'06	8
9	—	'04	'46	'23	'04	'53	—	'16	'95	—	—	—	9
10	'01	'68	'06	'19	'03	'06	—	—	'23	—	—	'06	10
11	—	'15	'31	—	'01	'14	'11	—	—	—	'04	1.05	11
12	—	'25	'09	—	—	—	—	—	'12	'06	'02	'41	12
13	—	'31	'34	—	—	—	'08	—	'14	'18	'32	'21	13
14	—	'35	'30	—	—	'19	'02	'46	—	'03	'45	'10	14
15	—	—	'08	—	—	—	—	'30	—	'22	'26	'08	15
16	—	—	'03	—	—	—	—	—	'24	—	—	'05	16
17	—	'20	'24	—	—	—	—	—	—	—	—	'69	17
18	—	'03	'08	—	—	—	'03	—	'12	—	—	'25	18
19	—	'03	'68	—	—	—	1.89	—	'06	—	'04	'13	19
20	—	'52	'33	—	—	'04	—	'05	—	—	—	'19	20
21	—	'54	'01	—	—	—	—	—	—	'38	—	'08	21
22	—	'02	'02	—	'14	—	—	—	—	'14	—	—	22
23	—	'16	'24	—	'03	—	'01	—	—	'40	—	—	23
24	—	'14	—	—	'50	—	—	'04	—	'04	—	—	24
25	'09	—	'34	—	'03	—	'08	'35	—	'33	'06	'32	25
26	'06	—	'02	—	—	—	'09	'04	—	'03	'24	'60	26
27	'01	'02	—	—	—	—	'01	—	—	'04	'29	'26	27
28	—	'03	'38	—	'08	—	'01	—	—	'08	'21	'41	28
29	'04	X	'20	—	'09	—	'01	—	—	'11	'42	'04	29
30	—	X	'11	—	—	—	—	—	—	'34	'54	1.11	30
31	'10	X	—	X	—	X	'40	—	X	'44	X	'35	31
Total	'63	4.71	5.09	1.64	2.11	1.43	3.84	2.12	2.14	3.05	4.36	9.56	YEAR'S TOTAL 40.71
Rain Days.	10	18	24	10	16	8	18	13	10	15	16	24	188

REGISTER OF RAINFALL IN 1915

Kept at Keaton
in the County of Devon
by Edward Pitt

Lat. 50° 37' Long. 3° 28'
Time of Observation 8 am
Nearest Railway Station Starcross 1 1/2 m
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 85 ft.

1885
FORM A.
BRITISH RAINFALL
31 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'39	'06	—	—	—	—	—	'57	'26	'49	—	'06	1
2	'14	'33	'02	'01	—	'07	—	'30	'45	'05	—	'65	2
3	—	'18	'04	'03	'31	—	—	'01	—	—	—	'57	3
4	'04	'09	—	—	'04	—	'05	—	—	—	—	'34	4
5	—	1'03	—	'18	—	—	—	'17	—	—	—	'65	5
6	'56	'09	—	'24	'01	—	'50	'01	—	—	—	'27	6
7	'24	'51	—	'08	—	—	'12	—	—	'01	—	'25	7
8	'09	'42	—	—	—	—	'04	'08	—	—	'05	'19	8
9	—	'05	—	'02	—	—	—	—	—	—	'27	'65	9
10	'10	'34	'05	'05	—	—	—	—	—	'10	'05	'06	10
11	'14	'31	'02	—	'05	—	'04	'31	—	'05	'93	'05	11
12	'05	'53	—	'05	'56	—	—	'11	'01	—	'25	—	12
13	—	'53	—	—	'37	—	—	'15	'04	—	'17	'02	13
14	—	—	—	—	—	—	'29	'10	'02	'16	—	'81	14
15	'15	—	—	—	'26	—	'15	'04	—	'04	—	'13	15
16	—	1'19	—	—	'33	—	'68	—	—	'03	—	'07	16
17	—	'37	—	—	'01	—	'18	—	'02	—	—	—	17
18	—	'18	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	'62	—	'10	—	—	—	—	—	19
20	'15	'01	—	'16	—	'11	—	—	—	'31	—	'07	20
21	'40	'04	—	—	'01	'02	'09	—	—	—	—	'03	21
22	'08	'01	'33	'05	—	'08	'36	—	—	'45	—	'32	22
23	—	'04	'04	—	—	'04	'13	—	'07	1'42	—	'34	23
24	—	—	—	'01	—	'01	'19	—	'09	'21	—	'54	24
25	'01	—	'03	'02	—	'86	'04	—	'02	—	—	'17	25
26	—	'13	—	—	—	—	'06	—	—	—	—	'91	26
27	—	'05	—	—	—	'28	'06	—	—	'43	—	'01	27
28	—	'09	—	—	—	'21	—	—	'38	'07	—	'10	28
29	—	~~X~~	—	—	—	'25	'12	—	'08	'02	'19	'08	29
30	'29	~~X~~	—	—	—	'01	'20	—	'02	'86	'46	'55	30
31	'01	~~X~~	—	~~X~~	—	~~X~~	'21	—	~~X~~	1'11	~~X~~	'42	31
Total	2'84	6'58	'53	'90	2'57	1'94	3'61	1'85	1'46	5'81	2'37	8'31	YEAR'S TOTAL 38'77
Rain Days.	16	23	7	12	11	11	20	11	12	17	8	27	175

REGISTER OF RAINFALL IN 1916

Kept at Kenton
in the County of Devon
by Edward J. Pitt.

Lat. 50° 37' N Long. 3° 28' W
Time of Observation 9 am
Nearest Railway Station Starcross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 85 ft.

1842
FORM A.
BRITISH RAINFALL.
1 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'10	'03	'05		'56				'12	'31	'03		1
2	'05	'10			'01				'12	'27	'45		2
3	'01	1'31	'04		'31	'08	'07			'52	'26		3
4	'10	'16			'17	'07			'01	'10	'99		4
5		'02	'07		'07	'05				'11	'10		5
6	'01	'09	'02		'18	'03	'64			'16	'99		6
7	'10	'12	'12		'05	'06	'13			'04	'71	'10	7
8		'24	'28		'32	'57					'07	'16	8
9		'09			'01	'04	'03					'13	9
10		'46			'01						'08	'37	10
11		'01			'02	'06			'01				11
12	'04	'01	'31	'05	'13			'03		'02	'01		12
13		'17	'17	'02			'03	'16				'02	13
14		'60	'35		'02			'20		'04			14
15		'13	'14	'03				'12				'13	15
16	'17	'07		'10			'13	'13		'09			16
17	'12	'06		'02					'13	'22	1'20		17
18	'08	'14	'39	'04					'18	'18		'07	18
19	'10	'21	'32	'04					'17		'15	'03	19
20	'04	1'04	'28	'02							'03	'75	20
21		'08	'10		'07							'35	21
22						'12		'05		'27	'02	'65	22
23		'07		'01		'06		'28		'19	'13	'09	23
24		'06		'01	'27			'07		'72	'03	'36	24
25		'40	'16		'06	'02		'49	'05		'16		25
26	'02	'11	'05		'02	'30		'34	1'69	1'05	'02	'02	26
27			1'46			'51		'51	'71	'25			27
28		'11		'08				'16	'16	'48		'16	28
29		'33	'02			'26		2'11	'15	'12		'30	29
30		X								'43			30
31		X		X		X		'02	X	'23	X	'01	31
Total	'94	6'22	4'33	'42	2'28	2'23	1'03	4'67	3'50	5'80	5'43	3'70	YEAR'S TOTAL 40'55
Rain Days.	13	27	18	11	17	14	6	14	12	21	18	17	188

REGISTER OF RAINFALL IN 1917

Kept at Kenton
in the County of Devon
by Edward J Pitt

Lat. 50° 37' N Long. 3° 28' W
Time of Observation 9 am
Nearest Railway Station Starcross G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 85 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14	.22		.15		.50					1
2			.02	.13		.20				.01		.01	2
3							.70			.22	<u>1.34</u>		3
4	.01	.03	.67							.12			4
5	.16		.23	.19		.35			.09	.08	.10		5
6			.28			.04		.20		.10	.05		6
7	.31						.12	.35		.16	.02		7
8	.13		.38	.15			.81	.21		.23	.04	.27	8
9			.03	.05	.03		.07			.33	.10		9
10	.19		.41	.10				.22		.08	.02		10
11			1.28	.29				.13		.12	.13		11
12	.11		.01		.36					.29			12
13			.31	.39		.01		.15	.09	.05			13
14							.17	.15				.04	14
15							.07	.10		.20		.40	15
16		.07		.04						.17		.15	16
17		.04		.06	.01		.16	.05	.39	.09			17
18		.11			.34	.07	.07	.02	.63				18
19		.48	.09			.13			.08	.02			19
20		.09			.45	.12		.05	.16				20
21			.09								.02	.06	21
22	.02				.04			.56					22
23		.08			.27	.02		.24		.12			23
24						.02	.25	.04		.10			24
25						.02		.58		.04	.04		25
26					.36	.10		.57					26
27					.05	.49		.85					27
28		.14	.15		.02	.80		.38				.03	28
29			.05			.06		.02		.49		.13	29
30		~~X~~	.20					.23		.09			30
31		~~X~~	.03	~~X~~	.07	~~X~~		.01	~~X~~	.33	~~X~~	.01	31
Total	.93	1.04	4.37	1.62	2.00	2.58	2.42	5.61	1.44	3.44	1.86	1.10	YEAR'S TOTAL 28.41
Rain Days.	7	8	17	10	11	15	9	22	6	22	10	9	146

REGISTER OF RAINFALL IN 1918

Kept at KENTON
in the County of DEVON
by E. J. Pitt

Lat. 50° 37' N Long. 3° 28' W
Time of Observation 9 am G.M.
Nearest Railway Station Starens
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 85 ft.

FORM A.
BRITISH RAINFALL
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		'16		'15				'82		'04	'92		1
2		'18		'05				'04			'02	'11	2
3		'19		'37	'05						'11		3
4				'02				'20	'41		'87	'16	4
5			'15	'01	'36			'31	'63	'05	'03	'20	5
6	'15	'12		'07						'30		'16	6
7		'07		'03	'09				'31			'22	7
8	'02	'17							'02	'07	'43		8
9	'08			'06		'10	'32		'40	'03		'26	9
10				'25			'15		'18	'20		'41	10
11			'15	'07			'21			'15	'08	'02	11
12			'13		'20				'05	'10			12
13	'03				'17		'55		'25	'10		'01	13
14	'33				'02	'08	'03		'10	'15		'12	14
15	1.26			'05	'04		'55		'07	'05		'25	15
16	'57			'18			'05		'41			'10	16
17	'20		'01	'31			'25		'06			'17	17
18	'87		'04			'78	'17	'02	'36	'05		'42	18
19	'21	'04					'05		'06	'06		'20	19
20	'13	'03		'24			'10		'30			'02	20
21	'06					'03	'05		'18	'16		'41	21
22	'03						'60		'10		'03	'08	22
23	'03	'02			'09		'06		'06	'02	'01	'02	23
24		'16				'01	'02	'10	'09		'12	'33	24
25				'26	'14		'10	'53		'02	'21		25
26							'15			'01	'03	'06	26
27	'03		'24					'07	'09	'02			27
28		'18	'20						'10	'02	'13	'01	28
29									1.36		'03	'02	29
30		X	'20	'02					'05	'05	'10	'05	30
31		X	'15	X		X			X	'03	X		31
Total	4.00	1.29	1.27	2.14	1.16	1.00	3.51	2.09	5.64	1.68	3.12	3.81	YEAR'S TOTAL 30.71
Rain Days.	15.	11	9	16	9	5	17	8	23	21	15	24	173

REGISTER OF RAINFALL IN 1919.

Kept at KENTON
in the County of DEVON
by Edward J. Pitt

Lat. 50° 34' N Long. 3° 28' W.
Time of Observation 9 am G.M.T.
Nearest Railway Station Starcross G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'56	—	'19	—	'03	—	'15	—	—	'20	—	1'03	1
2	'16	—	'01	—	—	—	'37	—	'08	'13	—	—	2
3	'39	—	'41	—	'02	—	—	—	'28	—	'07	'02	3
4	'48	'72	'33	—	—	'08	'06	'10	'44	—	'04	'07	4
5	—	'34	1'36	'01	—	—	—	—	'57	—	'05	'02	5
6	'53	1'17	'05	'04	—	—	—	—	—	—	—	'44	6
7	'25	—	'29	'10	—	—	—	—	—	—	—	'03	7
8	'43	—	'19	'02	'01	—	—	—	—	—	'06	—	8
9	'12	—	'01	'18	'07	—	—	—	—	—	'42	—	9
10	'09	—	'33	—	—	—	—	—	—	—	'01	'38	10
11	'04	—	'35	'03	'30	'02	'07	—	—	'02	—	'30	11
12	'10	—	'03	'05	—	—	—	—	—	'03	'12	—	12
13	'11	'18	'16	'48	—	—	—	—	—	'07	'01	'07	13
14	'37	'32	—	'57	'52	—	—	—	—	'10	—	'56	14
15	'23	'18	—	'03	—	—	—	—	—	'05	—	'28	15
16	'05	'89	—	—	—	—	—	'01	—	—	'08	—	16
17	—	'82	—	—	—	—	—	—	—	—	'06	—	17
18	'06	'26	'55	—	—	—	'12	—	'15	—	'09	—	18
19	'54	'66	'21	—	—	'14	'93	'28	'10	'01	'04	'03	19
20	'49	—	'12	—	—	'38	—	'11	—	—	'09	'02	20
21	'01	1'22	—	—	—	—	—	—	'13	—	—	'04	21
22	—	'02	—	—	—	—	'09	—	—	—	'01	'01	22
23	—	—	—	—	—	—	—	'15	—	'62	'04	'02	23
24	—	—	—	'02	—	'20	—	'08	—	'18	'16	'32	24
25	'18	—	—	—	—	'75	—	'39	'10	—	'02	'02	25
26	'09	—	'04	'10	—	—	—	—	—	—	'11	'24	26
27	'21	'02	—	'15	—	—	—	1'70	—	—	—	'02	27
28	'06	—	'21	'06	—	—	—	'04	—	—	'77	'41	28
29	—	X	—	'05	—	—	—	'10	—	'02	—	'06	29
30	—	X	—	'04	—	'04	—	'14	—	—	'65	'66	30
31	'02	X	'03	X	—	X	—	—	X	—	X	'55	31
TOTAL	5'57	6'80	4'87	1'93	'95	1'01	1'79	3'10	1'85	1'43	2'90	5'60	YEAR'S TOTAL 37'80
Days with '01 in. or more	24	13	19	16	6	7	7	11	8	11	20	24	166

REGISTER OF RAINFALL IN 1920.

Kept at KENTON
 in the County of DEVON
 by E. J. PITT.

Lat. 50° 37' N Long. 3° 28' W
 Time of Observation 9 a.m. GMT
 Nearest Railway Station Starcross GWR
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 8.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.09	.46		.30		.07	.02	.07	.88	1
2	.29			.11			.03	.08	.03	.10		.30	2
3							.09	.02		.62		.13	3
4			.03	.06			.02	.39		.26			4
5			.11	.08	.02		.24	.05		.30			5
6			.37		.10		.15			.07			6
7			.02	.09	.05		.68						7
8	.06	.08		.13	.06		.18					.24	8
9	.49	.02		.14		.35	.09						9
10	1.05	.02				.36	.30						10
11	.19			.56	.27	.03	.19				.09		11
12	.10		.21	.10		.09	.02					.29	12
13	.20	.08	.66	.05						.08		.13	13
14	.06		.37	.72			.01		.07	.39	.21		14
15		.10		.65	.08	~~.05~~			.03	.56	.04		15
16		.03		.02		.05	.20		.18	.04	.03		16
17				.07	.25	.32	.01		.27				17
18	.03	.01		.05	.03	.17	.01	.28	.02				18
19	.05	.01		.48	.06	.33							19
20		.09		.12		.15	.01			.18		.24	20
21				.14			.01					.19	21
22	.02			.12			.03					.42	22
23	.01						.32	.05				.30	23
24			.22				.02				.22	.17	24
25	.03		.13		.02		.62				.01	.04	25
26	.28		.25				.03				.36	.14	26
27	.98	.08	.15	.08		.09	.08				.44	.20	27
28	.75	.03	.09	.02			.03					.17	28
29	.48		.78	.08	.03						.36	.30	29
30	.28	~~X~~			.02	.08	.03		.74	.14	.26	.47	30
31	.06	~~X~~	.30	~~X~~		~~X~~	.02		~~X~~	.50	~~X~~	.04	31
TOTAL	5.47	.55	3.69	3.96	1.45	2.02	3.72	.87	1.41	3.26	2.09	4.65	YEAR'S TOTAL
Days with ".01 in. or more	20	11	14	22	13	11	27	6	8	13	11	18	174
Days with ".04 in. or more	16	5	12	20	8	10	13	5	5	12	9	18	133

REGIS

DEVON.

Kept at *Kilmingt*in the County of *Devon*by *Arthur Hite*

ARTHUR HITE

KILMINGTON
(HADDON CORNER)

1911-1920

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

5 in.

Ground 1 ft. in.

Sea Level 400 ft.

Name

*Seaton Junction*Distance *1 1/4* Direction *W.S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	.13	.04	-	-	.01	-	.01	.03	.02	1
2	.01	-	.01	.21	.54	-	-	.17	.01	.08	.26	.38	2
3	-	x	x	.01	.20	-	-	x	x	-	.07	.27	3
4	-	-	.05	.01	x	-	-	.03	.03	.02	.08	.47	4
5	.22	-	.09	-	-	-	-	.26	-	.07	.24	-	5
6	.66	-	.22	-	-	-	-	.61	-	.05	.13	1.07	6
7	.02	-	-	-	-	-	-	-	-	-	.55	.02	7
8	.01	-	.23	-	-	-	-	-	-	-	.06	.93	8
9	.04	-	.03	-	-	-	-	-	-	-	.40	.74	9
10	.12	.05	.70	-	.64	-	-	-	.01	-	.02	.27	10
11	.32	-	.01	-	.11	-	-	-	-	-	.17	.13	11
12	.01	-	.76	-	x	-	-	-	x	-	.10	.20	12
13	-	-	x	-	-	-	-	-	.23	.01	.07	.35	13
14	-	.05	-	-	-	-	-	-	-	.05	.01	1.13	14
15	-	.02	-	-	-	.03	-	-	-	x	.43	.04	15
16	-	.04	.01	-	-	.47	-	-	-	-	.87	.60	16
17	-	.03	.14	.01	-	.12	-	-	-	.07	.25	.53	17
18	<i>nil</i>	.20	.07	.19	-	.13	-	-	-	.10	.09	.27	18
19	<i>nil</i>	.09	x	.02	-	.08	-	-	.48	.23	.04	.49	19
20	.04	.06	.20	.09	-	x	-	x	.09	.16	.01	.70	20
21	.01	.14	-	.02	-	.02	-	-	.01	.50	-	.13	21
22	.07	.06	-	.04	-	.01	-	-	.16	.52	-	.59	22
23	.01	.16	.02	-	-	.14	-	-	.09	.15	.15	.48	23
24	x	.21	-	-	-	.30	-	.09	-	.45	-	.23	24
25	x	.06	-	.17	-	.05	-	x	.08	.20	-	.09	25
26	-	.16	-	.43	.02	.01	-	.04	-	.17	.08	.27	26
27	-	.32	.16	.02	.84	.01	-	.05	.05	.96	.04	.13	27
28	-	.31	x	.59	-	.01	-	.11	-	-	.13	x	28
29	-		-	.48	.06	.27	.18	-	.18	.45	.01	-	29
30	-		x	-	-	.06	-	-	.02	.20	.37	.04	30
31	-		-		-		.04	-		.03		x	31
Total	1.54	1.96	2.73	2.42	2.45	1.71	.22	.77	1.44	4.48	4.66	10.57	TOTAL for year 34.95
No. of Rain Days.	13	16	16	15	8	15	2	9	13	21	26	27	181

Kept at Kilmington
(Hadden Corner)
in the County of Deron S. 7
by Arthur Hitchcock

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.
Time of Observation 9 am
Nearest Railway Station { Name Seaton Junction
Distance 1 1/4 Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	.13	.04	-	-	.01	-	.01	.03	.02	1
2	.01	-	.01	.21	.54	-	-	.17	.01	.08	.26	.38	2
3	-	x	x	.01	.20	-	-	x	x	-	.07	.27	3
4	-	-	.05	.01	x	-	-	.03	.03	.02	.08	.47	4
5	.22	-	.09	-	-	-	-	.26	-	.07	.24	-	5
6	.66	-	.22	-	-	-	-	.61	-	.05	.13	1.07	6
7	.02	-	-	-	-	-	-	-	-	-	.55	.02	7
8	.01	-	.23	-	-	-	-	-	-	-	.06	.93	8
9	.04	-	.03	-	-	-	-	-	-	-	.40	.74	9
10	.12	.05	.70	-	.64	-	-	-	.01	-	.02	.27	10
11	.32	-	.01	-	.11	-	-	-	-	-	.17	.13	11
12	.01	-	.76	-	x	-	-	-	x	-	.10	.20	12
13	-	-	x	-	-	-	-	-	.23	.01	.07	.35	13
14	-	.05	-	-	-	-	-	-	-	.05	.01	1.13	14
15	-	.02	-	-	-	.03	-	-	-	x	.43	.04	15
16	-	.04	.01	-	-	.47	-	-	-	-	.87	.60	16
17	-	.03	.14	.01	-	.12	-	-	-	.07	.25	.53	17
18	.01	.20	.07	.19	-	.13	-	-	-	.10	.09	.27	18
19	.01	.09	x	.02	-	.08	-	-	.48	.23	.04	.49	19
20	.04	.06	.20	.09	-	x	-	x	.09	.16	.01	.70	20
21	.01	.14	-	.02	-	.02	-	-	.01	.50	-	.13	21
22	.07	.06	-	.04	-	.01	-	-	.16	.52	-	.59	22
23	.01	.16	.02	-	-	.14	-	-	.09	.15	.15	.48	23
24	x	.21	-	-	-	.30	-	.09	-	.45	-	.23	24
25	x	.06	-	.17	-	.05	-	x	.08	.20	-	.09	25
26	-	.16	-	.43	.02	.01	-	.04	-	.17	.08	.27	26
27	-	.32	.16	.02	.84	.01	-	.05	.05	.96	.04	.13	27
28	-	.31	x	.59	-	.01	-	.11	-	-	.13	x	28
29	-	-	-	.48	.06	.27	.18	-	.18	.45	.01	-	29
30	-	-	x	-	-	.06	-	-	.02	.20	.37	.04	30
31	-	-	-	-	-	-	.04	-	-	.03	-	x	31
Total	1.54	1.96	2.73	2.42	2.45	1.71	.22	.77	1.44	4.48	4.66	10.57	TOTAL for year 34.95
No. of Rain Days.	13	16	16	15	8	15	2	9	13	21	26	27	181

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
9 JAN 1913

Kept at *Hadden Corner Kilminster*
KILMINGTON.
in the County of *Devon*
by **ARTHUR HITCHCOCK**

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *400* ft.
Time of Observation *9 am*
Nearest Railway Station { Name *Seaton Junction*
Distance *1 1/2* Direction *S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	x	.12	-	.01	.34	.03	-	.08	.85	-	.35	1
2	-	-	.24	x	-	.03	.06	-	-	.04	.01	-	2
3	-	-	.27	.01	-	.38	.13	1.09	.03	-	.01	.04	3
4	.17	.01	1.36	-	.02	.30	-	.02	-	-	.21	-	4
5	.76	.40	.21	-	.04	.13	-	.74	-	-	-	.34	5
6	.66	.22	.02	-	.33	.08	.53	.31	-	-	x	.05	6
7	.03	.75	.18	.01	.11	.80	-	.13	-	-	-	.30	7
8	.73	.23	.79	.02	x	.12	.08	.07	x	-	-	.02	8
9	.13	.08	.04	.17	-	.14	.12	.04	-	-	-	.61	9
10	.06	.14	.01	.02	-	-	.09	.12	-	-	.02	.31	10
11	.14	.07	.07	-	-	.03	x	.01	-	-	.04	.63	11
12	.04	.39	.08	x	x	x	.03	.34	-	-	.01	.02	12
13	.04	.01	x	-	-	-	.04	-	-	x	.02	.27	13
14	.19	.04	.55	-	.39	x	-	.09	-	.01	-	.03	14
15	.42	.38	-	x	.35	.65	-	-	-	.07	-	.14	15
16	.60	.02	.68	-	.02	.04	-	.16	-	-	.06	.04	16
17	.24	-	.25	-	.01	.12	-	1.25	-	.02	-	.01	17
18	.11	.03	.13	-	-	x	-	.05	-	-	.01	.05	18
19	.03	.11	.13	-	-	.04	.12	.49	-	.01	x	.03	19
20	.06	.13	.42	-	.11	-	.01	.34	-	.31	.03	-	20
21	x	.30	.37	-	.53	-	x	.27	-	.17	-	-	21
22	.48	.40	.17	-	.06	-	.05	.10	-	.27	.02	.08	22
23	.29	.34	.24	-	x	.01	.03	.75	-	.04	.14	.30	23
24	.07	.06	.03	-	-	1.06	-	.05	-	-	-	.41	24
25	.17	.04	x	-	-	.06	-	.25	-	.19	.23	.61	25
26	-	.02	-	-	-	-	.04	.14	-	.45	.55	.37	26
27	-	x	-	-	-	.74	.68	.03	-	1.33	-	.39	27
28	-	.10	-	-	-	.09	.09	.52	.17	.95	.54	.62	28
29	-	.24	.01	-	-	.14	.14	.14	.86	.60	x	.07	29
30	-	-	.03	-	.02	.06	.07	.02	.26	.37	-	x	30
31	-	-	.27	-	-	-	.65	-	-	.04	-	.24	31
Total	5.42	4.51	6.67	.23	2.00	5.36	2.99	7.52	1.40	5.72	1.90	6.33	TOTAL for year 50.05
No. of Rain Days.	21	24	25	5	13	21	19	26	5	17	15	26	217

REGISTER OF RAINFALL IN 1913

Kept at Haddon Corner, Kilminster
in the County of Devon
by Arthur Hitchcock

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Scaton Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.23	.23	.03	.27	-	-	-	.17	.06	.23	.03	1
2	.04	.08	.02	.11	.12	-	.04	-	-	.04	.18	.03	2
3	.49	x	.07	.03	.34	-	-	-	-	.04	-	.18	3
4	1.65	-	.03	x	.30	.03	-	-	.18	.40	.11	.15	4
5	.07	.08	.03	-	.29	.13	-	-	1.	x	.20	.27	5
6	.14	.09	.23	-	.03	.11	.04	-	x	.69	.03	.36	6
7	.01	.50	.06	-	.80	.03	.03	-	-	.14	.49	.02	7
8	.05	.12	-	-	.33	.02	.02	-	-	.09	-	.01	8
9	-	.04	-	x	.13	.08	.05	.14	x	-	.48	.02	9
10	.65	.02	-	-	.09	.04	-	.03	-	.48	.12	-	10
11	.88	.01	-	.12	.43	.04	-	-	-	.11	.94	-	11
12	-	-	-	-	.44	.02	-	x	.09	-	.33	.01	12
13	.31	.01	.03	-	-	x	-	.13	.39	-	.17	-	13
14	.39	x	.12	.05	x	-	-	-	.04	x	.12	-	14
15	.21	x	.49	.48	-	-	-	-	.14	-	.01	.02	15
16	.11	-	.50	.07	-	.02	-	.06	.21	-	-	-	16
17	.06	x (Snow)	.03	.02	-	-	-	-	x	-	.03	-	17
18	.07	-	.58	.12	.07	-	-	-	-	-	.06	-	18
19	.49	-	.11	-	.04	.11	.01	-	.58	.03	x	-	19
20	.21	-	.12	.42	-	.02	-	-	-	.21	.18	-	20
21	-	-	.08	.21	.10	-	-	x	-	.01	.63	-	21
22	.61	-	.42	.29	-	.13	.05	.04	.11	.04	-	.15	22
23	x	-	-	-	-	.03	-	-	-	-	.18	.65	23
24	.01	.06	-	.07	-	.05	-	.05	-	-	.03	-	24
25	-	.02	-	.19	-	-	-	-	.02	.02	.01	.03	25
26	-	x	-	.78	-	-	-	.13	x	.01	-	.19	26
27	.15	-	.39	.47	-	-	-	.03	-	.18	-	.01	27
28	.43	-	.03	.44	-	-	-	-	-	.53	-	.09 (Snow)	28
29	.15	-	.65	.25	.03	-	-	.04	-	.17	.01	-	29
30	.59	-	-	x	.02	-	-	-	-	.58	x	-	30
31	.23	-	.08	-	-	-	.04	.83	-	.09	-	-	31
Total	8.00	1.26	4.28	4.15	3.83	.86	.28	1.48	2.93	3.90	4.54	2.22	37.73
Rain Days.	24.	12.	21.	18.	17.	15.	8.	10.	11.	20.	21.	17.	194

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Haddon Corner, Kilminster
in the County of Devon
by Arthur Hitchcock

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Seaton June 2-1915
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL
2-JAN-1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	x	.10	.04	-	.03	.25	.85	-	-	.31	.04	1
2	-	-	.01	.05	.13	.01	.62	.04	-	-	.82	.47	2
3	.02	-	.19	.18	.80	-	-	.12	-	-	.15	.01	3
4	.08	-	.05	.39	.10	-	.60	.16	-	-	.49	.65	4
5	.10	-	.11	.18	.12	-	.02	x	-	-	.03	.01	5
6	x	.15	.01	.13	.09	-	x	x	-	-	x	.59	6
7	.01	.90	.09	.15	.07	-	.23	.16	.05	-	-	.36	7
8	.07	.01	.52	.04	.08	.22	x	.09	-	-	-	.06	8
9	.03	.02	.24	.33	.04	.62	-	.26	.80	-	-	-	9
10	.09	.71	-	.09	.06	.05	-	-	.73	-	-	.03	10
11	-	.14	.70	-	.06	.10	.18	-	.01	.11	.03	1.	11
12	-	.15	.17	-	-	-	-	-	.30	.08	x	.61	12
13	-	.40	.37	-	-	-	.04	-	.13	.19	.34	.39	13
14	-	.33	.33	-	-	.43	.01	1.	x	.16	.51	.05	14
15	.02	x	.14	-	-	-	.15	.20	-	.02	.24	.03	15
16	-	-	.03	-	-	-	-	-	.69	-	-	.01	16
17	-	.77	.17	-	-	-	x	-	x	-	-	.79	17
18	-	.04	.03	-	-	-	.31	-	.17	-	-	.31	18
19	-	.11	.37 S	-	-	.01	3.37	-	-	-	.05	.08	19
20	-	.59	.18	-	-	.01	-	-	-	x	-	.36	20
21	-	.74	-	-	-	.08	-	x	-	.29	-	-	21
22	-	.06	.05	-	.21	.04	-	.02	-	.24	-	-	22
23	-	.04	.35	-	.04	-	-	-	-	.62	-	-	23
24	-	.06	.03	-	.17	-	.01	.01	-	.15	.12	-	24
25	.06	x	.38	-	x	-	.03	.78	-	.73	.03	.33	25
26	.05	-	.10	-	-	-	.01	.01	-	.06	.26	.55	26
27	.09	.02	-	-	-	-	x	-	-	x	.14	.35	27
28	x	.18	.48	-	.05	-	-	-	-	.08	.33	1.05	28
29	.13	X	.17	-	.16	-	.01	-	-	.20	.68	.06	29
30	x	X	.16	.03	x	.02	-	-	-	.16	.38	.89	30
31	.19	X	-	X	.03	X	.72	-	X	1.08	X	.27	31
Total	.94	5.42	5.53	1.61	2.21	1.62	6.56	3.70	2.88	4.17	4.91	9.35	YEAR'S TOTAL 48.90
Rain Days.	13.	19.	27.	11.	16.	12.	16.	13.	8.	15.	17.	26	193

REGISTER OF RAINFALL IN 1915

Kept at *Kilminster (Hadden Lane)*
in the County of *Devonshire*
by *Arthur Hitchcock*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Scaton June 2nd 1915*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *400* ft.

1926
FORM A
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.27	-	-	.01	-	-	.35	.20	.44	.06	.26	1
2	.36	.20	.14	.04	-	.05	x	.20	.03	.26	-	.41	2
3	.04	.06	.09	.03	.22	x	-	x	-	.01	-	.47	3
4	.03	.15	.01	-	-	-	-	-	-	-	-	.38	4
5	.04	.50	x	.08	-	-	.05	.32	-	-	-	.63	5
6	.81	.16	-	.58	-	x	.76	.04	-	-	-	.21	6
7	.40	.92	-	.09	-	-	.21	-	-	-	.01	.23	7
8	.14	.51	-	.05	-	-	.02	.11	-	-	.03	.08	8
9	.03	.02	-	.14	-	-	-	-	-	-	.50	.74	9
10	.22	.08	.02	.04	-	-	-	-	-	.16	.05	.06	10
11	.13	.62	.03	.02	x	-	.06	.09	-	.02	1.08	.07	11
12	.18	.74	-	.09	.57	-	-	.27	-	.09	.29	x	12
13	.01	.56	-	-	.41	-	-	.02	.08	-	.06	.02	13
14	.02	x	-	-	-	-	.18	.28	.07	.02	.05	1.61	14
15	.16	.01	-	-	.27	-	.15	x	.01	.04	.04	.13	15
16	.01	1.50	-	-	.09	-	1.46	-	-	-	-	.23	16
17	-	.74	-	-	.03	-	x	.06	-	-	-	.01	17
18	-	.16	-	-	.02	-	-	-	-	-	-	-	18
19	.02	-	-	-	.46	-	.16	x	-	-	-	-	19
20	.20	-	-	.14	x	.11	x	-	-	.25	-	.04	20
21	.23	.12	-	-	-	.01	.07	-	x	.71	-	.05	21
22	.06	.03	.31	.05	-	.03	.59	-	x	.04	-	.41	22
23	x	x	.06	-	-	-	.11	-	.23	2.73	-	.64	23
24	-	-	x	.03	-	-	.22	-	.19	.23	-	.43	24
25	.05	-	.01	.04	-	.37	.29	-	.06	-	.01	.27	25
26	.08	.12	-	-	x	x	.16	-	x	-	-	.88	26
27	-	.04	-	-	-	.20	.06	-	-	.91	-	.01	27
28	-	.05	-	-	-	.22	-	x	.40	.19	.02	.03	28
29	-	X	-	-	-	.20	.04	-	-	-	.21	.04	29
30	.18	X	-	-	-	.03	x	-	-	.71	.50	.33	30
31	.01	X	-	X	-	X	.12	-	X	1.87	X	.24	31
Total	3.85	7.56	.67	1.42	2.08	1.22	4.71	1.74	1.27	8.68	2.91	8.91	45.02
Rain Days.	24	22	8	14	9	9	18	10	9	17	14	28	182

REGISTER OF RAINFALL IN 1916.

Kept at Hadden Comm
in the County of WILMINGTON,
Near AXMINSTER,
DEVON.
by ARTHUR HITCHCOCK

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 4 00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(3rd-20)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	-	.03	-	.46	x	.02	-	.25	.29	.51	-	1
2	.13	.14	-	-	.03	-	-	-	.02	.28	.33	-	2
3	x	1.22	-	-	.29	x	-	-	.06	.66	.77	-	3
4	.09	.00	-	x	.09	.28	-	-	.07	.04	.77	-	4
5	.02	.01	.06 s	-	.27	.13	-	-	x	.06	.18	-	5
6	.03	.08	x	-	.16	.05	1.36	-	-	.21	.98	-	6
7	.08	.15	.23 s	-	.18	.03	.01	-	-	.08	.74	.16	7
8	x	.12 s	.34 s	-	.41	.08	-	-	-	.01	.36	.23	8
9	x	.04 s	x	-	.06	.48	.06	-	-	.06	.11	.15	9
10	.01	.54	-	.10	.05	.05	.04	-	-	.03	.08	.27	10
11	x	-	.01	.08	x	.01	x	-	.01	-	x	-	11
12	.07	.07	.17	.06	.06	-	.11	.11	-	.02	.01	-	12
13	-	.25	.14	.08	.01	-	.04	.12	x	.01	-	-	13
14	.02	.59	.02	x	.04	-	-	.37	-	.08	x	-	14
15	x	.12	.17	.06	x	-	x	.05	-	.01	-	-	15
16	.23	.08	-	.27	-	-	.04	.24	-	.07	-	-	16
17	.34	.22	-	.07	-	-	-	.13	.28	.66	.78	-	17
18	.05	.10	.25	.02	-	-	-	-	.32	.04	.01	.11	18
19	.09	.06	.52	.06	-	-	-	-	x	-	.07	.03	19
20	.11	.66 s	.18	.02	-	-	-	-	-	-	.18	1.26	20
21	.01	.10	.13	.03	.09	-	-	-	-	-	.01	.32 s	21
22	-	-	-	.04	-	.10	-	.08	-	.62	.02	.63	22
23	x	.08 s	-	.06	-	.11	-	.35	-	.03	.17	.05	23
24	-	.04 s	x	.11	.32	x	-	.08	-	.60	.04	.39	24
25	-	.35 s	.10	-	.02	x	-	.72	.02	x	.26	.05	25
26	.01	.10 s	.01	-	-	.33	-	.52	.70	.97	.05	.01	26
27	-	.05 s	1.14	-	-	.93	-	.19	.33	.15	-	-	27
28	-	.17 s	-	-	-	x	-	.12	.34	.70	-	.40	28
29	-	.40 s	.04	-	-	.47	-	1.63	.13	.26	x	.27	29
30	-	X	-	-	-	.01	-	.01	x	.51	-	.01	30
31	-	X	-	X	-	X	-	.05	X	.28	X	.02	31
Total	1.58	5.84	3.54	1.06	2.54	3.06	1.68	4.77	2.53	6.73	5.80	4.36	43.49
Rain Days.	16	26	17	14	16	14	8	16	12	26	21	17	203

YEAR'S TOTAL

REGISTER OF RAINEALL IN 1917

Kept at Haddon Corner, Kilmington.
 in the County of Derna
 by Arthur Hitecock

Lat. _____ Long. _____
 Time of Observation 9 am. Greenwich
 Nearest Railway Station Seaton Junction
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 4.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	.07	.39 S	-	.27	-	.44	.01	-	.03	x	1
2	.01	-	x	.10 S	-	.06	-	.02	x	-	x	-	2
3	.06	-	-	.04	-	-	.66	x	-	.10	.56	-	3
4	-	.07 S	.57	-	-	-	.01	-	.02	.37	-	.01	4
5	.09	.03 S	.39	.29	-	.06	-	.02	.13	.18	.14	-	5
6	-	-	.09	-	-	x	-	-	-	.03	.13	x	6
7	.50	-	-	x	-	-	.15	.30	-	.31	.03	.01	7
8	.10	-	.22 S	.10 S	-	-	.71	.45	.04	.41	.10	.22	8
9	-	-	.06	.07 S	.01	-	.16	.15	.02	.17	.12	x	9
10	.21	-	.48	.28 S	-	-	-	.37	x	-	-	-	10
11	.02	-	.57	.04 S	-	-	-	.18	.01	.25	.08	-	11
12	.14	-	.01	x	.35	-	-	x	-	.37	.01	-	12
13	-	-	.24	.02	x	.02	-	.37	.06	.02	-	x	13
14	-	-	.01	.07	.01	-	.44	.38	.05	.02	-	x	14
15	x	-	-	.02 S	-	-	.13	.35	.02	.21	-	.35	15
16	-	.15	-	.10	-	-	x	x	x	.40	-	.25	16
17	-	.02	-	.06	.02	-	.34	.18	.60	.09	-	-	17
18	-	.10	-	x	.05	.04	.11	-	.57	x	-	-	18
19	x	.58	.05	-	-	.06	x	-	.16	-	-	-	19
20	-	.05	.04	-	.43	.16	-	.14	.14	-	-	.01	20
21	-	-	.18 S	-	-	.11	-	.02	-	.02	x	-	21
22	.03 S	-	.02 S	-	x	.01	-	.15	-	.08	-	-	22
23	-	.22	-	-	.07	x	-	.24	-	.15	-	.01	23
24	-	x	.01	-	-	.01	.28	.01	-	.17	.03	-	24
25	-	.03	.05	-	-	-	.01	.15	.10	.04	.04	-	25
26	-	-	.03	-	.53	.14	-	.41	.18	.03	.02	-	26
27	-	-	-	-	.40	.21	-	1.22	-	x	.01	-	27
28	-	.05	.12	-	.13	.91	-	.14	-	-	x	.04 S	28
29	-	~~X~~	.06	-	x	.19	.03	-	-	.69	.01	.08	29
30	-	~~X~~	.20	-	-	-	.32	.17	-	.07	-	-	30
31	-	~~X~~	.04	~~X~~	.03	~~X~~	-	.02	~~X~~	.23	~~X~~	.02 S	31
Total	1.19	1.30	3.51	1.58	2.03	2.25	3.35	5.88	2.11	4.41	1.31	1.00	YEAR'S TOTAL 29.92
Rain Days.	10.	10.	22.	13.	11.	14.	13.	23.	15.	23.	14.	10	178

REGISTER OF RAINFALL IN 1918.

Kept at Hadden Corner
in the County of S Devon
by ARTHUR MITCHCOCK

Lat. _____ Long. _____
Time of Observation 9 am Green
Nearest Railway Station Seaton Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.28	-	.09	.05	-	-	.81	-	.04	.74	.01	1
2	.01	.33	-	.05	-	-	-	.02	-	.01	x	.25	2
3	-	.16	.01	.17	.07	-	-	-	.03	.03	.06	.04	3
4	-	.03	x	-	x	-	-	.17	.48	x	1.45	.34	4
5	x	.01	.21	.06	.19	-	-	.49	.59	.19	-	.08	5
6	.21	.14	-	.24	-	-	-	.03	.01	.17	.08	.30	6
7	-	.23	-	.02	.12	-	-	-	.35	.04	.50	.15	7
8	.12 S	.23	-	.12	-	-	-	-	.02	.37	x	.04	8
9	.06	x	-	.24	-	.08	.42	-	.83	.08	-	.57	9
10	.07	-	-	.01	-	-	.28	-	.17	.17	x	.58	10
11	.01	-	.09	-	-	-	.61	-	.14	.25	.04	.09	11
12	-	.21	.13	-	.33	-	.08	-	.12	.03	-	.03	12
13	.20 S	-	-	-	.30	-	.38	-	.87	.30	-	-	13
14	.31	-	-	-	.05	.10	.02	-	.17	.37	-	.09	14
15	1.44	-	-	.32	.04	.04	.45	-	.04	.07	-	.41	15
16	.47	-	.01	.13 S	-	.04	.06	-	.40	.03	-	.08	16
17	.13	-	.02	.12	-	-	.26	x	.03	-	-	.32	17
18	1.10	-	.02	-	-	1.03	.19	-	.35	x	-	.20	18
19	.22	.01	.09	.01	-	-	.15	.02	.02	.01	-	.15	19
20	.05	.09	-	.10	-	.03	.07	x	.17	.02	-	x	20
21	.03	.04	-	.02	-	.05	.10	-	.35	.05	-	.40	21
22	.05	x	x	-	.13	-	1.75	-	.16	.23	-	.17	22
23	.20	-	-	-	.07	-	.28	.03	.18	-	.05	.10	23
24	.01	.24	-	-	-	x	.17	.07	.08	-	.20	.06	24
25	.03	-	-	.09	.07	-	.12	.70	x	-	.13	.05	25
26	.01	.02	-	-	-	-	.32	x	.03	.02	.06	.25	26
27	.04	.13	.04	-	-	-	.18	.12	.32	.03	.14	.01	27
28	-	.07	.29	x	-	-	-	-	.05	.04	.01	.05	28
29	-	~~X~~	.28	-	-	-	-	-	1.28	x	x	.04	29
30	-	~~X~~	.47	.08	-	-	-	.02	.04	.04	.14	.04	30
31	-	~~X~~	.13	~~X~~	-	~~X~~	-	.03	~~X~~	.05	~~X~~	-	31
Total	4.77	2.22	1.79	1.87	1.42	1.37	5.89	2.51	7.28	2.64	3.60	4.90	40.26
Rain Days.	21.	16.	13.	17.	11.	7.	19.	12.	27.	24.	13.	28	208

REGISTER OF RAINFALL IN 1919.

Kept at *Hadden Corner,*

KILMINSTER,

in the County of

Near AXMINSTER,

DEVON.

by *ARTHUR HITCHCOCK*

Lat. Long.

Time of Observation *9 am Greenwich*

Nearest Railway Station *Seaton Junction*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

" " " " Sea Level *400* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.72	-	.30	.02	.10	.15	.41	-	.04	.21	-	1.18	1
2	.22	-	.02	-	.03	-	.02	-	.29	.01	.02	.03	2
3	.58.5	-	.25	-	.06	-	-	-	.30	-	.08	.24	3
4	.48.5	.63	.48	-	x	.08	-	.04	.72	-	.01	.07	4
5	.03	.37	.79	-	-	-	-	-	.46	-	.11	.19	5
6	.66	.29	.06	-	-	-	-	-	.01	-	x	.37	6
7	.24	-	.32	.15	-	-	-	-	-	-	-	.08	7
8	.25	-	.23	x	-	-	-	-	-	-	-	-	8
9	.08	-	.03	.14	.13	-	-	-	-	-	.13	-	9
10	.17	-	.40	.01	.05	-	-	-	-	.03	.02.5	.33	10
11	.04	-	.31	.16	.48	x	.23	-	-	x	.01	.07	11
12	.15	-	.05	.04	x	.01	x	-	-	.03	.08.5	.02	12
13	.18	.09	.06	.63	-	-	x	-	-	-	-	.26	13
14	.48	.12	-	.78	.35	-	.02	-	.05	.01	-	.30	14
15	.18	.10	-	.16	x	-	-	-	-	.10	-	.17	15
16	.08	.85	-	-	.03	-	-	.08	-	-	.13	.01	16
17	-	.35.5	-	-	-	-	-	-	-	-	.33	x	17
18	.09	.17	.79	-	-	-	.26	.03	-	-	.19	.02	18
19	1.08	.74	.55	-	-	.08	.54	.32	.18	-	.18	.05	19
20	.55	.09	.09	-	-	.35	-	.16	.08	x	.04	.03	20
21	-	.99	x	-	-	-	.07	.03	.05	-	x	.14	21
22	-	.05	x.5	-	-	-	.10	-	.19	-	-	.12	22
23	-	-	.02	-	-	-	-	.02	x	.80	.04	.04	23
24	-	-	-	.02	-	.14	-	.15	-	1.14	.12	.37	24
25	.13	.02	-	.09	-	.08	-	.40	x	-	.04	.04	25
26	.14.5	-	.09	.07	-	x	-	.10	.03	-	.03	.55	26
27	.15.5	-	.07	.21.5	-	-	.06	1.45	-	-	x	.06	27
28	-	-	.29.5	-	-	-	-	.14	-	.04	.52.5	.53	28
29	x	X	-	.11	-	-	-	.17	-	.06	x	.06	29
30	-	X	x	.06	-	.10	-	.80	-	-	.70	.71	30
31	.01.5	X	-	X	-	X	-	x	X	-	X	.54	31
Total	6.69	4.86	5.20	2.65	1.23	.99	1.71	3.89	2.40	2.43	2.78	6.58	41.41
Rain Days.	23	14	20	15	8	8	9	14	12	10	19	28	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Near AXMINSTER,

Kept at HADDON CORNER, KILMINGTON

DEVON.

in the County of DEVON

by Arthur Hitchcock

Lat. _____ Long. _____
Time of Observation 9 a.m. 9. M. Time
Nearest Railway Station Seaton Junction SWB
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 400 ft.

3 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	x	.02	.07	.43	-	.46	.02	.07	.08	.14	.89	1
2	.44	-	-	.20	.02	-	.08	.35	.06	.06	-	.24	2
3	.10	.04	-	.02	-	-	-	-	.02	.38	-	.14	3
4	-	-	.04	-	x	-	.18	.97	x	.21	-	-	4
5	-	x	.14	.13	.14	-	.30	.18	-	.31	-	-	5
6	-	-	.40	.15	.26	-	.17	-	-	.03	-	-	6
7	.02	-	.03 s	.33	.02	-	.86	-	-	-	-	.03	7
8	.10	.05	-	.42	.03	-	.28	-	-	.02	-	.06	8
9	.88	.01	x	.13	-	.28	.14	x	-	-	-	-	9
10	.58	.06	.11	.06	-	.50	.37	-	-	-	-	-	10
11	.23	-	.15	.50	.29	.01	.22	-	-	-	-	-	11
12	.20	.05	.02	.14	-	.03	.04	-	-	-	.18	.08 s	12
13	.25	.04	.43	.07	-	-	-	-	-	.04	x	.03 s	13
14	.05	.03	.28	.77	-	-	.02	-	.24	.07	.29	.02	14
15	.02	.09	.11	.31	.20	.17	-	-	.03	.58	.09	-	15
16	-	.02	.04	.04	.06	.37	.29	-	.28	.16	.06	-	16
17	.01	-	.01	.38	.29	.28	.01	-	.42	-	x	-	17
18	.07	.02	.01	.10	.08	.16	.03	.39	.14	-	-	.02	18
19	.04	-	-	.31	.12	.28	.01	-	-	-	-	-	19
20	.03	.10	-	.22	-	.45	-	-	-	-	-	.42	20
21	-	-	-	.09	-	-	.10	-	.01	.15	-	.12	21
22	.03	-	-	.19	-	.01	.03	-	-	x	-	.45	22
23	.04	-	-	-	-	-	.45	.02	-	-	-	.58	23
24	.03	-	.35	.01	.02	-	x	x	-	-	.26	.07	24
25	.02	.04	.09	.02	.12	-	.83	-	-	-	.02	-	25
26	.29	.01	.22	-	-	-	.01	-	x	-	.21	.13	26
27	.63	.06	.12	.17	.01	.21	.06	-	-	-	.15	.36	27
28	.71	.02	.25	.08	-	.01	.18	-	-	-	-	.16	28
29	.52	.03	.55	.06	-	-	x	-	-	-	.40	.25	29
30	.17	~~X~~	-	.04	.08	.23	.05	-	.69	.03	.38	.41	30
31	.08	~~X~~	.57	~~X~~	.01	~~X~~	-	x	~~X~~	.33	~~X~~	.13	31
TOTAL	5.58	.67	3.94	5.01	2.18	2.99	5.17	1.93	1.96	2.43	2.18	4.59	YEAR'S TOTAL 38.63
Days with .01 in. or more	26	16	21	27	17	14	24	6	10	14	11	20	206

x not enough to measure

REGIST

DEVON.

KINGSBRIDGE

"BANK HOUSE"

1917-1920

Kept at Bank House Kings
in the County of Devon
by William Henry S

3.48 W2 JAN 1918
a m
1/4 mile "Kingsbridge"
Gauge 5 in.
ve Ground 5 ft. in.
Sea Level 65 ft.

Jan. 1, following.
.02

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.01	.23		.33		.20			.08		1
2	.01		.03	.15		.03					.02		2
3	.09			.02						.15	.65		3
4		.15	.38				.27		.05	.40			4
5	.14		.20	.16		.11			.01	.10	.10		5
6	.02		.10			.07				.11	.10	.13	6
7	.70			.11			.36	.10		.17	.06	.93	7
8	.05		.47				.20	.55	.06	.47	.33	.40	8
9			.05	.03			.10			.23			9
10	.41		.40	.38	.04			.54				.02	10
11	.03		1.43	.10				.47		.42	.24		11
12	.10		.11	.01	.59				.03	.51	.03	.31	12
13	.02		.17			.11		.41	.11	.16			13
14	.02			.85					.04	.02			14
15	.14			.01				.52	.04	.36		.37	15
16	.18	.10		.02		.15			.02	1.07			16
17		.02		.05	.15	(.04)	.57	.17	.80	.21		.27	17
18		.08			.42	.05	.15		.82				18
19		.72	.06			.08			.24	.02	.02		19
20	.02	.16	.01		.52	.04		.04		~~1.1~~	.03	.03	20
21	~~.72~~		.02					.05		.11			21
22	.12				.02			.14		.08	.01		22
23		.23			.07			.66		.11	.02		23
24		.10				.06	.31	.01		(.27)	.05	.01	24
25		.03	.01					.45	.21	.09	.03		25
26					.27	.06	.01	.23	.20	.02	.10		26
27						.60		1.22					27
28			.24			.17		.21			.05	.05	28
29			.06			.25				.68		.07	29
30		X	.20				.25	.26			.02		30
31		X	.05	X	.06	X		.03	X	.25	X	.02	31
Total	2.10	1.59	4.00	2.12	1.99	2.15	2.22	6.26	2.63	6.03	1.94	1.41	YEAR'S TOTAL 34.44
Rain Days.	16	9	19	13	9	15	9	19	13	23	18	12	175

REGIST

FORM A
BRITISH RAINFALL

Kept at *Bank House Kingsbridge Devon*

in the County of *Devonshire*

by *William Henry Skinner*

Time of Observation *9 2 m*

Nearest Railway Station *1/4 mile Kingsbridge*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *5* ft. in.

" " " " Sea Level *65* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.01	.23		.33		.20			.08		1
2	.01		.03	.15		.03					.02		2
3	.09			.02						.15	.65		3
4		.15	.38				.27		.05	.40			4
5	.14		.20	.16		.11			.01	.10	.10		5
6	.02		.10			.07				.11	.10	.13	6
7	.70			.11			.36	.10		.17	.06	.03	7
8	.05		.47				.20	.55	.06	.49	.33	.40	8
9			.05	.03			.10			.23			9
10	.41		.40	.38	.04			.54				.02	10
11	.03		1.43	.10				.47		.42	.24		11
12	.10		.11	.01	.59				.03	.51	.03	.01	12
13	.02		.17			.11		.41	.11	.16			13
14	.02			.85					.04	.02			14
15	.14			.01				.52	.04	.36		.37	15
16	.18	.10		.02		.15			.02	1.07			16
17		.02		.05	.15	(.04)	.57	.17	.80	.21		.27	17
18		.08			.42	.05	.15		.82				18
19		.72	.06			.08			.24	.02	.02		19
20	.02	.16	.01		.52	.04		.04		~~11~~	.03	.03	20
21	~~12~~		.02					.05		.11			21
22	.12				.02			.14		.08	.01		22
23		.23			.07			.66		.11	.02		23
24		.10				.06	.31	.01		(.27)	.05	.01	24
25		.03	.01					.45	.21	.09	.03		25
26					.27	.06	.07	.23	.20	.02	.10		26
27						.60		1.22					27
28			.24			.17		.21			.05	.05	28
29			.06			.25				.68		.07	29
30		X	.20				.25	.26			.02		30
31		X	.05	X	.06	X		.03	X	.25	X	.02	31
Total	2.10	1.59	4.00	2.12	1.99	2.15	2.22	6.26	2.63	6.03	1.94	1.41	YEAR'S TOTAL 34.44
Rain Days.	16	9	19	13	9	15	9	19	13	23	18	12	175

REGISTER OF RAINFALL IN 1918

Kept at Bank House Kingsbridge
in the County of S Devon
by W. H. Skinner

Lat. 50° 26' N Long. 3° 48' W
Time of Observation 9 a.m.
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " " " Sea Level 60 ft.

FORM A.
BRITISH RAINFALL
1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.34		.12	.06			.45			.43	.02	1
2		.20		.06								.47	2
3		.12		.30	.01			.04			.40	.26	3
4			.01					.32	.68	.04	.88	.28	4
5			.11	.10	.38				.36	.32	.02	.03	5
6	.42	.25	.11	.14				.25		.06			6
7		.20			.05			.08	.34	.02	.52	.28	7
8	.02									.66	.01		8
9	.00					.07	.61		.58	.13	.03	.66	9
10				.26			.15		.07				10
11	.09		.35				.29		.27	.13	.05	.15	11
12	.10	.17	.11		.61						.04	.06	12
13				.02	.05		.26		.91	.48		.11	13
14	.41				.11	.11			.85			.15	14
15	.80				.18		.48		.09	.08		.30	15
16	1.12		.02	.17		.20	.05		.10			.06	16
17	.10			.07			.40					.30	17
18	.68		.13			.94	.24		.67	.37			18
19	.07	.03					.08					.47	19
20	.01	.25		.17			.15		1.00	(.05)			20
21	.03	.09				.10	.12		1.30	.10		.47	21
22	.01				.09		.94	.02	.12	.03	.01	.30	22
23	.15						.25	.03	.01		.01	.15	23
24									.27		.38	.15	24
25	.05	.24			.06			.65		.02	.30		25
26		.14					.19		.08	.03	.07	.55	26
27		.26	.06					.09	.09	.05	.30	.07	27
28	.01	.12	.22						.15	.04	.03	.14	28
29			.43						.88		.02	.04	29
30		X	.44	.01					.03	.09	.15	.20	30
31		X	.06	X		X			X	.03	X	.05	31
Total	4.17	2.41	2.05	1.42	1.60	1.42	4.21	1.93	8.83	2.73	3.65	5.81	YEAR'S TOTAL 40.23
Rain Days.	18	13	12	11	10	5	14	9	18	19	18	25	175

REGISTER OF RAINFALL IN 1919.

Kept at Bank House, Kingsbridge
in the County of Devon
by W. H. Skinner

Lat. 50° 20' N Long. 3° 48' W
Time of Observation 9 a.m.
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.94		.12		.05		.28				.05	.70	1
2	.26		.03							.30		.11	2
3	.52		.60		.25				.25			.69	3
4	.95	.72	.55				.28	.47			.41		4
5		.26	.24					.57			.02	.09	5
6	.41	1.16	.20	.01			.01				.90	.87	6
7	.25	.02	.42	.28			.02				.14		7
8	.26		.40	.03									8
9	.11		.15	.26	.20							.03	9
10	.10		.86	.10	.02								10
11	.06			.39	.65		.08			.03		.53	11
12	.35		.03			.02				.10	.06		12
13	.20	.17	.28	.28								.22	13
14	.74	.12		.45	1.18		.03			.15		.21	14
15	.27	.08	.10							.07		.20	15
16	.06	1.16		.32	.03						.22	.01	16
17	.02	.60				.03					.25	.02	17
18	.09	.85	.53				.58	.06	.03		.44		18
19	1.14	.36				.22	.63	.34	.10		.12	.03	19
20		.02	.33			.25		.30	.09		.14	.10	20
21	.52	1.03	.07				.13		.09		.02	.06	21
22	.34	.02	.03		.02		.03	.03	.09		.02	.07	22
23	.01		.19			.03				.55	.12	.02	23
24				.03		.31		.17		.10	.09	.26	24
25	.16	.16		.01		.02		.07	.01		.03	.28	25
26	.06		.07					.01	.10			.34	26
27	.10		.07	.41			.03	1.75				.05	27
28		.06	.41	.05							.34	.80	28
29	.03		.03	.02				.10		.08		.13	29
30				.02		.07		.26	.05		.82	.90	30
31							.01					.67	31
TOTAL	7.95	5.79	5.31	2.66	2.40	.95	1.83	3.37	1.85	1.38	3.89	6.29	YEAR'S TOTAL 44.67
Days with 0.1 in. or more	25	16	22	15	8	8	11	11	11	8	18	25	178

REGISTER OF RAINFALL IN 1919.

Kept at Kingsbridge, Bank House
in the County of Devonshire
by W. H. Skinner No 2 Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 4.0 ft. in.
Sea Level 10.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	75		07		03		25					57	1
2	22		02							22		08	2
3	56		60		22				20			07	3
4	1.05	48	50					25	25		08		4
5		24	31						55			08	5
6	30	1.00	18								90	35	6
7	20		35	25							12		7
8	20		34	02									8
9	10		11	22	16							03	9
10	08		26	08									10
11	10			35	35		07			01		40	11
12	26		02							10	06		12
13	08	11	25	27						13		13	13
14	57	11		41	1.11					06		13	14
15	17	06										17	15
16	05	1.11		17	01						19		16
17		55									26	01	17
18	08	56	44				48	02			41		18
19	84	26				20	61	21	05		12	02	19
20	42		27			20		19	08		14	08	20
21	34	90	05				09		05		01	06	21
22									07		01	06	22
23			17							40	10		23
24						25		11		08	08	20	24
25	13	16						04			02	22	25
26	07		04						08			29	26
27	06		06	38				1.60				03	27
28		03	35	03				06			28	75	28
29	02									05		12	29
30						05		25	02		62	80	30
31												56	31
TOTAL	6.65	5.57	4.39	2.18	1.88	70	1.50	2.73	1.35	1.05	3.40	5.21	YEAR'S TOTAL
Days with at least 1 in. or more	23	13	19	10	6	4	5	9	9	8	16	23	36.61

REGISTER OF RAINFALL IN 1920.

Kept at Kingsbridge, Park House
in the County of S. Devonshire
by H. H. Skinner

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12		01	28	50		72	02	05	22		51	1
2	25		02	08			02	27		08		16	2
3	70	08	01	05			06	01	07	72			3
4	01		03	05				83				26	4
5			06	14			35			32		01	5
6			16	54	52		37						6
7	11				03		23			04		37	7
8	03	04		14	14		10					55	8
9	80	11	06	08	03	04	21						9
10	100	21	20	03		19	60				09		10
11	35	10	30	56	28		26						11
12	41	08	28	38		02	12				11	(1.30)	12
13	28		45	03		03							13
14	43	06	46	72			03		25	25	25		14
15	27	02	17	16	03				05	45	22		15
16	02		09	06		07	12		21	06			16
17	20		04	01	40		04		32		11		17
18	17	01		12	13	41		37	06				18
19	08			35		70			03				19
20		04		25		40	03			35		52	20
21	15			27			06		30	07	05	16	21
22							05		01			49	22
23						12	18	05				70	23
24	03	05	25	02								13	24
25	02		13	06		15	1.07				01	02	25
26	46		28				03				13	01	26
27	57		10	05							50	40	27
28	85	05	15			02	30					20	28
29	45		63	20		01	02				45	40	29
30	15	~~X~~				52	32		1.01	01	36	70	30
31	06	~~X~~	40	~~X~~		~~X~~			~~X~~	96	~~X~~	36	31
TOTAL	7.97	85	4.28	4.63	2.06	2.68	5.29	1.55	2.36	3.52	2.28	(7.25)	(44.72)
Days with 01 in. or more	26	12	22	24	9	13	22	6	11	12	11	19	189

REG

DEVON

11

FORM A2.
BRITISH RAINFALL

Kept at Collapit Creek

in the County of Devon

by Ashley A. Froude

KINGSBRIDGE
"COLLAPIT CREEK"

1911, 1912, 1914, 1915

5 in.

ve Ground 4 ft. 6 in.

Sea Level 50 ft.

A.M.

Name Kingsbridge

Distance 1 1/2 h. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02		.06			.02		.03			1
2			.01	.08	.37			.15		.15	.19	.33	2
3			.02		.24				.01	.03	.17	.48	3
4			.12					.07		.02	.25	.22	4
5	.21		.14					.10		.42	.15		5
6	.27		.23							.18	.19	.43	6
7	.09			.02						.02	.40		7
8	.07		.21			.18					.10	.53	8
9	.08					.10					.06	.33	9
10	.10		.62								.02	.20	10
11	.36	.07							.03		1.12	.07	11
12			.68		.01				.48		.07	.10	12
13			.07						.14		.06	.68	13
14	.01	.18	.05							.08	.05	.42	14
15		.04	.04			.06					.18	.12	15
16	.01	.01	.08			.30					.56	.34	16
17		.04	.75	.02		.08				.03	.32	.25	17
18		.20	.53	.10		.06				.05	.14	.23	18
19		.02	.03	.01		.20			.43	.45	.07	.50	19
20		.03	.08	.05		.02			.23	.26		.61	20
21		.22	.03	.02		.03			.24	.77		.02	21
22	.07	.05	.06	.14		.10			.63	.18		.68	22
23		.12		.01					.08	.25	.06	.30	23
24	.07	.27				.22		.09		.58		.28	24
25	.02	.07		.19		.05			.03	.22		.11	25
26		.13		.44				.15		.45		.37	26
27	.01	.51	.03	.12				.12	.12	.75	.06	.20	27
28		.25	.01	.24				.12	.04	.01	.07	.02	28
29				.10		.58	.67		.13	.31		.02	29
30							.01		.05	.18	.15	.08	30
31							.08			.03		.02	31
Total	1.37	2.21	3.81	1.59	.68	1.98	.76	.82	2.64	5.45	4.44	7.94	179.69
No. of Rain Days.	13	16	21	14	4	13	3	8	14	23	22	28	179

REG

FORM A2.
BRITISH RAINFALL.Kept at Collapit Creek Hugstbridgein the County of Devonby Shley A. Froude C.M.S.

Pattern

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 4 ft. 6 in.
" " " Sea Level 50 ft.

Time of Observation 9 A.M.

Nearest Railway Station {

Name HugstbridgeDistance 1 1/2 h. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02		.06			.02		.03			1
2			.01	.08	.37			.15		.15	.19	.33	2
3			.02		.24				.01	.03	.17	.48	3
4			.12					.07		.02	.25	.22	4
5	.21		.14					.10		.42	.15		5
6	.27		.23							.18	.19	.43	6
7	.09			.02						.02	.40		7
8	.07		.21			.18					.10	.53	8
9	.08					.10					.06	.33	9
10	.10		.62								.02	.20	10
11	.36	.07							.03		1.12	.07	11
12			.68		.01				.48		.07	.10	12
13			.07						.14		.06	.68	13
14	.01	.18	.05							.08	.05	.42	14
15		.04	.04			.06					.18	.12	15
16	.01	.01	.08			.30					.56	.34	16
17		.04	.75	.02		.08				.03	.32	.25	17
18		.20	.53	.10		.06				.05	.14	.23	18
19		.02	.03	.01		.20			.43	.45	.07	.50	19
20		.03	.08	.05		.02			.23	.26		.61	20
21		.22	.03	.02		.03			.24	.77		.02	21
22	.07	.05	.06	.14		.10			.63	.18		.68	22
23		.12		.01					.08	.25	.06	.30	23
24	.07	.27				.22		.09		.58		.28	24
25	.02	.07		.19		.05			.03	.22		.11	25
26		.13		.44				.15		.45		.37	26
27	.01	.51	.03	.12				.12	.12	.75	.06	.20	27
28		.25	.01	.24				.12	.04	.01	.07	.02	28
29				.10		.58	.67		.13	.31		.02	29
30							.01		.05	.18	.15	.08	30
31							.08			.03		.02	31
Total	1.37	2.21	3.81	1.59	.68	1.98	.76	.82	2.64	5.45	4.44	7.94	179.69
No. of Rain Days.	13	16	21	14	4	13	3	8	14	23	22	28	179

REGISTER OF RAINFALL IN 1912

Lat. 50.16 N. Long. 3.46.W.

Time of Observation 9 A.M.

Nearest Railway Station Kingsbridge

Diameter of Rain Gauge 5 inches

Height of top of Gauge above Ground ft. 9 in.

Sea Level 50 ft.

Kept at Collapit Creek

in the County of Devon

by Ashley A. Froude C.M.G.

FORM A.
BRITISH RAINFALL
2- JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.33	.05		.09	.56		.18	1
2			.14	.06		1.27	.03			.03	.06	.02	2
3			.12			.35	.07	.95	.04				3
4	.25	.01	.25		.08	.34		.14			.32		4
5	.58	.41	.27		.02		.15	.80				.32	5
6	.56	.02			.60	.28		.07				.06	6
7	.07	.48	.16	.01	.16	.41		.08			.03	.16	7
8	.55	.13	.41			.02	.16					.01	8
9		.04	.03	.15		.10	.10	.10				.47	9
10	.24	.03	.05	.04	.01		.03	.24		.01	.11	.39	10
11	.03	.23	.02					.38		.01	.22	.50	11
12	.02	.18	.23		.01		.12	1.00				.27	12
13	.23		.08			.03	.37	.04		.03		.04	13
14	.06	.13	.78		.07			.08		.02		.34	14
15	.28	.12			.50	.57						.02	15
16	.15	.01	.37		.12			.37		.13	.03	.34	16
17		.05	.30			.22		1.02			.05	.08	17
18	.02		.07					.18		.06	.01	.01	18
19		.06	.15			(.07)	.10	.07		.05	.02	.01	19
20	.02	.08	.24		.21		.01	.05		.39	.07		20
21		.49	.13		.20		.05	.11		.21			21
22	.29	.30	.38				.07	.28		.10	.02	.06	22
23	.49	.34	.27			.22		.94		.19	.24	.25	23
24	.19	.10	.03			.25		.03		.01		.17	24
25	.15					.06		.16		.49	.34	.26	25
26		.05				.02	.01	.08		.13	.51	.42	26
27		.09				.22	.88	.06		.99	.15	.65	27
28		.11				.13	.14	.43	.22	.54	.39	.45	28
29		.18			.03	.06	.20		.37	.30	.01	.12	29
30			.02		.04	.31	.13		.62	.49			30
31			.22				.13	.02		.02		.15	31
Total	4.18	3.64	4.78	.26	2.05	5.26	2.80	7.68	1.34	4.76	2.58	5.75	45.98
Rain Days.	18	23	24	4	13	20	19	25	5	21	17	26	215

REGISTER OF RAINFALL IN 1913

Kept at Collapit Creek
in the County of Devon
by Shirley A. Froude

Lat. 50.16 N Long. 3.46 W
Time of Observation 9 a.m.
Nearest Railway Station Knightsbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
" " " " Sea Level 54 ft.

FORM A.
BRITISH RAINFALL
-2 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.24	.23	.11	.04				.04	.18	.19	.03	1
2	.23	.11		.07	.30					.15	.14	.05	2
3	.42		.09	.03	.17				.61			.21	3
4	1.18	.01	.16	.05		.06	.04		.05	.02	.16	.20	4
5	.08	.04			.25	.17			.12	.15	.59	.41	5
6	.03	.09	.05		.13	.13	.01			.47	.17	.01	6
7		.26	.07		.36	.04	.03			.15	.25		7
8	.12	.18			.14		.17	.19		.04	.02	.13	8
9	.06	.04			.10			.13			.30	.02	9
10	.70	.01			.05		.01			.13	.04		10
11	.68	.01			.54	.11			.02	.04	.45	.03	11
12	.10				.02		.01				.30	.01	12
13	.27		.05	.11				.04	.11		.17		13
14	.27		.12	.02	.15						.03		14
15	.28		.28	.50					.24		.12		15
16	.24		.39	.03			.03	.12	.37		.01		16
17	.14		.05	.03							.06		17
18	.07		.17	.15						.01	.10		18
19	.50		.10		.06	.02			.50	.01			19
20	.03		.19	.18	.02					.07	.19		20
21	.02		.29	.05	.02					.01	.28		21
22	.20		.24			.12	.03	.03	.01		.01	.18	22
23			.01					.02			.03	.92	23
24	.05	.04		.08		.08					.07		24
25		.01		.42				.01	.03	.11	.02	.07	25
26				.51		.03		.13	.01	.01	.01	.32	26
27	.64		.19	.37				.20		.10		.03	27
28	.23		.05	.22					.33	.17	.01	.10	28
29	.20		.97	.28	.01		.32			.02	.01		29
30	.52		.01	.02			.24			.68	.02		30
31	.14		.19					.15		.12			31
Total	7.42	1.04	3.90	3.23	2.36	.76	.89	1.02	2.44	2.64	3.75	2.72	32.17
Rain Days.	27	12	21	19	16	9	10	10	13	20	27	16	200

REGISTER OF RAINFALL IN 1917

Kept at Collapit Creek
in the County of Devon
by Stanley D. Froude C.M.G.

Lat. 50° 16' N Long. 3° 04' 46"
Time of Observation 9 a.m.
Nearest Railway Station Kingsbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	.02		.07	.09	.48			.53	.01	1
2			.06	.02	.08	.01	.11				.40	.28	2
3	.01		.26	.17	.51			.04			.01		3
4	.08		.06	.40	.02		.43	.44	.23		.13	.52	4
5	.18		.17	.18	.07							.02	5
6		.04	.13	.07	.14		.07	.02				.50	6
7	.09	.78	.20	.11	.01	.06	.38	.11	.73		.01	.27	7
8	.12		.95	.02	.01	.28		.07			.01	.06	8
9	.18	.06	.39	.12	.02	.41			.55				9
10	.14	.30	.06	.14	.17	.10		.14	.46		.08	.23	10
11		.17	.56			.04			.06		.01	.65	11
12		.15	.22						.15	.11	.08	.67	12
13		.28	.30			.11	.11		.17	.16	.21	.26	13
14		.20	.28			.05		.30	.06	.01	.73	.22	14
15		.01	.17					.11	.03	.13	.30	.33	15
16			.01				.03		.47			.01	16
17		.60	.34				.02					.56	17
18		.19	.09				.15		.28		.03	.25	18
19		.11	.69				1.19		.01		.03	.23	19
20		.30	.13			.10					.05	.22	20
21		.32								.34			21
22		.09	.05		.14			.09		.09		.01	22
23		.21	.43		.02	.01	.03			.47			23
24	.01		.27		.01			.01		.01	.02		24
25	.05		.01				.10	.63		.62	.04	.45	25
26		.13	.06				.10			.15	.24	.40	26
27	.01	.07					.02		.01	.02	.11	.44	27
28	.01	.12	.31		.15					.59	.19	.83	28
29	.31		.13		.11					.14	.35	.02	29
30	.01	X	.05	.03						.30	.48	.62	30
31	.03	X		X		X	.62		X	.94	X	.20	31
Total	1.23	4.13	6.42	1.28	1.46	1.24	3.45	2.44	3.21	4.08	4.04	8.26	YEAR'S TOTAL 41.24 826 4124 200
Rain Days.	14	19	28	11	14	11	15	12	13	15	22	26	

REGISTER OF RAINFALL IN 1915

Kept at Collapitt Creek

in the County of Devon

by Hubert A. Droule C.M.G.

Lat. 50° 16' N Long. 3° 46'

Time of Observation 9

Nearest Railway Station

Diameter of Funnel of Rain Gauge Same as in

Height of top of Gauge above Ground former years in.

" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.37			.03			.35	.22	.35	.02	.14	1
2	.17	.13	.16	.15		.14		.11	.20			.54	2
3	.01	.14	.17	.17	.42							1.00	3
4	.06	.08	.01	.02	.02	.03						.11	4
5	.07	.80		.12		.02		.55				.42	5
6	1.00	.19		.49			.33	.10				.18	6
7	.18	.38		.06			.03			.40	.07	.20	7
8	.13	.45					.12	.06		.02	.09	.25	8
9		.23		.05							.43	.75	9
10	.34	.65	.02	.10				.02		.18	.07	.18	10
11	.23	.07	.20				.01	.23		.23	.87	.13	11
12	.09	.38		.06	.64			.12	.02	.10	.20		12
13	.01	.32			.90			.01	.01		.10	.04	13
14	.04	.02					.43		.17		.05	1.00	14
15	.07				.35		.38	.04	.02	.08	.03	.08	15
16	.02	1.19			.26		.94						16
17	.01	.43			.08							.02	17
18		.16					.07				.11		18
19	.01	.02		.01	.38		.11						19
20	.16	.01		.11		.23				.18			20
21	.14	.15			.73	.14	.43						21
22	.06	.08	.38	.01			.53		.02	.08		.40	22
23		.01	.15			.14	.18		.16	1.15		.62	23
24				.03		.16	.01		.04	.42		.78	24
25	.06		.02			.13				.03		.29	25
26		.26		.06		.30	.38					.85	26
27		.03				.15			.03	.68			27
28		.07				.14		.03	.20	.08	.03	.07	28
29						.09		.02		.06	.22	.06	29
30	.14	X				.30				.38	.58	.30	30
31	.01	X		X		X	.39	.10	X	.78	X	.13	31
Total	3.45	6.62	1.11	1.44	3.31	1.97	4.34	1.74	1.59	5.20	2.87	8.84	YEAR'S TOTAL
Rain Days.	23	25	8	14	10	13	15	13	11	17	14	24	41.95
		6.62		1.44			4.34	1.74				8.54	42.18
													187

REGIS

DEVON.

Kept at

South Hill, Devon

in the County of

Devon

by

E. A. Fox

KINGSKERSWELL

"SOUTH HILL"

1911-1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

in.

Ground 1 ft. in.

Sea Level 270 ft.

Name

Kingskerswell

Distance

1/2 m. Direction W

the result entered to the

Jan. 1, following.

IMPORTANT NOTE.—

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01		.06					.02	.03	.02	1
2					.35	.02		.20		.16	.17	.42	2
3					.17				.03		.27	.11	3
4								.01			.24	.51	4
5	.19		.10					.11		.04	.09		5
6	.27		.30					.03		.11	.38	1.16	6
7	.53			.02							.42	.01	7
8			.06								.09	.55	8
9						.07					.30	1.02	9
10	.52	.03	.53						.01		.01	.23	10
11	.18								.01		1.02	.02	11
12	.01	.01	.42						.06	.07	.03	.13	12
13			.01						.30		.01	.58	13
14		.02								.15		.72	14
15		.02				.05					.30	.06	15
16			.01			.49					.57	.74	16
17			.50	.01		.18					.26	.84	17
18		.14	.47	.26		.25				.15	.14	.53	18
19		.02	.07	.02		.83			.34	.27	.01	.55	19
20	.02		.21	.04					.14	.49		.96	20
21	.03	.13	.02	.01		.03			.10	.47		.01	21
22	.18	.04	.01	.01		.10			.53	.18	.02	.66	22
23	.01	.16	.03			.04			.03	.37	.13	.43	23
24		.14				.33		.05		.38		.30	24
25		.06		.04		.01		.02	.09	.17		.04	25
26		.12		.33				.07		.57		.23	26
27		.42	.04	.01				.04	.15	.43	.02	.14	27
28		.20	.01	.33	.02			.06		.01	.03		28
29				.11		.20	.40		.08	.27			29
30							.03			.24	.14		30
31							.04			.01	.01		31
Total	.91	1.51	2.80	1.19	.60	2.60	.47	.59	1.87	4.50	4.36	11.00	TOTAL for year
No. of Rain Days.	10	14	17	12	4	13	3	9	13	20	23	27	3240

REGI

Kept at South Hill, Kingskerswell
in the County of Devon S.5
by E.A. Foster

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 270 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Kingskerswell
Distance 1/2 m. Direction W

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01		.06					.02	.03	.02	1
2					.35	.02		.20		.16	.17	.42	2
3					.17				.03		.27	.11	3
4								.01			.24	.51	4
5	.19		.10					.11		.04	.09		5
6	.27		.30					.03		.11	.08	1.16	6
7	.03			.02							.40	.01	7
8			.06								.09	.55	8
9						.07					.30	1.02	9
10	.02	.03	.53						.01		.01	.23	10
11	.15								.01		1.02	.02	11
12	.01	.01	.42						.06	.07	.03	.13	12
13			.01						.30		.01	.58	13
14		.02								.15		.72	14
15		.02				.05					.30	.06	15
16			.01			.49					.57	.74	16
17			.50	.01		.18					.26	.84	17
18		.14	.47	.26		.25				.15	.14	.53	18
19		.02	.07	.02		.83			.34	.27	.01	.55	19
20	.02		.21	.04					.14	.49		.96	20
21	.03	.13	.02	.01		.03			.10	.47		.01	21
22	.18	.04	.01	.01		.10			.53	.18	.02	.66	22
23	.01	.16	.03			.04			.03	.37	.13	.43	23
24		.14				.33		.05		.38		.30	24
25		.06		.04		.01		.02	.09	.17		.04	25
26		.12		.33				.07		.57		.23	26
27		.42	.04	.01				.04	.15	.43	.02	.14	27
28		.20	.01	.33	.02			.06		.01	.03		28
29				.11		.20	.40		.08	.27			29
30							.03			.24	.14		30
31							.04			.01	~~1~~	.01	31
Total	.91	1.51	2.80	1.19	.60	2.60	.47	.59	1.87	4.50	4.36	11.00	TOTAL for year
No. of Rain Days.	10	14	17	12	4	13	3	9	13	20	23	27	3240 165 ✓

REGISTER OF RAINFALL IN 1912

Kept at *South Hill, Knapsherswell.*

by *E. H. Foster*

in the County of *Devon S.5*

Diameter *5 in*

Height of top above Ground *1 ft.*

Lat. _____ Lon. _____ Time of Observation *Jan*

" " " Sea Level *270*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N. W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09			.43	.02		.08	1.06		.30	1
2			.24	.01		.19	.01	.01		.02	.02	.01	2
3			.26		.01	.34	.08	1.07				.03	3
4	.08		.63		.03	.45		.11			.16		4
5	.53	.43	.17			.01		.67				.23	5
6	.27	.05	.03		.24	.15		.04				.04	6
7	.12	.80	.27		.07	.39		.04				.46	7
8	.62	.17	.53	.05		.01						.01	8
9	.06	.05	.05	.06		.15	.05	.19				.27	9
10	.17	.13	.09			.70	.01	.11			.07	.27	10
11	.03	.10	—					.04		.01	.04	.49	11
12	—	.55	.08				.06	.75				.01	12
13	.13	—	.01			.03	.40			.08		.14	13
14	.08	.06	.57		.07		.01	.08				.03	14
15	.85	.10	.01		.34	.29						.17	15
16	.29	.01	.43		.01	.01		.09				.02	16
17	.04	—	.34		.02	.02		.88		.06		.08	17
18	.02	.03	.11					.38			.01	.02	18
19	—	.02	.29			.03	.02	.13				.02	19
20	.04	.09	.46		.13			.10		.20			20
21	.01	.23	.15		.31		.01	.06		.03			21
22	.68	.37	.20				.13	.06		.06	.03		22
23	.68	.30	.17			.03	.03	.39		.07	.07	.19	23
24	.13	.06	.01			.44		.02		.07		.24	24
25	.14	—				.04		.62		.31	.26	.40	25
26		.04					.02	.05		.35	.65	.48	26
27		.03				.33	.35	.39		1.41	.01	.54	27
28		.13				.12	.12	.67	.26	.44	.35	.60	28
29		.60				.25	.12	.18	.78	.46	.11	.01	29
30			.08			.36	.20		.34	.18	—	—	30
31			.21			—	.63			.01		.04	31

Totals	4.97	4.35	5.48	.12	1.23	4.77	2.27	7.13	1.46	4.82	1.78	5.10
--------	------	------	------	-----	------	------	------	------	------	------	------	------

Total from Jan. 1		9.32	14.80	14.92	16.15	20.92	23.19	30.32	31.78	36.60	38.38	43.48
-------------------	--	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

REGISTER OF RAINFALL IN 1913

Kept at *South Hill, Kingskerswell*
in the County of *S. Devon*
by *E. A. Foster*

Lat. _____ Long. _____
Time of Observation *9 am.*
Nearest Railway Station *Kingskerswell*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *270* ft.

BRITISH RAINFALL FORM A.
- 3 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.15	.22	.03	.03				.08	.11	.27	.01	1
2	.24	.17		.13	.38		.12		.01	.17	.17	.01	2
3	.65		.05	.06	.21				.10	.37		.29	3
4	1.09		.07	.07	.04	.04			.21	.22	.12	.13	4
5	.18	.02	.02		.17	.02			.89	.21	.27	.27	5
6	.08	.11	.04		.10	.06			.01	.55	.09	.02	6
7	.07	.53	.01		.82	.05	.16			.36	.24		7
8	.04	.41			.36		.03	.01		.02	.01		8
9	.03	.02			.14		.04	.15			.38		9
10	.77	.01		.01	.10			.03		.10	.03		10
11	.48			.01	.73	.02				.10	.96	.01	11
12	.04	.01		.01	.04	.11			.01		.22	.01	12
13	.21		.12	.01	.02			.04	.08		.08		13
14	.42		.15	.06	.31				.04		.05		14
15	.31		.36	.72					.10				15
16	.41		.39	.04					.43				16
17	.07		.07	.04							.05		17
18	.02		.34	.10							.12		18
19	.80		.03		.01	.11			.33	.02			19
20	.14		.30	.30						.17	.42		20
21			.37	.04	.01					.07	.32		21
22	.24		.41			.04		.05	.03	.10		.29	22
23			.01			.01		.02			.07	1.06	23
24	.01	.08		.05		.03					.02		24
25				.45					.05	.12			25
26				1.31				.10	.02	.02		.19	26
27	.60		.19	.34				.01		.32			27
28	.30		.04	.25						.28		.07	28
29	.18		.67	.30						.26			29
30	.50			.03	.02		.01	.01		.67			30
31	.07		.20					.26		.07			31
Total	7.91	1.51	4.00	4.36	3.49	.49	.36	.68	2.39	4.31	3.87	2.36	35.73
Rain Days.	27	10	21	22	17	10	5	10	15	21	19	12	189

REGISTER OF RAINFALL IN 1914

Kept at South Hill, Kingskerswell
in the County of Devon
by E. A. Foster

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Kingskerswell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 270 ft.

FORM A.
BRITISH RAINFALL
27 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.03			.04	.44			.59	.16	1
2			.03	.04	.03	.07	.24	.02			.49	.37	2
3			.06	.16	.63						.01	.04	3
4	.07		.02	.36	.19		.57	.24			.38	.44	4
5	.11		.08	.12	.27				.04		.01	.02	5
6		.08	.02	.22	.12		.03	.04				.74	6
7	.01	1.08	.21	.14	.03		.18	.08	.24			.47	7
8	.09		.67	.13		.02		.05	.09			.09	8
9	.02	.03	.43	.18	.10	.18		.38	.99				9
10	.05	.55	.03	.17	.07	.60			.68			.15	10
11		.17	.40			.06						.96	11
12		.25	.08			.12			.10			.76	12
13		.65	.35						.09	.09	.20	.25	13
14		.45	.26				.10	.98		.24	.49	.14	14
15	.01		.11			.13	.03	.17	.02	.04	.28	.03	15
16	.02		.02						.34	.04		.07	16
17		.34	.22									.86	17
18		.59	.11				.03		.16			.11	18
19		.02	.97				1.96		.02		.05	.03	19
20		.43	.11			.07					.02	.25	20
21		.58								.43	.07	.03	21
22		.09				.04		.03		.14		.02	22
23		.08	.33		.15					.39		.02	23
24	.01	.03			.07		.07	.04		.07	.05		24
25	.12		.29		.05			.39		.40	.05	.59	25
26	.02	.04								.03	.26	.67	26
27		.03								.01	.21	.41	27
28		.04	.35							.03	.26	.58	28
29	.23	X	.22	.04	.08		.06			.04	.84	.02	29
30	.01	X	.10	.07	.07		.07			.27	.68	1.00	30
31	.11	X	X	X	X	X	.43		X	.65	X	.35	31
Total	.90	5.03	5.49	1.60	1.74	1.29	3.74	2.86	2.77	2.81	4.88	9.61	42.72
Rain Days.	14	19	25	12	13	9	13	12	11	15	18	29	190

REGISTER OF RAINFALL IN 1915

1846
FORM A.
BRITISH RAINFALL
3-JAN-1916

Kept at South Hill, Hingskerswell
in the County of Devon
by Mr. E. A. Foster

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station Hingskerswell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.19						.53	.23	.44	.06	.37	1
2	.24	.16	.09	.01		.07		.23		.05		.83	2
3	.02	.17	.10	.01	.60			.01		.03	.01	.59	3
4	.02	.08			.05							.23	4
5	.96	.90		.16				.32				.57	5
6	.31	.09		.40	.01		.50	.03		.01		.17	6
7	.05	.37		.08			.12			.12		.46	7
8		.36					.03	.09		.02	.08	.33	8
9	.13	.14		.01							.16	.79	9
10	.09	.40	.02	.04				.01		.14	.02	.09	10
11	.03	.15	.27							.29	1.02	.02	11
12		.60		.03	.49			.13		.04	.28		12
13	.07	.58			1.25				.02	.01	.08	.01	13
14		.01					.26	.11	.01	.03	.01	.91	14
15	.10				.34		.21			.04	.01	.07	15
16	.01	1.45			.19		.89		.01			.18	16
17		.59			.08				.01			.02	17
18		.24										.01	18
19		.02		.01	.43		.10						19
20	.05			.15		.13				.22		.05	20
21	.12	.07			.05		.30		.01	.02			21
22	.06	.02	.38	.06	.03	.01	.37			.04		.34	22
23	.01	.01	.13			.03	.07		.12	1.30		.48	23
24			.02	.03		.01	.02		.10	.11		.54	24
25	.10		.02	.06		.69	.15		.01			.40	25
26	.03	.28				.16	.20		.04			1.10	26
27	.04	.02				.17	.01			.51	.01	.01	27
28		.02		.01		.18			.38	.04	.01	.07	28
29		~~X~~				.71	.15		.06	.07	.32	.13	29
30	.16	~~X~~				.15	.08			.93	.62	.44	30
31	.02	~~X~~		~~X~~		~~X~~	.18	.12	~~X~~	1.37	~~X~~	.35	31
Total	2.91	6.92	1.03	1.06	3.52	2.31	3.64	1.58	1.00	5.85	2.69	9.56	YEAR'S TOTAL 42.07
Rain Days.	22	24	8	14	11	11	17	10	12	22	14	28	193

REG

LANDCROSS

Kept at

Lander

in the County of

DE

by

Mrs C. A

DEVON.

1915 - 1920

IMPORTANT NO
previous day. If an C
requested to add the re
for it at the end of th
the selection and placin
Organization are given
Dr. H. R. MILL, 62, Ca

FORM A.
BRITISH RAINFALL

8-FEB 1916

Bideford

n Gauge 5 in.

ve Ground 1 ft. in.

Sea Level ft.

d the result entered to the
iversal rule, he is earnestly
ear in the space provided
ement of rain,
British Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.25	.01	.42	1
2										.03	—	.64	2
3										—	—	.40	3
4										—	—	.56	4
5										—	—	.49	5
6										—	—	.29	6
7										.32	.03	.36	7
8										.03	.25	.09	8
9										—	.40	.90	9
10										.03	.03	.01	10
11										.01	.84	.15	11
12										.02	.29	.13	12
13										.02	.18	.07	13
14										—	.03	.72	14
15										.03	.33	.17	15
16										—	—	—	16
17										—	—	.02	17
18										—	—	—	18
19										—	—	—	19
20										.12	—	.04	20
21										.19	—	.23	21
22										.24	—	.33	22
23										.70	—	.80	23
24										.81	—	.36	24
25										.02	—	.10	25
26										—	—	.48	26
27										.48	—	.03	27
28										.19	—	—	28
29										.06	.20	.04	29
30		X								.38	.38	.26	30
31		X		X		X			X	.17	X	.23	31
Total										4.10	2.97	8.32	YEAR'S TOTAL
Rain Days.										20	12	27	

REGISTER OF RAINFALL IN 1915

Kept at

Landcross

in the County of

Devon

by

Mr C. Hibbert

Lat.

Long.

Time of Observation

Nearest Railway Station

Bideford

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

in.

"

"

"

"

Sea Level

ft.

FORM A.
BRITISH RAINFALL.
8-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.25	.01	.42	1
2										.03	—	.64	2
3										—	—	.40	3
4										—	—	.56	4
5										—	—	.49	5
6										—	—	.29	6
7										.32	.03	.36	7
8										.03	.25	.09	8
9										—	.40	.90	9
10										.03	.03	.01	10
11										.01	.84	.15	11
12										.02	.29	.13	12
13										.02	.18	.07	13
14										—	.03	.72	14
15										.03	.33	.17	15
16										—	—	—	16
17										—	—	.02	17
18										—	—	—	18
19										—	—	—	19
20										.12	—	.04	20
21										.19	—	.23	21
22										.24	—	.33	22
23										.70	—	.80	23
24										.81	—	.36	24
25										.02	—	.10	25
26										—	—	.48	26
27										.48	—	.03	27
28										.19	—	—	28
29										.06	.20	.04	29
30		X								.38	.38	.26	30
31		X		X		X			X	.17	X	.23	31
Total										4.10	2.97	8.32	YEAR'S TOTAL
Rain Days.										20	12	27	

REGISTER OF RAINFALL IN 1916

Kept at *South Close, Landeross*

in the County of *Shrop*

by *Mrs C. Hibbert*

Lat. *52° 54' 35"* Long. *4° 11' 40"*

Time of Observation *9 a.m.*

Nearest Railway Station *Bideford*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

" " " " Sea Level *100* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	—	—	—	.10	.19	.18	—	.01	.27	.01	.01	1
2	.50	.06	.37	—	.03	—	—	.02	.22	.54	.11	—	2
3	.01	.95	.01	—	.21	.08	.04	—	.02	.41	.10	—	3
4	.27	.15	—	.03	.35	.49	—	—	.08	.07	.28	—	4
5	.04	.10	.01	—	.03	.08	.01	—	.02	.13	.28	—	5
6	.09	.25	.01	—	.10	.09	.29	—	—	.23	.50	—	6
7	.11	.18	.15	—	.24	.01	—	—	—	—	.42	.17	7
8	—	.27	.08	—	.18	.08	—	—	—	—	.10	.16	8
9	—	.15	.01	—	.10	—	.10	—	—	.09	.08	.42	9
10	—	1.03	—	.10	.02	—	.03	—	.03	.01	.02	.01	10
11	—	—	—	.09	.02	—	—	—	.02	—	.02	—	11
12	.03	.09	.15	.05	.25	—	.03	.04	—	.13	.01	—	12
13	—	.48	.03	—	.03	—	.01	.22	.01	.05	—	.06	13
14	.09	.50	.03	—	.08	—	—	.34	—	.07	—	—	14
15	.01	.35	.03	.19	—	—	—	.50	—	.04	—	—	15
16	.02	.03	—	.21	—	—	—	.17	—	.24	—	—	16
17	.15	.11	.01	—	—	—	—	.02	.72	.19	.79	—	17
18	.01	.33	.19	.03	—	—	—	.03	.11	.02	.01	.09	18
19	.20	.16	.02	.13	—	—	—	.07	—	—	.40	.06	19
20	.11	.74	.30	—	—	—	—	—	—	—	.19	.23	20
21	.07	.12	.21	—	.06	—	—	—	—	—	.13	.15	21
22	—	—	.01	—	—	.13	—	.08	—	.28	.08	.59	22
23	.03	.07	.06	.04	—	.23	—	.22	—	.06	.25	.18	23
24	—	.05	.23	.06	.08	—	—	.04	—	.45	.01	.23	24
25	—	.20	.18	—	.02	.02	—	.32	.02	.20	.24	.02	25
26	.04	.04	.15	—	—	.11	—	.01	.50	.33	.01	—	26
27	.01	.01	.90	—	.15	.01	—	.09	.47	.68	—	.02	27
28	—	.20	.03	—	—	—	—	.06	.07	.36	—	.56	28
29	—	.41	.01	—	—	.46	—	.95	.08	.32	—	.36	29
30	—	X	—	—	—	.02	—	.03	—	.26	—	.01	30
31	—	X	—	X	—	X	—	.08	X	.49	X	.02	31
Total	1.92	7.03	3.18	.93	2.05	2.00	.69	3.29	2.38	5.92	4.04	3.35	36.78
Rain Days.	19	26	24	10	18	14	8	19	15	25	22	19	219

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at South Close, Llandross, Bidford
in the County of Sevon
by M^{rs} C. Hibbert

Lat. 50° 67' 35" Long. 4° 11' 40"
Time of Observation 9 a.m.
Nearest Railway Station Bidford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

1837
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.09	.27	—	.25	—	.16	.16	—	.06	—	1
2	.01	—	.06	.13	—	.04	—	—	—	.07	.06	—	2
3	.07	.09	—	.06	—	—	.71	—	—	.63	.65	—	3
4	—	.04	.41	—	—	—	.10	—	.02	.34	.01	—	4
5	.18	—	.18	.28	—	.29	—	—	.07	.18	.11	—	5
6	.02	—	.14	.04	—	.22	—	—	—	.13	.27	.05	6
7	.28	—	—	—	—	—	.19	.15	—	.21	.02	.08	7
8	.03	—	.22	.11	—	.25	.25	.36	.04	.56	.23	.20	8
9	—	—	.05	.08	.14	—	—	.15	—	.92	.19	.01	9
10	.25	—	.35	.35	—	—	.01	.16	—	.04	.04	—	10
11	.03	—	.23	.35	—	—	—	—	—	.38	.31	—	11
12	.27	—	.03	.12	.24	—	—	.03	—	.57	.01	—	12
13	.25	—	.20	.08	.01	.03	—	.19	.40	.13	—	.01	13
14	.01	—	—	.06	—	—	.02	.25	.08	.12	.03	.04	14
15	—	—	—	.03	—	—	—	.01	—	.33	—	.26	15
16	—	.03	—	.01	—	.04	—	—	.01	.05	.05	.21	16
17	—	.02	.03	.22	.01	—	.03	.19	.22	.17	.04	—	17
18	—	.01	—	.01	.09	.02	.52	—	1.18	.18	.02	—	18
19	—	.35	.05	—	—	.21	—	—	.01	—	.03	—	19
20	—	.26	.01	—	.28	.67	—	—	—	—	.01	.05	20
21	—	.01	.14	—	—	.03	—	.10	—	.05	.05	.04	21
22	—	—	—	—	.02	—	—	.29	—	.16	—	—	22
23	—	.19	—	—	.13	.02	—	.54	—	.07	.03	.01	23
24	—	.03	—	—	—	.03	.15	.13	—	.28	.11	.01	24
25	—	.04	.01	—	—	.12	.01	.45	.02	.11	.04	—	25
26	—	.01	—	—	.49	.13	—	.58	.25	.08	.07	—	26
27	—	—	—	—	—	.22	.01	.76	—	.41	.01	—	27
28	—	.08	.04	—	.02	2.45	.01	.07	—	.14	.01	—	28
29	—	—	.15	—	—	.05	.01	.01	—	.40	.03	.06	29
30	—	X	.06	—	—	.01	.19	.20	—	.07	.65	.01	30
31	—	X	.13	X	.40	X	—	.18	X	.33	X	—	31
Total	1.41	1.16	2.58	2.20	1.83	5.08	2.21	4.96	2.46	7.11	2.54	1.04	YEAR'S TOTAL 34.58
Rain Days.	12	13	20	16	11	19	14	21	12	28	27	14	207

REGISTER OF RAINFALL IN 1918

Kept at South Close, Landcross, Bideford
 in the County of Devon
 by C. R. C. Hibbert

Lat. 50° 57' 35" Long. 4° 11' 40"
 Time of Observation 9 a.m.
 Nearest Railway Station Bideford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 100 ft.

FORM A.
 BRITISH RAINFALL
 2-1-10

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.08	—	.17	.06	—	—	.84	—	—	.62	.01	1
2	—	.14	—	.03	—	—	—	.48	—	—	.01	.40	2
3	—	.10	—	.03	.06	.05	—	—	.08	.08	.10	.03	3
4	—	.08	—	.02	—	—	—	.05	.05	.10	.75	.53	4
5	—	.06	.08	.16	.07	—	—	.34	.73	.42	.08	.01	5
6	.18	.53	.06	.20	—	—	—	—	.01	.25	.05	.10	6
7	.04	.22	—	.01	.03	.05	—	.04	.50	.07	.27	.01	7
8	.03	.03	—	—	—	.05	.08	—	.20	.17	.02	.01	8
9	.08	.05	—	.04	—	.15	.04	.01	.60	.06	.02	.30	9
10	.07	.01	—	.28	—	—	.72	—	.31	.12	.03	.49	10
11	.09	.04	.08	.01	—	—	.33	—	.20	.04	.07	.19	11
12	.04	.11	.07	—	.14	—	.11	—	.09	—	—	.04	12
13	.28	.01	—	—	.04	—	.03	—	.60	.06	—	.38	13
14	.31	—	—	—	.02	.11	.32	—	.57	.06	—	.16	14
15	1.12	—	—	—	—	—	.62	—	.02	.19	—	.58	15
16	.57	—	—	.43	.03	.05	.06	.02	.05	.02	—	.08	16
17	.47	—	—	.10	—	—	.08	.02	.17	—	—	.24	17
18	1.12	.01	.06	—	—	.50	.18	.03	.65	.26	—	.20	18
19	.09	.07	.14	.07	—	—	.10	.02	.02	.02	—	.05	19
20	.16	.17	—	.11	—	.01	.08	—	.25	.01	.01	—	20
21	.12	.02	—	.01	—	.08	.03	—	.55	.04	—	.32	21
22	.02	.01	—	—	.09	—	.29	—	.18	.02	—	.21	22
23	.10	.02	—	—	.06	.05	.28	—	.07	—	.02	.36	23
24	.02	.20	—	—	—	.03	.24	.15	.25	—	.29	.26	24
25	—	—	—	.01	.30	—	.69	.43	—	.05	.22	.02	25
26	.01	.14	—	—	—	—	.23	.05	.14	.01	.07	.29	26
27	—	.08	.10	—	—	—	—	.13	.32	.01	.37	.05	27
28	—	.20	.15	—	—	—	—	.02	.02	—	.20	.14	28
29	—	—	.15	—	—	—	—	—	1.45	—	.02	.05	29
30	—	X	.39	.04	—	—	—	.01	.01	.04	.11	.17	30
31	—	X	.27	X	—	X	—	—	X	.02	X	.03	31
Total	4.43	2.38	1.55	1.72	.90	1.13	4.51	2.64	8.09	2.12	3.33	5.71	YEAR'S TOTAL 39.01
Rain Days.	21	23	11	17	11	11	19	16	27	23	20	30	229

REGISTER OF RAINFALL IN 1919.

Kept at South Close, Llandow, Bideford
in the County of Devon
by C. R. C. Hibbert

Lat. 50° 50' 35" Long. 4° 11' 40"
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	—	.07	.11	.14	—	.18	—	.08	.28	—	1.09	1
2	.15	—	.04	—	.04	—	.03	—	.05	.03	.06	.19	2
3	—	—	.18	—	.05	—	—	—	.01	—	.03	.48	3
4	.24	.41	.22	—	—	.12	—	.05	.26	—	—	.01	4
5	.13	.38	.26	—	.01	—	—	—	.02	—	—	.27	5
6	.30	.23	.21	—	—	—	—	—	—	—	.01	.26	6
7	.13	—	.19	.05	—	—	—	—	.02	—	—	.10	7
8	.11	—	.24	.09	—	.03	—	—	—	—	.01	—	8
9	.35	—	.04	.18	.07	—	—	—	—	—	1.27	—	9
10	.15	—	1.00	.01	.07	.04	—	—	—	.08	.05	.19	10
11	.17	—	.35	.08	.10	.01	.18	—	—	.05	.13	.01	11
12	.26	.04	.11	—	.01	.25	—	—	—	.09	.08	.01	12
13	.17	.01	.11	.46	—	—	.02	—	.06	.07	—	.09	13
14	.50	.06	—	.50	.32	—	.01	—	.03	.08	—	.20	14
15	.26	.02	—	—	—	—	—	—	—	.05	—	.49	15
16	.11	.86	—	—	—	—	—	.01	—	—	.20	.02	16
17	.02	.25	.01	—	.06	.01	—	.01	—	—	.43	—	17
18	.01	.09	.68	—	—	—	.08	.25	.04	—	.40	.02	18
19	.28	.19	.15	—	—	.06	.02	.50	.47	—	.16	.04	19
20	.19	.06	.22	—	.01	.33	—	.03	.27	—	.10	.16	20
21	.11	.76	.01	—	.07	—	.11	.01	.06	—	—	.07	21
22	—	.06	—	—	—	—	.08	—	.26	—	.02	.06	22
23	—	—	—	—	—	—	—	.01	—	.14	.09	.07	23
24	.02	—	—	.01	—	.35	—	.03	.01	.60	.25	.45	24
25	.26	—	—	—	—	.02	—	.69	.01	.01	.17	.02	25
26	.16	—	.08	.13	—	.01	—	.14	.10	.60	.22	.46	26
27	.14	—	—	.24	—	.03	—	.31	—	—	—	.06	27
28	.06	—	.23	.08	—	—	—	.01	—	.04	.17	.56	28
29	.01	~~—~~	.01	.23	—	—	—	.16	—	—	.16	.18	29
30	—	~~—~~	.10	.15	—	.13	—	.15	.01	—	.42	.46	30
31	.01	~~—~~	.30	~~—~~	—	~~—~~	.03	—	~~—~~	—	~~—~~	.57	31
TOTAL	4.71	3.42	4.81	2.32	.95	1.39	.74	2.36	1.75	1.62	4.43	6.59	35.09
Days with ".01 in. or more	27	14	23	14	12	13	10	15	17	13	21	28	207

REGISTER OF RAINFALL IN 1920.

Kept at South Close, Landeross, Bideford
in the County of Devon
by C. R. C. Hibbert

Lat. 50° 54' 35" Long. 4° 11' 20"
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·05	·23	—	·80	·12	·18	·20	·03	·64	1
2	·21	—	—	·37	·04	—	·07	·16	·15	·12	—	·15	2
3	·17	·11	—	·04	—	—	·12	—	·02	·59	—	·06	3
4	—	—	·02	—	—	—	—	·53	—	·54	—	·01	4
5	—	—	·08	·02	·18	—	·39	·04	—	·23	—	—	5
6	—	—	·24	·01	·30	—	·10	—	—	·82	·01	—	6
7	·04	—	·62	·28	·02	—	·21	—	—	—	·04	·03	7
8	—	·07	—	·47	·11	—	·27	·06	—	—	—	—	8
9	·90	·27	·03	·09	—	·10	·28	—	·04	—	·02	—	9
10	1·00	·41	·07	·58	—	·20	·13	—	—	—	·07	—	10
11	·17	·01	·14	·28	·16	—	·05	—	—	—	—	—	11
12	·38	·10	·06	·15	—	·07	·07	·10	—	·07	·19	—	12
13	·10	·01	·40	·12	—	—	—	—	—	·81	·03	—	13
14	·06	·01	·42	·56	—	·11	·09	~~·10~~	·26	·34	·59	—	14
15	·02	·13	·03	·43	·13	·03	—	—	·52	·26	·14	—	15
16	—	—	·01	·01	·03	·02	·07	·02	1·14	·67	·17	—	16
17	·09	—	—	·04	·23	·06	—	—	·04	·09	—	—	17
18	·30	—	—	·03	·02	·22	—	·21	·01	—	—	·02	18
19	·06	·16	—	·57	·01	·12	·01	~~·10~~	—	—	—	—	19
20	·03	·03	—	·16	—	·09	·01	—	—	·02	—	·20	20
21	—	—	—	·65	—	—	·02	—	—	·02	—	·27	21
22	·04	—	—	·01	—	—	·09	—	—	—	—	·39	22
23	·01	—	·06	—	—	—	·56	·32	—	—	—	·59	23
24	·02	·03	·27	—	—	—	—	—	—	—	·06	·28	24
25	·03	·11	·18	—	—	·01	·44	—	—	—	—	·01	25
26	·37	—	·38	—	—	·03	·04	—	—	—	·10	·01	26
27	·39	·09	·29	·07	·13	·50	·06	—	—	—	·62	·33	27
28	·64	·01	·28	·02	·03	·11	·04	—	—	—	·02	·02	28
29	·24	·01	·33	·16	·37	·05	·02	—	—	~~·10~~	·19	·32	29
30	·22	~~—~~	·01	—	·01	·15	·10	—	·75	·12	·31	·55	30
31	·13	~~—~~	·39	~~—~~	—	~~—~~	·01	—	~~—~~	·53	~~—~~	·13	31
TOTAL	5·62	1·56	3·72	4·57	2·00	1·87	4·05	1·56	3·11	4·93	2·59	4·01	YEAR'S TOTAL 39·59
Days with ·01 in. or more	24	16	22	24	16	16	25	9	10	16	16	18	212
Days with ·04 in. or more	19	9	15	18	10	12	20	8	8	14	11	12	156

SL

LAUNCESTON

Kept at Polapit
in the County of
by R. B.

POLAPIT TAMAR
DEVON

1911 - 1920

IMPORTANT
previous day. I
requested to add
for it at the en
the selection an
Organization are
Dr. H. R. MILL,

FORM A2
BRITISH RAINFALL
19 JAN 1912

5 in.
e Ground 1 ft. in.
Sea Level 315 ft.

Name
Distance Direction
the result entered to the
versal rule, he is earnestly
ear in the space provided
nent of rain,
itish Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 16	in.	in. 01	in. 66	in. 14	in. 99	in.	in. 06	in.	in. 01	in. 02	in. 01	1
2			01	03	18	01		19		17	25	22	2
3			07		34				03		25	10	3
4			07		01			27			34	61	4
5	37		21					48		04	25	11	5
6	24		06					04		02	15	112	6
7	06			01							59	04	7
8			16								07	72	8
9	07										53	80	9
10	02	02	55		04						10	47	10
11	27								03		35	13	11
12	01		34						36		25	38	12
13			11						20	01	05	25	13
14		10	07								16	55	14
15		06	17			04					39	09	15
16	01	01				32					18	39	16
17		09	01	07		26	01				26	129	17
18		27		41		51				07	44	61	18
19		02	01	11		56		01	48	01	35	103	19
20	02	03	01	14		02		01	42	70	01	49	20
21	01	17				03		01	43	28		23	21
22	04	04	02	05		19			18	15		49	22
23	03	22	02			01		03	11	27	05	17	23
24	02	20				50		18		42		30	24
25		07		10		08	01	01	11	18		08	25
26		06		35	10		09	07		63	01	18	26
27		47		03		03		35	13	12		34	27
28		15		62				04			37	01	28
29			02	48	05	58	35	03	22	31			29
30			02			04	07		02	39	17	08	30
31			28				02			09			31
Total	1.33	1.98	2.22	3.06	.86	4.17	5.5	1.78	2.72	3.87	5.59	11.29	39.42
No. of Rain Days	14	16	20	13	7	16	6	15	13	18	24	29	191

REGISTER OF RAINFALL IN 1911

Kept at Polapit Tamar, Launceston
 in the County of Devon S2
 by R. E. Coode

Pattern _____
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. in.
 " " " Sea Level 315 ft.
 Time of Observation _____
 Nearest Railway Station { Name _____
 Distance _____ Direction _____

FORM A2.
 BRITISH RAINFALL
 19 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <u>16</u>	in.	in. <u>01</u>	in. <u>66</u>	in. <u>14</u>	in. <u>99</u>	in.	in. <u>06</u>	in.	in. <u>01</u>	in. <u>02</u>	in. <u>01</u>	1
2			<u>01</u>	<u>03</u>	<u>18</u>	<u>01</u>		<u>19</u>		<u>17</u>	<u>25</u>	<u>22</u>	2
3			<u>07</u>		<u>34</u>				<u>03</u>		<u>25</u>	<u>10</u>	3
4			<u>07</u>		<u>01</u>			<u>27</u>			<u>34</u>	<u>61</u>	4
5	<u>37</u>		<u>21</u>					<u>48</u>		<u>04</u>	<u>25</u>	<u>11</u>	5
6	<u>24</u>		<u>06</u>					<u>04</u>		<u>02</u>	<u>15</u>	<u>112</u>	6
7	<u>06</u>			<u>01</u>							<u>59</u>	<u>04</u>	7
8			<u>16</u>								<u>07</u>	<u>72</u>	8
9	<u>07</u>										<u>53</u>	<u>80</u>	9
10	<u>02</u>	<u>02</u>	<u>55</u>		<u>04</u>						<u>10</u>	<u>47</u>	10
11	<u>27</u>								<u>03</u>		<u>35</u>	<u>13</u>	11
12	<u>01</u>		<u>34</u>						<u>36</u>		<u>25</u>	<u>38</u>	12
13			<u>11</u>						<u>20</u>	<u>01</u>	<u>05</u>	<u>25</u>	13
14		<u>10</u>	<u>07</u>								<u>16</u>	<u>55</u>	14
15		<u>06</u>	<u>17</u>			<u>04</u>					<u>39</u>	<u>09</u>	15
16	<u>01</u>	<u>01</u>				<u>32</u>					<u>18</u>	<u>39</u>	16
17		<u>09</u>	<u>01</u>	<u>07</u>		<u>26</u>	<u>01</u>				<u>26</u>	<u>129</u>	17
18		<u>27</u>		<u>41</u>		<u>51</u>				<u>07</u>	<u>44</u>	<u>61</u>	18
19		<u>02</u>	<u>01</u>	<u>11</u>		<u>56</u>		<u>01</u>	<u>48</u>	<u>01</u>	<u>35</u>	<u>103</u>	19
20	<u>02</u>	<u>03</u>	<u>01</u>	<u>14</u>		<u>02</u>		<u>01</u>	<u>42</u>	<u>70</u>	<u>01</u>	<u>49</u>	20
21	<u>01</u>	<u>17</u>				<u>03</u>		<u>01</u>	<u>43</u>	<u>28</u>		<u>23</u>	21
22	<u>04</u>	<u>04</u>	<u>02</u>	<u>05</u>		<u>19</u>			<u>18</u>	<u>15</u>		<u>49</u>	22
23	<u>03</u>	<u>22</u>	<u>02</u>			<u>01</u>		<u>03</u>	<u>11</u>	<u>27</u>	<u>05</u>	<u>17</u>	23
24	<u>02</u>	<u>20</u>				<u>50</u>		<u>18</u>		<u>42</u>		<u>30</u>	24
25		<u>07</u>		<u>10</u>		<u>08</u>	<u>01</u>	<u>01</u>	<u>11</u>	<u>18</u>		<u>08</u>	25
26		<u>06</u>		<u>35</u>	<u>10</u>		<u>09</u>	<u>07</u>		<u>63</u>	<u>01</u>	<u>18</u>	26
27		<u>47</u>		<u>03</u>		<u>03</u>		<u>35</u>	<u>13</u>	<u>12</u>		<u>34</u>	27
28		<u>15</u>		<u>62</u>				<u>04</u>			<u>37</u>	<u>01</u>	28
29			<u>02</u>	<u>48</u>	<u>05</u>	<u>58</u>	<u>35</u>	<u>03</u>	<u>22</u>	<u>31</u>			29
30			<u>02</u>			<u>04</u>	<u>07</u>		<u>02</u>	<u>39</u>	<u>17</u>	<u>08</u>	30
31			<u>28</u>				<u>02</u>			<u>09</u>			31
Total	<u>1.33</u>	<u>1.98</u>	<u>2.22</u>	<u>3.06</u>	<u>.86</u>	<u>4.17</u>	<u>.55</u>	<u>1.78</u>	<u>2.72</u>	<u>3.87</u>	<u>5.59</u>	<u>11.29</u>	TOTAL for year <u>39.42</u>
No. of Rain Days	<u>14</u>	<u>16</u>	<u>20</u>	<u>13</u>	<u>7</u>	<u>16</u>	<u>6</u>	<u>15</u>	<u>13</u>	<u>18</u>	<u>24</u>	<u>29</u>	<u>191</u>

REGISTER OF RAINFALL IN 1912

Kept at Tolapit-Tamar, Launceston
in the County of Devon
by R. C. Coode

Pattern
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level 315 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			08	13	05	72	13	20	11	43		21	2
3	01	03	43	01	04	18	02	92	11			02	3
4	34		81		01	05		56			51		4
5	76	13	19	01	03		07	1.37			04	14	5
6	84	08	11		25			62			01	08	6
7	13	74	50	04	10	36	14	25	01		03	15	7
8	33	13	24			39	01		04			01	8
9	02	24	13	09		11	11		01		02	43	9
10	42	17	13	03		08	02	16			35	14	10
11		05						02		01	32	56	11
12	03	04	14		07		24	24			19	02	12
13	24			01		04	10	04		05		27	13
14	14	04	45		16	02		21		02		06	14
15	60	05	06		10	84					02	50	15
16	17		32		05	04		16	01	15	08	20	16
17			11		07	21		54			08	22	17
18		04	27					71		11	03	03	18
19	01	16	24		02	03	01	46		11	03	08	19
20	04	03	40		05			52		50	06		20
21		14	24		57		04	13		30			21
22	22	22	28		03	05	01	22		05		05	22
23	03	73	20			06	03	70		05	08	19	23
24	04	03	04			28	05	02		06		21	24
25	40	01				36		11		19	46	51	25
26		06						37		38	69	62	26
27		02				59	46	25		1.02	07	55	27
28		23				10	49	63	15	25	75	61	28
29		31				20	21	06	64	24		27	29
30			02	01	04	29	25		11	55		01	30
31			40		01		24	06		05		04	31
Total	4.77	3.68	5.95	33	1.65	5.66	2.65	9.55	1.19	4.56	3.82	6.18	TOTAL for year
No. of Rain Days	19	23	24	8	17	22	20	27	9	20	19	27	49.99
													235

REGISTER OF RAINFALL IN 1913

22 JAN 1914
BRITISH RAINFALL
FORM A.
1/10

Kept at *Papil-Tamar, Launceston*

in the County of *Devon*

by *R. B. Coode*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level *315* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>01</i>	<i>29</i>	<i>28</i>	<i>07</i>	<i>03</i>					<i>05</i>	<i>25</i>	<i>10</i>	1
2	<i>10</i>	<i>23</i>	<i>03</i>	<i>21</i>	<i>18</i>	<i>02</i>				<i>41</i>	<i>21</i>		2
3	<i>19</i>		<i>10</i>	<i>06</i>	<i>60</i>	<i>07</i>			<i>63</i>	<i>11</i>		<i>43</i>	3
4	<i>99</i>		<i>07</i>	<i>01</i>		<i>05</i>			<i>18</i>	<i>02</i>	<i>09</i>	<i>42</i>	4
5	<i>09</i>	<i>04</i>	<i>01</i>		<i>22</i>	<i>61</i>	<i>03</i>		<i>24</i>	<i>09</i>	<i>44</i>	<i>56</i>	5
6	<i>16</i>	<i>08</i>	<i>20</i>		<i>02</i>	<i>09</i>				<i>22</i>	<i>42</i>	<i>31</i>	6
7	<i>15</i>	<i>57</i>	<i>09</i>		<i>80</i>	<i>08</i>				<i>86</i>	<i>18</i>	<i>01</i>	7
8	<i>10</i>	<i>19</i>			<i>24</i>		<i>07</i>	<i>23</i>		<i>13</i>	<i>01</i>	<i>01</i>	8
9	<i>14</i>	<i>03</i>	<i>01</i>		<i>11</i>	<i>11</i>	<i>14</i>	<i>09</i>	<i>01</i>		<i>74</i>	<i>07</i>	9
10	<i>69</i>			<i>02</i>	<i>05</i>	<i>07</i>		<i>03</i>		<i>57</i>	<i>12</i>		10
11	<i>70</i>		<i>01</i>	<i>09</i>	<i>25</i>	<i>21</i>				<i>20</i>	<i>1.09</i>	<i>06</i>	11
12	<i>21</i>			<i>02</i>	<i>12</i>				<i>09</i>		<i>41</i>	<i>08</i>	12
13	<i>11</i>	<i>01</i>	<i>11</i>		<i>04</i>		<i>01</i>	<i>02</i>	<i>45</i>		<i>12</i>		13
14	<i>37</i>		<i>28</i>	<i>02</i>			<i>05</i>		<i>10</i>	<i>03</i>	<i>22</i>		14
15	<i>06</i>		<i>57</i>	<i>90</i>					<i>03</i>		<i>20</i>	<i>02</i>	15
16	<i>46</i>		<i>62</i>	<i>18</i>				<i>03</i>	<i>65</i>				16
17	<i>04</i>		<i>16</i>	<i>16</i>			<i>02</i>				<i>03</i>		17
18	<i>16</i>		<i>29</i>	<i>21</i>	<i>06</i>	<i>01</i>	<i>01</i>				<i>12</i>		18
19	<i>50</i>		<i>10</i>		<i>11</i>	<i>01</i>	<i>11</i>		<i>19</i>	<i>52</i>			19
20	<i>28</i>		<i>22</i>	<i>19</i>					<i>02</i>	<i>03</i>	<i>38</i>		20
21	<i>07</i>		<i>11</i>	<i>06</i>	<i>08</i>		<i>04</i>	<i>04</i>			<i>16</i>		21
22	<i>36</i>		<i>83</i>	<i>03</i>	<i>01</i>	<i>18</i>		<i>07</i>	<i>07</i>			<i>25</i>	22
23	<i>02</i>		<i>01</i>					<i>09</i>			<i>16</i>	<i>75</i>	23
24	<i>01</i>	<i>24</i>		<i>05</i>		<i>04</i>		<i>01</i>			<i>09</i>	<i>01</i>	24
25		<i>03</i>		<i>46</i>				<i>01</i>	<i>11</i>	<i>04</i>	<i>05</i>	<i>04</i>	25
26				<i>1.11</i>						<i>02</i>	<i>02</i>	<i>41</i>	26
27	<i>22</i>		<i>22</i>	<i>16</i>				<i>07</i>		<i>35</i>	<i>02</i>	<i>14</i>	27
28	<i>06</i>		<i>04</i>	<i>24</i>	<i>17</i>				<i>08</i>	<i>39</i>	<i>01</i>	<i>20</i>	28
29	<i>05</i>		<i>42</i>	<i>52</i>	<i>03</i>					<i>20</i>	<i>02</i>	<i>01</i>	29
30	<i>67</i>			<i>35</i>	<i>03</i>				<i>02</i>	<i>48</i>	<i>02</i>		30
31	<i>24</i>		<i>46</i>					<i>37</i>					31
Total	<i>7.21</i>	<i>1.71</i>	<i>5.24</i>	<i>5.12</i>	<i>3.15</i>	<i>1.55</i>	<i>48</i>	<i>1.06</i>	<i>2.87</i>	<i>4.72</i>	<i>5.58</i>	<i>3.88</i>	<i>42.57</i>
Rain Days.	<i>29</i>	<i>10</i>	<i>24</i>	<i>22</i>	<i>19</i>	<i>13</i>	<i>9</i>	<i>12</i>	<i>15</i>	<i>19</i>	<i>26</i>	<i>19</i>	<i>217</i>

YEAR'S TOTAL

82
REGISTER OF RAINFALL IN 1914

21 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Tolapit- Samar

in the County of S. Devonshire

by R. E. Coode

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		21	19		20		54			33	24	1
2	08		09	07	06	02	16	01			01	51	2
3	34		26	20	32			15		01	16	19	3
4	18		09	29	13		58	23	01		28	94	4
5	02		33	29	05		02	07			01	13	5
6	03	08	42	10	05	01	07	09			52	42	6
7	03	78	39	22	07	15	32	19	27			10	7
8			93	09	03	39		01	06		01		8
9	02	04	28	15	08	58		04	17				9
10	09	64	22	58	16	01			13			05	10
11		17	55	01		12			08		13	37	11
12		90	16						34		23	05	12
13		42	43				15		38	42	46	20	13
14		32	33			02	01	72	04	03	55	30	14
15		03	28				06	11	06	03	29	86	15
16			08				06		15			02	16
17		30	45				02		07			70	17
18		07	10				03		20			66	18
19		04	77				93		08		16	12	19
20		42	38			75			01		02	20	20
21		52	12			05	08	02		24		18	21
22		09	06	03	01	02		02		38		03	22
23		08	18		01		15	05		14			23
24		04	07				10	03		02	17		24
25	21		12		12		18	34		42	02	36	25
26	11	01	05				37			08	31	76	26
27	18	07					04			29	19	37	27
28	02	06	29		15					30	08	118	28
29	27		16		06		67			05	55	19	29
30	01		12							04	45	86	30
31	06				04		49			51		59	31
Total	1.67	5.08	7.92	2.22	1.34	2.32	4.49	2.62	3.05	2.96	4.93	10.58	47.18
Rain Days.	16	20	29	12	15	12	20	16	15	15	21	27	218

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
1806

Kept at Plapit-Jamar
in the County of Devon
by R. C. Coode

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	49	23			08			72	60	25	01	36	1
2	34	22	08	05		03		17	01			40	2
3	21	25	12	13	38		05					59	3
4	05	49			03		05					37	4
5	03	91	01	25				11				96	5
6	76	28		23			61	03				17	6
7	48	64	02	10			68			14	02	31	7
8	14	42					03	17		01	10	19	8
9	01	23		27				04			75	95	9
10	46	44	14	07			01	44		16	21	07	10
11	06		11				02	01		02	71	16	11
12	12	47		03	49			07		03	53	03	12
13	03	131		01	56			11	09	01	20	08	13
14	06	02					33	16	04	04	06	80	14
15	24		01		30		19		02		12	03	15
16	06	121		01	32		142		03				16
17	05	32			01					01		01	17
18	03	43	01				02						18
19	05	02		05	21		13						19
20	77	01		07	02	11			01	22			20
21	25	16			13	29	13			07		68	21
22	05	21	12	06			34		01	22	01	35	22
23	10	05	02			02	18		04	76		75	23
24				04		07	04		10	28		28	24
25						08	06		01		05	41	25
26	01	21			15	23	08		22			61	26
27		08				29	27		03	52		01	27
28		17				44		05	46	27	01	01	28
29						27			14		13	09	29
30	23	X		02		20			02	64	57	55	30
31	02	X		X		X	15	13	X	26	X	30	31
Total	5.10	8.78	64	1.39	2.68	2.03	4.79	2.21	1.83	3.91	3.48	9.52	46.36
Rain Days.	26	24	10	15	12	11	20	13	16	18	15	27	207
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Kept at Polapit-Jamar
in the County of S. Devon
by R. E. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

1763
49
BRITISH RAINFALL
30 JAN 1917
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16		28		04	08	30		02	20	01	01	1
2	44	11	15		06				15	20	45		2
3		1.62	03		29	05	43		15	42	30	02	3
4	32	30	03	05	08	27	03		13	04	83	02	4
5	03	07	06		04	03	01		01	13	81		5
6	08	32			09	29	32			18	60		6
7	11	29	09		36	01				05	63	18	7
8		47	03		23	02	02				11	20	8
9	01	14			01	01	05			13	14	1.19	9
10		91		10	04	01					02	22	10
11		03		12	04				01		01	01	11
12	08	05	01	06	04		06	04		19	01		12
13		39	04	09	01			23	05	01		02	13
14	05	61			10	01		19		08			14
15	02	45		15				06	01	09			15
16	10	15		15	01		01	50		20			16
17	11	24		08					54	18	60		17
18		48	14	08				02	20	02	13	13	18
19	33	11	02	34					01		55	04	19
20	10	51	26								16	52	20
21	08	05	07		04			01			22	13	21
22	02					07		14		55	02	63	22
23	03			06		26	01	20		11	27	26	23
24			09	06	02			22		62	01	24	24
25		30	20		01	06		42		12	43		25
26		23	13			06		03	45	79	13		26
27			1.16			05		04	23	81		02	27
28		07				02		15	55	53		57	28
29		09	01			34		70	04	21		45	29
30		~~X~~		~~X~~		03				41			30
31		~~X~~		~~X~~		~~X~~		06	~~X~~	08	~~X~~	02	31
Total	2.07	7.99	2.80	1.41	1.51	1.67	1.24	3.01	2.55	6.35	6.44	4.88	41.92
Rain Days.	17	24	18	13	18	18	10	16	15	25	22	20	216

REGISTER OF RAINFALL IN 1917

Kept at *Polapit-Tamar*
in the County of *S. Devonshire*
by *P. E. Coode*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03		01	22		11		02	02		03	01	1
2	03		02	22		04					01	02	2
3	11			20			09			43	60	01	3
4		11	42				08		01	29			4
5	28		41	30		34				22	10		5
6	04		25	01		35				07	16		6
7	62			03			15	12		34	10	04	7
8	08		10	09		25	24	31	01	52	29	43	8
9			12	16	12		01	01		42	56	03	9
10	29		35	28				18		07	04		10
11	08		34	55				26		44	42		11
12	31		01	02	23			08		97		01	12
13	31		21	06		02		16	49	30		05	13
14				05				07	05	21	01	04	14
15	04			03			01			25		24	15
16		06					25	12		17	02	(42)	16
17		08	05	50	11		42	10	19	29			17
18		02			12	07	29	02	73	10			18
19		36	06			16			02		02		19
20		37	01		44	22		08	06		06	01	20
21			13			04		09		01	19	15	21
22					02			68		23			22
23		09			08	07		34		34	07	02	23
24						02	17	11		35	23	01	24
25		06	02			02	03	90	04	35	05		25
26		01	02		24	02		23	14	06	11		26
27						95	03	120		25	05		27
28		05	31		03	146		57	01	22			28
29			10			03				62		08	29
30		X	14				11	16	01	03	01		30
31		X	03	X	29	X		07	X	27	X		31
Total	2.17	1.21	3.11	2.72	1.68	4.17	1.88	5.88	1.78	7.82	3.13	1.57	37.12
Rain Days.	12	10	21	15	10	17	13	23	13	27	21	16	198

REGISTER OF RAINFALL IN 1918

Kept at Polapit Tamar, Launceston
in the County of Devonshire
by R. L. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.08		.29	.06			.66	.01	.02	1.24		1
2		.38								.02	.03	.31	2
3		.23		.08	.09	.01			.17	.15	.18	.04	3
4		.06						.18	.31		.63	.55	4
5	.01	.04	.06	.23	.11			1.00	.88	.30	.04	.16	5
6	.24	.34	.08	.24	.01			.13		.22		.20	6
7	.05	.18		.04		.03		.02	.25	.37	.46	.34	7
8	.03	.08				.05	.04		.41	.37	.05	.01	8
9	.20	.04		.04		.35	.15		.54	.02	.01	.34	9
10	.12			.24			.59		.27	.12	.01	.36	10
11	.06	.01	.13	.01	.05		.07		.62	.04	.08	.16	11
12	.03	.08	.02		.14		.08		.04	.08		.02	12
13	.18	.04			.02		.06		.29	.12		.40	13
14	.36				.02	.05	.01		.29	.13		.13	14
15	1.51					.30	.71		.12	.44		.40	15
16	.57			.51		.06	.02		.16	.03		.18	16
17	.27			.14	.04	.01	.41	.01	.10			.20	17
18	1.03		.12			.62	.10	.05	.28	.22		.36	18
19	.24	.03	.07	.09			.24		.19	.01		.26	19
20	.34	.09		.14		.11	.19		.22			.01	20
21	.39	.02		.01		.29	.12		.56	.07		.32	21
22	.02				.10		.89		.37	.05	.03	.46	22
23	.08				.03	.05	.02		.12		.05	.27	23
24	.02	.21					.09	.51	.16		.44	.38	24
25	.01				.15		.26	.52		.08	.22	.02	25
26	.04	.30		.18			.07	.04	.12	.04	.05	.23	26
27	.01	.33	.25					.09	.36	.01	.29	.04	27
28		.28	.16						.13	.02	.36	.10	28
29			.09						1.31			.08	29
30		X	.40	.29				.07	.12	.09	.11	.15	30
31		X	.39	X		X		.01	X	.05	X	.06	31
Total	5.83	2.82	1.77	2.53	.82	1.93	4.12	3.29	8.40	3.07	4.28	6.54	45.40
Rain Days.	24	19	11	15	12	12	19	13	27	25	18	30	225

REGISTER OF RAINFALL IN 1919

1591

FORM A.
BRITISH RAINFALL.

Kept at Tolapit-Tamar, Launceston
in the County of Devonshire
by R. L. Coode

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50		.14	.08	.12		.14		.25	.22		1.14	1
2	.44		.03		.03		.14			.06		.89	2
3	.07		.39		.06				.15		.01	.30	3
4	.25	.24	.49		.03	.04		.11	.28			.01	4
5	.08	.26	.24							.01		.23	5
6	.81	.51	.20									.30	6
7	.38		.29	.09		.01	.01		.01			.24	7
8	.35		.26	.20	.01	.02					.47		8
9	.30		.03	.42	.14						1.12	.03	9
10	.02		.68	.04	.03					.10		.93	10
11	.14		.58	.11	.19		.13			.04	.06	.06	11
12	.33		.05	.03		.11				.21	.15	.01	12
13	.13	.07	.13	.38			.09		.01	.17	.01	.19	13
14	.35	.13		.73	.63		.03		.06	.27		.33	14
15	.36			.07						.15		.48	15
16	.20	.70			.02		.01				.38	.01	16
17	.08	.33	.01			.04	.01	.01			.63		17
18	.13	.09	.56		.06		.13	.13	.08		.43	.04	18
19	.27	.26	.18			.13	.03	.46	.39		.23	.17	19
20	.36	.03	.06		.05	.12		.05	.20		.28	.13	20
21	.25	.62			.30		.19	.10	.10		.02	.09	21
22		.03				.02	.05		.11		.05	.13	22
23								.23		.27	.09	.26	23
24				.02		.35		.01	.02	.24	.28	.31	24
25	.23	.03		.01				.41		.02	.33	.22	25
26	.13	.02	.24	.22				.04	.16	.08	.29	.46	26
27	.26	.03	.01	.25				.58		.01	.01	.11	27
28	.04		.30	.15						.05	.19	.57	28
29			.06	.17				.23		.04	.01	.12	29
30		X	.28	.22		.22		.25			.49	.70	30
31		X	.16	X		X	.02		X		X	.17	31
Total	6.46	3.35	5.37	3.19	1.67	1.06	.98	2.61	1.82	1.94	5.53	7.83	41.81
Rain Days	25	15	23	17	13	10	13	13	13	16	21	29	208

REGISTER OF RAINFALL IN 1920.

Kept at Polapit-Tamar, Launceston
in the County of Devonshire
by R. E. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	19		02	03	46		90	13	09	01	01	41	1
2	71			36	01		11	18	18	16		14	2
3	33	03		17			02		05	1.81		33	3
4			10					63		46			4
5			12		21		29	12	01	28			5
6			33	03	18		14			17	02		6
7	03		08	43	10		39		02		01	03	7
8	07	04		16	08		11	05				07	8
9	1.13	07	03	02		13	39						9
10	1.32	19	01	11		17	10				01		10
11	23	02	11	52	10	16	12						11
12	25	11	08	27		07	10			08	18	04	12
13	23	04	58	03		07		03		70			13
14	04	12	40	73			05		20	58	53		14
15	01	16	01	45	11	38				48	07		15
16		01	09		05	02	10	02	12	31	34		16
17	03		03	10	27	04	03	01	29	15			17
18	23	02	02	10	04	11		24	07				18
19	13	07		48		22							19
20	07			31		06	03		06	08		27	20
21				05			01		01	01		33	21
22	02		01	02			06					31	22
23	01		02				53	16				42	23
24	07		24	02			03	02	01		04	17	24
25	14	03	22	01		01	1.05		01			03	25
26	42	01	34			04	15		01		32	05	26
27	67	12	28	29	01	32	08				92	33	27
28	60	01	39	07		06	06				16	07	28
29	42	01	36	08	11	16	01				30	27	29
30	28			08	05	18	12		90	44	41	57	30
31	19		27				04			64		15	31
TOTAL	7.82	7.06	4.14	4.92	1.78	2.20	5.02	1.59	2.03	6.36	3.32	3.99	YEAR'S TOTAL 44.23
Days with .01 in. or more	26	17	24	25	14	17	26	11	15	16	14	18	22.3
(44,283). Wt. 21,958—219, 7500. 10/19. Gp. 132. A.&E.W.	21	9	16	18	12	15	20	7	9	14	10	16	167

REG

LEE MOOR.

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at Lee Moor, S.

CLAY WORKS

in the County of Devon

DEVON

by J. Martine

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, W.

1911-1912 - 1916-1919.

in.
ound 1 ft. 6 in.
a Level 950 ft.

ame Cornwood
istance 2.3 Direction S.W.
he result entered to the
sal rule, he is earnestly
r in the space provided
ent of rain,
ish Rainfall
pplication to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7	1.35	-	75	42	1.50	-	-	2.50	-	62	2.30	4.25	7
8													8
9													9
10													10
11													11
12													12
13													13
14	1.15	40	2.96	-	-	-	-	-	0.35	10	2.50	3.72	14
15													15
16													16
17													17
18													18
19													19
20													20
21	15	1.70	1.30	86	-	2.08	-	03	1.33	1.86	2.66	4.40	21
22													22
23													23
24													24
25													25
26													26
27													27
28	18	3.18	8	1.60	10	1.06	-	1.60	1.23	3.42	75	3.12	28
29													29
30						0.97			28		50	-	30
31			20	16	-	1.25	-		1.43				31
Total	2.83	5.28	5.29	3.02	1.60	4.11	1.25	4.13	3.19	7.42	8.71	15.49	TOTAL for year 62.32
No. of Rain Days.													

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Lee Moor, Shagb.

in the County of Devon S2

by J. Martin

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 950 ft.

Time of Observation

Nearest Railway Station { Name Cornwood
Distance 2.3 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7	1.35	-	-75	-42	1.50	-	-	2.50	-	-62	2.30	4.25	7
8													8
9													9
10													10
11													11
12													12
13													13
14	1.15	-40	2.96	-	-	-	-	-	0.35	-10	2.50	3.72	14
15													15
16													16
17													17
18													18
19													19
20													20
21	-15	1.70	1.30	2.84	-	2.08	-	-03	1.33	1.86	2.66	4.40	21
22													22
23													23
24													24
25													25
26													26
27													27
28	-18	3.18	-8	1.60	-10	1.06	-	1.60	1.23	3.42	-75	3.12	28
29													29
30						0.97			-28		-50	-	30
31			-20	-.16	-		1.25	-		1.43			31
Total	2.83	5.28	5.29	3.02	1.60	4.11	1.25	4.13	3.19	7.42	8.71	15.49	TOTAL for year 62.32
No. of Rain Days.													

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
8 - JAN 1913

Kept at Lee Moor - Shaght
in the County of Devon SL
by J. Martine

Lat. Long.
Time of Observation 8 AM
Nearest Railway Station Comwood
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3													3
4													4
5													5
6													6
7	2.60	1.50	2.60	0.27	1.27	3.06	0.20	3.78	0.50	1.20	0.50	1.60	7
8													8
9													9
10													10
11													11
12													12
13													13
14	2.73	1.55	2.64	0.17	0.26	0.17	1.20	0.98	0.00	0.36	1.32	3.20	14
15													15
16													16
17													17
18													18
19													19
20													20
21	1.55	2.40	2.65	0.00	1.05	1.25	0.06	5.11	0.00	1.90	0.45	1.00	21
22													22
23													23
24													24
25													25
26													26
27													27
28	0.55		1.16	0.00	0.00	2.37	1.00	4.15	0.56	4.26	2.90	4.01	28
29		2.87											29
30				0.00		0.23			1.18		0.00		30
31			0.40		0.00		1.26	0.56		0.72		0.98	31
Total	7.43	8.32	9.45	0.44	2.68	7.08	3.82	14.54	2.24	8.44	5.17	10.79	80.40
Rain Days.													

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Lee Moor, Rotherborough
in the County of Devon
by R. Martin

Lat. 50° 27' N Long. 4° 0' W
Time of Observation 9 a.m.
Nearest Railway Station Compton G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 900 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		1.18	1.08	1.05	1.21	1.17	1.08	1.08	1.21	1.03	1.03	1.03	1
2		1.20	1.13	1.03	1.03	1.03	1.03	1.03	1.03	1.03	1.03	1.03	2
3		1.35	1.03	1.03	1.30	1.24	1.03	1.03	1.03	1.03	1.03	1.03	3
4		1.20	1.03	1.03	1.03	1.74	1.06	1.03	1.24	1.30	1.10	1.03	4
5		1.45	1.03	1.03	1.07	1.26	1.03	1.03	1.03	1.03	1.03	1.03	5
6		1.30	1.03	1.03	1.26	1.19	1.42	1.03	1.03	1.03	1.50	1.03	6
7		1.27	1.24	1.03	1.18	1.10	1.03	1.03	1.03	1.03	1.06	1.20	7
8		1.15	1.32	1.03	1.56	1.03	1.03	1.03	1.03	1.03	1.19	1.25	8
9		1.16	1.49	1.03	1.04	1.15	1.03	1.03	1.03	1.12	1.25	1.33	9
10		1.13	1.09	1.10	1.23	1.14	1.09	1.03	1.03	1.10	1.09	1.04	10
11		1.17	1.03	1.15	1.16	1.03	1.03	1.03	1.13	1.03	1.03	1.03	11
12		1.08	1.12	1.29	1.03	1.60	1.34	1.03	1.03	1.47	1.03	1.03	12
13		1.60	1.06	1.03	1.03	1.11	1.11	1.36	1.03	1.03	1.03	1.06	13
14		1.61	1.12	1.03	1.24	1.03	1.03	1.40	1.03	1.35	1.03	1.03	14
15		1.48	1.13	1.14	1.03	1.03	1.03	1.19	1.03	1.03	1.03	1.06	15
16		1.11	1.03	1.35	1.02	1.03	1.17	1.72	1.03	1.03	1.03	1.03	16
17		1.20	1.03	1.03	1.03	1.03	1.03	1.16	1.28	1.03	1.80	1.03	17
18		1.27	1.33	1.10	1.03	1.03	1.03	1.03	1.03	1.19	1.18	1.03	18
19		1.21	1.18	1.15	1.03	1.03	1.03	1.03	1.03	1.03	1.41	1.53	19
20		1.72	1.24	1.03	1.03	1.03	1.03	1.03	1.03	1.03	1.08	1.92	20
21		1.17	1.14	1.23	1.03	1.03	1.03	1.03	1.03	1.03	1.15	1.50	21
22		1.03	1.05	1.10	1.03	1.52	1.03	1.03	1.03	1.64	1.10	1.56	22
23		1.03	1.03	1.18	1.03	1.28	1.03	1.57	1.03	1.21	1.00	1.14	23
24		1.03	1.22	1.90	1.21	1.12	1.03	1.27	1.03	1.74	1.17	1.38	24
25		1.26	1.15	1.03	1.04	1.03	1.03	1.50	1.03	1.04	1.17	1.06	25
26		1.16	1.12	1.03	1.03	1.75	1.03	1.41	1.03	1.20	1.03	1.10	26
27		1.52	1.46	1.03	1.03	1.20	1.03	1.65	1.92	1.90	1.03	1.03	27
28		1.03	1.18	1.03	1.03	1.03	1.03	1.09	1.74	1.22	1.13	1.11	28
29		1.19	1.10	1.03	1.03	1.28	1.03	1.05	1.06	1.29	1.03	1.96	29
30		X	1.03	1.03	1.03	1.09	1.03	1.04	1.03	1.42	1.03	1.03	30
31		X	1.03	X	1.03	X	1.03	1.26	X	1.58	X	1.12	31
Total	5.29	7.68	4.93	2.58	2.74	5.15	2.65	5.74	3.30	12.30	9.80	6.35	YEAR'S TOTAL 68.41
Rain Days.		23	21	13	17	15	8	16	12	26	21	18	

REGISTER OF RAINFALL IN 1917

Kept at Lee Moor House
in the County of Devon
by R. Martin

Lat. 50.27 N Long. 4.0
Time of Observation 9 am.
Nearest Railway Station Cornwood S.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 900 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.00	0.16	0.00	0.67	0.00	0.00	0.00	0.00	0.24	0.00	0.00	1
2	0.04	0.00	0.08	0.36	0.00	0.45	0.00	0.00	0.00	0.08	0.00	0.00	2
3	0.19	0.00	0.00	0.08	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	3
4	0.00	0.20	1.00	0.00	0.00	0.00	0.17	0.00	0.00	0.50	0.00	0.00	4
5	0.23	0.00	0.47	0.17	0.00	0.55	0.00	0.00	0.00	0.23	0.26	0.00	5
6	0.03	0.00	0.42	0.00	0.00	0.25	0.00	0.00	0.00	0.30	0.17	0.22	6
7	0.76	0.00	0.00	0.15	0.00	0.00	0.32	0.12	0.00	0.00	0.17	0.16	7
8	0.12	0.00	0.50	0.16	0.00	1.00	0.00	0.00	0.12	0.00	0.34	0.57	8
9	0.00	0.00	0.00	0.28	0.08	0.00	0.00	0.00	0.00	0.00	0.58	0.07	9
10	0.64	0.00	0.78	0.23	0.00	0.00	0.00	0.78	0.00	0.00	0.14	0.00	10
11	0.03	0.00	0.50	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.00	11
12	0.26	0.00	0.00	0.68	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12
13	0.34	0.00	0.33	0.12	0.00	0.25	0.00	0.23	0.23	0.42	0.00	0.11	13
14	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.13	0.13	0.00	0.00	14
15	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.20	0.10	0.87	0.00	0.50	15
16	0.75	0.00	0.00	0.12	0.11	0.15	0.00	0.00	0.00	0.58	0.00	0.45	16
17	0.00	0.12	0.00	0.15	0.20	0.00	0.00	0.00	0.00	0.28	0.00	0.00	17
18	0.00	0.08	0.00	0.25	0.00	0.09	0.75	0.04	0.00	0.08	0.00	0.00	18
19	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.08	0.00	19
20	0.00	0.22	0.04	0.00	0.40	0.80	0.00	0.00	0.00	0.00	0.00	0.00	20
21	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.02	0.14	0.24	0.08	0.08	21
22	0.00	0.00	0.06	0.00	0.55	0.00	0.00	0.98	0.00	0.20	0.08	0.00	22
23	0.00	0.46	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.30	0.05	0.00	23
24	0.00	0.63	0.00	0.00	0.20	0.28	0.32	0.67	0.00	0.40	0.22	0.09	24
25	0.00	0.08	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.12	0.00	25
26	0.00	0.00	0.00	0.00	0.38	0.21	0.00	0.63	0.00	0.12	0.11	0.00	26
27	0.00	0.00	0.00	0.00	0.00	0.78	0.04	1.00	0.00	0.11	0.08	0.00	27
28	0.00	0.07	0.25	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.07	0.00	28
29	0.00	0.00	0.14	0.00	0.00	0.12	0.00	0.00	0.00	1.02	0.08	0.00	29
30	0.00	X	0.36	0.00	0.00	0.00	0.00	0.63	0.00	0.64	0.04	0.13	30
31	0.00	X	0.12	X	0.45	X	0.00	0.00	X	0.32	X	0.03	31
Total	3.63	2.56	5.25	2.92	2.76	5.33	4.15	7.89	4.49	10.32	4.43	2.44	56.02
Rain Days.	10	17	15	8	15	22	17	21	23	12	19	4	

REGISTER OF RAINFALL IN 1918

Kept at Lee Moss
in the County of S. Devon
by R. Martin

Lat. 50.27 Long. 4.0
Time of Observation 9 a.m.
Nearest Railway Station Cornwall GWR
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 900 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.15	0.10	—	—	0.81	—	—	1.24	0.02	1
2	—	0.57	—	—	—	—	—	0.03	—	—	0.10	1.28	2
3	—	0.87	—	0.42	0.11	—	—	—	0.10	0.18	0.16	0.55	3
4	—	0.33	—	—	—	—	—	0.60	0.85	0.66	1.72	1.80	4
5	—	0.03	0.35	—	0.34	—	—	0.55	0.38	—	0.06	0.38	5
6	0.30	0.02	0.30	0.33	—	—	—	0.37	—	0.18	—	0.60	6
7	—	0.50	—	0.12	0.03	0.04	—	0.10	0.82	0.20	0.68	0.94	7
8	—	0.52	—	—	—	—	—	—	0.24	1.10	—	—	8
9	0.19	0.10	—	—	—	0.43	0.42	—	0.83	0.30	0.05	1.22	9
10	0.10	—	—	0.22	—	—	0.35	—	0.14	0.35	0.03	0.53	10
11	0.08	—	0.60	—	—	—	0.39	—	0.25	—	0.04	0.30	11
12	—	0.08	—	—	0.65	—	0.48	—	0.05	—	—	0.15	12
13	—	0.35	—	—	0.39	—	0.35	—	1.20	0.94	—	0.41	13
14	0.80	0.04	—	—	0.25	0.30	0.06	—	1.07	0.22	—	0.43	14
15	0.90	—	—	—	—	—	0.73	—	0.18	0.16	—	0.63	15
16	0.82	—	—	0.21	—	0.12	0.17	0.16	0.55	—	—	0.12	16
17	0.30	—	—	0.06	—	—	0.20	0.03	0.16	—	—	0.92	17
18	1.38	—	0.31	—	—	1.20	0.21	0.10	1.07	0.50	—	0.46	18
19	0.29	0.13	0.40	0.12	—	—	0.13	—	0.20	—	—	0.39	19
20	0.09	0.57	—	0.21	—	0.10	0.15	—	0.39	—	—	—	20
21	0.24	0.08	—	—	—	0.24	0.18	—	0.85	0.05	—	0.62	21
22	0.07	—	—	—	0.25	—	1.55	—	0.33	0.23	0.12	0.40	22
23	—	0.08	—	—	0.09	—	0.65	—	0.27	—	0.08	0.24	23
24	0.12	0.26	—	—	—	0.03	0.08	0.05	0.48	—	0.46	0.25	24
25	0.14	—	—	0.17	0.14	—	0.33	1.14	—	0.12	0.30	0.20	25
26	0.08	0.29	—	0.14	—	—	0.38	—	0.25	0.11	0.07	0.77	26
27	—	0.22	0.20	—	—	—	—	0.20	0.15	0.08	0.33	0.11	27
28	—	0.37	0.38	—	—	—	—	—	0.15	0.15	0.34	0.20	28
29	—	—	0.82	—	—	—	—	—	1.62	—	0.07	0.15	29
30	—	X	0.37	0.05	—	—	—	—	0.05	0.16	0.17	0.14	30
31	—	X	0.14	X	—	X	—	—	X	0.06	X	0.04	31
Total	5.90	5.41	3.87	2.20	2.35	2.46	6.81	4.14	12.63	5.75	6.02	14.25	71.79
Rain Days.	16	19	10	12	10	8	18	12	26	19	18	29	197

REGISTER OF RAINFALL IN 1919

Kept at Lee Moor. Roborough
 in the County of Devon
 by R. Martin

Lat. 50.27 Long. 4.0
 Time of Observation 9 am
 Nearest Railway Station Cornwood G.W.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 900 ft.

1569
 FORM A.
 BRITISH RAINFALL
 JAN 1920

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.22	...	...	0.57	...	...	0.20	...	...	0.48	...	1.21	1
2	0.23	...	...	...	...	...	0.05	...	...	...	0.05	0.18	2
3	0.27	...	...	...	...	...	...	...	0.65	...	0.05	0.34	3
4	1.90	...	0.37	...	...	...	0.46	0.80	1.53	...	...	0.04	4
5	0.26	0.34	1.14	...	...	...	...	...	...	...	...	0.23	5
6	0.65	...	0.32	...	...	...	...	...	...	...	0.13	0.62	6
7	0.60	...	0.70	0.15	...	...	0.02	0.02	...	...	...	0.29	7
8	...	...	0.60	0.07	...	...	0.06	...	...	...	0.40	...	8
9	...	...	0.13	0.59	0.1	...	...	...	...	...	0.16	0.18	9
10	1.24	...	1.94	0.17	0.08	...	...	...	...	0.06	...	1.89	10
11	0.20	...	0.91	0.41	1.00	0.08	0.08	...	...	0.12	0.14	0.82	11
12	0.28	...	0.14	0.05	0.03	0.05	...	...	...	0.25	...	...	12
13	0.67	0.20	0.27	0.94	...	...	0.76	...	...	0.12	...	0.57	13
14	1.57	0.24	...	0.65	1.19	...	0.15	...	0.08	0.20	...	0.40	14
15	0.90	1.10	...	0.27	...	...	...	...	...	0.24	...	0.59	15
16	0.15	1.01	...	...	0.14	0.09	...	...	...	...	0.62	...	16
17	...	0.18	...	...	...	0.15	...	0.08	...	...	0.56	0.32	17
18	0.20	0.48	1.04	...	0.02	...	0.60	1.58	0.10	...	0.78	0.03	18
19	1.00	1.57	0.50	...	...	1.31	0.88	0.80	0.25	...	0.40	0.19	19
20	0.57	0.22	0.09	...	...	0.50	...	0.23	0.15	...	0.37	0.35	20
21	0.30	1.50	...	...	0.03	...	0.33	...	0.36	0.04	0.07	0.12	21
22	...	0.06	...	...	0.02	0.02	0.04	0.09	...	...	0.07	...	22
23	...	...	0.10	...	...	...	...	0.06	...	2.00	0.27	0.28	23
24	...	...	...	...	...	0.30	...	0.45	...	0.37	0.23	0.80	24
25	...	0.04	...	0.07	...	...	...	...	...	...	0.10	0.10	25
26	0.07	0.06	0.16	0.08	...	...	...	...	0.39	0.03	0.14	1.40	26
27	0.23	0.02	0.10	0.50	...	...	...	1.75	...	...	...	0.24	27
28	...	...	0.64	0.20	...	...	...	0.09	0.03	...	0.72	1.34	28
29	0.08	...	...	0.07	...	...	...	0.22	...	0.10	...	0.80	29
30	0.00	X	...	0.15	...	0.18	...	0.21	0.06	...	1.05	1.34	30
31	0.00	X	...	X	...	X	...	...	X	...	X	0.55	31
Total	10.27	8.51	10.55	4.94	3.42	1.57	2.73	5.62	4.72	4.01	6.83	14.06	YEAR'S TOTAL 77.23
Rain Days.	23	16	21	16	14	12	12	13	15	12	20	28	202

LIFTON

FORM A2.
BRITISH RAINFALL
14 FEB 1912

Kept at

in the County of

by

KELLY HOUSE GARDENS

DEVON.

in. 2 ft. in.

Sea Level 450 ft.

Name

Distance 3 Direction N.

the result entered to the
versal rule, he is earnestly
year in the space provided
ment of rain,
ritish Rainfall
application to

Jan. 1, following.

IMPORTANT
previous day. I
requested to add
for it at the en
the selection and
Organization are
Dr. H. R. MILL,

1911 - 1920

Date	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	8	1	46	1	29	1	18			10	31		1
2			11	56						3	22	24	2
3				32				36	1	3	7	25	3
4		15		2				1	9	19	25	12	4
5				1				77			43	96	5
6	76	31						3		4	34	6	6
7	1	2									10	1	7
8	4	1									56	59	8
9	1	36									9	33	9
10		3	34								35	1	10
11	29	35									12	47	11
12	8	20			1				7		57	12	12
13		32							52		9	49	13
14		2									13	38	14
15		17	14								39	45	15
16		4	11			37					32	10	16
17	1	3	1			8					29	86	17
18		6	13	53		30					47	1	18
19		28		5		75			26	19	83	17	19
20		2		3		1			22	15	27	1	20
21	5	16		15		1		64	44	98		69	21
22	3	14		9		12			53	32		57	22
23	3	30	1	8		19			19	18	22	5	23
24		1				13		35	6	61		37	24
25	4	18				48		07	7	17		31	25
26				12	32	12			10	30		22	26
27		24		42			1	17		64	3	25	27
28		50		34		2		30	13		21	7	28
29			1	42	1	50		64	1		31	17	29
30						43	3	2	20	50		2	30
31		2			69		18			5		11	31
Total	1.43	2.16	2.52	2.80	3.44	2.28	.87	2.91	2.83	4.69	6.11	14.03	TOTAL for year
No. of Rain Days.	12	14	18	12	9	14	5	12	14	16	24	30	47

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
14 FEB 1912

Kept at *Holly House Gardens*
in the County of *Devon*
by *W. Gullick*

Pattern
RAIN GAUGE { Diameter of top in. *1 1/2*
Height of top above Ground 2 ft. in.
" " " Sea Level *450* ft.
Time of Observation *5 PM*
Nearest Railway Station { Name *Lifton*
Distance *3* Direction *N.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.8	.	.1	.46	.1	.29	.1	.18	.	.	.10	.31	1
2	.	.	.	.11	.56	.	.	.	.	.3	.22	.24	2
3	.	.	.	.	.32	.	.	.36	.1	.3	.7	.25	3
4	.	.	.15	.	.2	.	.	.1	.3	.19	.25	.12	4
5	.	.	.	.	.1	.	.	.77	.	.	.43	.96	5
6	.76	.	.31	.	.	.	.	.3	.	.4	.34	.6	6
7	.1	.	.2	.	.	.	.	.	.	.	.10	1.48	7
8	.4	.	.1	.	.	.	.	.	.	.	.56	.59	8
9	.1	.	.36	.	.	.	.	.	.	.	.9	.33	9
10	.	.3	.34	.	.	.	.	.	.	.	.35	1.15	10
11	.29	.	.35	.	.	.	.	.	.	.	.12	.47	11
12	.8	.	.20	.	.1	.	.	.	.7	.	.57	.12	12
13	.	.	.32	.	.	.	.	.	.52	.	.9	.49	13
14	.	.	.2	.	.	.	.	.	.	.	.13	.38	14
15	.	.17	.14	.	.	.	.	.	.	.	.39	.45	15
16	.	.4	.11	.	.	.37	.	.	.	.	.32	.10	16
17	.1	.3	.1	.	.	.18	.	.	.	.	.29	.86	17
18	.	.6	.13	.53	.	.30	.	.	.	.	.47	1.73	18
19	.	.28	.	.5	.	.75	.	.	.26	.19	.33	.17	19
20	.	.2	.	.3	.	.1	.	.	.22	.15	.27	1.13	20
21	.5	.16	.	.15	.	.1	.	.64	.44	.98	.	.67	21
22	.3	.14	.	.9	.	.12	.	.	.53	.32	.	.57	22
23	.3	.30	.1	.8	.	.19	.	.	.19	.18	.22	.5	23
24	.	.1	.	.	.	.13	.	.35	.6	.61	.	.37	24
25	.4	.18	.	.	.	.48	.	.07	.7	.17	.	.31	25
26	.	.	.	.12	.32	.12	.	.	.10	.30	.	.22	26
27	.	.24	.	.42	.	.1	.17	.	.64	.3	.25	.	27
28	.	.50	.	.34	.	.2	.30	.13	.	.21	.	.	28
29	.	.	.1	.42	1.50	.	.64	.1	.	.31	.17	.	29
30	.	.	.	.	.	.43	.3	.8	.20	.50	.	.2	30
31	.	.	.2	.	.69	.	.18	.	.	.5	.	.11	31
Total	1.43	2.16	2.52	2.80	3.44	3.28	.87	2.91	2.83	4.69	6.81	14.03	TOTAL for year
No. of Rain Days.	12	14	18	12	9	14	5	12	14	16	24	30	47.7

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Kelly Garden

in the County of Devon S. 2

by W. Gullish Head Gardener

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 462 ft.
Time of Observation 5 P.M.
Name Dighton
Nearest Railway Station
Distance 3 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.44	.11	.11	.27	.07	.08	.11	.28	.05	.16	1
2	.	.	.27	.01	.	.78	.06	.22	.04	.22	.	.12	2
3	.	.	.15	.11	.	.56	.02	.16	.08	.	.	.	3
4	.04	.	.81	.	.	.43	.	.64	.6	.	.	.10	4
5	.24	.03	.50	.	.04	.	.	.54	.	.	.58	.	5
6	1.06	.84	.11	.01	.06	.02	.01	1.76	.	.	.	.25	6
7	.31	.67	.03	.	.38	.29	.	.75	.	.03	.03	.19	7
8	.61	.68	.59	.08	.	.25	.17	.43	.01	.	.	.01	8
9	.17	.23	.019	.	.	.16	.02	.	.01	.	.	.05	9
10	.	.13	.12	.8	.	.04	.04	.17	.02	.	.05	.70	10
11	.45	.05	.08	.00	.	.	.11	.	.	.	.36	.11	11
12	.	.07	.22	.02	.	.	.22	.26	.	.	.25	.46	12
13	.05	.03	.02	.00	.04	.	.05	.03	.	.	.04	.15	13
14	.49	.	.12	.01	.	.01	.14	.20	.	.02	.	.14	14
15	.11	.20	.47	.	.36	.17	.	.11	.01	.10	.02	.18	15
16	1.11	.06	.21	.	.25	.54	.	.05	.	.07	.03	.25	16
17	.02	.	.46	.	.	.26	.	.71	.	.05	.05	.14	17
18	.	.	.08	.	.10	.	.	.63	.	.	.03	.09	18
19	.	.11	.36	.	.	.02	.	1.55	.	.08	.07	.03	19
20	.05	.11	.15	.	.13	.01	.02	.53	.	.07	.00	.13	20
21	.08	.10	.64	.	.65	.	.07	.08	.	.28	.07	.	21
22	.	.64	.22	.	.10	.	.01	.04	.	.45	.09	.04	22
23	.15	.40	.39	.	.	.08	.01	.23	.	.11	.01	.43	23
24	.09	.18	.16	.	.	.06	.10	.77	.	.10	.07	.25	24
25	.31	.08	.04	.	.	.55	.24	.01	.	.11	.19	.22	25
26	.03	.08	.	.	.	.22	.11	.28	.	.34	.70	.95	26
27	.	.01	.	.	.	.39	.22	.49	.	1.56	.23	.46	27
28	.	.01	.	.	.	.52	.37	.	.01	.59	.01	.84	28
29	.	.27	.	.	.	.17	.12	1.02	.59	.38	.75	.54	29
30	.	.	.02	.	.	.17	.02	.10	.34	.27	.	.10	30
31	.	.	.22	.	.04	.	.55	.	.	.62	.	.01	31
Total	5.31	4.47	6.97	.42	2.25	5.97	2.69	11.24	1.20	5.53	3.61	6.60	TOTAL for year
No. of Rain Days.	18	21	27	7	12	23	23	27	10	20	20	28	56.36

✓
Cust. Form No. 19. 11. 14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
23 JAN 1914

Kept at *Kelly Gardens*
in the County of *S. Devon*
by *R. W. Mailland Kelly*

Lat. _____ Long. _____
Time of Observation *5. P. M.*
Nearest Railway Station *Exeter*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground *2* ft. _____ in.
" " " " Sea Level *450* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.33	.	.20	.21	.	.	.	.50	.09	.13	.01	1
2	.12	.38	.32	.43	.02	.	.	.	.	.01	.42	.02	2
3	.25	.	.20	.18	.24	.	.	.	.	.	.21	.21	3
4	.86	.	.10	.02	.34	.	.	.	.70	.26	.02	.26	4
5	.88	.	.07	.	.	.27	.	.	.67	.13	.15	.46	5
6	.09	.14	.	.	.25	.24	.06	.	.13	.05	.40	.41	6
7	.46	.78	.15	.	.35	.10	.	.	.	.18	.37	.10	7
8	.11	.11	.03	.	.78	.24	.	.	.	.50	.28	.	8
9	.17	.25	.	.	.21	.	.10	.57	.	.	.	.05	9
10	.29	.02	.	.	.04	.08	.	.	.	.03	.75	.	10
11	1.30	.01	.	.09	.17	.	.	.06	.	.84	.49	.	11
12	.30	.	.	.	.47	.08	.	.	.07	.02	.93	.06	12
13	.11	.	.02	.	.22	.	.	.03	.24	.	.46	.05	13
14	.03	.03	.28	.05	.	.	.02	.	.36	.	.12	.	14
15	.48	.	.15	.04	.	.	.	.	.12	.	.21	.	15
16	.24	.	.56	.94	.	.	.01	.66	.33	.	.08	.03	16
17	.41	.	.66	.19	.	.	.02	.01	.	.04	.01	.04	17
18	.15	.	.06	.29	.	.	.	.	.	.	.17	.	18
19	.33	.	.42	.04	.07	.	.08	.	.31	.	.02	.	19
20	.26	.	.07	.07	.06	.06	.	.	.03	.58	.	.	20
21	.25	.	.15	.44	.12	.	.	.	.	.09	.79	.	21
22	.26	.	.88	.10	.02	.	.03	.09	.	.	.	.	22
23	.04	.	.07	.	.04	.23	.	.04	.05	.02	.27	1.11	23
24	.02	.08	.10	.10	.	.	.	.14	.	.	.10	.14	24
25	.02	.31	.	.21	.	.06	.	.	.	.	.08	.05	25
26	.	.07	.	1.09	.	.	.	.64	.09	.17	.02	.02	26
27	.	.	.	.90	.	.	.	.07	.	.56	.08	.37	27
28	.40	.	.29	.59	.	.	.	.89	.	.73	.03	.10	28
29	.06	.	.13	.29	.13	.	.	.	.	.45	.05	.21	29
30	.44	.	.32	.08	.	.	.10	.02	.	.50	.	.	30
31	.35	.	.14	.	.04	.	.	.	.	.38	.	.	31
Total	8.84	8.46	5.29	6.34	3.79	1.36	.42	1.79	9.20	6.58	6.58	3.70	YEAR'S TOTAL
Rain Days.	29	12	22	22	19	9	7	12	13	20	25	19	50.65

REGISTER OF RAINFALL IN 1914

Kept at Kelly Gardens
 in the County of Devon
 by Pres. Mauleland Kelly

Lat. _____ Long. _____
 Time of Observation 5.30 P.M.
 Nearest Railway Station Totnes & N.R.
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 2 ft. 6 in.
 " " " " Sea Level 462 ft.

FORM A.
 BRITISH RAINFALL
 9 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08	.04			.04	.04	1.07			1.03	.30	1
2			.08	.40		.18	.11	.35			.82	.09	2
3			.10		.20	.05	.17	.10				.45	3
4	.16		.20	.17	.45		.27	.33	.05		.12	.62	4
5	.27		.14	.32	.20		.72	.19	.27		1.16	.38	5
6	.12	.02	.28	.25	.08		.70	.07			.02	.45	6
7	.06	.47	.16	.05	.12	.05	.02	.03				.39	7
8	.06	.78	.78	.31	.05	.16	.39	.27	.45			.05	8
9	.06	.04	1.05	.05	.01	.27		.11	.65		.63		9
10	.02	.04	.04	.56	.22	.62		.06	.38				10
11		.98	.20						.16		.09	.48	11
12		.68	.55	.16		.16			.87		.09	.10	12
13		.45	.31						.05		.26	.28	13
14	.02	.48	.64				.21		.27	.31	.35	.09	14
15		.56	.12			.09		.50	.15	.01	.15	.44	15
16		.15					.05	.12	.03		.05	.73	16
17		.04	.04				.05		.32			.05	17
18		.55	.35				.02		.03			1.33	18
19		.11	.17				.85		.25			.20	19
20		.28	.66				.20	.05	.07		.12	.07	20
21		.29	.38			.60						.18	21
22		.48	.06			.05		.01		.57	.01	.02	22
23		.08	.12	.02	.03	.04	.04	.05		.18			23
24			.11				.10	.14		.15			24
25		.02	.24		.04		.08			.48	.10		25
26	.15	.03	.01				.13	.59		.08	.26	.56	26
27	.15	.03	.10				.28			.12	.20	.76	27
28	.01	.16					.74			.38	.44	.96	28
29	.02		.39		.17		.01			.08		.36	29
30	.36	X	.40		.06		.10			.06	1.16	.75	30
31	.09	X	.01	X		X			X	.08	X	.44	31
Total	1.53	6.65	7.88	2.29	1.63	2.32	5.28	4.10	3.25	2.53	4.90	10.53	52.89
Rain Days.	14	22	30	10	12	12	22	17	14	13	19	26	211

REGISTER OF RAINFALL IN 1915

Kept at Kelly Gardens House
in the County of Devon 52
by W. Gullik

Lat. Long.
Time of Observation 5.0 PM 1916
Nearest Railway Station Lifford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft 6 in.
Sea Level 452 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.88	.15	.10	.03	.03	.16	.16	.01	.15	.48			1
2	.29	.72	.06	.03	.04	.04	.25			.30			2
3	.26	.01	.17	.04	.30	.09				.88			3
4	.11	.64	.09	.04	.03	.16				.21			4
5	.08	.10		.03		.09	.10			1.02			5
6	.17	.56	.30	.19		.73	.01		.02	.20			6
7	.96	.41	.03	.10		.65			.26	.03	.19		7
8	.22	.60		.10						.84			8
9	.76	.28				.07				.49	.84		9
10	.72	.36	.19			.19				.24	.77		10
11	.28	.53	.23	.06		.02	.05		.01	.38	.18	.16	11
12	.04		.08			.03	.65		.09	.82	.08		12
13	.11	.92	.03	1.04		.18			.01	.30	.10		13
14	.03	.89		.23		.09	.05	.16	.07	.29	.25		14
15	.05			.24		.37	.07	.02	.01	1.10	.19		15
16	.21	.11		.38		1.07		.02	.04	.08	.15		16
17	.09	1.77		.07		.47					.08		17
18	.05	.77	.04								.01		18
19	.05	.02		.02		.01	.02		.02				19
20	.02		.17	.39		.14	.02						20
21	.50	.04		.07	.14	.02		.02	.23		.07		21
22	.29	.12	.04	.08	.21	.11	.36	.15	.02		.22		22
23	.10	.16	.15	.07		.13	.18	.29	.21		.67		23
24		.07	.03		.03	.09	.01	.04	1.25		.64		24
25			.01	.05	.19	.27		.24		.54			25
26	.01				.09	.02				.27			26
27		.34		.07	.63	.38		.15		.77			27
28		.03			.16			.28	.83		.23		28
29					.23	.08	.22	.09	.13	.02			29
30		X			.73	.03	.26	.01	.24	.34			30
31	.92	X				.04		X	1.21	X	.55		31
Total	6.50	10.0	0.89	1.45	3.18	2.55	5.14	2.49	1.85	4.48	3.25	10.97	53.75
Rain Days.	23	23	16	13	14	11	21	18	14	20	12	29	216

REGISTER OF RAINFALL IN 1916

Kept at Kelly Garden
in the County of Dublin
by Rev. Mailland Kelly

Lat. _____ Long. _____
Time of Observation 5 P.M.
Nearest Railway Station Dublin
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 462 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40		.35			.05	.28		.08		.20		1
2	.35	.03	.10		.15	.03			.02	.24	.05	.02	2
3	.20	.43	.10		.06		.04		.22	.10	.94		3
4	.09	.65			.38	.33	.04		.23	.70	.31		4
5	.20	.11		.05	.04	.12	.00			.11	1.04		5
6	.03	.23	.05		.11	.13	.26			.41			6
7	.15	.10	.08		.04	.33	.36			.02	1.72	.04	7
8	.09	.40	.16		.22	.07	.00			.01	.60	.14	8
9	.08	.38	.06		.26	.15	.02				.09	.26	9
10	.02	.20					.05			.23	.17	1.26	10
11		.60		.12	.06	.3	.04		.04	.01	.01	.01	11
12	.03	.06		.08	.18	.00	.00				.02	.02	12
13	.05	.08	.02	.02			.02	.23	.05	.15		.15	13
14	.05	.38	.08	.02	.05			.18		.12			14
15	.05	.59			.02			.16		.9			15
16	.01	.23		.21				.39		.06			16
17	.33	.15		.08	.01			.35		.38	.90		17
18	.15	.40		.03					.33	.04	.66		18
19	.16	.04	.20	.11					.23	.04	.38	.10	19
20	.17	.15		.11							.46	.28	20
21	.15	.53	.21								.40	.44	21
22	.07		.09		.05	.10				.30		.04	22
23	.03	.10				.11		.37		.90	.21	.80	23
24	.06	.10		.20		.11		.07		.02	.10	.08	24
25		.05	.09	.04	.02			.68	.03	.83	.25	.28	25
26		.03	.24			.12		.48	.03	.04	.44		26
27	.03	.43	.48			.05		.09	.63	1.45	.08	.00	27
28		.18	.01			.02		.03		.25		.66	28
29		.10	.01			.36		.46	.30	.61		.86	29
30		X	.02			.10		.45	.04	.21		.26	30
31		X		X		X		.09	X	.27	X	.06	31
Total	2.87	7.73	2.36	1.14	1.65	2.21	1.18	3.96	2.23	7.64	8.43	4.92	YEAR'S TOTAL 46.32
Rain Days.	23	27	18	12	15	18	10	14	13	26	22	19	46-38 27

REGISTER OF RAINFALL IN 19

Kept at *Kelly Farm Gardens*
 in the County of *Leitch*
 by *W. J. Smith*

Lat. _____ Long. _____
 Time of Observation *5.30 p.m.*
 Nearest Railway Station *Leitch*
 Diameter of Funnel of Rain Gauge *8* in.
 Height of top of Gauge above Ground *2* ft. *6* in.
 " " " " Sea Level *462* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.04		.66		.07	.10		.02	.02	1
2	.08			.38		.09			.01				2
3	.03		.01	.31							.62		3
4	.13		.30	.13			.04			.67	.08		4
5	.02	.12	.67	.20					.04	.16			5
6	.15		.64	.30		.20		.05		.35	.17		6
7	.24		.12	.05		.25				.33	.16	.02	7
8	.41			.05		.32	.16	.55		.55	.18		8
9	.28		.25	.12			.17	.04	.07	.16	.15	.40	9
10	.39		.38	.16	.12		.05	.07		.38	.73		10
11	.36		.34	.38			.00	.34	.04	.06	.03		11
12	.35		.04	.23	.42			.20		.65	.31		12
13	.21		.10		.01	.01		.25	.22	.69			13
14	.10		.15	.12		.02		.55	.02	.16		.10	14
15	.10			.04		.04	.02	.31		.11	.02		15
16	.14			.04			.12			.40		.49	16
17		.04				.30	.04	.06	.10	.30	.01	.12	17
18		.02	.04	.26	.15	.15	.57	.13	.44	.21			18
19		.05			.05	.15	.04	.02	.59	.03			19
20		.44	.08			.25		.08	.04		.03		20
21		.46			.68	.09		.15			.15	.22	21
22			.10			.05		.24	.02	.04	.05		22
23		.09			.08			.1		.23	.01		23
24		.03			.09	.07	.05	.22	.01	.36		.10	24
25		.09				.04		.10		.14	.15	.10	25
26			.07			.05		.63	.17	.32	.04		26
27					.37	.11		.53	.02	.14	.05		27
28			.07			.12	.05	.12		.13			28
29			.03		.07	.27		.27		.17			29
30			.21					.17		.85	.02	.09	30
31			.03				.13	.07		.24			31
Total	2.94	1.34	4.63	2.81	2.04	4.20	1.44	8.22	1.89	7.77	2.98	1.48	41.74
Rain Days.	15	8	10	16	10	19	12	25	15	26	20	10	195

REGISTER OF RAINFALL IN 1918

Report *Kelly Gardens*
in the County of *Devon*
by *W. Gullick*

Lat. _____ Long. _____
Time of Observation *5.15 pm*
Nearest Railway Station *ditto*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *2* ft. *6* in.
" " " " Sea Level *450* ft.

BRITISH RAINFALL FORM A

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.08	.21	.38			.02	.01	.08	.17	.14	1
2		.59		.02				.75		.04	1.53	.01	2
3		.49		.18	.10			.03			.06	.36	3
4		.28		.12					.13	.14	.66	.12	4
5		.05			.15	1		.95	.82		.55	.86	5
6	.18	.08	.47	.36				1.19	.19	.38	.02	.45	6
7	.24	.25		.02		.07			.02	.26	.60	.07	7
8	.04	.23		.01				.02	.40	.15	.68	.62	8
9	.16	.05		.02		.10	.27		.52	.37	.03	.19	9
10	.06	.01		.02		.31	12.12		.17	.08	.01	.26	10
11	.06	.05		.30			.25		.20	.08	.01	.29	11
12		.09	.27		.03		.15		.38	.02	.05	.16	12
13		.05			.27		.05					.09	13
14	.09	.04	.02		.03	.06	.28		.44	.24		.04	14
15	.86				.04	.04	.22		.24	.30	.10	.33	15
16	.63			.41		.16	.64		.18	.08		.34	16
17	.94			.10	.01	.05	.07		.30	.02		.17	17
18	.38			.07		.74	.13		.07	.04		.29	18
19	.95	.09	.30			.04	.10	.03	.32	.17		.31	19
20	.40	.11		.16			.37		.24	.02		.32	20
21	.47	.04		.09		.28	.03		.33	.38		.31	21
22	.18	.02					.67		.57	.12	.11	.33	22
23	.08				.14		.90		.44	.02	.11	.14	23
24	.09	.02				.04	.02		.05		.29	.38	24
25	.05	.22					.02	.96	.07	.03	.08	.20	25
26	.03			.31	.15		.27	.06	.10	.15	.24	.02	26
27	.09							.12	.02	.02	.04	.21	27
28		.29	.35					.12	.23	.02	.25		28
29			.06						.78	.07	.14	.03	29
30		X	.26	.14					.26	.11		.19	30
31		X	.45	X		X		.05	X	.03	X	.12	31
Total	6.03	3.05	2.26	2.54	1.35	1.89	4.51	3.70	7.48	3.04	5.73	7.55	49.13
Rain Days.	20	20	9	17	9	11	17	12	27	26	21	30	220

REGISTER OF RAINFALL IN 1919.

Kept at Kelly Gardens
in the County of Devon
by W. Gullish

Lat. _____ Long. _____
Time of Observation 5.30 P.M.
Nearest Railway Station Sutton G.W.R.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.1	.17	.17	.15	.1	.20	.1	.1	.20	.1	.55	1
2	.45	.1	.12	.01	.15	.1	.30	.1	.30	.16	.1	.10	2
3	.33	.1	.04	.1	.02	.1	.1	.1	.1	.03	.04	.10	3
4	.02	.07	.38	.1	.05	.03	.1	.10	.59	.1	.07	.10	4
5	.17	.47	.19	.1	.02	.1	.1	.18	.43	.02	.1	.06	5
6	.30	.09	.1	.1	.1	.1	.1	.1	.1	.1	.1	.18	6
7	.80	.40	.48	.1	.01	.1	.1	.1	.1	.1	.1	.35	7
8	.61	.1	.03	.15	.1	.03	.1	.1	.1	.1	.1	.24	8
9	.63	.1	.26	.13	.1	.03	.1	.1	.1	.1	.81	.1	9
10	.10	.1	.03	.40	.22	.1	.1	.1	.1	.1	.27	.42	10
11	.15	.1	.91	.96	.27	.10	.1	.1	.1	.02	.22	.80	11
12	.10	.1	.55	.15	.07	.1	.12	.1	.1	.15	.1	.19	12
13	.30	.1	.20	.02	.1	.1	.1	.1	.1	.12	.27	.30	13
14	.73	.12	.1	.47	.1	.1	.08	.1	.04	.10	.1	.07	14
15	.40	.16	.1	.51	1.07	.1	.06	.1	.1	.23	.1	.25	15
16	.08	.45	.1	.1	.1	.1	.1	.09	.1	.12	.04	.10	16
17	.15	.45	.01	.1	.05	.01	.1	.03	.1	.1	.35	.04	17
18	.03	.31	.31	.1	.02	.1	.1	.16	.1	.1	.49	.01	18
19	.30	.30	.43	.1	.05	.1	.1	.29	.00	.1	.38	.02	19
20	.61	.28	.15	.1	.1	.25	.1	.63	.12	.1	.17	.16	20
21	.26	.61	.02	.1	.07	.01	.04	.1	.64	.1	.23	.10	21
22	.22	.18	.1	.1	.10	.1	.17	.1	.14	.1	.02	.11	22
23	.10	.1	.1	.1	.1	.01	.1	.1	.15	.03	.03	.09	23
24	.30	.1	.1	.04	.1	.1	.1	.16	.35	.45	.07	.18	24
25	.05	.1	.1	.1	.1	.30	.1	.28	.1	.19	.08	.40	25
26	.11	.06	.1	.1	.1	.1	.07	.76	.02	.02	.30	.41	26
27	.28	.06	.15	.22	.1	.1	.1	.06	.09	.07	.03	.18	27
28	.30	.1	.03	.47	.1	.1	.1	.71	.1	.03	.1	.39	28
29	.1	.1	.28	.1	.1	.1	.1	.04	.1	.02	.63	.25	29
30	.1	X	.05	.14	.1	.1	.1	.32	.1	.03	.1	.64	30
31	.1	X	.30	X	.1	X	.1	.10	X	.1	X	.25	31
TOTAL	8.25	4.01	6.09	3.84	2.32	0.77	1.04	3.91	2.87	2.00	4.50	7.74	47.34
Days with "01 in. or more	28	15	22	14	15	9	8	15	11	18	19	30	204

REGISTER OF RAINFALL IN 1920.....

Kept at Kelly Gardens
in the County of Devon
by W. Gullick

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Exeter
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:
20

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.08	.	.04	.02	.	.34	.	.	.73	.07	.18	1
2	.	.	.	.07	.75	.	.55	.80	.13	.66	.	.76	2
3	.77	.	.	.23	.	.	.96	.	.07	.80	.	.31	3
4	.41	.09	.	.02	.01	.	.05	.08	.02	1.32	.	.33	4
5	.	.01	.08	.	.01	.	.	1.	.	.93	.	.	5
6	.	.	.55	.	.28	.	.	.06	.	.33	.	.	6
7	.	.	.13	.14	.05	.	.32	.	.	.01	.	.	7
8	.03	.03	.11	.45	.11	.	.28	.01	.03	.	.	.10	8
9	.14	.	.	.05	.04	.	.37	.	.	.	.	.13	9
10	1.6	.10	.01	.05	.	.06	.10	.	.01	.	.	.	10
11	1.43	.14	.02	.13	.	.39	.70	.	.	.01	.04	.	11
12	.30	.	.15	.62	.18	.03	.	.	.	.09	.	.	12
13	.09	.12	.46	.28	.01	.30	.25	.08	.	.35	.16	.	13
14	.18	.	.45	.25	.	.	.02	.	.	.30	.07	.	14
15	.05	.20	.46	.75	.	.	.12	.	.13	.02	.40	.	15
16	.01	.13	.03	.28	.18	.05	.	.	.27	.95	.06	.	16
17	.02	.	.02	.17	.20	.05	.17	.	.07	.12	.19	.	17
18	.04	.	.02	.18	.35	.17	.06	.38	.57	.08	.11	.	18
19	.26	.02	.	.31	.03	.13	.	.	.31	.	.	.	19
20	.10	.08	.	.38	.5	.41	.	.	.	.04	.	.07	20
21	.03	.	.	.46	.	.	.08	.	.05	.27	.	.38	21
22	.	.	.	.05	.	.	.05	.	.	.	.	.20	22
23	.06	.	.	.12	.	.	.16	.	.	.	.	.30	23
24	.05	.	.26	.	.	.	.40	.13	.	.	.06	.65	24
25	.	.02	.35	.	.	.	.57	.02	.	.	.11	.12	25
26	.51	.02	.25	.02	.	.	.33	.	.	.	.02	.10	26
27	1.	.05	.04	.07	.	.	.12	.	.03	.	.74	.20	27
28	.69	.05	.28	.16	.	.26	.19	.	.	.	.63	.59	28
29	.15	.	.28	.10	.01	.21	.	.	.	.	.47	.26	29
30	.62	~~X~~	.38	.07	.22	.10	.10	.	.33	.	.38	.18	30
31	.34	~~X~~	.13	~~X~~	.	~~X~~	.22	.	~~X~~	.80	~~X~~	.80	31
TOTAL	8.45	1.14	4.73	5.45	2.47	2.16	6.51	2.56	2.02	7.81	3.40	5.84	YEAR TOTAL 45
Days with .01 in. or more	25	15	21	26	16	13	24	9	13	18	14	18	53
Days with .04 in. or more	22	9	16	24	10	12	28	7	4	15	13	18	212

RE

LITTLEHAM

GANIZATION.

Kept at Orleigh
in the County of DEVON
by Mr Henry

ORLEIGH COURT

DEVON.

9.14
4.14
a.m.
Bideford
in Gauge 5 in.
above Ground 1 ft. in.
Sea Level 260 ft.

IMPORTANT NOTE.

If an Observer prefers not to read the reading at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the B sent post-free on application to the Meteorological Office, 62, Camden Square, London, N.W. 1.

1919 - 1920

entered to the previous day.
tested to add at the end of rain gauges, "Observers,"
62, Camden

Jan. 1, following.

0.57

Recd

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05			0.39	0.28		0.15	0.05				0.45	1
2	0.36		0.10	0.14	0.27		0.12		0.19	0.44		1.28	2
3	0.22		0.05	0.01	0.09		0.09			0.07		0.26	3
4	0.11		0.18		0.08				0.02		0.03	0.60	4
5	0.29	0.65	0.22		0.03	0.17		0.13	0.33			0.03	5
6	0.21	0.44	0.31		0.02				0.04			0.48	6
7	0.34		0.43								0.02	0.41	7
8	0.12		0.17	0.05		0.02			0.02			0.18	8
9	0.15		0.24	0.01		0.06					0.03	0.01	9
10	0.35		0.05	0.20	0.08						1.46	0.01	10
11	0.23		1.28	0.05	0.04	0.03				0.14	0.03	0.26	11
12	0.17		0.22	0.08	0.14	0.03	0.21			0.05	0.18		12
13	0.38	0.03	0.22	0.08	0.02	0.35				0.19	0.17		13
14	0.33	0.04	0.15	0.71			0.09		0.09	0.07	0.01	0.12	14
15	0.61	0.08	0.01	0.82	0.35		0.05		0.02	0.07			15
16	0.30			0.01	0.01					0.12		0.84	16
17	0.25	1.04				0.02	0.01	0.03		0.01	0.40	0.02	17
18		0.26	0.03		0.11	0.04		0.09			0.47	0.01	18
19	0.06	0.07	0.75				0.16	0.40	0.04		2.46	0.04	19
20	0.33	0.22	0.20			0.10	0.02	0.60	0.15		0.54	0.09	20
21	0.24	0.18	0.27			0.19		0.03	0.25		0.17	0.35	21
22	0.13	0.71	0.01		0.03			0.04	0.04		0.01	0.08	22
23		0.11			0.11	0.04	0.42		0.30		0.02	0.19	23
24									0.01	0.16	0.13	0.23	24
25	0.03					0.38		0.05		0.61	0.32	0.53	25
26	0.29					0.04		0.63	0.05	0.01	0.31	0.09	26
27	0.23		0.18	0.20		0.08		0.09	0.27	0.04	0.27	0.53	27
28	0.11			0.26		0.01		0.32				0.03	28
29	0.03		0.34	0.08				0.03		0.03	0.20	0.64	29
30	0.01	X	0.03	0.29				0.18		0.05	0.06	0.21	30
31		X	0.07	X		X		0.19	X		X	0.59	31
TOTAL	5.93	3.83	5.51	3.38	1.66	1.56	1.32	2.86	1.07	2.06	7.29	8.56	YEAR'S TOTAL
DAYS with	5.88		5.90	3.27	1.38	1.71	1.22	2.81			7.74	8.68	45.78
0.1 in.	27.26	12.	23.24	16.	15.4	15.16	10.	15.14	15.	15.	21.22	28.	46.30
	24.	11.	19.	13.	10.	10.	8.	12.	11.	12.	14.	22.	166

REGISTER OF RAINFALL IN 1909.

Kept at Orleigh Court, Bideford
 in the County of Devon
 by Wm Henry Rogers Esq.

Lat. 50° 59' Long. 4° 14'
 Time of Observation 9 a.m.
 Nearest Railway Station Bideford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.57

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05			0.39	0.28		0.15	0.05				0.45	1
2	0.36		0.10	0.14	0.27		0.12		0.19	0.44		1.28	2
3	0.22		0.05	0.01	0.09		0.09			0.07		0.26	3
4	0.11		0.18		0.08				0.02		0.03	0.60	4
5	0.29	0.65	0.22		0.03	0.17		0.13	0.33			0.03	5
6	0.21	0.44	0.31		0.02				0.04			0.48	6
7	0.34		0.43								0.02	0.41	7
8	0.12		0.17	0.05		0.02			0.02			0.18	8
9	0.15		0.24	0.01		0.06					0.03	0.01	9
10	0.35		0.05	0.20	0.08						1.46	0.01	10
11	0.23		1.28	0.05	0.04	0.03				0.14	0.03	0.26	11
12	0.17		0.22	0.08	0.14	0.03	0.21			0.05	0.18		12
13	0.38	0.03	0.22	0.08	0.02	0.35				0.19	0.17		13
14	0.33	0.04	0.15	0.71			0.09		0.09	0.07	0.01	0.12	14
15	0.61	0.08	0.01	0.82	0.35		0.05		0.02	0.07			15
16	0.30			0.01	0.01					0.12		0.84	16
17	0.25	1.04				0.02	0.01	0.03		0.01	0.40	0.02	17
18		0.26	0.03		0.11	0.04		0.09			0.47	0.01	18
19	0.06	0.07	0.75				0.16	0.40	0.04		2.46	0.04	19
20	0.33	0.22	0.20			0.10	0.02	0.60	0.15		0.54	0.09	20
21	0.24	0.18	0.27			0.19		0.03	0.25		0.17	0.35	21
22	0.13	0.71	0.01		0.03			0.04	0.04		0.01	0.08	22
23		0.11			0.11	0.04	0.42		0.30		0.02	0.19	23
24									0.01	0.16	0.13	0.23	24
25	0.03					0.38		0.05		0.61	0.32	0.53	25
26	0.29					0.04		0.63	0.05	0.01	0.31	0.09	26
27	0.23		0.18	0.20		0.08		0.09	0.27	0.04	0.27	0.53	27
28	0.11			0.26		0.01		0.32				0.03	28
29	0.03		0.34	0.08				0.03		0.03	0.20	0.64	29
30	0.01	~~X~~	0.03	0.29				0.18		0.05	0.06	0.21	30
31		~~X~~	0.07	~~X~~		~~X~~		0.19	~~X~~		~~X~~	0.59	31
TOTAL	5.93	3.83	5.51	3.38	1.66	1.56	1.32	2.86	1.07	2.06	7.29	8.56	45.03
Days with 0.1 in.	27.26	12.	23.24	16.	15.14	15.6	10.	15.14	15.	15.	21.22	28.	212.
	24.	11.	19.	13.	10.	10.	8.	12.	11.	12.	14.	22.	166

REGISTER OF RAINFALL IN 1920.

Kept at Dorleigh Court, Bideford
in the County of Devon
by H. M. Henry Rogers

Lat. 50° 59' N Long. 4° 14' W
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.57	0.14	-	0.49	-	0.03	0.28	0.01	-	0.90	0.58	0.07	1
2	0.02	0.01	0.03	0.07	0.28	-	0.90	0.16	0.17	0.17	0.04	0.80	2
3	0.00	-	0.01	0.43	0.07	-	-	0.19	0.24	0.21	-	0.18	3
4	0.35	-	-	0.03	0.05	-	0.23	0.01	0.05	0.75	-	0.18	4
5	-	-	0.02	0.01	-	-	0.65	0.65	0.02	0.58	-	0.02	5
6	-	0.14	0.11	0.01	0.30	-	-	0.03	-	0.40	-	-	6
7	0.01	0.01	0.43	0.02	0.41	-	-	-	-	0.08	0.02	-	7
8	0.05	-	-	0.39	0.05	-	0.07	-	-	0.01	0.03	0.02	8
9	0.04	0.04	-	0.40	0.15	-	0.40	0.15	0.06	-	-	0.01	9
10	1.27	0.45	0.02	0.15	-	0.09	0.54	-	-	0.01	0.03	-	10
11	1.24	0.49	0.10	0.59	-	0.58	0.02	-	-	-	0.11	-	11
12	0.49	0.14	0.16	0.30	0.19	-	0.05	-	-	-	-	-	12
13	0.28	0.29	0.11	0.31	0.01	0.09	0.14	0.08	-	0.05	0.25	-	13
14	0.23	0.07	0.51	0.03	-	0.13	-	-	0.02	0.72	0.02	-	14
15	0.06	0.05	0.54	0.72	-	0.85	0.15	-	0.25	0.46	0.76	-	15
16	0.02	0.89	0.11	0.55	0.14	-	-	-	0.12	0.45	0.14	-	16
17	0.01	0.01	0.03	-	0.01	0.09	0.08	-	0.65	0.76	0.22	-	17
18	0.10	-	0.02	0.06	-	0.20	-	-	1.42	0.05	-	-	18
19	0.33	0.01	0.03	0.04	0.34	0.15	-	0.43	0.20	-	-	-	19
20	0.10	0.16	-	0.72	0.02	0.15	-	0.11	0.07	-	-	-	20
21	0.02	0.02	-	0.20	-	0.13	0.01	0.02	-	0.02	-	0.23	21
22	0.06	-	-	0.05	-	-	-	-	-	0.09	-	0.39	22
23	0.06	-	-	0.01	-	0.02	0.12	-	-	0.07	-	0.42	23
24	0.03	-	0.05	-	-	-	0.70	0.72	-	-	-	0.67	24
25	0.03	0.04	0.32	0.02	-	-	-	-	-	-	0.08	0.28	25
26	0.07	0.15	0.25	-	-	0.05	0.73	0.01	-	0.06	-	0.02	26
27	0.57	-	0.44	0.19	0.08	0.10	0.13	-	-	-	0.11	0.03	27
28	0.22	0.16	0.29	-	-	0.48	0.09	-	-	-	0.81	0.27	28
29	0.71	0.02	-	0.02	0.58	0.17	0.04	-	-	-	0.09	0.15	29
30	0.19	X	0.74	0.20	-	0.08	0.05	-	0.03	-	0.20	0.32	30
31	-	X	0.01	X	-	X	0.14	-	X	0.18	X	0.72	31
TOTAL	7.13	3.29	4.23	6.01	2.68	3.39	5.52	2.57	3.30	6.02	3.49	4.78	YEAR'S TOTAL
Days with .01 in. or more	28.	20.	22.23	26.25	15.16	17.	28.	13.12	13.14	20.	16.	18.	229
Days with .04 in. or more	21.	14.	14.15	14.18	12.11	15.16	14.18	8.	14.14	17.	12.	13.	175.174

REGIST

DEVON

Kept at Rockmead -

in the County of Devon

by Rev. Walter A. J.

LUSTLEIGH.

"ROCKMEAD"

1914-1920

FORM A.
BRITISH RAINFALL
12 JAN 1915

an
Lustleigh
5 in.

Ground 1 ft. in.

Sea Level 300 ft.

the result entered to the

IMPORTANT NOTE.—I

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	.11	—	.07	.18	.17	—	—	.76	.07	1
2	—	—	.05	.08	.10	—	.14	.05	—	—	.34	.69	2
3	.005	—	.13	.19	.83	—	—	.04	—	—	.08	.27	3
4	.12	—	.02	.20	.17	—	.78	.18	—	—	.39	1.21	4
5	.16	—	.10	.22	.64	—	—	—	—	—	.11	.09	5
6	.005	.11	.08	.22	.09	—	.26	.01	—	—	.005	.89	6
7	.01	1.80	.35	.15	.20	.09	.25	.14	.19	—	—	.31	7
8	.01	.005	.65	.19	.05	.61	—	.07	.12	—	.005	.21	8
9	—	.04	.58	.36	.02	.49	—	.11	.49	—	.005	.005	9
10	—	1.05	.16	.48	.605	.08	—	—	.34	—	—	.20	10
11	—	.23	.51	—	—	.14	—	—	.05	—	.08	.91	11
12	—	.55	.07	—	—	.005	—	—	.19	.10	.05	.87	12
13	—	.58	.78	—	—	—	.07	—	.16	.24	.42	.25	13
14	—	.62	.67	—	—	.19	—	.45	—	.05	.52	.06	14
15	—	.02	.17	—	—	—	.13	.35	—	.18	.49	.12	15
16	—	—	.07	—	—	—	—	—	.43	—	—	.01	16
17	—	.51	.56	—	—	—	—	—	.005	—	—	1.10	17
18	—	.09	.09	—	—	—	.04	—	.18	—	—	.29	18
19	—	.61	1.14	—	—	—	2.15	—	.12	—	.10	.24	19
20	—	.85	.33	—	—	.08	.01	.01	—	—	.07	.17	20
21	—	.62	—	—	—	.02	—	—	—	.50	—	.06	21
22	—	.05	—	—	.19	—	—	.01	—	.29	—	—	22
23	—	.05	.23	—	.005	—	.01	—	—	.32	—	—	23
24	—	.20	.61	—	.18	—	—	.24	—	.02	.64	—	24
25	.10	.005	.34	—	.20	—	.13	.44	—	.38	.02	.45	25
26	.09	.05	.605	—	—	—	.15	.005	—	.05	.34	.98	26
27	.03	.09	—	—	—	—	.03	—	—	.07	.32	.49	27
28	.005	.01	.46	—	.09	—	—	—	—	.16	.13	.96	28
29	.22	—	.30	—	.13	—	.02	—	—	.08	1.16	.11	29
30	.01	X	.18	—	—	—	.01	—	—	.37	.78	1.67	30
31	.23	X	—	X	.03	X	.54	—	X	1.21	X	.72	31
Total	1.995	7.54	8.085	2.40	2.33	1.775	4.90	2.275	2.275	4.02	6.215	13.405	56.17
Rain Days.	12	22	27	10	15	10	17	14	15	11	15	20	28
	12	22	27	10	15	10	17	14	15	11	15	20	28

REGIST

Kept at Rockmead - Lustleigh
in the County of Devon
by Rev. Walter A Jones

Lat. 9 Long. 9
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

FORM A.
BRITISH RAINFALL
12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	·11	—	·07	·18	·17	—	—	·76	·07	1
2	—	—	·05	·08	·10	—	·14	·05	—	—	·34	·69	2
3	·005	—	·13	·19	·83	—	—	·04	—	—	·08	·27	3
4	·12	—	·02	·40	·17	—	·78	·18	—	—	·39	1·21	4
5	·16	—	·10	·22	·04	—	—	—	—	—	·11	·09	5
6	·005	·11	·08	·22	·09	—	·26	·01	—	—	·005	·89	6
7	·01	1·80	·35	·15	·20	·09	·25	·14	·19	—	—	·31	7
8	·01	·005	·65	·19	·05	·61	—	·07	·12	—	·005	·21	8
9	—	·04	·58	·36	·02	·49	—	·11	·49	—	·005	·005	9
10	—	1·05	·16	·48	·005	·08	—	—	·34	—	—	·20	10
11	—	·23	·51	—	—	·14	—	—	·05	—	·08	·91	11
12	—	·55	·07	—	—	·005	—	—	·19	·10	·05	·87	12
13	—	·58	·78	—	—	—	·07	—	·16	·24	·42	·25	13
14	—	·62	·67	—	—	·19	—	·45	—	·05	·52	·06	14
15	—	·02	·17	—	—	—	·13	·35	—	·18	·49	·12	15
16	—	—	·07	—	—	—	—	—	·43	—	—	·01	16
17	—	·51	·56	—	—	—	—	—	·005	—	—	1·10	17
18	—	·09	·09	—	—	—	·04	—	·18	—	—	·29	18
19	—	·01	1·14	—	—	—	2·15	—	·12	—	·10	·24	19
20	—	·85	·33	—	—	·08	·01	·01	—	—	·07	·17	20
21	—	·62	—	—	—	·02	—	—	—	·50	—	·06	21
22	—	·05	—	—	·19	—	—	·01	—	·29	—	—	22
23	—	·05	·23	—	·005	—	·01	—	—	·32	—	—	23
24	—	·20	·01	—	·18	—	—	·24	—	·02	·04	—	24
25	·10	·005	·34	—	·20	—	·13	·44	—	·38	·02	·45	25
26	·09	·05	·005	—	—	—	·15	·005	—	·05	·34	·98	26
27	·03	·09	—	—	—	—	·03	—	—	·07	·32	·49	27
28	·005	·01	·46	—	·09	—	—	—	—	·16	·13	·96	28
29	·12	—	·30	—	·13	—	·02	—	—	·08	1·16	·11	29
30	·01	X	·18	—	—	—	·01	—	—	·37	·78	1·67	30
31	·23	X	—	X	·03	X	·54	—	X	1·21	X	·72	31
Total	·995	7·54	8·08	52·40	2·33	1·77	4·90	2·27	2·27	4·02	6·21	13·40	56·17
Rain Days.	13	21	22	27	10	15	16	10	17	14	15	11	15

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

1865
FORM A.
BRITISH RAINFALL.

Kept at Rockmead, Lustleigh
in the County of Devon
by Rev. W. A. Jones

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh (G.W.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.20	nil	nil	nil	nil	nil	1.27	.20	.39	.02	.19	1
2	.24	.31	.06	.02	nil	.05	nil	.34	.02	.04	nil	.88	2
3	.20	.49	.07	.01	.31	nil	nil	.01	nil	nil	nil	.57	3
4	.02	.27	nil	nil	.07	nil	nil	nil	nil	nil	nil	.47	4
5	.04	1.26	nil	.22	.02	nil	nil	.18	nil	nil	nil	1.04	5
6	.84	.18	nil	.26	nil	nil	.66	nil	nil	nil	nil	.35	6
7	.55	.55	nil	.14	nil	nil	.18	nil	nil	.25	nil	.28	7
8	.26	.61	nil	nil	nil	nil	.03	.09	nil	.16	.10	.26	8
9	nil	.14	nil	.15	nil	nil	nil	nil	nil	.01	.47	.94	9
10	.48	.55	.01	.03	nil	nil	nil	.05	nil	.20	.20	.12	10
11	.21	.11	.07	nil	.03	nil	.08	.16	nil	.33	.46	.14	11
12	.03	.60	nil	.05	.70	nil	nil	.03	nil	.12	.45	.01	12
13	nil	1.16	nil	nil	.73	nil	nil	.12	.02	nil	.35	.05	13
14	.08	.01	nil	nil	nil	nil	.21	.01	.01	.14	.02	1.23	14
15	.21	nil	nil	nil	.30	nil	.14	nil	nil	.11	.16	.29	15
16	.02	1.98	nil	nil	.36	nil	.65	nil	nil	.01	nil	.19	16
17	nil	.28	.02	nil	.05	nil	nil	nil	nil	nil	nil	nil	17
18	nil	.35	.01	nil	nil	nil	nil	nil	nil	nil	nil	nil	18
19	.01	.01	nil	nil	.66	nil	.07	nil	nil	nil	nil	nil	19
20	.33	nil	nil	.13	.06	.12	nil	nil	nil	.22	nil	.03	20
21	.29	.10	nil	nil	.07	nil	.17	nil	nil	.10	nil	.16	21
22	.21	.11	.35	.05	nil	.02	.45	nil	nil	.05	nil	.61	22
23	nil	.04	.13	nil	nil	nil	.01	nil	.04	1.02	nil	.69	23
24	nil	nil	nil	.01	nil	.03	.16	nil	.05	.28	nil	.63	24
25	.01	nil	.01	.07	nil	.62	nil	nil	nil	nil	.03	.39	25
26	.03	.26	nil	nil	nil	.07	.02	nil	.03	nil	nil	1.34	26
27	nil	.07	nil	nil	nil	.07	.04	nil	nil	.55	nil	.05	27
28	nil	.07	nil	.06	nil	.13	nil	nil	.22	.16	.02	.12	28
29	nil	~~X~~	nil	nil	nil	.38	nil	nil	.10	nil	.38	.40	29
30	.34	~~X~~	nil	nil	nil	.05	nil	nil	.03	1.11	.57	.70	30
31	.03	~~X~~	nil	~~X~~	nil	~~X~~	.26	.06	~~X~~	.94	~~X~~	.64	31
Total	5.01	9.71	.73	1.20	3.36	1.54	3.13	2.32	.72	6.19	3.73	12.48	YEAR'S TOTAL 50.42
Rain Days.	22	24	9	13	12	10	15	11	10	20	13	28	187

REGISTER OF RAINFALL IN 1916

Kept at Rockmead - Lustleigh
in the County of Devon
by Rev. W A Jones

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	nil	.09	nil	.31	.02	.04	nil	.06	.34	.18	nil	1
2	.38	.14	.08	nil	.03	nil	nil	nil	.07	.16	.59	nil	2
3	nil	1.99	nil	nil	.50	.04	.02	nil	.03	.61	.43	.02	3
4	.24	.24	nil	nil	.06	.22	.06	nil	.08	.14	1.30	nil	4
5	.01	.07	.04	nil	.03	.23	nil	nil	nil	.23	.20	nil	5
6	.06	.17	.02	nil	.13	.03	.75	nil	nil	.19	1.39	nil	6
7	.13	.28	.11	nil	.12	.09	nil	nil	nil	.01	.87	.08	7
8	nil	.53	.28	nil	.31	.25	nil	nil	nil	nil	.12	.27	8
9	nil	.17	.02	nil	.01	.09	nil	nil	nil	.04	.13	.31	9
10	nil	.41	nil	.03	.02	.01	nil	nil	nil	.06	.01	.01	10
11	nil	.04	nil	.04	.02	nil	nil	nil	nil	nil	nil	nil	11
12	.05	.03	.37	.09	.07	nil	.02	nil	nil	.01	nil	nil	12
13	nil	.40	.21	.05	.01	nil	nil	.27	.02	nil	nil	.01	13
14	nil	.69	.27	nil	.01	nil	nil	.17	nil	.10	.01	nil	14
15	nil	.59	.24	.10	nil	nil	nil	.04	nil	.06	nil	.06	15
16	.23	.20	nil	.15	nil	nil	nil	.61	nil	.18	nil	nil	16
17	.17	.08	nil	.03	nil	nil	nil	nil	.13	.22	1.28	nil	17
18	.06	.17	.47	.06	nil	nil	nil	nil	.18	.05	nil	nil	18
19	.19	.28	.28	.15	nil	nil	nil	nil	nil	nil	.19	.81	19
20	.15	1.32	.24	nil	nil	nil	nil	nil	nil	nil	.06	1.24	20
21	.05	.12	.07	nil	.08	nil	nil	nil	nil	nil	nil	.05	21
22	nil	nil	nil	nil	nil	.24	nil	.12	nil	.34	.01	.78	22
23	.02	.06	nil	.02	nil	.05	nil	.23	nil	.26	.24	.24	23
24	nil	.20	.05	.01	.17	nil	nil	.15	nil	.62	.01	.35	24
25	.01	.41	.24	nil	nil	.02	nil	.43	nil	nil	.37	nil	25
26	.02	.17	.13	nil	.11	.04	nil	.44	1.64	1.10	.07	nil	26
27	nil	nil	1.43	nil	nil	.04	nil	.27	.15	.61	.01	nil	27
28	nil	.14	.03	nil	nil	nil	nil	.10	.33	.65	nil	.39	28
29	nil	.20	.04	nil	nil	.35	nil	2.28	.14	.27	nil	.40	29
30	nil	X	nil	nil	nil	.03	nil	nil	nil	.42	nil	nil	30
31	nil	X	nil	X	nil	X	nil	.05	X	.62	X	nil	31
Total	1.95	9.10	4.71	.73	1.99	1.75	.89	5.26	2.83	7.29	7.47	5.02	48.99
Rain Days.	16	26	16	11	17	16	5	13	11	24	20	15	195

REGISTER OF RAINFALL IN 1917

Kept at Lustleigh (Rockmead)
in the County of Devon
by Rev^d W A Jones

Lat. Long.
Time of Observation 9
Nearest Railway Station Lustleigh (9 miles)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	.01	.32	nil	.39	nil	.51	.01	nil	.02	nil	1
2	nil	nil	.16	.19	nil	nil	nil	nil	nil	.01	nil	nil	2
3	0.06	nil	nil	.14	nil	nil	.35	nil	nil	.50	1.19	nil	3
4	.09	.02	.90	nil	nil	nil	.01	nil	.03	.58	nil	nil	4
5	.07	nil	.34	.38	nil	.60	nil	nil	.04	.16	.09	nil	5
6	nil	nil	.21	nil	nil	.06	nil	nil	nil	.06	.12	.03	6
7	.56	nil	nil	nil	nil	nil	.11	.13	nil	.40	.06	.01	7
8	.11	nil	.42	.21	nil	nil	.26	.29	nil	.58	.12	.31	8
9	nil	nil	.11	.21	.04	nil	.06	nil	.02	.38	.23	nil	9
10	.29	nil	.62	.37	nil	nil	nil	.47	.03	.01	.05	nil	10
11	.03	nil	1.15	.29	nil	nil	nil	.24	nil	.39	.18	nil	11
12	.45	nil	nil	.02	.32	nil	nil	.07	nil	.61	nil	nil	12
13	.02	nil	.30	.02	nil	nil	nil	1.05	.07	.21	nil	nil	13
14	nil	nil	nil	.16	nil	nil	.05	.26	nil	.01	nil	.02	14
15	.04	nil	nil	.03	nil	nil	.17	.05	.01	.24	nil	.44	15
16	nil	.12	nil	.01	.01	nil	nil	.01	.38	.14	.02	.36	16
17	nil	.15	nil	.12	nil	.03	.24	.16	.57	.05	nil	nil	17
18	nil	.06	nil	.03	nil	.15	.14	.02	.07	.06	nil	nil	18
19	nil	.37	.14	nil	.92	.38	nil	nil	.03	nil	nil	nil	19
20	nil	.04	.04	nil	.44	.07	nil	nil	nil	nil	nil	.09	20
21	nil	nil	nil	nil	nil	.04	nil	.02	nil	nil	.02	nil	21
22	.01	nil	.02	nil	.01	nil	nil	1.04	nil	.11	.01	nil	22
23	nil	.05	nil	nil	.17	.03	nil	.20	nil	.23	nil	.01	23
24	nil	nil	nil	nil	nil	.01	.23	.06	nil	.40	.06	.04	24
25	nil	nil	.06	nil	nil	nil	nil	.52	.04	.23	.08	nil	25
26	nil	nil	nil	nil	.30	.05	nil	.20	.04	.04	.01	nil	26
27	nil	nil	nil	nil	nil	1.49	nil	1.24	nil	.05	nil	nil	27
28	nil	.01	.18	nil	.01	.71	nil	.83	nil	nil	nil	.04	28
29	nil	~~X~~	.17	nil	nil	.23	nil	.05	nil	.91	nil	.21	29
30	nil	~~X~~	.14	nil	nil	nil	.35	.17	nil	.10	.01	nil	30
31	nil	~~X~~	.08	~~X~~	.28	~~X~~	nil	.03	~~X~~	.34	~~X~~	.02	31
Total	1.73	.82	5.05	2.50	2.50	4.24	1.97	7.62	1.34	6.80	2.27	1.55	38.39
Rain Days.	11	8	18	15	10	14	11	23	13	26	16	12	177

REGISTER OF RAINFALL IN 1918

Kept at Rockmead - Lustleigh
in the County of S Devon
by Rev. W A Jones

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>Nil</i>	<i>.16</i>	<i>nil</i>	<i>.12</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.72</i>	<i>nil</i>	<i>.04</i>	<i>1.71</i>	<i>nil</i>	1
2	<i>Nil</i>	<i>.35</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	<i>.02</i>	<i>.28</i>	2
3	<i>Nil</i>	<i>.50</i>	<i>nil</i>	<i>1.06</i>	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>.04</i>	<i>.21</i>	<i>nil</i>	3
4	<i>Nil</i>	<i>.08</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.38</i>	<i>.35</i>	<i>nil</i>	<i>1.20</i>	<i>.41</i>	4
5	<i>Nil</i>	<i>.05</i>	<i>.22</i>	<i>.07</i>	<i>.47</i>	<i>nil</i>	<i>nil</i>	<i>.73</i>	<i>.74</i>	<i>.33</i>	<i>.02</i>	<i>.21</i>	5
6	<i>.17</i>	<i>.29</i>	<i>.09</i>	<i>.17</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.28</i>	<i>nil</i>	<i>.20</i>	6
7	<i>.01</i>	<i>.16</i>	<i>nil</i>	<i>.06</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>.40</i>	<i>.21</i>	<i>.43</i>	<i>.48</i>	7
8	<i>nil</i>	<i>.20</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.14</i>	<i>.23</i>	<i>nil</i>	<i>.01</i>	8
9	<i>.09</i>	<i>.06</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>.20</i>	<i>.18</i>	<i>nil</i>	<i>.53</i>	<i>.01</i>	<i>.01</i>	<i>.50</i>	9
10	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>.22</i>	<i>nil</i>	<i>nil</i>	<i>.21</i>	<i>nil</i>	<i>.16</i>	<i>.10</i>	<i>.01</i>	<i>.50</i>	10
11	<i>nil</i>	<i>.03</i>	<i>.14</i>	<i>.08</i>	<i>.01</i>	<i>nil</i>	<i>.22</i>	<i>nil</i>	<i>.20</i>	<i>.05</i>	<i>.10</i>	<i>.08</i>	11
12	<i>nil</i>	<i>.11</i>	<i>.03</i>	<i>nil</i>	<i>.17</i>	<i>nil</i>	<i>.12</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	12
13	<i>.03</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>.13</i>	<i>nil</i>	<i>.31</i>	<i>nil</i>	<i>.30</i>	<i>.10</i>	<i>nil</i>	<i>.15</i>	13
14	<i>.41</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.05</i>	<i>.07</i>	<i>.06</i>	<i>nil</i>	<i>.10</i>	<i>.03</i>	<i>nil</i>	<i>.20</i>	14
15	<i>1.23</i>	<i>nil</i>	<i>nil</i>	<i>.06</i>	<i>.02</i>	<i>.14</i>	<i>.74</i>	<i>nil</i>	<i>.05</i>	<i>.08</i>	<i>nil</i>	<i>.42</i>	15
16	<i>.75</i>	<i>nil</i>	<i>.01</i>	<i>.51</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>nil</i>	<i>.36</i>	<i>.09</i>	<i>nil</i>	<i>.08</i>	16
17	<i>.22</i>	<i>nil</i>	<i>nil</i>	<i>.22</i>	<i>nil</i>	<i>nil</i>	<i>.41</i>	<i>nil</i>	<i>.11</i>	<i>nil</i>	<i>nil</i>	<i>.28</i>	17
18	<i>1.10</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.84</i>	<i>.15</i>	<i>nil</i>	<i>.88</i>	<i>.28</i>	<i>nil</i>	<i>.55</i>	18
19	<i>.37</i>	<i>.07</i>	<i>.12</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.22</i>	<i>nil</i>	<i>.08</i>	<i>.02</i>	<i>nil</i>	<i>.33</i>	19
20	<i>.41</i>	<i>.05</i>	<i>nil</i>	<i>.21</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>.22</i>	<i>.08</i>	<i>nil</i>	<i>nil</i>	20
21	<i>.23</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>.56</i>	<i>.13</i>	<i>nil</i>	<i>.47</i>	21
22	<i>.03</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>.06</i>	<i>nil</i>	<i>.69</i>	<i>nil</i>	<i>.27</i>	<i>.02</i>	<i>.07</i>	<i>.42</i>	22
23	<i>.08</i>	<i>.14</i>	<i>nil</i>	<i>nil</i>	<i>.07</i>	<i>nil</i>	<i>.10</i>	<i>nil</i>	<i>.09</i>	<i>nil</i>	<i>.12</i>	<i>.22</i>	23
24	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>.49</i>	<i>nil</i>	<i>nil</i>	<i>.19</i>	<i>.35</i>	24
25	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>.15</i>	<i>.25</i>	<i>nil</i>	<i>.07</i>	<i>.28</i>	<i>.03</i>	25
26	<i>.04</i>	<i>.18</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.29</i>	<i>.03</i>	<i>.06</i>	<i>.03</i>	<i>.09</i>	<i>.10</i>	26
27	<i>nil</i>	<i>.02</i>	<i>.19</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.14</i>	<i>.18</i>	<i>nil</i>	<i>.14</i>	<i>.01</i>	27
28	<i>nil</i>	<i>.19</i>	<i>.23</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.29</i>	<i>.04</i>	<i>.03</i>	<i>.07</i>	28
29	<i>nil</i>		<i>.16</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>1.15</i>	<i>.02</i>	<i>nil</i>	<i>.02</i>	29
30	<i>nil</i>	~~X~~	<i>.35</i>	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>.13</i>	<i>.06</i>	<i>.12</i>	30
31	<i>nil</i>	~~X~~	<i>.16</i>	~~X~~	<i>nil</i>	~~X~~	<i>.02</i>	<i>.01</i>	~~X~~	<i>.02</i>	~~X~~	<i>.09</i>	31
Total	<i>5.24</i>	<i>2.70</i>	<i>1.72</i>	<i>2.97</i>	<i>1.12</i>	<i>1.25</i>	<i>3.95</i>	<i>2.80</i>	<i>7.29</i>	<i>2.44</i>	<i>4.69</i>	<i>6.60</i>	YEAR'S TOTAL <i>42.77</i>
Rain Days.	<i>16</i>	<i>19</i>	<i>12</i>	<i>16</i>	<i>12</i>	<i>4</i>	<i>19</i>	<i>10</i>	<i>26</i>	<i>25</i>	<i>17</i>	<i>28</i>	<i>204</i>

REGISTER OF RAINFALL IN 1919.

Kept at Rockmead - Lustleigh
in the County of Devon
by Rev. Walter A. Jones

Lat. _____ Long. _____
Time of Observation 9
Nearest Railway Station Lustleigh GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	nil	.32	nil	.16	nil	.29	nil	.11	.29	nil	.93	1
2	.22	nil	.02	nil	.01	nil	.06	nil	.05	nil	nil	.01	2
3	.26	nil	.42	nil	nil	nil	nil	nil	.29	nil	.07	.13	3
4	.85	.84	.47	nil	nil	nil	.10	.04	.98	nil	.02	.05	4
5	.13	.17	1.23	nil	nil	nil	nil	nil	.21	nil	.04	.20	5
6	.78	1.27	.19	.02	nil	nil	nil	nil	nil	nil	nil	.54	6
7	.48	.01	.29	.07	nil	nil	.01	nil	nil	nil	nil	.08	7
8	.60	nil	.17	.02	.01	nil	nil	nil	nil	nil	.22	nil	8
9	.32	nil	.02	.12	.22	nil	nil	nil	nil	nil	.63	.09	9
10	.14	nil	.49	nil	.01	nil	.06	nil	nil	nil	.02	1.20	10
11	.10	nil	.82	.08	.37	.01	nil	nil	nil	.03	nil	.36	11
12	.35	nil	.12	.04	nil	.03	nil	nil	nil	.16	.07	.01	12
13	.13	.27	.18	.67	nil	nil	.05	nil	nil	.15	nil	.21	13
14	.50	.50	nil	1.22	.42	nil	nil	nil	.02	.15	nil	.60	14
15	.36	.17	nil	.08	nil	nil	nil	nil	nil	.11	nil	.33	15
16	.13	1.38	nil	nil	.02	nil	nil	nil	nil	nil	.22	.01	16
17	.02	.78	nil	nil	nil	nil	nil	nil	nil	nil	.48	nil	17
18	.06	.38	.54	nil	nil	nil	.14	.07	nil	nil	.39	.01	18
19	.46	.85	.15	nil	nil	.15	.47	.31	.33	nil	.14	.04	19
20	.90	.06	.06	nil	nil	.35	nil	.09	.19	nil	.22	.13	20
21	.07	1.12	nil	nil	nil	nil	nil	.01	.07	nil	nil	.14	21
22	nil	.02	nil	nil	nil	nil	.03	nil	.15	nil	.01	.07	22
23	nil	nil	.01	nil	nil	.19	nil	.22	nil	.44	nil	.20	23
24	nil	nil	nil	nil	nil	.06	nil	.08	nil	.30	.20	.45	24
25	.08	.02	nil	.05	nil	nil	nil	.62	nil	nil	.05	.13	25
26	.17	.01	.12	.23	nil	nil	nil	.04	.01	.10	.18	.48	26
27	.39	nil	.03	.16	nil	nil	.01	1.85	nil	nil	nil	.01	27
28	.04	.01	.28	.08	nil	nil	nil	.05	nil	nil	.52	.47	28
29	.01	~~X~~	.01	.08	nil	.05	nil	.11	nil	.17	nil	.12	29
30	nil	~~X~~	.04	.08	nil	nil	nil	.17	.05	nil	.76	.88	30
31	nil	~~X~~	.13	~~X~~	nil	~~X~~	nil	nil	~~X~~	nil	~~X~~	.52	31
TOTAL	8.09	7.86	6.11	3.00	1.22	.84	1.22	3.66	2.46	1.90	4.35	8.40	YEAR'S TOTAL 49.11
Days with ".01 in. or more	26	17	23	15	8	7	10	13	12	10	19	29	189

REGISTER OF RAINFALL IN 1920.

Kept at Rockmead Lustleighin the County of Devonshireby Rev. W. A. JonesLat. 50.37 N Long. 3.44 WTime of Observation 9 a.m.Nearest Railway Station Lustleigh G.W.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

15
49

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	nil	.03	.07	.82	nil	.52	nil	.10	.02	.02	.88	1
2	.49	nil	nil	.18	nil	nil	.07	.07	.01	.07	nil	.23	2
3	.48	.06	nil	.19	nil	nil	.02	nil	nil	1.25	nil	.40	3
4	nil	nil	.02	nil	nil	nil	nil	.50	nil	.42	nil	nil	4
5	nil	.08	.33	.05	.05	nil	.20	.08	nil	.36	nil	nil	5
6	nil	nil	.49	.06	.13	nil	.19	nil	nil	.01	nil	nil	6
7	.02	.01	.01	.11	.02	nil	.60	nil	nil	nil	nil	nil	7
8	.11	.05	nil	.27	.01	nil	nil	nil	nil	nil	nil	.10	8
9	1.46	.14	nil	.03	nil	.15	.41	nil	nil	nil	nil	nil	9
10	1.81	.19	nil	.01	nil	.40	.15	nil	nil	nil	nil	nil	10
11	.61	.01	.22	1.15	.14	.06	.22	nil	nil	nil	nil	nil	11
12	.28	.11	.38	.41	.01	.11	.01	nil	nil	nil	.19	.39	12
13	.25	.01	.76	.07	nil	nil	nil	nil	nil	.13	nil	.08	13
14	.03	.10	.75	1.21	.04	nil	.01	nil	.10	.42	.58	.03	14
15	nil	.19	.10	.77	.31	nil	nil	nil	nil	.70	.06	nil	15
16	nil	.04	nil	.10	.16	.02	.37	nil	.37	.08	.12	nil	16
17	nil	nil	nil	.02	.04	.45	nil	.17	.46	nil	.01	nil	17
18	.15	nil	nil	.09	.22	.36	nil	.06	nil	nil	nil	nil	18
19	.07	.08	nil	.69	nil	.26	nil	nil	nil	nil	nil	nil	19
20	.02	nil	nil	.32	nil	.03	nil	nil	nil	.35	nil	.53	20
21	nil	nil	nil	.04	nil	nil	.03	.01	.09	.11	nil	.28	21
22	.03	nil	nil	.07	nil	nil	.06	nil	nil	nil	nil	.36	22
23	.03	nil	.01	nil	nil	nil	.38	.09	nil	.01	nil	.56	23
24	.04	.02	.25	nil	nil	nil	.04	nil	nil	nil	.39	.19	24
25	.14	.03	.23	nil	nil	nil	.86	nil	nil	nil	nil	.12	25
26	.40	nil	.39	nil	nil	nil	.18	nil	nil	nil	.31	.21	26
27	1.41	.09	.32	.11	nil	.16	.13	nil	nil	nil	.73	.73	27
28	.99	nil	.15	.08	nil	.03	nil	nil	nil	nil	.07	.29	28
29	.80	nil	.80	.02	.01	.09	nil	nil	nil	nil	.32	.54	29
30	.20	~~X~~	nil	nil	.04	.20	.01	nil	.99	.04	.47	.79	30
31	.18	~~X~~	.24	~~X~~	nil	~~X~~	nil	nil	~~X~~	.64	~~X~~	.15	31
TOTAL	10.25	1.21	5.48	6.12	2.00	2.32	4.46	.98	2.12	4.61	3.27	6.86	YEAR'S TOTAL 49.68
Days with ".01 in. or more	24	16	18	24	14	13	20	7	7	15	12	19	189
Days with ".04 in. or more	19	11	14	20	10	10	15	6	6	12	10	18	161

Simple ✓

REG

DEVON

LYDFORD

"LAY RIDGE"

1913-1914

Kept at Lay Ridge
in the County of Devon
by Henry Pollock

13
long. _____
9 a.m.
tion Bridestown, L.S.W. R.
age 4 in.
ge above Ground _____ ft. 6 in.
Sea Level 800 ft.

FORM A.
BRITISH RAINFALL
7 APR 1914

IMPORTANT NOT

previous day. If an Observer prefers not to be requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

and the result entered to the universal rule, he is earnestly

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05	24	-	23	30	-	-	-	02	09	73	12	1
2	13	23	52	40	38	-	-	-	-	20	40	15	2
3	69	-	24	07	19	-	-	-	50	-	-	60	3
4	172	-	25	-	-	-	-	-	06	23	-	43	4
5	10	06	-	-	-	108	-	-	25	01	33	66	5
6	53	10	28	-	-	38	-	-	-	58	-	43	6
7	23	76	-	-	131	30	09	-	-	55	-	10	7
8	10	24	04	-	32	-	-	12	-	12	-	-	8
9	12	06	05	-	17	28	-	86	03	-	120	08	9
10	75	-	-	10	-	11	-	03	-	44	-	10	10
11	80	-	-	11	-	27	-	-	05	20	-	-	11
12	26	-	-	-	07	-	-	-	13	-	141	-	12
13	05	-	15	-	37	-	-	10	30	-	-	-	13
14	25	-	25	08	-	-	-	-	23	-	43	-	14
15	20	-	65	131	-	-	-	-	03	-	-	11	15
16	52	-	64	15	-	-	-	113	75	-	59	09	16
17	11	-	-	31	-	-	-	-	-	-	-	-	17
18	10	-	47	29	-	-	-	-	-	-	33	-	18
19	83	-	10	-	11	-	-	-	44	28	10	-	19
20	24	-	08	57	-	-	48	-	03	19	09	-	20
21	10	-	20	27	15	-	-	-	-	-	91	-	21
22	48	-	69	09	09	43	-	-	08	-	-	25	22
23	05	-	-	-	-	-	-	-	-	-	25	71	23
24	-	25	-	12	-	-	-	08	-	-	06	-	24
25	03	-	-	45	-	-	-	12	08	-	08	11	25
26	-	-	-	190	-	-	-	-	-	-	03	42	26
27	-	-	39	48	-	-	-	09	-	72	09	14	27
28	15	-	-	37	10	-	-	-	02	37	13	15	28
29	10	-	90	27	-	-	-	-	-	-	09	-	29
30	69	-	-	07	-	-	-	01	21	83	12	-	30
31	16	-	38	-	-	-	-	65	-	-	-	-	31
Total	954	194	628	764	356	285	57	319	321	481	737	462	5558
Rain Days.	28	8	18	20	12	7	2	10	17	14	19	17	172

REGISTER OF RAINFALL IN 1913

Kept at Long Ridge, Lydford

in the County of Devon

by Henry Pollock

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Bridestown, L.S.W.R.

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground _____ ft. 6 in.

" " " " Sea Level 800 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.5	2.4	-	2.3	3.0	-	-	-	0.2	0.9	7.3	1.2	1
2	1.3	2.3	5.2	4.0	3.8	-	-	-	-	2.0	4.0	1.5	2
3	6.9	-	2.4	0.7	1.9	-	-	-	5.0	-	-	6.0	3
4	1.72	-	2.5	-	-	-	-	-	0.6	2.3	-	4.3	4
5	1.0	0.6	-	-	-	1.08	-	-	2.5	0.1	3.3	6.6	5
6	5.3	1.0	2.8	-	-	3.8	-	-	-	5.8	-	4.3	6
7	2.3	7.6	-	-	1.31	3.0	0.9	-	-	5.5	-	1.0	7
8	1.0	2.4	0.4	-	3.2	-	-	1.2	-	1.2	-	-	8
9	1.2	0.6	0.5	-	1.7	2.8	-	8.6	0.3	-	1.20	0.8	9
10	7.5	-	-	1.0	-	1.1	-	0.3	-	4.4	-	1.0	10
11	8.0	-	-	1.1	-	2.7	-	-	0.5	2.0	-	-	11
12	2.6	-	-	-	0.7	-	-	-	1.3	-	1.41	-	12
13	0.5	-	1.5	-	3.7	-	-	1.0	3.0	-	-	-	13
14	2.5	-	2.5	0.8	-	-	-	-	2.3	-	4.3	-	14
15	2.0	-	6.5	1.31	-	-	-	-	0.3	-	-	1.1	15
16	5.2	-	6.4	1.5	-	-	-	1.13	7.5	-	5.9	0.9	16
17	1.1	-	-	3.1	-	-	-	-	-	-	-	-	17
18	1.0	-	4.7	2.9	-	-	-	-	-	-	3.3	-	18
19	8.3	-	1.0	-	1.1	-	-	-	4.4	2.8	1.0	-	19
20	2.4	-	0.8	5.7	-	-	4.8	-	0.3	1.9	0.9	-	20
21	1.0	-	2.0	2.7	1.5	-	-	-	-	-	9.1	-	21
22	4.8	-	6.9	0.9	0.9	4.3	-	-	0.8	-	-	2.5	22
23	0.5	-	-	-	-	-	-	-	-	-	2.5	7.1	23
24	-	2.5	-	1.2	-	-	-	0.8	-	-	0.6	-	24
25	0.3	-	-	4.5	-	-	-	1.2	0.8	-	0.8	1.1	25
26	-	-	-	1.90	-	-	-	-	-	-	0.3	4.2	26
27	-	-	3.9	4.8	-	-	-	0.9	-	7.2	0.9	1.6	27
28	1.5	-	-	3.7	1.0	-	-	-	0.2	3.7	1.3	1.5	28
29	1.0	-	9.0	2.7	-	-	-	-	-	-	0.9	-	29
30	6.9	-	-	0.7	-	-	-	0.1	2.1	8.3	1.2	-	30
31	1.6	-	3.8	-	-	-	-	6.5	-	-	-	-	31
Total	9.54	1.94	6.28	7.64	3.56	2.85	5.57	3.19	3.21	4.81	7.37	4.62	55.58
Rain Days.	28	8	18	20	12	7	2	10	17	14	19	17	172

REGISTER OF RAINFALL IN 1914

Kept at Lydport
in the County of Dorset
by Hugh Pollock

Lat. 50° 38' 25" Long. 4° 5' 35" W
Time of Observation 9.2.14
Nearest Railway Station Bridport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " " " Sea Level 800 ft.

BRITISH RAINFALL
FORM A.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	-	11	-	16	4	5.5	-	-	41	-	1
2	-	12	18	4	-	1	3	1	-	-	20	84	2
3	4	-	40	25	80	-	10	22	-	3	-	54	3
4	60	-	15	44	28	20	20	18	-	-	-	50	4
5	10	-	59	37	10	60	14	-	-	-	-	20	5
6	-	-	47	15	12	25	3	15	-	-	-	65	6
7	-	1.77	-	11	-	-	2	42	40	-	-	25	7
8	26	-	1.95	27	15	30	5	37	1	-	-	-	8
9	-	-	30	20	-	10	-	34	62	-	-	-	9
10	24	97	35	54	47	-	6	-	36	-	44	26	10
11	-	23	83	2	-	3	-	-	3	-	-	35	11
12	-	83	23	-	-	-	16	-	48	-	28	15	12
13	-	84	60	-	-	-	-	-	63	20	43	19	13
14	-	90	45	-	-	-	14	1.29	4	5	55	7	14
15	-	-	30	-	-	11	26	10	29	-	40	67	15
16	-	-	10	-	-	-	-	-	36	-	-	10	16
17	-	30	30	-	-	-	30	-	4	-	-	1.51	17
18	-	32	33	-	-	-	20	-	35	-	-	36	18
19	-	34	1.27	-	-	-	50	-	4	-	15	10	19
20	-	10	46	-	-	-	3	-	-	-	-	25	20
21	-	91	18	-	-	-	4	-	-	46	-	-	21
22	-	6	10	-	-	-	6	7	-	50	-	-	22
23	-	-	20	-	-	-	10	-	-	-	-	-	23
24	-	20	14	-	-	-	6	8	-	12	-	-	24
25	-	-	30	-	-	-	10	97	-	56	40	55	25
26	30	10	17	-	-	-	20	9	-	4	44	95	26
27	23	4	-	-	-	-	15	-	-	20	46	63	27
28	3	9	44	-	25	30	16	-	-	40	-	93	28
29	50	-	41	-	15	20	9	-	-	73	1.12	7	29
30	-	-	39	-	-	25	-	-	-	86	98	161	30
31	-	-	20	-	9	-	52	-	-	-	-	63	31
Total	2.30	8.12	11.79	25.0	2.41	2.51	3.74	4.84	3.65	3.55	6.26	12.32	63.99
Rain Days.	9	17	28	11	9	12	26	14	13	12	13	24	188

YEAR'S TOTAL

LYME REGIS

911

FORM A2.
BRITISH RAINFALL
4-JAN-1912

Kept at

Pinh

in the County of

PINHAY.

by

J. F.

DEVON

IMPORTANT
previous day. If an
requested to add the
for it at the end of
the selection and p
Organization are give
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

op 5 in.

above Ground 1 ft. 11 in.

Sea Level 46.5 ft.

9 a.m.
Name *Combeyne*
on { Distance 1 1/2 Direction

and the result entered to the
universal rule, he is earnestly
g year in the space provided
surement of rain,
British Rainfall
on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.17	—	—	—	.02	—	—	—	.01	1
2	.01	—	—	.09	.41	—	—	.10	—	.09	.34	.21	2
3	—	—	—	—	.16	—	—	—	—	—	.06	.15	3
4	—	—	.08	—	—	—	—	—	—	—	.09	.27	4
5	.12	—	.07	—	—	—	—	.06	—	.06	.16	—	5
6	.27	—	.21	—	—	—	—	—	—	.04	.13	.93	6
7	.04	—	—	.02	—	—	—	—	—	—	.51	.03	7
8	—	—	.31	—	—	—	—	—	—	—	.05	.60	8
9	.04	—	.04	—	—	—	—	—	—	—	.31	.55	9
10	.15	.10	.55	—	.22	—	—	—	—	—	—	.20	10
11	.30	—	.01	—	—	—	—	—	—	—	1.05	.07	11
12	—	—	1.08	—	—	—	—	—	.02	—	.03	.16	12
13	—	—	—	—	—	—	—	—	.26	.07	.09	.37	13
14	—	.10	—	—	—	—	—	—	—	.05	—	.80	14
15	—	.02	—	—	—	.01	—	—	—	—	.25	.04	15
16	—	.01	—	—	—	.59	—	—	—	—	.64	.40	16
17	—	—	.09	—	—	.06	—	—	—	.05	.23	.37	17
18	—	.19	.05	.21	—	—	—	—	—	.08	.05	.32	18
19	—	.03	—	.03	—	.25	—	—	.28	.13	.02	.51	19
20	.02	.03	.29	.11	—	—	—	—	.21	.12	—	.52	20
21	.01	.21	—	.05	—	—	—	—	—	.58	—	.08	21
22	.24	.02	—	.05	—	.04	—	—	.08	.24	—	.64	22
23	.01	.16	—	—	—	.10	—	—	.16	.15	.15	.38	23
24	.01	.24	—	—	—	.40	—	.03	.01	.30	—	.20	24
25	—	.05	—	.21	—	.05	—	—	.08	.10	—	.04	25
26	—	.19	—	.35	.10	—	—	.02	—	.20	.02	.28	26
27	—	.42	.11	—	.01	—	—	.04	.07	1.09	.05	.18	27
28	—	.34	—	.40	—	—	—	.16	—	—	.07	—	28
29	—	—	—	.58	—	.27	.24	—	.15	.49	.01	—	29
30	—	—	—	—	—	.06	—	—	.01	.16	.17	.03	30
31	—	—	—	—	—	—	.02	—	—	.01	—	—	31
Total	1.22	2.11	2.90	2.27	.90	1.83	.26	.43	1.33	4.01	4.48	8.34	TOTAL for year 30.08
No. of Rain Days.	12	15	13	12	5	10	2	7	11	19	22	27	155

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at

Finlay, W. Lymington

in the County of

Devon

by

J. F. Hobbs

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 11 in.
" " " Sea Level 465 ft.
Time of Observation 9 a.m.
Name Combeyne
Nearest Railway Station Distance 1 1/2 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.17	—	—	—	.02	—	—	—	.01	1
2	.01	—	—	.09	.41	—	—	.10	—	.09	.34	.21	2
3	—	—	—	—	.16	—	—	—	—	—	.06	.15	3
4	—	—	.08	—	—	—	—	—	—	—	.09	.27	4
5	.12	—	.07	—	—	—	—	.06	—	.06	.16	—	5
6	.27	—	.21	—	—	—	—	—	—	.04	.13	.93	6
7	.04	—	—	.02	—	—	—	—	—	—	.51	.03	7
8	—	—	.31	—	—	—	—	—	—	—	.05	.60	8
9	.04	—	.04	—	—	—	—	—	—	—	.31	.55	9
10	.15	.10	.55	—	.22	—	—	—	—	—	—	.20	10
11	.30	—	.01	—	—	—	—	—	—	—	1.05	.07	11
12	—	—	1.08	—	—	—	—	—	.02	—	.03	.16	12
13	—	—	—	—	—	—	—	—	.26	.07	.09	.37	13
14	—	.10	—	—	—	—	—	—	—	.05	—	.80	14
15	—	.02	—	—	—	.01	—	—	—	—	.25	.04	15
16	—	.01	—	—	—	.59	—	—	—	—	.64	.40	16
17	—	—	.09	—	—	.06	—	—	—	.05	.23	.37	17
18	—	.19	.05	.21	—	—	—	—	—	.08	.05	.32	18
19	—	.03	—	.03	—	.25	—	—	.28	.13	.02	.51	19
20	.02	.03	.29	.11	—	—	—	—	.21	.12	—	.52	20
21	.01	.21	—	.05	—	—	—	—	—	.58	—	.08	21
22	.24	.02	—	.05	—	.04	—	—	.08	.24	—	.64	22
23	.01	.16	—	—	—	.10	—	—	.16	.15	.15	.38	23
24	.01	.24	—	—	—	.40	—	.03	.01	.30	—	.20	24
25	—	.05	—	.21	—	.05	—	—	.08	.10	—	.04	25
26	—	.19	—	.35	.10	—	—	.02	—	.20	.02	.28	26
27	—	.42	.11	—	.01	—	—	.04	.07	1.09	.05	.18	27
28	—	.34	—	.40	—	—	—	.16	—	—	.07	—	28
29	—	—	—	.58	—	.27	.24	—	.15	.49	.01	—	29
30	—	—	—	—	—	.06	—	—	.01	.16	.17	.03	30
31	—	—	—	—	—	—	.02	—	—	.01	—	—	31
Total	1.22	2.11	2.90	2.27	.90	1.83	.26	.43	1.33	4.01	4.48	8.34	TOTAL for year 30.08
No. of Rain Days.	12	15	13	12	5	10	2	7	11	19	22	27	155

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

6-JAN 1913

Kept at Fulhay.
in the County of Devon.
by J. F. Hobbs.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Compton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	—	—	.24	—	—	.05	.76	.01	.38	1
2	—	—	.28	—	—	—	.04	.02	—	—	—	.01	2
3	—	—	.31	—	—	.22	.04	.98	.03	—	—	.05	3
4	.13	.01	.84	—	—	.31	—	.01	—	—	.24	—	4
5	.66	.23	.22	—	.01	.02	—	.67	—	—	.01	.39	5
6	.50	.11	.03	—	.39	.14	.54	.38	—	—	—	.02	6
7	.02	.55	.18	—	.18	.87	—	.10	—	—	—	.28	7
8	.51	.21	.74	—	—	.07	—	.01	—	—	—	.03	8
9	.05	.04	.06	.10	—	.15	.09	.12	—	—	—	.62	9
10	.02	.10	.02	—	—	—	.04	.48	—	—	—	.38	10
11	.10	.05	—	—	—	—	.01	.10	—	—	.02	.45	11
12	.03	.25	.16	—	—	—	.06	.37	—	—	—	.02	12
13	.01	—	.02	—	—	—	—	—	—	.01	.02	.14	13
14	.05	.04	.41	—	.33	—	—	.10	—	.01	—	.03	14
15	.34	.31	—	.02	.26	.53	—	—	—	—	—	.15	15
16	.46	.02	.41	—	—	.01	—	.15	—	.13	.05	.02	16
17	.40	.01	.24	—	—	.14	—	.89	—	—	—	.01	17
18	.14	.02	.23	—	—	—	—	.31	—	.01	.02	.03	18
19	.02	.09	.09	—	—	.04	.14	.38	—	—	—	—	19
20	.06	.16	.35	—	.13	—	.01	.18	—	.18	.02	—	20
21	—	.32	.16	—	.70	—	—	.24	—	.13	—	—	21
22	.48	.33	.24	—	.01	—	.06	.10	—	.45	.03	.22	22
23	.30	.48	.36	—	—	.04	.02	1.15	—	.05	.17	.20	23
24	.11	.17	.01	—	—	.34	—	.16	—	—	—	.26	24
25	.16	—	—	—	—	.06	—	.29	—	.34	.25	.52	25
26	—	.03	—	—	—	—	.07	.13	—	.33	.37	.36	26
27	—	.01	—	—	—	.59	.70	.08	—	.98	—	.41	27
28	—	.08	—	—	—	.06	.06	.32	.12	.64	.29	.68	28
29	—	.18	—	—	—	.12	.09	.10	.71	.45	—	.01	29
30	—	—	—	—	.05	.08	.02	.05	.36	.28	—	—	30
31	—	—	.26	—	—	—	.32	.01	—	.06	—	.23	31
Total	4.55	3.80	5.77	.12	2.06	4.03	2.31	7.88	1.27	4.81	1.50	5.90	44.00
Rain Days.	21	24	23	2	9	19	17	28	5	16	13	26	203

REGISTER OF RAINFALL IN 1913

Kept at Fairley (Lyne Regis)
in the County of Devon
by J. F. Hobbs

Lat. Long.
Time of Observation 9
Nearest Railway Station Combepeyre
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
Sea Level 46.5 ft.

FORM A.
BRITISH RAINFALL
9-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.30	.12	.03	.08	—	—	—	.15	.11	.15	.03	1
2	—	.07	—	.10	.08	—	.02	—	.01	.03	.16	.04	2
3	.25	—	.03	—	.28	—	—	—	—	.01	—	.11	3
4	1.06	—	.15	—	.17	.02	—	—	.08	.45	.10	.10	4
5	.20	.08	.04	—	.20	.04	—	—	1.33	.02	.22	.32	5
6	.05	.07	.07	—	.06	.08	.03	—	—	.65	.02	.31	6
7	—	.35	.05	—	.48	.07	.05	—	—	.61	.31	.01	7
8	.03	.10	—	—	.24	.01	.08	—	—	.08	—	.02	8
9	—	.04	—	—	.04	.03	.02	.15	—	—	.29	.02	9
10	.53	.02	—	—	—	.05	—	.03	—	.14	.10	—	10
11	.80	—	—	.10	.26	.03	—	—	—	.05	.58	—	11
12	—	—	—	—	.34	.02	—	—	.04	—	.33	.03	12
13	.25	—	.04	—	.01	—	—	.16	.55	—	.19	—	13
14	.31	—	.10	.02	.22	—	—	—	.10	.01	.09	—	14
15	.28	—	.38	.42	—	—	—	—	.19	—	—	.01	15
16	.09	—	.48	.06	—	.01	—	.01	.16	—	—	—	16
17	.04	—	.01	.04	—	—	—	—	—	—	—	—	17
18	.02	—	.23	.16	—	—	—	—	—	—	.10	—	18
19	.52	—	.12	—	.05	.16	.01	—	.61	—	—	—	19
20	.18	—	.13	.38	—	.02	—	—	—	.10	.13	—	20
21	—	—	.16	.29	.04	—	—	—	—	.22	.58	—	21
22	.63	—	.35	.10	—	.12	.03	—	.19	.01	—	.16	22
23	.01	—	.01	—	—	.01	—	—	.01	—	.21	.60	23
24	.03	.01	—	.06	—	.03	—	—	—	—	.03	—	24
25	—	.02	—	.25	—	—	—	—	—	.02	—	.02	25
26	—	—	—	.47	—	—	—	.17	.01	—	—	.13	26
27	.19	—	.19	.39	—	—	—	.02	—	.09	—	.01	27
28	.84	—	.05	.40	—	—	—	—	—	.40	—	.11	28
29	.20	—	.47	.24	—	—	—	.02	—	.16	—	—	29
30	.49	—	—	.05	.02	—	—	.36	.13	.45	—	—	30
31	.20	—	.04	—	—	—	—	.70	—	.12	—	—	31
Total	7.21	1.06	3.12	3.56	2.57	.70	.24	1.62	3.56	3.73	3.59	2.03	32.99
Rain Days.	24	10	21	18	16	15	7	9	14	20	17	17	188

REGISTER OF RAINFALL IN 1914

Kept at Pinhay
in the County of Deron S.7
by A. F. Hobbs

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Combe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 465 ft.

FORM A.
BRITISH RAINFALL
20 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.05	—	.02	.05	.55	—	—	.09	.08	1
2	—	—	—	.03	.06	.01	.61	.06	—	—	.82	.55	2
3	.02	—	.13	.16	.60	—	—	.04	—	—	.03	.03	3
4	.05	—	.06	.25	.09	—	.35	.47	—	—	.53	.53	4
5	.10	—	.10	.16	.07	—	.09	—	—	—	.04	.01	5
6	—	.18	.01	.12	.24	—	—	—	—	—	.01	.31	6
7	.01	.76	.17	.15	.06	—	.30	.14	.04	—	—	.37	7
8	.08	.01	.73	.02	.05	.11	—	.12	—	—	—	.09	8
9	.01	.02	.34	.38	.06	.82	—	.11	1.11	—	.03	—	9
10	.08	.30	—	.09	.12	.03	—	—	.53	—	—	.02	10
11	—	.18	.78	—	.04	.09	.48	—	.01	.09	.03	.52	11
12	—	.14	.23	—	—	—	—	—	.57	.10	.01	.75	12
13	—	.35	.38	—	—	—	.06	—	.22	.18	.28	.40	13
14	—	.23	.24	—	—	.89	.04	.98	—	.24	.34	.16	14
15	.02	—	.12	—	—	—	.09	.11	.02	.14	.31	.04	15
16	—	—	.01	—	—	—	—	—	.47	—	—	—	16
17	—	.54	.19	—	—	—	—	—	.01	—	—	.48	17
18	—	.03	.07	—	—	—	.58	—	.16	—	—	.26	18
19	—	.18	.55	—	—	.01	2.39	—	—	—	.06	.07	19
20	—	.74	.14	—	—	—	—	—	—	—	—	.29	20
21	—	.54	—	—	—	.02	—	—	—	.21	—	—	21
22	—	.04	.09	—	.15	.10	—	.03	—	.16	—	—	22
23	—	.04	.26	—	.02	—	—	—	—	.83	—	—	23
24	—	.07	.01	—	.08	—	—	—	—	.29	.09	—	24
25	.08	.01	.28	—	—	—	.02	.56	—	.50	.02	.44	25
26	.09	—	.13	—	—	—	—	.02	—	.05	.17	.62	26
27	.08	.04	—	—	—	—	.02	—	—	.02	.05	.30	27
28	.02	.17	.34	—	.02	—	.01	—	—	.08	.37	.84	28
29	.17	—	.14	—	.21	—	.11	—	—	.25	.40	.03	29
30	.01	X	.10	.02	—	.04	—	—	—	.18	.46	.68	30
31	.10	X	—	X	.02	X	.63	—	X	.63	X	.10	31
Total	.92	4.57	5.62	1.43	1.89	2.14	5.83	3.19	3.14	3.95	4.14	7.97	44.79
Rain Days.	15	20	26	11	16	11	16	12	10	16	20	25	198
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1915

Kept at

Pinhay

in the County of

Devon

by

John F. Spohr

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Combehayne

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. 11 in.

" " " " Sea Level

465 ft.

1921
FORM A.
BRITISH RAINFALL
15 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.33	—	—	.02	—	—	.26	.32	.44	.04	.25	1
2	.46	.18	.20	.05	—	.09	—	.20	.05	.45	—	.49	2
3	.05	.05	.12	.02	.34	—	—	—	—	.18	—	.53	3
4	.03	.10	—	—	.07	—	—	—	—	—	—	.35	4
5	.07	.42	—	.05	.01	—	—	.50	—	—	—	.50	5
6	1.05	.12	—	.39	—	—	.73	.04	—	—	—	.13	6
7	.30	.56	—	.04	—	—	.23	—	—	—	.01	.30	7
8	.08	.54	—	.05	—	—	.02	.08	—	—	.02	.10	8
9	.02	.04	—	.06	—	—	—	—	—	—	.25	1.03	9
10	.26	.15	.05	.04	—	—	—	—	—	.09	.01	.08	10
11	.07	.27	.02	.03	—	—	.01	.14	—	—	1.22	.02	11
12	.23	.49	—	.08	.62	—	—	.16	—	.08	.48	—	12
13	.01	.41	—	—	.43	—	—	—	.07	—	.05	—	13
14	.01	—	—	—	—	—	.28	.08	.13	.02	—	1.14	14
15	.14	—	—	—	.26	—	.15	—	.02	.03	.03	.09	15
16	—	.98	—	—	.17	—	1.14	—	—	—	—	.18	16
17	—	.32	—	—	.07	—	—	.12	—	—	—	.02	17
18	—	.25	—	—	—	—	—	.07	—	—	—	—	18
19	—	.01	—	—	.36	—	.13	—	—	—	—	—	19
20	.14	—	—	.08	—	.25	—	—	—	.20	—	.07	20
21	.21	.29	—	—	—	—	.15	—	.02	.71	—	.03	21
22	.07	.04	.49	.03	—	.05	.76	—	.01	.01	—	.30	22
23	—	.01	.11	—	—	—	.21	—	.21	2.21	—	.56	23
24	—	—	—	.02	—	—	.10	—	.22	.22	—	.53	24
25	.02	—	—	.04	—	.46	—	—	—	—	—	.32	25
26	.03	.17	—	—	—	.02	.23	—	.02	—	—	.96	26
27	—	.05	—	—	—	.34	.05	—	—	.71	—	.01	27
28	—	.14	—	—	—	.17	—	—	.49	.07	—	.06	28
29	—	—	—	—	—	.18	.04	—	—	.10	.14	.02	29
30	.17	X	—	—	—	.04	—	—	—	.39	.79	.45	30
31	—	X	—	X	—	X	.08	—	X	1.35	X	.17	31
Total	3.86	5.92	.99	.98	2.35	1.60	4.31	1.65	1.56	7.26	3.04	8.69	42.21
Rain Days.	21	23	6	14	10	9	16	10	11	17	11	27	175
YEAR'S TOTAL													42.21

REGISTER OF ¹⁸⁷⁹ RAINFALL IN 1916

Key at Pirbright
in the County of Devon
by J. F. Stobo.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Cowbridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 465 ft.

1879
FORM A.
BRITISH RAINFALL.
11 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.52	.02	—	—	.35	.43	.47	—	1
2					.02	—	—	—	.01	.39	.20	—	2
3					.26	.01	—	—	.08	.71	.24	—	3
4					.10	.26	—	—	.04	.02	.68	—	4
5					.17	.04	—	—	—	.03	.12	—	5
6					.12	.01	.73	—	—	.20	.81	—	6
7					.06	.02	—	—	—	.09	.91	.21	7
8					.26	—	—	—	—	—	.18	.26	8
9					.08	.23	—	—	—	.06	.12	.21	9
10					.03	.13	.02	—	—	.01	.10	.26	10
11					—	.01	—	—	.01	—	.01	.02	11
12					.22	—	.16	.12	—	.03	—	—	12
13					.01	—	—	.22	—	.01	—	—	13
14					.03	—	—	.32	—	.02	—	—	14
15					.01	—	—	.03	—	.08	—	.08	15
16					—	—	.04	.14	—	.04	—	.04	16
17					—	—	—	.05	.26	.56	.59	—	17
18					—	—	—	—	.95	.04	.02	.05	18
19					—	—	—	—	—	—	.08	.08	19
20					—	—	—	—	—	—	.16	1.48	20
21					.05	—	—	—	—	—	.02	.27	21
22					—	.09	—	.05	—	.31	.02	.66	22
23					—	.06	—	.26	—	.03	.09	.02	23
24					.48	—	—	.07	.22	.65	.09	.38	24
25					—	—	—	.58	.02	—	.08	.01	25
26					—	.56	—	.44	.76	.78	.06	—	26
27					—	.66	—	.17	.33	.30	—	.02	27
28					—	—	—	.13	.25	.40	—	.54	28
29					—	.40	—	1.84	.68	.09	—	.29	29
30		X			—	—	—	—	.01	1.03	—	.01	30
31		X		X	—	X	—	.07	X	.58	X	.01	31
Total					2.42	2.50	.95	4.49	2.45	6.89	5.13	4.90	29.73
Rain Days.					16	14	4	15	13	25	21	20	128

REGISTER OF RAINFALL IN 1917

Kept at Pirbright
in the County of Devon
by A. F. Stobo.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Combe Dyne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 465 ft.

FORM A.
BRITISH RAINFALL
18 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.07	.26	—	.12	—	.46	—	—	.04	.01	1
2	—	—	.03	.10	—	.10	—	.01	—	—	.05	—	2
3	.16	—	—	.02	—	—	.57	.02	—	.12	.78	—	3
4	—	.10	.39	—	—	—	—	—	.02	.29	—	—	4
5	.08	—	.24	.25	—	.08	—	—	.15	.11	.05	—	5
6	—	—	.06	—	—	—	—	—	—	.03	.07	.02	6
7	.55	—	—	—	—	—	.38	.43	—	.26	—	—	7
8	.11	—	.17	.10	—	—	.24	.58	.11	.44	.15	.25	8
9	—	—	.18	.03	—	—	.19	.47	.04	.13	.07	—	9
10	.30	—	.35	.16	—	—	—	.22	.02	—	—	—	10
11	.02	—	.64	.08	.02	—	—	—	.03	.29	.14	—	11
12	.10	—	.03	—	.41	—	—	—	—	.36	.02	—	12
13	—	—	.24	.01	—	.05	—	.22	.02	—	—	.01	13
14	—	—	—	.18	—	—	.45	.43	.03	.05	—	—	14
15	.03	—	—	.01	—	—	.03	.32	.07	.19	—	.32	15
16	—	.18	—	.06	—	—	—	.01	.01	.43	—	.48	16
17	—	.02	—	.05	.02	—	.30	.13	.86	.16	—	—	17
18	—	.13	—	—	.01	.01	.13	.01	.72	.04	—	—	18
19	—	.84	.04	—	—	.08	—	—	.15	—	—	—	19
20	—	.02	.03	—	.46	.12	—	.10	.03	—	—	—	20
21	—	—	.25	—	.01	—	—	.01	—	.09	—	—	21
22	.03	—	.02	—	—	—	—	.07	—	.06	—	—	22
23	—	.26	—	—	.02	—	—	.12	—	.14	.01	—	23
24	—	—	—	—	—	.02	.35	.09	—	.28	—	—	24
25	—	.02	.02	—	—	—	.15	.08	.08	.01	—	—	25
26	—	—	.03	—	.70	.08	—	.38	.02	—	.03	—	26
27	—	—	—	—	.40	.34	—	.92	—	—	—	—	27
28	—	.03	.10	—	.14	.58	—	.20	—	~~—~~	—	.02	28
29	—	—	.03	—	.02	.12	.03	—	—	.30	—	.10	29
30	—	X	.27	—	—	—	.18	.17	—	.01	—	—	30
31	—	X	.05	X	—	X	—	.01	X	.28	X	.02	31
Total	1.30	1.60	3.24	1.31	2.21	1.70	3.00	5.46	2.56	4.07	1.41	1.23	28.89
Rain Days.	10	9	21	13	11	12	12	24	16	22	11	9	170
YEAR'S TOTAL													28.89

REGISTER OF RAINFALL IN 1918

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.28	—	.03	.05	—	—	.70	—	.01	.64	.02	1
2	—	.19	—	.02	—	—	—	.01	—	.02	.01	.13	2
3	—	.07	—	.21	.11	—	—	—	.01	.01	.11	.08	3
4	—	.04	—	—	—	—	—	.16	.50	—	.85	.24	4
5	—	—	.19	.06	.31	—	—	.73	.39	.18	—	.10	5
6	.27	.16	—	.16	—	—	—	—	.03	.15	—	.21	6
7	—	.15	—	—	.14	.01	—	—	.33	.01	.46	.04	7
8	.13	.41	—	—	—	—	.03	—	.07	.48	—	.03	8
9	.07	—	—	.07	—	.07	.23	—	.46	.03	.01	.57	9
10	.02	—	—	.36	—	—	.20	—	.12	.17	.03	.45	10
11	.01	—	.26	.02	—	—	.74	—	.13	.23	.07	.06	11
12	—	.08	.16	—	.52	—	.17	—	.17	.10	—	.02	12
13	.13	—	—	—	.14	—	.40	—	.99	.14	—	—	13
14	.23	—	—	—	.05	.28	.01	—	.29	.27	—	.14	14
15	1.49	—	—	.32	.03	—	.46	—	.02	.07	—	.15	15
16	.40	—	.01	.09	—	—	.06	—	.46	.02	—	.05	16
17	.12	—	.02	.14	—	—	.43	—	.02	—	—	.26	17
18	.90	—	—	—	—	.68	.10	—	.32	—	—	.15	18
19	.13	—	.20	.01	—	—	.24	—	—	.01	—	.05	19
20	.03	.14	.01	.09	—	.02	.08	—	.13	.02	—	—	20
21	.02	.07	.02	.02	—	.04	.09	—	.41	.10	—	.46	21
22	.06	—	—	—	.16	—	1.09	—	.11	.16	—	.16	22
23	.17	.02	—	—	.07	.01	.18	—	.12	—	.02	.13	23
24	—	.22	—	—	—	—	.13	.01	.07	—	.18	.07	24
25	.05	—	—	.44	.20	—	.18	.69	—	—	.13	.03	25
26	.02	.01	—	—	—	—	.19	—	.05	.02	.14	.24	26
27	.01	.08	.03	—	—	—	.35	.10	.24	.03	.11	—	27
28	—	.11	.19	—	—	—	—	—	.04	.04	—	.02	28
29	—	—	.24	—	—	—	—	—	1.37	.10	.01	.02	29
30	—	X	.66	—	—	—	—	.01	.03	.02	.18	.03	30
31	—	X	.05	X	—	X	—	.02	X	.07	X	—	31
Total	4.26	2.03	2.04	2.04	1.78	1.11	3.36	2.43	6.88	2.46	2.95	3.91	37.25
Rain Days.	19	15	13	15	11	7	20	9	26	25	15	27	202

REGISTER OF RAINFALL IN 1919

Kept at Pirbright
in the County of Devon
by J. F. Stobo

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Compton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.76	—	.13	—	.09	—	.49	—	.01	.08	.02	.98	1
2	.10	—	—	—	.02	—	.01	—	.22	—	.02	.07	2
3	.72	—	.35	—	.08	—	—	—	.18	—	.08	.13	3
4	.48	.42	.53	—	—	.03	—	.06	.41	—	.03	.03	4
5	.03	.38	.44	—	—	—	—	—	.32	—	.12	.12	5
6	.44	.48	.12	—	—	—	—	—	—	—	—	.29	6
7	.20	—	.30	.22	—	—	—	—	—	—	—	.08	7
8	.19	—	.37	—	—	—	—	—	—	—	.02	—	8
9	.09	—	—	.26	.20	—	—	—	—	—	.14	—	9
10	.20	—	.30	—	.02	—	—	—	—	.02	—	.13	10
11	—	—	.13	.18	.27	.01	.23	—	—	.01	—	.10	11
12	.25	—	.02	.06	.01	.01	—	—	—	.03	.10	.03	12
13	.04	.06	.10	.44	—	—	.01	—	—	—	—	.10	13
14	.38	.09	—	.45	.33	—	.01	—	.03	.03	—	.04	14
15	.10	.08	—	.13	—	—	—	—	—	.07	—	.06	15
16	.04	.14	—	—	.06	—	—	—	—	—	.06	.10	16
17	—	.36	—	—	—	—	—	—	—	—	.28	—	17
18	.08	.10	.18	—	—	—	.49	.03	—	—	.23	.10	18
19	.81	.40	.59	—	—	.10	.78	.28	.15	.01	.10	.10	19
20	.38	.04	.02	—	—	.28	—	.26	.03	—	.02	.9	20
21	—	.90	—	—	—	—	.13	.02	.06	—	—	.02	21
22	—	.01	—	—	—	—	.10	—	.13	—	—	.20	22
23	—	—	.02	—	—	—	—	.44	—	.79	.04	.07	23
24	—	—	—	.02	—	.14	—	.13	—	1.03	.16	.40	24
25	.16	—	—	.08	—	.06	—	.35	—	—	.06	.05	25
26	.15	—	.10	.07	—	—	—	.01	.01	—	.02	.02	26
27	.17	—	.06	.23	—	—	.09	1.61	—	—	—	.03	27
28	.02	—	.41	—	—	—	—	.12	—	.02	.43	.72	28
29	—	—	—	.10	—	—	—	.21	—	.03	—	.03	29
30	—	—	—	.05	—	.10	—	.83	—	—	.64	.63	30
31	—	—	—	—	—	—	—	—	—	—	—	.47	31
TOTAL	5.79	4.46	5.17	2.29	1.08	.73	2.34	3.95	1.55	2.12	2.57	5.23	YEAR'S TOTAL 37.28
Days with .01 in. or more	22	13	18	13	9	8	10	13	11	11	19	28	175

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens, Pinhay
in the County of Devon
by L. Austin, Pinhay College, Lyme Regis.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Comblayne L.R.S.W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	.01	.17	.34	—	.22	.02	.08	.20	.15	1.02	1
2	.33	—	—	.23	—	—	.03	.20	.05	.07	—	.12	2
3	.07	.03	—	—	—	—	.02	—	—	.28	—	.13	3
4	—	—	.02	—	—	—	.57	.61	—	.24	—	—	4
5	—	—	.11	.25	.14	—	.45	.22	—	.26	—	—	5
6	—	—	.21	.26	.29	—	.20	—	—	.02	—	—	6
7	.02	—	.02	.35	.05	—	.58	—	—	—	—	.01	7
8	.05	.05	—	.39	.06	—	.34	—	—	—	—	.18	8
9	.88	—	—	.04	—	.30	.06	—	—	—	—	—	9
10	.60	.06	.29	.02	—	.27	.43	—	—	—	—	.01	10
11	.26	—	.21	.48	.34	.01	.16	—	—	—	—	—	11
12	.21	.02	.02	.07	—	.05	.03	—	—	—	.04	.05	12
13	.20	.01	.46	.08	—	—	—	—	—	.09	—	.03	13
14	.10	.02	.27	.67	—	—	.02	—	.23	.18	.32	.01	14
15	.03	.04	.09	.25	.10	—	—	—	.01	.37	.04	—	15
16	—	—	.04	.02	.02	.24	.47	—	.04	.12	—	—	16
17	—	—	.02	.34	.24	.33	.02	—	.24	—	—	—	17
18	.08	—	.01	.09	.02	.21	.09	.41	.12	—	—	—	18
19	.03	—	—	.15	—	.34	.01	—	.17	—	—	—	19
20	.02	.11	—	.18	—	.48	—	—	—	—	—	.28	20
21	—	—	—	.06	—	—	.08	—	—	.39	—	.10	21
22	.04	—	—	.18	—	—	.02	—	—	—	—	.46	22
23	.02	—	—	—	—	—	.46	—	—	—	—	.56	23
24	—	—	.22	—	—	—	—	—	—	—	.18	.10	24
25	—	.14	.08	—	.12	—	.72	—	—	—	.02	—	25
26	.25	—	.15	—	—	—	.01	—	—	—	.14	.08	26
27	.53	.04	.09	.06	—	.20	.07	—	—	—	.12	.33	27
28	.60	.03	.15	.03	—	—	.15	—	—	—	—	.15	28
29	.28	.03	.45	.03	—	—	—	—	—	—	.11	.30	29
30	.20	~~X~~	—	—	.04	.21	.10	—	.64	.03	.40	.25	30
31	.07	~~X~~	.44	~~X~~	—	~~X~~	—	—	~~X~~	.21	~~X~~	.12	31
TOTAL	4.95	.58	3.36	4.20	1.76	2.64	5.31	1.46	1.58	2.46	1.52	4.29	YEAR'S TOTAL 34.11.
Days with .01 in. or more	23	12	21	23	12	11	25	5	9	13	10	20	184
Days with .04 in. or more	18	6	15	19	10	10	17	4	8	11	9	16	143

FORM A.
BRITISH RAINFALL

Kept at Ware
in the County of D
by A. J. Woodroffe

LYME REGIS
WARE
DEVON

1917 - 1920

Lat. 51° 57'
Long. 9° 20' W.
Rain Gauge 15 in.
above Ground 10 ft.
Sea Level 318 ft.

and the result entered to the
universal rule, he is earnestly
year in the space provided
urement of rain,
British Rainfall
on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.2		.12	.27		.18		.42			.5	.2	1
2				.9		.14		.2			.3		2
3	.5			.2			.67	.2		.11	.47		3
4		.3	.40						.2	.26	.6		4
5	.8		.22	.28		.8		.1	.15	.13			5
6			.7							.4	.7		6
7	.54						.22	.31		.27	.3		7
8	.11		.8	.9			.27	.66	.11	.40	.13	.25	8
9			.7	.4			.11	.46	.4	.13	.10		9
10	.30		.32	.17				.20	.3				10
11	.5		.67	.9	.10					.29	.12		11
12	.10		.2		.32					.33	.3		12
13			.22	.2		.4		.21	.3				13
14				.17			.32	.43	.3				14
15				.1			.7		.6	.21		.66	15
16		.23		.5	.1			.1	.2	.43		.15	16
17		.2		.5			.30	.13	.87	.13			17
18		.13					.15	.4	.75				18
19		.85	.3			.10			.14				19
20		.1	.4		.52	.5		.8	.3				20
21			.21					.4		.8	.2		21
22	.3	.2	.1		.2			.7		.6			22
23		.30			.2			.15		.16		.2	23
24						.1	.35	.7		.21	.2		24
25		.2	.2			.2	.12	.3	.7	.1			25
26					.90	.1		.43	.29	.1	.3		26
27					.35	.38		.90					27
28			.9		.18	.47		.76				.2	28
29			.3		.2	.15	.3			.27		.10	29
30		X	.27				.18	.18		.2			30
31		X	.4	X		X		.1	X	.24	X	.2	31
Total	1.28	1.61	2.93	1.35	2.44	1.63	2.79	5.04	2.64	3.79	1.16	1.24	27.90
Rain Days.	9	9	19	13	10	12	12	24	15	21	13	8	165

FORM A.
BRITISH RAINFALL
14 JAN 1918

R

Kept at. Ware, Lyme Regis.
in the County of Devon.
by A. J. Woodroffe, Esq. J.P. C.C.

Lat. 50°43' Long. 2°57'
Time of Observation 9 a.m.
Nearest Railway Station Lyme Regis.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.2		.12	.27		.18		.42			.5	.2	1
2				.9		.14		.2			.3		2
3	.5			.2			.67	.2		.11	.47		3
4		.3	.40						.2	.26	.6		4
5	.8		.22	.28		.8		.1	.15	.13			5
6			.7							.4	.7		6
7	.54						.22	.31		.27	.3		7
8	.11		.8	.9			.27	.66	.11	.40	.13	.25	8
9			.7	.4			.11	.46	.4	.13	.10		9
10	.30		.32	.17				.20	.3				10
11	.5		.67	.9	.10					.29	.12		11
12	.10		.2		.32					.33	.3		12
13			.22	.2		.4		.21	.3				13
14				.17			.32	.43	.3				14
15				.1			.7		.6	.21		.66	15
16		.23		.5	.1			.1	.2	.43		.15	16
17		.2		.5			.30	.13	.87	.13			17
18		.13					.15	.4	.75				18
19		.85	.3			.10			.14				19
20		.1	.4		.52	.5		.8	.3				20
21			.21					.4		.8	.2		21
22	.3	.2	.1		.2			.7		.6			22
23		.30			.2			.15		.16		.2	23
24						.1	.35	.7		.21	.2		24
25		.2	.2			.2	.12	.3	.7	.1			25
26					.90	.1		.43	.29	.1	.3		26
27					.35	.38		.90					27
28			.9		.18	.47		.76				.2	28
29			.3		.2	.15	.3			.27		.10	29
30		X	.27				.18	.18		.2			30
31		X	.4	X		X		.1	X	.24	X	.2	31
Total	1.28	1.61	2.93	1.35	2.44	1.63	2.79	5.04	2.64	3.79	1.16	1.24	27.90
Rain Days.	9	9	19	13	10	12	12	24	15	21	13	8	165

REGISTER OF RAINFALL IN 1918

Kept *Ware. Lyne Regd.*

in the County of *S. Devon*

by *A. J. Woodroffe, Esq. J.P.C.C.*
W. G. Dark Recorder

Lat. *50°43'* Long. *2°57'*
Time of Observation *9 a.m. Summer time*
Nearest Railway Station *Lyne Regd.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *10* ft.
Sea Level *318* ft.

BRITISH RAINFALL FORM A.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.38		.3	.4			.72		.1	.54	.2	1
2		.20						.9	.3	.2	.2	.13	2
3		.9		.19	.13				.2		.12	.7	3
4		.3						.16	.33		.78	.25	4
5			.17	.2	.37			.63	.64	.20		.8	5
6	.22	.17		.22				.1	.5	.14		.21	6
7		.16			.13	.1			.27	.2	.45	.4	7
8	.13	.45		.7			.2		.13	.45		.2	8
9	.7					.9	.35		.44	.2	.2	.57	9
10	.3			.29			.18		.12	.17	.3	.45	10
11	.1	.2	.27	.2			.76		.12	.29	.4	.6	11
12		.7	.17		.43		.19		.21	.8		.1	12
13	.10				.22		.36		.99	.13			13
14	.18				.5	.29	.2		.30	.27		.13	14
15	1.55			.25	.4	.1	.42		.1	.5		.13	15
16	.42		.1	.11		.2	.6		.52	.2		.6	16
17	.17			.11			.47		.1			.30	17
18	.90					.63	.9		.23			.15	18
19	.39	.1	.20	.2			.24					.6	19
20	.4	.14				.2	.7		.22	.2			20
21		.7		.10		.4	.3		.43	.18		.37	21
22	.8				.10		.95		.12			.16	22
23	.17	.2			.13	.1	.32		.10		.2	.10	23
24	.1	.28					.20		.10		.17	.6	24
25	.4			.22	.21		.14	.64			.12	.4	25
26		.2					.29		.6	.2	.12	.21	26
27		.8					.21	.12	.21	.3	.11	.1	27
28		.11	.23						.5	.4	.1	.2	28
29			.20						1.33	.13	.1	.2	29
30		X	.70	.2				.2	.4	.3	.17	.4	30
31		X	.5	X		X			X	.8	X		31
Total	4.51	2.30	2.00	1.67	1.85	1.13	5.37	2.39	7.08	2.40	2.83	3.77	37.30
Rain Days	17	17	9	14	11	9	20	8	27	22	16	28	198

REGISTER OF RAINFALL IN 1919.

Kept at Ware Gardens.
in the County of Devon
by A. J. Woodroffe Esq.

Lat. 50°43' Long. 2°57'
Time of Observation 9 a.m. Summer Time
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.73		.13		.11		.63		.2	.10	.3	1.08	1
2	.10		.1		.3		.2		.22		.9	.9	2
3	.68		.34		.10				.14			.11	3
4	.57	.39	.48			.3		.5	.50		.3	.3	4
5	.2	.33	.50		.12				.35		.10	.13	5
6	.38	.44	.11		.4							.35	6
7	.21		.31	1.65	.27							.9	7
8	.16		.36		.1						.2		8
9	.9		.1	.29							.9		9
10	.19		.33	.1		.2	.11			.3		.10	10
11	.1		.14	.18		.2	.4			.1		.9	11
12	.26		.3	.7			.2			.2	.7	.2	12
13	.5	.5	.10	.50	.38		.2		.3			.9	13
14	.42	.7		.46	.1							.11	14
15	.12	.16		.8	.4					.8		.13	15
16	.5	1.14									.7		16
17		.27									.25		17
18	.8	.10	1.09				.51	.4			.22	.2	18
19	.77	.39	.57			.5	.80	.27	.15		.11	.3	19
20	.40	.4	.3			.35		.27	.5		.2	.2	20
21		.85					.11	.2	.6			.10	21
22		.3					.8		.15			.9	22
23								.2		.78	.4	.2	23
24		.1		.4		.12		.1		.97	.18	.27	24
25	.15			.4		.8		.45			.3	.6	25
26	.15		.8	.5		.1	.24	.2	.2		.2	.40	26
27	.16		.4	.34				1.17				.5	27
28			.45					.45		.2	.38	.68	28
29					.10			.23		.3	.2	.4	29
30		X			.6	.11		.50			.60	.64	30
31		X		X		X			X		X	.45	31
TOTAL	5.75	4.27	5.11	3.71	1.27	.79	2.58	3.50	1.69	2.04	2.37	5.26	38.34
Days with ".01 in. or more	22	14	19	12	12	9	11	13	11	9	19	27	178

REGISTER OF RAINFALL IN 1920.

Kept at Ware

in the County of Devon

by A. J. Woodroffe, Esq. R.C.C. O.B.E.

Lat. 50°43' Long. 2°57'

Time of Observation 9.9 a.m.

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft.

Sea Level 318 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.7		.1	.13	.33		.27	.1	.7	.16	.14	.76	1
2	.29			.25			.2	.21	.7	.8		.11	2
3	.7	.4		.1			.49		.1	.23		.15	3
4			.2				.46	.63		.27			4
5				.25	.8		.26	.16		.18			5
6			.13	.5	.32		.64	.1		.10			6
7	.1		.4	.35	.4		.53					.2	7
8	.6	.5		.42	.5					.1		.14	8
9	.88	.1		.5		.26	.48					.1	9
10	.68	.7	.36	.1		.23	.43						10
11	.39		.21	.42	.30		.18						11
12	.21	.3	.4	.10		.6	.4				.5	.2	12
13	.21	.1	.48	.7			.1			.6		.1	13
14	.10	.2	.27	.63			.3		.25	.15	.35	.2	14
15	.3	.4	.9	.27	.8	.1	.1		.2	.33	.4		15
16			.4	.3		.31	.43		.4	.15			16
17	.1		.2	.35	.28	.27	(.3)		.25				17
18	.8	dew		.9	.2	.21	.11	.40	.15				18
19	.2			.15		.24	.2		.27				19
20	.3	.9		.19		.62						.30	20
21				.4			.9		.1	.23		.10	21
22	.6			.18			.2			dew		.45	22
23	.1						.43	.2		.1		.56	23
24	.1	.1	.23								.13	.10	24
25		.15	.12		.15		.78				.1	.1	25
26	.18		.17			.1	.2				.11	.8	26
27	.67	.3	.9	.8		.20	.4				.7	.32	27
28	.57	.3	.15	.3		.1	.20					.15	28
29	.28	.3	.36	.4							.12	.34	29
30	.19			.1	.7	.23	.8		.67		.33	.27	30
31	.7		(.41)							.20		.12	31
TOTAL	5.02	.62	3.24	4.20	1.72	2.66	5.99	1.44	1.81	2.16	1.35	4.04	YEAR'S TOTAL 34.25
Days with "01 in. or more	25	15	19	25	11	13	26	7	11	14	10	21	197
Days with "04 in. or more	18	6	16	20	10	10	18	4	8	12	9	15	146

REGIS

DEVON

LYME REGIS,
ROUSDON
1911-1920

Kept at *Rousdon*
in the County of *Devon*
by *Hon Lady Peck*

in.
Ground ft. in.
Sea Level ft.
ame

(Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2				15				04		01			2
3				15	37			12		09	30	18	3
4					14						05	14	4
5	13		07						02		06	21	5
6	21		08					05		06	16		6
7	04		17							05	09	74	7
8	01			02							40	02	8
9	04		28								05	53	9
10	11		01								23	48	10
11	20	10	49		03						01	18	11
12			02								95	06	12
13			1.04		01				04			15	13
14		09							23	07	11	28	14
15		02								07		94	15
16						01					22	02	16
17						49					59	36	17
18			12			09				03	20	34	18
19		19	05	16		02				07	04	23	19
20		04		03		21			27	14	01	59	20
21	03	03	27	13					21	10		54	21
22	01	17		02		01				50		06	22
23	19	03		04		05			07	17		67	23
24	01	12	02			05			13	24	17	30	24
25		19				35		02		25		20	25
26		05		18		03			06	13		04	26
27		16		31	06			01		25	02	23	27
28		39	12					03	05	94	06	19	28
29		30		34				14			05		29
30				51		25	28		13	45			30
31						06			02	13	15	02	31
Total	98	1.88	2.74	2.04	61	1.62	28	41	1.23	3.76	3.92	7.70	TOTAL for year
No. of Rain Days	11	14	13	12	5	12	1	7	11	20	21	26	153

REGIS

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at *Powdson Lyme Regis*
in the County of *Devon S.7*
by *Hon Lady Peck C Grover*

Pattern _____

RAIN GAUGE Diameter of top _____ in.

Height of top above Ground _____ ft.

" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2				15	37			12		09	30	18	2
3					14						05	14	3
4			07						02		06	21	4
5	13		08					05		06	16		5
6	21		17							05	09	74	6
7	04			02							40	02	7
8	01		28								05	53	8
9	04		01								23	48	9
10	11	10	49		03						01	18	10
11	20		02								95	06	11
12			1.04		01				04			15	12
13									23	07	11	28	13
14		09								07		94	14
15		02				01					22	02	15
16						49					59	36	16
17			12			09				03	20	34	17
18		19	05	16		02				07	04	23	18
19		04		03		21			27	14	01	59	19
20	03	03	27	13					21	10		54	20
21	01	17		02		01				50		06	21
22	19	03		04		05			07	17		67	22
23	01	12	02			05			13	24	17	30	23
24		19				35		02		25		20	24
25		05		18		03			06	13		04	25
26		16		31	06			01		25	02	23	26
27		39	12					03	05	94	06	19	27
28		30		34				14			05		28
29				51		25	28		13	45			29
30						06			02	13	15	02	30
31										01			31
Total	98	1.88	2.74	2.04	61	1.62	28	41	1.23	3.76	3.92	7.70	TOTAL for year 27.17
No. of Rain Days	11	14	13	12	5	12	1	7	11	20	21	26	153

REGISTER OF RAINFALL IN 1912

25 JAN 1913
FORM A2
BRITISH RAINFALL

Kept at Powson, Lyme Regis
in the County of Devon
by C. Grover

Pattern _____
RAIN Gauge { Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level 5.16 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			12			22	03		05	73		33	2
3			27				05	01					3
4			30			20	04	05	03			05	4
5	13		74		01	32		01			22		5
6	60	40	18			03		75	05			40	6
7	50	03	03		48	16	49	30				01	7
8	02	60	17		09	99		09				22	8
9	46	17	69			09	02	01				03	9
10	07	04	05	12		17	08	11				61	10
11	06	13	01				03	42				38	11
12	05	06						15			03	41	12
13	04	22	13		01		05	39		02			13
14			01									11	14
15	05	07	37		30			08				02	15
16	33	27		02	27	50						12	16
17	50		36			03		12		12	05	02	17
18	30	01	27			13		75				01	18
19	19	02	18					39				03	19
20		09	09			03	15	13		02			20
21	07	15	33		14		02	20		16	02		21
22		29	17		74			22		13			22
23	47	22	20		02		06	09		31	02	20	23
24	31	42	33			04	01	1.04		05	16	19	24
25	12	14	01			32		12				24	25
26	19					03		31		44	21	40	26
27		03					05	09		20	04	41	27
28						50	70	13		87		31	28
29		08				05	04	30	15	64	26	60	29
30		18				11	09	10	80	46		01	30
31					04	01	07		36	33			31
Total	4.46	3.62	5.31	14	2.10	3.93	2.24	7.28	1.39	4.51	1.31	5.25	TOTAL for year
No. of Rain Days	19	21	23	2	10	19	18	27	5	15	9	24	192

Cor. for aith. 1. IV. 14

REGISTER OF RAINFALL IN 1913

Kept at Rousdon, Lyme Regis
in the County of Dorset
by C. Groves

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 516 ft.

BRITISH RAINFALL
FORM A.
22 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		25	10	03	09				15	06	11		1
2	01	07		10	16		01			01	15	04	2
3	30		03		24					03		10	3
4	90		03		19	03			18	44	08	09	4
5	20	06	05		21	04			1.12	06	17	34	5
6	03	09	07		05	09	04			75	01	29	6
7		29	02		50	06	02			33	29	01	7
8	03	08		01	26		08			08		01	8
9		04				03		05		01	31	02	9
10	42	01			10	02		02		28	11		10
11	53			11	45	04				04	54		11
12					20	04			08		32	02	12
13	27		04					15	52		19		13
14	30		11	02	22				08		09		14
15	27		31	40					14			02	15
16	11		45			02			15				16
17	03		02	04							01		17
18	02		18	15	05						09		18
19	50		11		06	23	01		51	01			19
20	20		14	42		03				14	19		20
21			22	13	04			01		21	46		21
22	57		25	05		14	11		16	02		18	22
23	01										15	62	23
24	04	02		05		02					02		24
25		02		28						02			25
26				37				16	02			15	26
27	20		19	37				01		05			27
28	86		03	36						42		14	28
29	19		48	20	01			02		13	01		29
30	39			08	02			24	32	40			30
31	19		05					64		12			31
Total	6.87	93	2.88	3.17	2.85	76	27	1.30	3.43	3.61	3.30	2.03	31.40
Rain Days.	24	10	20	18	17	13	6	9	12	21	19	14	183

22
✓
11-III-15

cont for with 10-III-15

REGISTER OF RAINFALL IN 1914

21 JAN 1915
FORM A
BRITISH RAINFALL

Kept at Poussdon Lyme Regis

in the County of S. Devonshire

by C. Grover

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 516 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03	05		02	10	59			12	08	1
2				02	05	01	57	07			77	42	2
3	02		13	14	56			07			03	16	3
4	05		05	23	10		33	37			62	28	4
5	08	02	09	17	08		06				01		5
6		14		12	20							27	6
7	04	60	17	14	05		28	14	03			35	7
8	06		76	02	08	14		06				08	8
9	01	04	32	39	03	67		12	112		03		9
10	07	26		08	11	04			41				10
11		15	66		06	11	19		03	15	03	61	11
12		13	24						47	17	03	88	12
13		28	30				05		22	20	17	43	13
14		17	21			104	03	85		22	30	15	14
15	02		12				14	14	03	16	33	05	15
16			02						40				16
17		46	18									42	17
18		04	07				50		19			20	18
19		13	45				320				05	06	19
20		54	18									28	20
21		54				06				19			21
22		07	06		17	06		05		10			22
23		04	21		03					73			23
24		11	01		07		02	02		17	11		24
25	08		27				05	47		45	02	45	25
26	07		08				02	01		05	15	45	26
27	07	03								01	06	25	27
28	02	11	33		03					06	34	84	28
29	17		13		21		03			20	34	01	29
30			08	02		12				21	37	58	30
31	08				04		55			79		13	31
Total	84	386	515	138	187	227	612	296	290	386	388	743	4252
Rain Days.	14	19	25	11	16	10	16	13	9	16	19	23	191

SL ✓

REGISTER OF RAINFALL IN 1915

741
1920
FORM A.
BRITISH RAINFALL

Kept at Powderdon Lyme Regis
in the County of S. Devon
by E. Grover **S7**

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	33			02			32	35	45	03	14	1
2	54	17	19	05		07		18	08	54		59	2
3	03	06	10	03	34					20		53	3
4	03	09			05							22	4
5	05	37	01	04	01			59				48	5
6	95	13		33			63	04				17	6
7	31	45		03			20				02	30	7
8	07	39		02			02	09			03	13	8
9	01	03		05							17	92	9
10	23	18	05	04						10		10	10
11	07	36	01	02			01	13		01	13	01	11
12	22	50		07	61			19		08	42	01	12
13		36			37			01	07		04	04	13
14							29	10	10	02		95	14
15	15	02			27		19		01	06	02	11	15
16		85			17		87					22	16
17		28			05			20				02	17
18		25			01			06					18
19	01	01			34		13						19
20	15			09		21				28		05	20
21	13	30					23		04	60		03	21
22	14	03	50	03		04	54		01	01		24	22
23		01	12				15		15	222		62	23
24				02			08		24	17		41	24
25	06			05		34						29	25
26	01	13				04	20		01			86	26
27		03				45	08			63			27
28		11				14			44	07	03	05	28
29						16	05			02	10	10	29
30	15	X				04				39	74	31	30
31		X		X		X	08		X	139	X	11	31
Total	356	544	98	87	224	149	375	191	150	724	273	801	3972
Rain Days.	20	24	7	14	11	9	16	11	11	18	11	28	180

REGISTER OF RAINFALL IN 1916

Kept at Powdson Observatory
in the County of S. Devonshire
by C. Grover

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1878
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	17	02	19		51				34	42	34		1
2	13	05			02				01	34	28		2
3		1.03			31				02	62	09		3
4	08	20			04	18			04	02	51		4
5	01		04		11	03				02	07		5
6	01	10			10	02	68			13	62		6
7	01	10	16		04	02				02	85	19	7
8		11	22		23						19	25	8
9		03	62		08	19				04	09	17	9
10		72		03	02	02	04			01	04	38	10
11				05		07							11
12	06	05	25		22		15	10		03			12
13		20	17	05	01			17					13
14		45	02		03			26					14
15		12	16	03	01			02		03		12	15
16	13	04		30			06	13		03			16
17	16	22		07				03	24	46	72		17
18	04	10	15						24	02		05	18
19	06	10	45	01							06	07	19
20	10	75	10								13	1.61	20
21		11	06		04					28		19	21
22				01		07		02		40	03	63	22
23		08		02		04		29			05	02	23
24				03	39	02		04			06	36	24
25		43	05		01			51	04	1.50	21		25
26	02	26				30		44	56		02		26
27		12	1.07			40		19	42	07			27
28		20						07	17	40		45	28
29		25				32		1.72	15	06		25	29
30		X	02							1.03			30
31		X		X		X		04	X	70	X	02	31
Total	98	5.84	3.73	60	2.17	1.68	93	4.03	2.23	6.63	4.36	4.76	37.94
Rain Days.	13	25	16	10	17	13	4	15	11	25	18	15	182

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Rousdon Observatory
in the County of S. Devonshire
by C. Grover

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		05	23		15		45			04		1
2				06		08		02			04		2
3	05			02			50				1.11		3
4		10	38						02	09		03	4
5	05		26	21		12		02	14	29	04		5
6			05							03	06		6
7	53						35	35		20		02	7
8	09		21	09			28	58	09	41	12	23	8
9			16	03			23	50	03	11	05		9
10	31		29	14				24		02			10
11	02		58	08						24	12		11
12	12		02		41					29			12
13			22			04		20	02		01		13
14				17			25	40	03				14
15				01			06	32	05	16		27	15
16		19		08				01	02	35		39	16
17		02		05	01		27	09	74	14			17
18		12			02	02	09	02	66				18
19		78	06			10			12				19
20		02	02		41	09		12					20
21			12					02		08			21
22			10					09		05			22
23		20			04			10		07		02	23
24						02	37	05		18	02		24
25							06	05	06				25
26		02	06		58	08		39	17		03		26
27					40	37		83					27
28		02	08		12	52		19				02	28
29			03		01	16	03			27		10	29
30		X								02			30
31		X	21	X			14	15	X		X		31
			06					02		25			
Total	1.19	1.47	2.96	1.17	2.00	1.75	2.63	5.21	2.15	3.25	1.64	1.08	26.50
Rain Days.	8	9	19	12	9	12	12	24	13	19	11	8	156

REGISTER OF RAINFALL IN 1918

Kept at *Powson Observatory, Lyme Regis*
in the County of *Devonshire*
by *C. Grover*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A.
1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	24		03	06			69			57	02	1
2		16		02				02		02	02	09	2
3		07		29	08				02		10	07	3
4		03						14	41		61	15	4
5			21	04	27			60	47	16		07	5
6	20	12		13				01	02	13		16	6
7		12		01	14	01			25	02	38	03	7
8	11	36					06		14	46		03	8
9	03			07		08	25		38	01		41	9
10	01			33			18		11	15	03	41	10
11		01	25	02			66		15	28	04	05	11
12		06	12		46		17		12	05		01	12
13	12				15		35		86	16			13
14	18				03	20			25	15		02	14
15	157			32	05		51		03	05		09	15
16	37		02	06		03	04		43	02		12	16
17	14		02	11			40		01			06	17
18	77		01			64	06		22			19	18
19	13		19	02			16		08			13	19
20	03	10		06			11		09	02		04	20
21	01	05	01	02		04	04		34	09		47	21
22	05				10		88	02	11	25		16	22
23	15	01			13		32	02	07		02	10	23
24		19				01	16	02	06		16	04	24
25	03			27	21		16	69			13	04	25
26	01	02					15		03	02	10	17	26
27		06				01	26	07	19	03	09		27
28		11	18						03	03		03	28
29			22						140			03	29
30		X	58	02					02	02	17		30
31		X	05	X		X		02	X	06	X		31
Total	3.92	1.71	1.86	1.82	1.68	1.02	4.92	2.30	6.29	2.18	2.42	3.19	33.31
Rain Days.	18	16	12	17	11	8	19	11	27	21	13	27	200

81

1683 1/10

REGISTER OF RAINFALL IN 1919

Kept at *Powson Observatory, Lyme Regis*
in the County of *Devonshire*
by *C. Grover*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	67		11		06		44		02	06		83	1
2	07				02		02		26	01	03	03	2
3	70		40		08				13		09	12	3
4	56	48	45			04		08	42		03	06	4
5	08	33	49						30		08	12	5
6	39	58	12									30	6
7	17		27	21								06	7
8	19		33	01							05		8
9	09		02	24	14						09		9
10	12		26		08					02		12	10
11	02		12	16	26	01	24					10	11
12	22		02	07		03	02			04	08	02	12
13	03	05	10	35								10	13
14	34	11		46	28		01		07	06		17	14
15	11	13		17				01		06		12	15
16	02	1.08			06						06		16
17		20									28		17
18	13	33	1.12				44	03			25	02	18
19	76	38	48			10	97	24	15		07	03	19
20	31	03	07			30		27	02	01	02	03	20
21		87					14	02	05			09	21
22		01					09		12			06	22
23			03					07		74	04	03	23
24				03		11		12		1.00	14	27	24
25	15			11		10		33			03	07	25
26	08		10	09				02	01		01	36	26
27	16		08	24			05	1.61				05	27
28			38					11		01	47	68	28
29				09				15		02		03	29
30		X		05		09		1.04			65	57	30
31		X		X		X			X		X	60	31
Total	5.37	4.58	4.95	2.28	.98	.78	2.42	4.10	1.54	2.03	2.47	5.04	36.54
Rain Days	22	13	19	14	8	8	10	14	11	11	18	27	175

REGISTER OF RAINFALL IN 1920.

Kept at Rausdon
in the County of Devon
by L. Grover, for Hon. Lady Peel

Lat. 50° 22' N Long. 2° 39' W
Time of Observation 9.2.18 GMT.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge. 8 in.
Height of top of Gauge above Ground. 1 ft. 0 in.
" " " " Sea Level 51.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.6	-	0.4	2.1	9.0	-	5.2	0.3	2.8	4.6	3.8	28.8	1
2	8.1	-	-	5.0	-	-	0.8	4.1	0.3	1.5	-	2.8	2
3	1.0	0.9	-	-	-	-	0.5	-	-	6.1	-	1.5	3
4	-	-	0.4	-	-	-	14.2	14.7	-	6.4	-	-	4
5	-	-	2.5	1.5	3.2	-	10.0	4.3	-	6.4	-	-	5
6	-	-	6.0	2.0	7.9	-	4.1	-	-	0.5	-	-	6
7	0.5	-	0.4	8.6	1.4	-	15.3	-	-	-	-	-	7
8	1.1	0.9	-	9.8	1.0	-	7.5	-	-	-	-	4.6	8
9	24.5	-	-	1.0	-	7.0	0.5	-	-	-	-	-	9
10	14.5	1.4	5.3	-	-	8.6	10.2	-	-	-	-	-	10
11	4.8	-	5.7	12.2	8.0	-	3.8	-	-	-	-	-	11
12	5.4	0.5	-	2.3	-	1.1	0.7	-	-	-	1.0	1.3	12
13	2.9	-	11.1	2.7	-	-	-	-	-	2.3	-	0.5	13
14	0.5	0.6	6.5	16.5	-	-	0.2	-	5.6	4.8	8.1	-	14
15	-	1.0	2.3	6.0	2.3	0.2	-	-	-	9.9	0.5	-	15
16	-	-	0.9	0.7	1.1	5.9	11.2	-	1.8	3.8	-	-	16
17	1.9	-	0.3	7.3	5.7	7.1	0.5	-	6.1	-	-	-	17
18	0.9	-	-	2.4	0.6	5.3	1.3	10.7	3.3	-	-	-	18
19	0.5	-	-	3.3	-	5.5	0.3	-	3.1	-	-	-	19
20	-	2.9	-	5.1	-	14.9	-	-	-	-	-	6.4	20
21	0.8	-	-	1.3	-	-	2.3	-	-	11.7	-	2.0	21
22	-	-	-	4.6	-	-	0.3	-	-	-	-	11.2	22
23	-	-	-	-	-	-	14.0	-	-	-	-	13.0	23
24	-	-	6.0	-	-	-	-	-	-	-	5.3	2.3	24
25	4.8	2.4	2.5	-	2.5	-	17.5	-	-	-	0.3	-	25
26	12.1	-	3.6	-	-	-	-	-	-	-	3.1	2.0	26
27	14.2	1.5	2.2	1.6	-	5.0	1.5	-	-	-	5.8	9.4	27
28	6.5	0.9	3.1	0.5	-	-	3.3	-	-	-	-	4.1	28
29	5.0	0.8	13.8	1.1	-	-	-	-	0.3	-	3.1	6.4	29
30	1.6	~~X~~	-	-	1.3	4.2	2.5	-	13.7	-	10.7	6.4	30
31	~~X~~	~~X~~	11.5	~~X~~	-	~~X~~	-	-	~~X~~	5.6	~~X~~	2.8	31

TOTAL 118.6 13.8 84.5 97.6 44.0 64.8 127.7 34.1 37.0 63.6 41.7 103.5 YEAR'S TOTAL 830.9

Days with 0.2 mm. or more 22 11 19 22 12 11 24 5 9 12 10 17 173

(14.28). W 1.58-2.500. 1011 Gp. 133. & E.W. 11 10 16 4 7 11 8 16 148

Oped from 3203.

REGIST

DEVON.
LYMPSTONE
"NEWLANDS"

Kept at Newlands, Ly
in the County of S. D.
by A. J. Mullin

1915, 1918, 1920.

FORM A.
BRITISH RAINFALL
1. APR 1916
3° 24' W
10 am
n Gauge 5 in.
ve Ground ft. 5 in.
Sea Level 250 ft.

IMPORTANT NOTE.—

the result entered to the
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												06	1
2												65	2
3												42	3
4												18	4
5												56	5
6												24	6
7												19	7
8												24	8
9												50	9
10												095	10
11													11
12													12
13												025	13
14												15 075	14
15												07	15
16												06	16
17												05	17
18													18
19													19
20												075	20
21												03	21
22												25	22
23												31	23
24												37	24
25												18	25
26												86	26
27												005	27
28												075	28
29												10	29
30		X										455	30
31		X		X		X			X		X	25	31
Total												7.05	YEAR'S TOTAL
Rain Days.													

REGIST

Kept at Newlands, Lympstone.
in the County of S. Devon
by A. J. Mullins.

Lat. 50 39 Long. 3° 24' W
Time of Observation 9.50 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 5 in.
" " " " Sea Level 250 ft.

FORM A.
BRITISH RAINFALL
11 APR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												06	1
2												65	2
3												42	3
4												18	4
5												56	5
6												24	6
7												19	7
8												24	8
9												50	9
10												095	10
11													11
12													12
13												025	13
14												75 075	14
15												07	15
16												06	16
17												05	17
18													18
19													19
20												075	20
21												03	21
22												25	22
23												31	23
24												37	24
25												18	25
26												86	26
27												005	27
28												075	28
29												10	29
30		X										455	30
31		X		X		X			X		X	25	31
Total												7.05	YEAR'S TOTAL
Rain Days.													

REGISTER OF RAINFALL IN 1918

Kept at Newlands - Lympstone

in the County of Devon

by A. G. Mullins

Lat. Long.
Time of Observation about 9 a.m.
Nearest Railway Station Lympstone 1 1/2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 5 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.22		.08				.81					1
2		.15						.03			.80		2
3		.15		.25						.02	.11		3
4								.17	.45		.83		4
5			.19					.47	.53	.10			5
6	.16	.04		.10	.38					.12	.35		6
7					.10				.25	.07		.67	7
8		.19								.28		.01	8
9				.03			.28		.41			.23	9
10	.07			.25			.29						10
11							.65		.25				11
12			.22	.03	.18				.02		.04	.37	12
13	.07						.41		.21				13
14	.27								.09			.13	14
15	1.07								.04			.20	15
16	.50		.02	.15					.24				16
17	.27				.20		.77					.27	17
18	.77					.80			.76				18
19	.18			.22					.02			.41	19
20	.08								.18				20
21			.09			.02			.26			.38	21
22					.16				.11			.08	22
23	.10						1.11	.03					23
24		.09									.19	.38	24
25				.50	.15		.12	.03	.14		.21		25
26		.12					.09					.07	26
27		.16									.16		27
28								.07	.12		.02		28
29			.20						1.30	.80		.02	29
30		X	.26						.03		.13		30
31		X	.08	X		X			X		X	.04	31
Total	3.54	1.12	1.06	1.61	1.17	.82	3.72	1.61	5.41	1.39	2.84	3.26	27.55
Rain Days.	I was unable to make record daily, but otherwise the record is correct - and it is correct as regards the months.												

REGISTER OF RAINFALL IN 192

Kept at Newland - Lympstonein the County of Devonby A. C. MellinsLat. See Ordnance map Long. 9 amTime of Observation 9 amNearest Railway Station LympstoneDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 2 ft. 50 in." " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.13	.35		.18	.06	.07	.04	.04	.42	1
2	.11			.14			.03	.01		.08		.08	2
3	.02			.13	from		from		.01	.25		.13	3
4				.08	2.0		2.0	.37		.14			4
5			.11							.24			5
6			.19	.03			h			.14			6
7					h		16"						7
8										.03		.15	8
9	.43	.05		.40	19.5	.32							9
10	.67		.02	.08		.26							10
11	.22		.11	.21		.03				.02			11
12	.10	.02	.06	.05		.08					.06		12
13	.15		.37							.10			13
14	.04	.03	.23	.62					.08	.16	.16		14
15				.38					.05	.56	.03		15
16							1.80		.23	.04			16
17		from		.13		.22			.14				17
18	.04	14"		.18		.18		.30	.03			.20	18
19	.02	h		.37	.82	.32		Rain in excess of max. line					19
20				.29		.16							20
21				.03			.03			.15		.22	21
22	.01			.09								.15	22
23	.22						.31	.08				.24	23
24			.18									.20	24
25	.22		.06				.52				.17	.08	25
26			.24				.02				.01	.13	26
27	.45		.10	.09		.10					.23		27
28	.62	29"	.11								.59	.25	28
29	.34	.30	.71				.08					.08	29
30	.07			.08		.18	.09		.48	.02	.15	.18	30
31	.04		.28							.47	.24	.30	31
TOTAL	3.55	.40	2.77	3.41	1.17	1.85	3.06	.82	1.09	2.44	1.68	3.06	YEAR'S TOTAL
Days with ".01 in. or more													25.20
Days with ".04 in. or more	Owing to my frequent absence from home I am not able to give these particulars.												

88 J

REGIST

DEVON.

LYNMOUTH

"ROCK HOUSE"

1911-1920

Kept at Lynmouth,
in the County of N. Devon
by J. H. Mead-Brigg

BRITISH RAINFALL FORM A2. 2/23
20 JAN 1912
in. _____
ound _____ ft. _____ in. _____
Level 22 ft. _____
e _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 11	in.	in. 01	in. 07	in. 08	in.	in.	in. 10	in.	in. 04	in. 05	in. 01	1
2				07	23			14		23	43	28	2
3			04	01	67			02	05	01	47	19	3
4			07		02			09			66	73	4
5	65		07					17		03	22	15	5
6	32		09					03			25	97	6
7	04										61		7
8	13		19								57	81	8
9	20		03								43	38	9
10	10	01	88		1.34							78	10
11	35		02		05				03		42	39	11
12			47						30		22	42	12
13					09				63		02	17	13
14		12	02								08	36	14
15	02	04			01	09					48	18	15
16		01				09				02	18	47	16
17	01	05	08	01		17	03				38	72	17
18		43	09	29		04				03	10	65	18
19		06		25		80			43	20	18	70	19
20		05	03	23				01	85	27		17	20
21		34				07		80	39	42		12	21
22	04	06	01	07		40			03	37		53	22
23		32				20		01	13	17		11	23
24	02	30				64		09		97		17	24
25	03	04		21		08		03	07	25		02	25
26	02	08		55	01		12	25	01	25		31	26
27		85	04	01				57	26	22		20	27
28		25	02	53		01		11			30	01	28
29				22		81	22	07	29	39			29
30						04	12			61	03	06	30
31							05			10		02	31
Total	2.04	3.01	2.16	2.52	2.50	3.44	5.4	2.49	3.47	4.58	6.08	10.08	TOTAL for year 42.91
No. of Rain Days	14	16	17	13	9	13	5	15	13	18	20	29	182

REGIST

20 JAN 1912
BRITISH RAINFALL
FORM A2
2/23

Kept at Lynmouth, Rock House
in the County of N. Devon NI
by J. H. Mead-Briggs

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 11 ft. 11 in.
" " " Sea Level 22 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 11	in.	in. 01	in. 07	in. 08	in.	in.	in. 10	in.	in. 04	in. 05	in. 01	1
2				07	23			14		23	43	28	2
3			04	01	67			02	05	01	47	19	3
4			07		02			09			66	73	4
5	65		07					17		03	22	15	5
6	32		09					03			25	97	6
7	04										61		7
8	13		19								57	81	8
9	20		03								43	38	9
10	10	01	88		1.34							78	10
11	35		02		05				03		42	39	11
12			47						30		22	42	12
13					09				63		02	17	13
14		12	02								08	36	14
15	02	04			01	09					48	18	15
16		01				09				02	18	47	16
17	01	05	08	01		17	03				38	72	17
18		43	09	29		04				03	10	65	18
19		06		25		80			43	20	18	70	19
20		05	03	23				01	85	27		17	20
21		34				07		80	39	42		12	21
22	04	06	01	07		40			03	37		53	22
23		32				20		01	13	17		11	23
24	02	30				64		09		97		17	24
25	03	04		21		08		03	07	25		02	25
26	02	08		55	01		12	25	01	25		31	26
27		85	04	01				57	26	22		20	27
28		25	02	53		01		11			30	01	28
29				22		81	22	07	29	39			29
30						04	12			61	03	06	30
31							05			10		02	31
Total	2.04	3.01	2.16	2.52	2.50	3.44	54	249	3.47	4.58	6.08	10.08	42.91
No. of Rain Days	14	16	17	13	9	13	5	15	13	18	20	29	182

82
✓
REGISTER OF RAINFALL IN 1912

25 JAN 1913
FORM A2
BRITISH RAINFALL

Kept at Lynmouth, Rock House
in the County of North Devon **NI**
by J. H. Mead-Briggs

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			41		04	43	04	03	16	98		33	1
2			56	07		83	08				04		2
3	04		29	01	02	03	08	1 19	16			02	3
4	56		1 25		04	07		15			29		4
5	90	04	21		03			20			01	05	5
6	46	09	01		15			12				07	6
7	05	41	19		04	45	08	49				07	7
8	37	10	21	02		24	03	15	06				8
9	09	29	03	02		70	02	1 56			01	56	9
10	27	03	01			09	02	09			29	01	10
11		05									06	83	11
12	07	32	14	01	07		05					10	12
13	16							13		06		35	13
14	20	01	57		08			46		02		08	14
15	33	02	06		07	1 26		03				77	15
16	30		35		01	02		24		13	01	23	16
17	26		29		01	10		45				79	17
18	02	03	48					28		28	02	17	18
19	01	22	10				01	69		02	03	03	19
20	02		52		10			24		64	07		20
21		10	44		42		01	25		30			21
22	32	43	14		01		18	45		03	01	08	22
23	45	57	22			1 48		66		41	19	32	23
24	01	03	05			28				20	01	20	24
25		01	01			24	01	36		16	70	61	25
26		18	01					05		53	1 15	39	26
27		01	02			52	50			1 15	15	79	27
28		14	01			24	72	89	13	38	43	56	28
29		17	01			32	85	35	39	36	01	15	29
30			09		09	03	23		01	66		03	30
31			32				13	08		02		11	31
Total	4 89	3 25	7 00	13	1 18	7 33	3 04	9 59	91	6 33	3 48	7 70	TOTAL for year
No. of Rain Days	20	21	29	5	15	18	17	25	6	15	18	26	54 83
													218

REGISTER OF RAINFALL IN 1913

Kept at Lynmouth, Rock House
in the County of R. Devon
by J. H. Mead Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level 22 ft.

28 JAN 1914
BRITISH RAINFALL
FORM A.
2/21

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	28	43	11					07	26	28	92	1
2	04	36	08	20	11				01	02	21	03	2
3	10	01	09		13	02					03	32	3
4	1.02		15	06		01	08		12	05	08	23	4
5	23	07	09		11	44	09		12		68	37	5
6	08	17	28		03	24	03			36	16	43	6
7	02	60	10		55	30	04			59	14	02	7
8	01	32			34	02		09		17	01	02	8
9		06	09	05	37	35	01	05	11		31	10	9
10	77		11		13	02		06		34	11	01	10
11	67			20	07	10		04	04	10	83	05	11
12	26			01	10	01	01		02		57	01	12
13	02		45	01		01	03	20	52		15		13
14	30		04	02			02	01	10	24	34	01	14
15	24		61	1.82					01		16	08	15
16	37		91	10			01		01		05		16
17	27		04	11			04				20		17
18	15		32	20	01		04				33		18
19	42		01		08	07	09		15	30	05		19
20	71		33	08					06	20	68		20
21			18	16	12		05	03		02	39		21
22	1.00		1.70	02	01	14	01	32	11				22
23	02					01		35	04		26	34	23
24	09	09		28				01			05		24
25				50		01			07	01	11	20	25
26				1.03				01	03		06	58	26
27	07		12	35						39	01	04	27
28	07		10	32						47	04	08	28
29			43	17	08			05		26	04		29
30	76			02	03					54	14		30
31	20		41		39			05		01			31
Total	7.91	1.96	7.07	5.82	2.66	1.75	55	1.27	1.59	4.33	6.47	3.84	45.22
Rain Days.	26	9	23	22	17	15	14	13	17	18	29	19	22.2

23 JAN 1915

FORM A.
BRITISH RAINFALL

2/21

21
✓
22
✓^{only 15-19-14-15}
REGISTER OF RAINFALL IN 1914

Kept at Rock House, Lynmouth
in the County of N. Devonshire **N1**
by J. H. Mead-Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 11 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.04	.08		.13	.20	.50			.13	.18	1
2				.01	.01	.01	.42	.10			.13	.62	2
3	.02		.29	.27	.69			.02		.01		.14	3
4	.48		.08	.36	.12		.16	.25			.46	1.27	4
5	.09		.38	.50	.02		.03	.02			.03	.13	5
6		.09	.15	.10	.05		.30	.23			.19	.48	6
7	.03	.48	.38	.25	.29	.36	.32	.12	.04			.24	7
8	.10		.96	.01	.20	.38	.01	.04				.34	8
9	.34	.02	.20	.29	.17	.88		.20	1.60				9
10	.15	.60	.08	.80	.11	.05			.30		.03	.04	10
11		.24	.91		.08	.25			.04		.05	.35	11
12		.80	.06						.22	.04	.19	.31	12
13		.70	.52				.06		.39	.19	.27	.11	13
14		.78	.77				.01	.67	.01	.08	.40		14
15		.02	.26					.22	.12	.01	.61	.07	15
16	.02	.02	.02				.02		.18			.04	16
17		.48	.28				.02		.01			1.16	17
18		.13	.47						.04	.01		.71	18
19		.22	.32				1.59		.07		.04	.24	19
20		.57	.06									.12	20
21		.37	.02				.14			.10		.04	21
22		.07	.02	.03	.05	.39	.02	.16		.19			22
23		.09	.08			.01	.04	.03		.10		.01	23
24		.01	.13			.03	.05	.19		.01	.19		24
25	.33		.48				.23	.61		.42	.02	.33	25
26	.05	.02	.07				.09	.10		.06	.50	.51	26
27	.04									.80	.68	.44	27
28	.04	.08	.08		.10					.75	.19	.70	28
29	.39		.50		.09					.04	.37	.17	29
30	.02		.13							.35	.98	.54	30
31	.26		.01		.11		.20			.64		.20	31
Total	2.36	5.81	7.75	2.70	2.09	2.49	3.91	3.46	3.02	3.80	5.46	9.49	52.34
Rain Days.	15	21	29	11	14	10	19	16	12	17	19	27	210

82 ✓ REGISTER OF RAINFALL IN 1915

1942
2/21
FORM A.
BRITISH RAINFALL

Kept at Rock House, Lynmouth
in the County of N. Devon
by J. H. Mead-Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	47	12	01		14			67	26	30		14	1
2	29	29	18	13		03		17	03	01		18	2
3	01	06	08	28	05		13					42	3
4	04	64	01	01	09		09					86	4
5	31	59		13				12				42	5
6	31	05		45			22	07				26	6
7	45	89		03			24	03		10	03	53	7
8	35	48						12		02	30	03	8
9	02	51		09				06			55	77	9
10	30	26	16	07		08		11			01	02	10
11	02	04	01		02			01		11	1.21	10	11
12	15	34		01	40			02		04	36		12
13	02	50			69		09	07	11	01	17	09	13
14	15		01				07	09	05			95	14
15	45				25		16	03	10	07	59	09	15
16	01	1.10		02	08		65		03	01			16
17	05	39			02						01		17
18	01	48											18
19	02	02		12	05		34						19
20	62	02		08		01				12		05	20
21	30	53			13	04	12		04	41		40	21
22	04	02	12	07		10	64		01	06		49	22
23	07	12	07			07	07			68		82	23
24	01		01	04			03		02	28		58	24
25			03	01		24	63					25	25
26		29				38	15		06			51	26
27		06				17	08			64		07	27
28		07				02		06	39	18		01	28
29						30		01	03	03	16	07	29
30	29	X		01		07				53	48	54	30
31	01	X		X		X	04	35	X	31	X	31	31
Total	4.77	7.87	69	1.55	1.92	1.51	3.75	1.99	1.13	3.91	3.87	8.96	41.92
Rain Days.	26	24	11	16	11	12	17	16	12	19	11	26	201

REGISTER OF RAINFALL IN 1916

Kept at Rock House, Lynmouth
in the County of N. Devonshire
by J. H. Mead-Driggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07		02		08	25	32		01	43	04		1
2	95	04	28		04				13	65	11		2
3		1.68		01	21	04	06		05	39	11	01	3
4	60	36		02	20	50			04	02	26	01	4
5	05	15	05		12	04			01	15	38		5
6	13	40			23	01	40			35	57		6
7	03	21			28	01				01	60	25	7
8		33	02		11	02					35	05	8
9		06			03	05	03			07	05	29	9
10		57	01	18	02					04		10	10
11			02	40	04	01			01	01			11
12	02	13	02	04	38		19	05		28			12
13		70	05	04	01			36	02	03			13
14	08	75	10		09			25		30		01	14
15	05	46	02	14			01	33		03			15
16	02	03		38	01		03	45	02	12			16
17	21	23		03				01	80	08	34		17
18		40	18	03					12	14		10	18
19	35	03	07	20							18	02	19
20	17	48	21								14	37	20
21	21	15	38	02	04	07					03	19	21
22	01		01		02	05		09		30	02	55	22
23	09	08		04		16		16		05	29	20	23
24	01	04	10	05	33			11		49	02	15	24
25	01	18	40			01		31	02	13	25	01	25
26	04		14		01	08		03	65	40	01		26
27	09		1.16			02		06	28	80			27
28		28				01		01	09	45		59	28
29		46	02			41		1.35	09	72		59	29
30		X	01			02		01	01	80		01	30
31		X		X		X		15	X	36	X	04	31
Total	3.19	8.20	3.27	1.58	2.25	1.76	1.04	3.73	2.35	7.60	3.75	3.54	42.26
Rain Days.	20	24	21	14	19	18	7	16	16	27	18	19	219

REGISTER OF RAINFALL IN 1917

Kept at Rock House, Lynmouth
in the County of N. Devonshire
by I. H. Mead-Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.41	.21		.25		.87	.20		.02	.02	1
2	.03		.04	.18		.16		.02		.10	.05	.01	2
3	.05	.10		.13		.01	.53			1.44	.40		3
4	.01		.24	.01		.01	.03	.02	.02	.17	.01	.02	4
5	.34		.69	.22		.35			.04	.21	.16		5
6			.07	.01		.02				.20	.51	.05	6
7	.20						.09	.10		.27	.04	.03	7
8	.03		.10	.13		.19	.33	.63	.02	.54	.40	.24	8
9			.03		.05		.01	.07	.01	.52	.12		9
10	.18		.17	.52	.17			.13		.10	.02		10
11	.02		.10	.38				.03		.37	.18		11
12	.02	.04	.01	.02	.39	.02		.04		1.12		.01	12
13	.09		.20	.44		.10		.56	.34	.02	.01	.03	13
14				.05			.04	.06	.14	.14		.04	14
15	.01			.02	.03		.07		.01	.34		.34	15
16		.06		.02		.10	.03			.05	.06	.37	16
17	.01		.01	.03	.02		.21	.20	.21	.14	.04		17
18		.01		.03	.01	.02	.55	.10	2.06	.02	.01		18
19	.02	.34	.05	.01		.40		.07	.01		.01		19
20		.10	.02		.56	.23			.03		.01	.05	20
21		.02	.06		.01	.07		.09		.06	.03		21
22					.12			.53		.23	.01		22
23		.21			.09	.02		.70		.13	.02	.01	23
24		.01			.01	.11	.14	.12		.41	.08		24
25		.07	.01				.01	.59		.28	.06		25
26		.01			.22	.03		.50	.27	.27	.09		26
27		.01			.13	.10	.01	.91	.01	.40	.01		27
28		.18	.11		.08	2.31	.02	.28	.01	.04	.02		28
29			.09		.01	.33	.02	.02		.60	.02	.31	29
30		X	.07			.01	.02	.39		.17	.04		30
31		X	.02	X	.26	X		.29	X	.14	X		31
Total	1.02	1.16	2.50	2.11	2.16	4.84	2.11	7.32	3.38	8.48	2.43	1.53	39.04
Rain Days.	14	13											
	15	12	20	17	16	21	16	25	15	28	27	14	226

REGISTER OF RAINFALL IN 1918

Kept at *Rock House, Lynmouth*

in the County of *N. Devonshire*

by *J. H. Mead-Driggs*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
23-110

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08		.15	.03			1.32	.03	.01	.62		1
2		.18		.04				.29	.01		.02	.48	2
3	.01	.17		.10	.07				.10	.09	.37		3
4		.12						.04	.13	.23	1.22	.58	4
5		.02	.10	.36	.02			.40	.57	.64	.17	.02	5
6	.21	.95		.16					.04	.23		.10	6
7		.34		.05	.26	.04			.67	.35	.57	.12	7
8	.03	.12				.10			.39	.23	.02	.05	8
9	.17	.08		.06		.07	.12		.61	.06	.09	.35	9
10	.06	.05		.19			.76		.58	.22	.04	.68	10
11	.12	.12	.13	.04			.11		.36	.10	.16	.32	11
12	.03	.10	.23		.21	.01	.11		.04		.01	.02	12
13	.12	.02							.62	.02		.44	13
14	.70		.02		.02	.18	.46	.01	.45	.13		.18	14
15	1.55			.02		.03	.37		.04	.14		.64	15
16	.36			1.00		.06	.01	.04	.14			.21	16
17	.45			.25			.21	.07	.13			.45	17
18	1.45		.03			.68	.06	.03	.47	.17		.44	18
19	.09	.05	.08	.09			.16	.01	.16	.10		.14	19
20	.24	.15		.05		.01	.28		.29	.12			20
21	.09			.02	.04	.04	.04		.71	.04		.16	21
22	.03				.26		.31		.60	.01		.47	22
23	.06	.02			.10	.06	.45		.02			.15	23
24	.01	.23					.23	.10	.40		.15		24
25					.25		.84	.69		.03	.09	.02	25
26		.09		.01	.01		.11	.02	.22	.01	.20	.51	26
27		.19	.36					.17	.69		.48	.10	27
28		.07	.10						.10		.35	.25	28
29			.08						1.24			.09	29
30		X	.74					.03		.05	.10	.22	30
31		X	.57	X		X		.01	X	.01	X		31
Total	5.78	3.15	2.44	2.59	1.27	1.28	4.63	3.23	9.81	2.99	4.66	7.19	49.02
Rain Days.	19	20	11	16	11	11	17	15	28	22	17	26	213

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at: Rock House, Lynmouth
in the County of N. Devonshire
by T. H. Mead-Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	46		07		(18)		23		12	14		97	1
2	46		08		03		02		09	17		40	2
3			12		05						04	73	3
4	47	11	20					05	25			05	4
5	03	29	80			07			04		02	62	5
6	29	08	37									13	6
7	21		69	09									7
8	23		14	08		08							8
9	46		01	09	17						1.12		9
10	23		1.18		06					10	01	08	10
11	29		18	13	15	04	24					10	11
12	09		15			64				25	13		12
13	22		06	51			02		09	01		19	13
14	77			65	20				06			09	14
15	34	01		12						10		64	15
16	23	75									16		16
17		88				03		02			49		17
18	17	04	40				11	48	19		36	03	18
19	21	06	26			14	05	66	40		31	05	19
20	20	15	38			02		02	11		01	17	20
21	06	84	01				23	01	02			14	21
22		10				01	09		41		02	08	22
23										15	09	16	23
24				02		17				83	34	39	24
25	21							45	02		14	09	25
26	19		19	63		01		17	28	07		66	26
27	27		02	08			04	39				08	27
28			27	11		15		02			21	60	28
29	05			10				10		05	05	25	29
30	02	X	18	25				20			52	55	30
31	01	X	25	X		X	06		X		X	44	31
Total	6.17	3.31	6.01	2.86	.82	1.36	1.09	2.57	2.08	1.87	4.02	7.69	38.85
Rain Days.	25	11	22	13	7	11	10	12	13	10	17	25	176

REGISTER OF RAINFALL IN 1920.

Kept at Lynmouth, Rock House
in the County of N. Devonshire
by L. H. Mead Briggs

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02	11									1
2	16			38									2
3	09	13		08									3
4			01										4
5			09	03									5
6			52										6
7	08			15									7
8	10	14		46									8
9	74	20	03	29									9
10	180	48	03	18									10
11	25	02	35	27									11
12	44	12	10	10									12
13	10	06	77	20									13
14	04	01	45	76									14
15	03	22	01	59									15
16			02	01									16
17	15			03									17
18	33		03	01									18
19	03	17		85									19
20	04	03		23									20
21				04									21
22	06												22
23													23
24		06	38										24
25	06	08	18										25
26	60		39										26
27	70	12	25	31									27
28	64	02	39										28
29	51		37	02									29
30	45	~~X~~	01	01									30
31	41	~~X~~	38	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	31
TOTAL	7.81	1.86	4.78	5.11									YEAR'S TOTAL
Days with 01 in. or more	23	15	21	22									

REGIST

DEVON.

Kept at *Gwynnallt*
in the County of *Devon*
by *A. L. Fors*

LYNMOUTH
"GWYNALLT"

1911-1920

Lon. *2-JAN-1912*
ervation *8.30. a.m.*
8 inch
above Ground *8 inch*
Sea Level *284 feet*

NOTE.—Full instructions respecting the method of the Rainfall," which is sent post-free on application to *EDWARD STANFORD, LONG ACRES, W.C.* at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12			7	8		4	10		3	5	2	1
2					30			19		22	41	34	2
3			5	7	68			2	5	6	52	17	3
4			7	1	1			3			73	90	4
5	73		7	23				27		3	23	14	5
6	43		11					3			23	132	6
7	5										57		7
8	15		15								49	89	8
9	24		2								45	46	9
10	11	2	115		145							88	10
11	38		2		5				2		43	39	11
12			44						20		27	45	12
13					8				73		4	27	13
14		14								1	5	45	14
15	2	4			1	9					63	18	15
16		3	2			11				1	20	63	16
17		8	9	2		19	3				40	92	17
18		49	12	45		8				3	6	89	18
19		5		27		88			40	21	14	71	19
20		6	2	38				1	96	29		23	20
21		44		1		9		86	25	67		11	21
22	3	8		9		39			3	36		57	22
23	1	28		1		20		1	14	19		15	23
24	3	38				57		10		91		18	24
25	8	6		23		7		2	8	26		5	25
26	2	9		60	1		11	25		25		33	26
27		93	5	1				59	23	28		24	27
28		31	1	55		2		11			30	3	28
29				22		84	29	6	27	50		1	29
30						7	19			59	3	6	30
31							3			11		2	31
Totals	2.40	3.48	2.39	3.22	2.67	3.60	0.65	2.65	3.36	5.01	6.23	11.99	47.65
Total from Jan. 1	2.40	5.88	8.27	11.49	14.16	17.76	18.41	21.06	24.42	29.43	35.66	47.65	

REGIST

Kept at Gwynnallt Llynmouth
in the County of Sevon N. 1
by A. L. Ford

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 8.30. a.m.
Diameter 8 inch
Height of top above Ground 8 inch
" " Sea Level 284 feet

NOTE.—Full instructions respecting the measurement of rain are given in “Arrangements respecting the Systematic Observation and Record of the Rainfall,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12			7	8		10		3	5	2		1
2					30		19		22	41	34		2
3			5	7	68		2	5	6	52	17		3
4			7	1	1		3			73	90		4
5	73		7	23			27		3	23	14		5
6	43		11				3			23	132		6
7	5									57			7
8	15		15							49	89		8
9	24		2							45	46		9
10	11	2	115		145						88		10
11	38		2		5				2		43	39	11
12			44						20		27	45	12
13					8				73		4	27	13
14		14								1	5	45	14
15	2	4			1	9					63	18	15
16		3	2			11				1	20	63	16
17		8	9	2		19	3				40	92	17
18		49	12	45		8				3	6	89	18
19		5		27		88			40	21	14	71	19
20		6	2	38				1	96	29		23	20
21		44		1		9		86	25	67		11	21
22	3	8		9		39			3	36		57	22
23	1	28		1		20		1	14	19		15	23
24	3	38				57		10		91		18	24
25	8	6		23		7		2	8	26		5	25
26	2	9		60	1		11	25		25		33	26
27		93	5	1				59	23	28		24	27
28		31	1	55		2		11			30	3	28
29				22		84	29	6	27	50		1	29
30						7	19			59	3	6	30
31						3				11		2	31
Totals	2.40	3.48	2.39	3.22	2.67	3.60	0.65	2.65	3.36	5.01	6.23	11.99	47.65
Total from Jan. 1	2.40	5.88	8.27	11.49	14.16	17.76	18.41	21.06	24.42	29.43	35.66	47.65	

REGISTER OF RAINFALL IN 1912

Kept at Gurish of Courtisbury
Gwynnallt
Lymington
 in the County of Devon NI
 by A. L. Ford

Pattern Snowdon
 RAIN Diameter of top 8 in.
 GAUGE Height of top above Ground 8 ft. 8 in.
 " " " Sea Level 284 ft.
 Time of Observation 8.30 am
 Nearest Railway Station { Name Lymington
 Distance 3 miles Direction S.W.
1 mile across the moor by road

FORM A2.
 BRITISH RAINFALL
 8. JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			47		5	43	3	3	17	107		38	1
2			~~76~~ 2	8		82	8				4		2
3	8	2	~~12~~ 28		1	5	7	124	21			3	3
4	64	2	~~15~~ 0	1	4	6		14			31		4
5	101	4	~~24~~ 100		3			20			1	7	5
6	55	11	~~1~~ 2		14			13				8	6
7	4	58	19		10	44	7	48				9	7
8	49	13	~~28~~ 7	1		25	4	14	5				8
9	10	32	~~4~~ 28	4		73	2	139			2	60	9
10	31	4	~~1~~ 2			8	3	20			27	1	10
11	1	7	~~7~~				1				5	87	11
12	7	32	16	1	12	1	5					16	12
13	18		~~16~~					11		8		54	13
14	23	1	63		6			45		2		17	14
15	40	2	~~15~~ 4		7	124		3				81	15
16	28		~~4~~ 38		1	1		28		17	1	23	16
17	34		~~38~~ 27		2	14		50				71	17
18	3	3	~~28~~ 46					28		31	2	19	18
19	1	26	~~4~~ 13				1	71			3	5	19
20	3	1	~~13~~ 56		8			26		61	8		20
21		10	~~5~~ 48		44		1	25		25			21
22	33	52	~~18~~ 14				16	47		4	3	10	22
23	48	56	~~12~~ 45			153		75		36	19	34	23
24	2	3	~~1~~ 9			~~2~~ 35		1		23		19	24
25		1	~~1~~ 1			29	1	36		13	75	58	25
26		20	~~1~~ 1				1	5		67	114	47	26
27		1	~~1~~ 4			64	49			136	15	88	27
28		16	~~1~~			~~24~~ 57	67	104	17	41	46	56	28
29		18	3			27	88	37	43	42		19	29
30			8		9	2	18			61		4	30
31			31				16	8		1		16	31
Total	5.63	3.75	7.91	0.15	1.26	7.60	2.98	9.95	1.03	6.75	3.56	8.50	TOTAL for year 59.07
No. of Rain Days	21	24	28	5	14	19	19	26	5	17	16	26	220

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
3- JAN 1914

Kept at Gwynneth Lymington
in the County of N Devon
by A. L. Ford

RAIN GAUGE { Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground — ft. 8 in.
" " " Sea Level 284 ft.
Time of Observation 8.30
Nearest Railway Station { Name Lymington
Distance 3/4 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~8.51~~ 27	53	11							29	25	94	1
2	5	36	10	23	12				1	1	22	8	2
3	15		16		16	2					23	37	3
4	100		22	5			3		15	4	8	23	4
5	26	9	9		15	42	16		16		65	34	5
6	13	17	29		2	26	1			41	17	48	6
7	2	69	10		59	33	3	6		59	18	1	7
8	1	38			41	3			15	16		3	8
9		6	16	5	49	39	1	4			36	13	9
10	85		14		12	3		6		32	7		10
11	80		2	20	5	11		4	3	9	98	9	11
12	26			1	14	2	1		2		56	1	12
13	2		52	3		1	3	20	49		16		13
14	33		73				1		7	24	33	2	14
15	22		69	1.85							17	9	15
16	33		88	10			1		1		7		16
17	25		2	11			6				22		17
18	16		38	25	1		2				26		18
19	52		2		10	6	11		18	33	5		19
20	58		32	11					6	20	66		20
21			17	14	16		6	4		1	45		21
22	111		118	2	3	16	1	32	10				22
23	2					1		31	5		26		23
24	12	9		28							5	32	24
25				47				3	8	1	14	25	25
26				136					3		6	61	26
27	7		12	36						43		4	27
28	9		8	45	7					47	5	10	28
29			46	17	3			5		34	7		29
30	94			2	1					56	17		30
31	20		37		38			8					31
Total	8.51	2.11	7.75	6.37	3.04	1.85	0.56	1.23	1.59	4.50	6.92	4.14	TOTAL for year 48.57
No. of Rain Days.	26	8	24	21	18	13	14	11	15	17	27	18	212

REGISTER OF RAINFALL IN 1914

Kept at Gwynnalt Llynymor (Countisbury)
 in the County of Devon NI
 by A. L. Ford

Pattern Snowdon
 RAIN Diameter of top 8 in.
 GAUGE Height of top above Ground — ft. 8 in.
 " " " Sea Level 284 ft.
 Time of Observation 8.30 am
 Nearest Railway Station { Name Lynston
 Distance 1 mile as crow flies
 Direction SW
3 miles by road

FORM A2.
 BRITISH RAINFALL
 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.20

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2	3	8		14	25	53			19	16	1
2	1				1		38	10			20	73	2
3	2		31	25	81			1		2		14	3
4	44		13	42	13		17	25			47	136	4
5	12		41	55	2		2	1			2	15	5
6		11	18	11	6	1	22	24			19	60	6
7	3	64	45	26	34	32	42	13	4			15	7
8	14		97	2	18	34		6				44	8
9	40	1	21	30	14	89		19	161				9
10	15	78	5	72	15	6			36		4	4	10
11		26	111		7	27			4		7	39	11
12		102	7						25	4	12	35	12
13		80	58				7		49	24	31	11	13
14		81	79				1	74		9	41		14
15		2	30					25	15	1	77	6	15
16	1	1	1				2		24			5	16
17		52	33				2		2			117	17
18		12	44						6	1		74	18
19		22	38				168		6		4	25	19
20		62	4									13	20
21		44	3				11			10		5	21
22		7	3	6	5	38	1	18		22			22
23		9	10			2	4	2		12			23
24			14			3	4	19			18		24
25	32		44				19	67		51	2	44	25
26	3	1	16					9		6	49	72	26
27	3									71	45	52	27
28	3	8	10		9					82	46	66	28
29	48		56		10					1	48	16	29
30	3		25							47	95	75	30
31	27				10		21			68		20	31
Total	2.51	6.65	8.60	2.77	2.25	2.46	3.86	3.66	3.32	4.11	5.86	10.52	TOTAL for year
No. of Rain Days.	16	20	28	10	14	10	17	16	11	16	19	26	56

REGISTER OF RAINFALL IN 1915

Kept at Gwynnallt Lymmouth
in the County of Devon
by A. L. Ford

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Lynnton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 284 ft.

1941
FORM A.
BRITISH RAINFALL
7 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.41

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	59	16			16			65	24	34	1	14	1
2	32	31	24	14		2		26	2	1		19	2
3	1	4	11	33	5		13					40	3
4	3	68	3	10	8		9					94	4
5	32	70	1					18				48	5
6	37	5		60			22	8				27	6
7	40	85		3			22	4		8	3	53	7
8	43	58						11		2	22	1	8
9	1	45		8				3			68	85	9
10	46	27	16	7		8		9		7		3	10
11		4	3		2					10	132	11	11
12	18	40		2	41			1		5	29	1	12
13	5	60			86		8	4	10		16	8	13
14	23		1				8	10	5			116	14
15	47				26		17	1	11	9	56	12	15
16		163		2	8		67		2				16
17	4	52			3								17
18		52											18
19	2	2		9	7		33						19
20	64	1		12		1				13		4	20
21	24	40			14	4	15		5	39		40	21
22		9	13	7		9	61		1	6		53	22
23	11	10	9			7	13		1	70		72	23
24			1	4			2		3	32		69	24
25			4			28	63					30	25
26		42			2	41	20		5			60	26
27		6				18	8			75		8	27
28		5				1		5	41	18			28
29						29		1	4	3	17	7	29
30	26	X				7				59	48	55	30
31		X		X		X	3	34	X	35	X	41	31
Total	5.18	8.95	0.86	1.71	2.18	1.55	3.84	2.00	1.14	4.26	3.92	9.71	45.30
Rain Days.	20	24	11	13	12	12	17	15	13	18	10	26	191

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Gwynnallt Llynmouth
Countisbury Parish
in the County of Devon
by A. L. Ford

Lat. _____ Long. _____
Time of Observation 8.30
Nearest Railway Station Lynnton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 8 in.
" " " " Sea Level 284 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	9		3		8	28	34		1	43	5	2	1
2	107	5	30		4		1		15	68	10	1	2
3		192		1	16	3	5		6	43	21		3
4	66	41		1	28	58			4	2	33		4
5	7	20	5		15	5				20	32		5
6	22	44			26	1	41			42	76		6
7	4	17	1		25	1					60	25	7
8		33			12	2					30	5	8
9		7			2	5	3			7	5	31	9
10		63	2	18						5		10	10
11			3	39	5	2			2	1			11
12	2	16		8	35		22	4		35			12
13		65	7	4				34	2	7			13
14	10	90	10		11			23		29			14
15	7	61	3	15			1	27		2			15
16	1	2		48	1		3	52	2	7			16
17	27	23		5					81	15	37		17
18	1	46	15	4					9	15	18	9	18
19	41	3	13	21							17	1	19
20	28	51	22								15	36	20
21	30	19	42	3	6	2					2	24	21
22	1		1		1	5		3		25	3	67	22
23	10	17		6		15		21		15	43	21	23
24		9	8	9	31			5		61	4	20	24
25		13	43			1		33	3	12	26	1	25
26	6	1	15			7		3	67	47	1		26
27	11		136			1		5	30	89			27
28		23				1		2	9	49		70	28
29		39				47		140	10	76		66	29
30		X	3			2				71		2	30
31		X		X		X		15	X	38	X	10	31
Total	3.90	9.00	3.62	1.82	2.26	1.86	1.10	3.67	2.41	8.24	4.21	4.01	46.10
Rain Days.	19	25	19	14	16	18	8	14	14	26	19	18	210

REGISTER OF RAINFALL IN 19/7

Kept at Gwynnath
County of Symon
 in the County of Sevon
 by A. L. Ford

Lat. _____ Long. _____
 Time of Observation 8.30 a.m.
 Nearest Railway Station Synton
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground - ft. 8 in.
 " " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			45	22		39		84	28	10	4	1	1
2	1		2	17		19		2		127	6		2
3	4	9		14			52			127	43		3
4	12	10	26				4	2	3	40		3	4
5	34		55	25		38			4	22	20		5
6	1		10			2				18	52	5	6
7	22						11	8		27	4	3	7
8	2		12	13		16	35	68	2	58	42	22	8
9			4	1	5			7		50	11		9
10	22		21	48	16			18		38	2		10
11	2		11	30				4		38	20		11
12	4			1	35	1		7		121		2	12
13	15		21	14		8		51	36	15		4	13
14				8				6	18	39	1	4	14
15	3			1	4		9			39		32	15
16		4		5		10	3			5	6	41	16
17	3	1	2	30	1		20	23	23	13	4		17
18				3	1	2	66	9	192	1	1		18
19	3	36	2			39		3	2				19
20		15	1		57	26		2	5		1	5	20
21		2	4			6		11		6	2		21
22					17			65		26		1	22
23		23			10	4		73		7	5	2	23
24						9	13	20		45	8		24
25		7	1				3	28		33	3		25
26					23	1		83	29	28	11		26
27					13	12	2	90		39	1		27
28		15	14		9	241	1	26		4	2		28
29			8			40	2	2		68	4	38	29
30		X	7				1	40		20	5		30
31		X	2	X	17	X		27	X	16	X		31
Total	1.28	1.22	2.48	2.32	2.08	5.13	2.22	7.59	3.42	8.82	2.58	1.63	40.77
Rain Days.	14	10	19	15	13	18	14	26	11	28	24	14	206

REGISTER OF RAINFALL IN 1918

Kept at Gwynnallt Lymington
in the County of N Devon
by A L Ford

Lat. _____ Long. _____
Time of Observation 8.30 am
Nearest Railway Station Lymington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 284 ft.

Jan. 1, following.

0.00

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	9		10	5			109	2		69		1
2		17		8				55	1	1	2	55	2
3		24		11	7				10	10	25	1	3
4		11							8	20	154	66	4
5		1	10	12	2			4	62	65	16	2	5
6	22	104		43				43	5	29		10	6
7		37		3	26	4			59	34	63	10	7
8	16	15							42	27	2	7	8
9	10	8		5		16	11		65	13	8	37	9
10	6	5		32			71		54	21	5	76	10
11	13	19	14	6			13		36	7	17	35	11
12	1	12	25		23	1	12		3			4	12
13	23	2				1			54	4		52	13
14	67		2		3	18	44	2	51	12		19	14
15	170			1		2	41		2	13		66	15
16	35			90		7		5	18			20	16
17	48			30			11	8	14			42	17
18	156		2			78	16	3	42	19		44	18
19	12	5	10	7			18	6	16	9		13	19
20	29	16		6		3	24		30	13			20
21	11			1		5	2		67	4		17	21
22	3				22		33		54	2		45	22
23	8	1			26	4	52		6		1	15	23
24		20				2	19	8	42		17	1	24
25					35		57	70		5	10	2	25
26		10		1	2		44	1	27	2	19	58	26
27		17	5					19	70		48	13	27
28		6	42						7		37	32	28
29			8						124			10	29
30		X	73					4		9	11	24	30
31		X	61	X		X		2	X		X		31
Total	6.32	3.39	2.52	2.66	1.51	1.41	4.68	3.39	9.71	3.19	5.04	7.76	51.58
Rain Days.	18	20	11	16	10	12	16	15	28	21	17	28	212

REGISTER OF RAINFALL IN 1919

Kept at Gwynnallt Lymington
in the County of Devon
by A L Ford

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Lymington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 284 ft.

FORM A.
BRITISH RAINFALL
5 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.45

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	54		9		20		18		9	16		98	1
2	43		9		3		3		15	14	1	35	2
3			15		6						5	80	3
4	42	12	22			6		5	30			3	4
5	3	32	89						3		3	64	5
6	33	9	33		2							14	6
7	22		82	9									7
8	24		16	8		8							8
9	51		2	9	17						119	2	9
10	24		116	3	6					8	1	8	10
11	26		23	16	20	3	22					14	11
12	9		10	3		73					13		12
13	23		6	53			3		11	26		24	13
14	83			71	20				9			11	14
15	36	1		9						9		58	15
16	24	78									16		16
17		72				5					53	2	17
18	11	8	42					53	18		34	5	18
19	34	8	28			16	12	70	38		39	6	19
20	23	19	38			5	6	10	10			19	20
21	7	89	3				30		1			13	21
22		13				2	9		46		4	11	22
23									1	17	11	17	23
24						18			4	100	31	40	24
25	21			2		3		44	1		16	5	25
26	18		22	18		2	1	16	32	5		76	26
27	27		3	53			5	36				8	27
28			33	10				5			22	60	28
29	8		2	10				9	1	6	9	26	29
30	4	X	34	25		15		22		1	67	64	30
31	3	X	8	X		X	6		X		X	45	31
Total	6.53	3.41	6.45	2.99	0.94	1.56	1.15	2.70	2.29	2.02	4.44	8.08	YEAR'S TOTAL 42.56
Rain Days.	25	11	23	15	8	12	11	10	16	10	17	27	185

REGISTER OF RAINFALL IN 1920

Kept at Gwynallt Lymmouth
in the County of Devon
by A. S. Ford

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lynnton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 284 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.35

message on Jan 1. 9am

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17		3	11	25		93	3	9	34	16	64	1
2				36	2		16	19	35	1		29	2
3	10	14		9			33	1	8	117		6	3
4			1	4	4			80		19			4
5			11		23		69	16	1	6			5
6			58		38		11			30	12		6
7	8		1	15	3		15		1		2		7
8	7	13		48	12		34	7					8
9	81	26	4	31		21	126		6		2		9
10	182	57	5	19		16	26				4		10
11	27	2	40	28	25		38						11
12	50	16	7	14	1	7	8	10			25		12
13	11	9	92	23			13			2	3		13
14	4	2	44	77			13		19	50	105		14
15	4	26	2	75	6	22	10		10	43	29	5	15
16			3	2	1	19	5	2	58	69	8		16
17	18			5	31	18		4	112	5		3	17
18	35		5	3	3	7		38	65			1	18
19	6	16		55	8	12		4				1	19
20	5	3		53		6			7	5		48	20
21	6			5			4		1	1		20	21
22				1			11	3				64	22
23			1				72	19				63	23
24	5	6	41	1			10				8	63	24
25	5	8	24			6	40					1	25
26	64		41			8	2				9	4	26
27	93	13	32	31	4	60	3				62	23	27
28	66	1	43	4		12	2				2	6	28
29	61		41	1	16	11	4				27	49	29
30	46	~~X~~		1	2	23	18		43	8	37	71	30
31	47	~~X~~	40	~~X~~		~~X~~	4	5	~~X~~	83	~~X~~	35	31
TOTAL	8.58	2.12	5.39	5.52	2.04	2.48	5.08	2.11	3.75	4.73	3.51	5.56	50.87
Days with "01 in. or more	24	15	22	25	17	15	24	14	14	15	16	19	220

82

REGISTER

DEVON.

FORM A.
BRITISH RAINFALL.

Kept at Manaton Sch
in the County of Devon
by D. W. Flower

MANATON. SCHOOL.

1916 - 1920

in.
and ft. in.
Level ft.
result entered to the

IMPORTANT NOTE.—Rain previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			13			09	09		05	24	02		1
2			02						05	13	47		2
3						03	03		09	68	67	01	3
4						41	41		08	24	1.37		4
5			10			35			01	35	35		5
6						05	75			38	1.20		6
7						11				05	1.16	08	7
8						23					14	29	8
9			29			19				10	14	31	9
10						02				13	01		10
11			01						02		01		11
12			24				10	04	01	05			12
13			17					39	07	02			13
14			22					13		20			14
15			24					08		05		02	15
16			01				01	78	15	10			16
17								01	27	36	88		17
18			48							08	30	05	18
19			34								01		19
20			23									1.60	20
21			08								08	08	21
22						16		12		61	04	65	22
23						11		25		37	22	39	23
24						02		09		79	03	35	24
25			45			03		56		01	46	01	25
26			10			04		50	88	99	11		26
27			75			01		85	90	76		01	27
28			05					06	50	70		54	28
29			06			49		2.35		31		55	29
30		X	02	X		01		02	11	42	01	02	30
31		X		X		X		10	X	60	X	01	31
Total			3.99			2.35	1.39	6.33	3.19	8.72	7.68	4.97	YEAR'S TOTAL
Rain Days.			20			17	6	16	14	26	21	17	

82

REGISTER

FORM A.
BRITISH RAINFALL.

Kept at Manaton School
in the County of Devon
by D. W. Flower

Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			13			09	09		05	24	02		1
2			02						05	13	47		2
3						03	03		09	68	67	01	3
4						41	41		08	24	1.37		4
5			10			35			01	35	35		5
6						05	75			38	1.20		6
7						11				05	1.16	08	7
8						23					14	29	8
9			29			19				10	14	31	9
10						02				13	01		10
11			01						02		01		11
12			24				10	04	01	05			12
13			17					39	07	02			13
14			22					13		20			14
15			24					08		05		02	15
16			01				01	78	15	10			16
17								01	27	36	88		17
18			48							08	30	05	18
19			34								01		19
20			23									1.60	20
21			08								08	08	21
22						16		12		61	04	65	22
23						11		25		37	22	39	23
24						02		09		79	03	35	24
25			45			03		56		01	46	01	25
26			10			04		50	88	99	11		26
27			75			01		85	90	76		01	27
28			05					06	50	70		54	28
29			06			49		2.35		31		55	29
30		X	02			01		02	11	42	01	02	30
31		X		X		X		10	X	60	X	01	31
Total			3.99			2.35	1.39	6.33	3.19	8.72	7.68	4.97	YEAR'S TOTAL
Rain Days.			20			17	6	16	14	26	21	17	

REGISTER OF RAINFALL IN 1917

Kept at Manaton School
in the County of Devonshire
by D. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

17126
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02			31		45		43	06	01	02	01	1
2			07	12		13					01		2
3	10		01	13		01	28			65	1.08		3
4	01		39	04			03		04	81	02	01	4
5	11	05	22	45		53			07	15	15		5
6	02		25	04		06		09	12	10	05	05	6
7	75		01			02	15	05		49	10	03	7
8	01		07	26			30	56		80	19	37	8
9	11		20	02	05		11	01	03	39	46	01	9
10	16		45	35			01	42	24	02	06		10
11	04		1.10	30				16	02	58	19		11
12	27		02	01	36			05		83	01		12
13			26	05	01	03		61	15	22	01		13
14			01	28			03	26	01	05	01		14
15	10			03			29	12		37		53	15
16	02	09		08				03		25	01	28	16
17		13		14	01		28	20	50	09			17
18				02	94	05	30	06	58	02			18
19		32	12			63			18	01			19
20	02	05	06		53	03		01	05			10	20
21			02		01			01		04	02	01	21
22					01			75		15	01		22
23					24	01	01	29		22	01		23
24		03				11	29	13		63	08	02	24
25		01	08					28	04	34	07		25
26					23	01		47	09	08	05		26
27					01	89	01	1.24	01	08	01		27
28			29			80		1.14		01			28
29			21			62		13		63		18	29
30		X	18			01	43	21	01	15	04		30
31		X	06	X	48	X		04	X	24	X		31
Total	1.74	.68	4.08	2.63	2.88	4.39	2.52	7.75	2.20	8.41	2.66	1.60	41.54
Rain Days.	14	7	21	17	12	17	14	26	17	29	23	12	209

REGISTER OF RAINFALL IN 1918

Kept at Manaton School
in the County of S. Devon
by D. W. Flower

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		15		20	02			70		02	1.95		1
2	01	36		08				01	01	04	03	43	2
3		41		69	04			06	05	08	09	02	3
4	01	05	05	13				20	29	02	1.36	36	4
5		04	09	08	50			78	56	40	05	25	5
6	16	51	08	31	02			01	03	06	01	22	6
7		28	01	13	05	01		10	50	44	38	39	7
8		41		01		01			31	23	01	02	8
9	13	12		01		24	27	01	46	05	01	53	9
10	10	01		24		01	20		06	15	01	48	10
11		04	09	09	02		26		36	02		17	11
12		16	07	01	25	01	25		07		07	11	12
13	02	05	01		19		27		46	04	01	24	13
14	26				03		04		20	03		23	14
15	1.90	01			01	13	66		25	13		41	15
16	35			45		02	05		35	05		10	16
17	32		01	22			29		28	01		30	17
18	1.30		01			90	15	03	95	45		58	18
19	43		19	03		02	17		14	02		35	19
20	47	15	02	23		02			24	09		02	20
21	26	10		01		03	03		61	22		38	21
22	06	04			07		15		29	09	04	60	22
23	16	04			12		65		10	01	07	29	23
24	03	16					08	03	08		27	36	24
25					01		29	37	01	08	22	05	25
26							30	25	13	02	10	32	26
27	01	07	17				01	06	24	01	21	06	27
28		11	23	01				16	12	05	05	12	28
29			05						1.59	02	01	08	29
30	01	X	38	14		X			05	10	04	14	30
31	02	X	27	X		X		05	X	03	X	01	31
Total	6.21	3.27	1.73	3.07	1.33	1.40	4.12	2.82	8.79	2.96	4.99	7.62	48.31
Rain Days.	20	21	16	19	13	11	18	15	29	29	21	30	242

82

REGISTER OF RAINFALL IN 1919

1638
FORM A.
BRITISH RAINFALL

Kept at Manaton School
in the County of S. Devonshire
by D. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	63		33	01	28		30		08	23		10	1
2	24		01		03		03		03	05		15	2
3	26		43		03				10			01	3
4	40	85	55		01		20	05	1.06		06	03	4
5		09	1.35		01				27			22	5
6	1.00	1.00	25									63	6
7	75		45	10	01				02				7
8	61		14	05	01	01					23	03	8
9	41		03	09	01						52	13	9
10	17		55	01	01					03	01	68	10
11	07		59	18	30	01	08			01		49	11
12	32	01	17	05		09	01		02	14		01	12
13	13	16	14	60			01			05		19	13
14	75	33	03	1.25	33				02	16		40	14
15	34	27	01	12					01	12		18	15
16	18	1.45		01	02				01	01	31	01	16
17	05	52									64		17
18	01	49	46				16	25	05		45		18
19	36	60	19			05	61	40	05		27	04	19
20	91	55	06			48		20	50		21	13	20
21	06	66			05	01	09	02	07	02		19	21
22	01	07				01	07	01	26		05	12	22
23		01	03					25	01	43	15	03	23
24				01		16		08		50	29	53	24
25	07			08	01	12		75		02	03	17	25
26	20		13	27				08		05	16	47	26
27	34	01		20				1.65			41	04	27
28			40	09				15			02	55	28
29	01			10				18		16	10	19	29
30		X				05		13	04		51	55	30
31		X	19	X		X			X		X	47	31
Total	8.28	7.07	6.49	3.18	1.11	99	1.56	4.20	2.60	1.98	4.42	6.74	48.62
Rain Days	25	16	22	17	14	10	10	14	17	15	18	28	206

REGISTER OF RAINFALL IN 1920.

Kept at Marnation Schoolin the County of Devonshireper D. H. Horner

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	01	01	10	51		43		05	01		58	1
2	29			26	01		19	18	01	05		24	2
3	77	09		14	01		03			1.38		47	3
4			02	01			01	05		53		01	4
5	01	05	25	04	06		12	55		18			5
6		05		04	25		11	05		27			6
7	03			14	03		66			01			7
8	08		02	24	05		27			01		15	8
9	1.75	20		03		14	09		01				9
10	1.87	25	02	05		43	37						10
11	53	01	18	80	19	05	05						11
12	36	20	30	40	03	11	03			03	19	17	12
13	25	01	61	08		01	01			21	01		13
14	05	04	57	82			04		15	35	65		14
15	02	20	16	78	05	03	01		19	1.00	13		15
16		15	02	13			31		20	33	12		16
17	01	01		02	32	96	01		77		01		17
18	15	02		08	15	23		19		01			18
19	15	02		61	05	15	01			10			19
20	02	01		(52)	32	04				15		39	20
21				04	01	01			22	01		30	21
22				02			22			01		28	22
23	01		01				54					55	23
24	05		17				01	08			43	35	24
25	08	04	13				80				01	12	25
26	24	01	33			01	18				26	01	26
27	91	04	21			21	04				57	70	27
28	1.02	01	11	08		08	06				05	09	28
29	54		33	03	06	15					20	72	29
30	18	~~XX~~	01	03	06	20	06		1.07	01	36	59	30
31	18	~~XX~~	33	~~XX~~	~~XX~~	~~XX~~	~~XX~~		~~XX~~	62	~~XX~~	22	31
TOTAL	9.71	1.42	3.79	5.49	2.16	2.81	4.66	1.10	2.67	5.27	2.99	5.94	YEAR'S TOTAL
Days with 01 in. or more	27	20	20	25	17	16	26	6	9	20	13	18	48.01
Days with 04 in. or more	21	11	13	19	12	12	18	6	7	12	10	16	217
													157

25.3.14

REGISTE

DEVON.

MAMHEAD.

KESTON.

332
FORM A.
BRITISH RAINFALL
28 JAN 1914

Kept at Mamhead

in the County of Devon

by A. F. Parbury

in.

Ground ft. in.

Sea Level ft.

he result entered to the

Jan. 1, following.

IMPORTANT NOTE.—Rainfall should be taken to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		13	20	08	09				07	20	27		1
2	19	16	02	21	34		06		03	14	12		2
3	53		04		37					21		32	3
4	1.18		08		07	06			16	24	23	10	4
5	09	08	03		15	07			1.11	06	37	45	5
6	07	18	14		11	25			01	89	07	36	6
7	02	55	14		1.02	05	18			52	22		7
8	06	26			29		04			01			8
9	01				15		12	07			44		9
10	73				19			06		13	05		10
11	90			04	92	06				01	75		11
12	10				16						42		12
13	45		03		01			06	20		10		13
14	49		22	10	37				01		15		14
15	42		50	63					18				15
16	26		39	05				02	18				16
17	16		03	10									17
18	04		37	07		04					12		18
19	70		03		01				34	04			19
20	12		23	38						22	31		20
21			41	02	16					03	45		21
22	34		52	02		02		04	04	14		19	22
23			02								10	93	23
24		08									02		24
25				56					05	07			25
26				1.60				08		01		19	26
27	49		23	28				01		39		01	27
28	38		06	32						34		16	28
29	20		53	34	02					22			29
30	38				01				24	68			30
31	14		18		08			41		01			31
Total	8.45	1.44	4.40	4.80	4.52	5.5	40	75	2.62	4.56	4.19	2.71	39.39
Rain Days.	25	7	22	16	19	7	4	8	13	21	17	9	168

REGISTE

332
FORM A.
BRITISH RAINFALL
28 JAN 1914

Kept at Hamhead

in the County of Devonshire

by A. F. Parbury

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		13	20	08	09				07	20	27		1
2	19	16	02	21	34		06		03	14	12		2
3	53		04		37					21	-	32	3
4	1.18		08		07	06			16	24	23	10	4
5	09	08	03		15	07			1.11	06	37	45	5
6	07	18	14		11	25			01	89	07	36	6
7	02	55	14		1.02	05	18			52	22		7
8	06	26			29		04			01	-		8
9	01				15		12	07			44		9
10	73				19			06		13	05		10
11	90			04	92	06				01	75		11
12	10				16						42		12
13	45		03		01			06	20		10		13
14	49		22	10	37				01		15		14
15	42		50	63					18		-		15
16	26		39	05				02	18		-		16
17	16		03	10							-		17
18	04		37	07		04					12		18
19	70		03		01				34	04	-		19
20	12		23	38						22	31		20
21			41	02	16					03	45		21
22	34		52	02		02		04	04	14	-	19	22
23			02								10	93	23
24		08									02		24
25				56					05	07	-		25
26				1.60				08		01	-	19	26
27	49		23	28				01		39	-	01	27
28	38		06	32						34	-	16	28
29	20		53	34	02					22	-		29
30	38				01				24	68	-		30
31	14		18		08			41		01			31
Total	845	144	440	480	452	55	40	75	262	456	419	271	3939
Rain Days.	25	7	22	16	19	7	4	8	13	21	17	9	168

REGISTER OF RAINFALL IN 1914

Kept at Manhead Kenton
in the County of Devon S.6
by A. J. Parbury

Lat. 50° 46' N Long. 3° 37' 50" W
Time of Observation 9 am
Nearest Railway Station Stair Cross 3 m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 201 ft.

FORM A.
BRITISH RAINFALL
17 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		05	07		08	05	47			67	06	1
2			02	15	04		27	01			31	47	2
3			11	20	82			05				06	3
4	11			30	09		58	24			55	1.04	4
5	13		06	13	04				12			72	5
6		11	04	17	11		03	01				38	6
7	01	121	13	18	06	12	25	07	10		02	26	7
8	04		50	10	01	24		04	04			06	8
9		05	49	21	08	41		24	96			02	9
10	02	65	07	23	03	06			29			05	10
11		15	40			17	03		03		06	1.14	11
12		22	08						13	08	04	69	12
13		48	40				07		16	20	16	18	13
14		49	33			20		40		02	01	08	14
15			08				05	29		17	25	12	15
16			03						27			03	16
17		24	33						10			79	17
18		05	11				03		14			33	18
19		04	92				202		07		09	10	19
20		54	26			05						18	20
21		56	01							39			21
22		03	03		18			01		19			22
23		13	37		01		02			49			23
24		04			39		01	04		01			24
25	12	01	37		04			38		37	08	40	25
26	12	03	01				09	04		05	29	65	26
27	01	02								03	38	26	27
28		05	47		07					03	20	75	28
29	07		24		12					13	98	02	29
30	01	X	13							24	58	1.02	30
31	16	X		X		X	43		X	60	X	60	31
Total	82	5.10	6.04	1.74	2.09	1.33	3.93	2.29	2.41	3.00	4.67	10.46	43.88
Rain Days.	12	20	27	10	15	8	14	14	12	15	16	27	190

REGIS

DEVON.

Kept at *Martinhoe*in the County of *Devon*by *R. W. Oldham*

MARTINHOE RECTORY.

1911-1920

9.59

FORM A2.
BRITISH RAINFALL
2-JAN 1912

5 in.

Ground 2 ft. 3 in.

Sea Level 800 ft.

Name *Wood Bay*Distance 2 m. Direction *SSE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.71</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>.29</i>	<i>—</i>	<i>.01</i>	<i>.12</i>	<i>—</i>	1
2	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>.21</i>	<i>—</i>	<i>—</i>	<i>.22</i>	<i>—</i>	<i>.33</i>	<i>.49</i>	<i>.25</i>	2
3	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.72</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.06</i>	<i>—</i>	<i>.51</i>	<i>.21</i>	3
4	<i>—</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.34</i>	<i>—</i>	<i>—</i>	<i>.63</i>	<i>.68</i>	4
5	<i>.54</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.06</i>	<i>.20</i>	<i>.25</i>	5
6	<i>.29</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>.33</i>	<i>.06</i>	6
7	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.52</i>	<i>—</i>	7
8	<i>.17</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.59</i>	<i>.00</i>	8
9	<i>.18</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.44</i>	<i>.45</i>	9
10	<i>.09</i>	<i>—</i>	<i>.80</i>	<i>—</i>	<i>1.31</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.60</i>	10
11	<i>.35</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.43</i>	<i>.43</i>	11
12	<i>—</i>	<i>—</i>	<i>.47</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.58</i>	<i>—</i>	<i>.26</i>	<i>.35</i>	12
13	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.26</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.46</i>	<i>—</i>	<i>.05</i>	<i>.15</i>	13
14	<i>—</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>.31</i>	14
15	<i>.04</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.53</i>	<i>.10</i>	15
16	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.19</i>	<i>.47</i>	16
17	<i>—</i>	<i>.08</i>	<i>.03</i>	<i>.03</i>	<i>—</i>	<i>.17</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.40</i>	<i>.58</i>	17
18	<i>—</i>	<i>.34</i>	<i>.07</i>	<i>.33</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.10</i>	<i>.40</i>	18
19	<i>—</i>	<i>—</i>	<i>—</i>	<i>.30</i>	<i>—</i>	<i>.78</i>	<i>—</i>	<i>—</i>	<i>.52</i>	<i>.23</i>	<i>.28</i>	<i>.66</i>	19
20	<i>.01</i>	<i>.10</i>	<i>—</i>	<i>.35</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.62</i>	<i>.42</i>	<i>—</i>	<i>.16</i>	20
21	<i>.01</i>	<i>.34</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.11</i>	<i>.20</i>	<i>.38</i>	<i>—</i>	<i>.14</i>	21
22	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.25</i>	<i>—</i>	<i>.53</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.30</i>	<i>—</i>	<i>.52</i>	22
23	<i>—</i>	<i>.33</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.08</i>	<i>.25</i>	<i>.15</i>	<i>—</i>	<i>.15</i>	23
24	<i>.04</i>	<i>.22</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.67</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>1.06</i>	<i>—</i>	<i>.20</i>	24
25	<i>.04</i>	<i>.05</i>	<i>—</i>	<i>.32</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.07</i>	<i>.11</i>	<i>.39</i>	<i>—</i>	<i>.05</i>	25
26	<i>.01</i>	<i>.08</i>	<i>—</i>	<i>.59</i>	<i>—</i>	<i>—</i>	<i>.21</i>	<i>.43</i>	<i>.02</i>	<i>.36</i>	<i>—</i>	<i>.34</i>	26
27	<i>—</i>	<i>.83</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.60</i>	<i>.31</i>	<i>.18</i>	<i>—</i>	<i>.23</i>	27
28	<i>—</i>	<i>.18</i>	<i>—</i>	<i>.46</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>.42</i>	<i>.03</i>	28
29	<i>—</i>	<i>?</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>1.03</i>	<i>.21</i>	<i>.01</i>	<i>.26</i>	<i>.45</i>	<i>—</i>	<i>.03</i>	29
30	<i>—</i>	<i>?</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.51</i>	<i>.06</i>	<i>.11</i>	30
31	<i>—</i>	<i>?</i>	<i>—</i>	<i>?</i>	<i>—</i>	<i>?</i>	<i>—</i>	<i>—</i>	<i>?</i>	<i>.17</i>	<i>?</i>	<i>.01</i>	31
Total	<i>2.00</i>	<i>2.78</i>	<i>2.00</i>	<i>2.94</i>	<i>2.71</i>	<i>3.68</i>	<i>.50</i>	<i>2.66</i>	<i>3.46</i>	<i>5.03</i>	<i>6.67</i>	<i>9.60</i>	TOTAL for year <i>44.04</i>
No. of Rain Days	<i>15</i>	<i>12</i>	<i>11</i>	<i>11</i>	<i>7</i>	<i>13</i>	<i>4</i>	<i>15</i>	<i>12</i>	<i>16</i>	<i>20</i>	<i>29</i>	<i>165</i>

REGIS

954
2 - JAN 1919
FORM A2
BRITISH RAINFALL

Kept at Martinhoe Rectory
in the County of Devon N.1
by R.W. Oldham

Pattern Cloud
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 800 ft.
Time of Observation 9.30 am
Nearest Railway Station { Name Woodbury (H.B.R.)
Distance 2 m Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>.71</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.15</u>	<u>—</u>	<u>—</u>	<u>.24</u>	<u>—</u>	<u>.01</u>	<u>.12</u>	<u>—</u>	1
2	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.21</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>.33</u>	<u>.49</u>	<u>.25</u>	2
3	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.72</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.06</u>	<u>—</u>	<u>.51</u>	<u>.21</u>	3
4	<u>—</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.34</u>	<u>—</u>	<u>—</u>	<u>.63</u>	<u>.68</u>	4
5	<u>.54</u>	<u>—</u>	<u>.13</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>.06</u>	<u>.20</u>	<u>.25</u>	5
6	<u>.29</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>.33</u>	<u>.06</u>	6
7	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.52</u>	<u>—</u>	7
8	<u>.17</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.59</u>	<u>.00</u>	8
9	<u>.18</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.44</u>	<u>.45</u>	9
10	<u>.09</u>	<u>—</u>	<u>.80</u>	<u>—</u>	<u>1.31</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.60</u>	10
11	<u>.35</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.43</u>	<u>.43</u>	11
12	<u>—</u>	<u>—</u>	<u>.47</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.58</u>	<u>—</u>	<u>.26</u>	<u>.35</u>	12
13	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.26</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.46</u>	<u>—</u>	<u>.05</u>	<u>.15</u>	13
14	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>.31</u>	14
15	<u>.04</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.53</u>	<u>.10</u>	15
16	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.19</u>	<u>.47</u>	16
17	<u>—</u>	<u>.08</u>	<u>.03</u>	<u>.03</u>	<u>—</u>	<u>.17</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.40</u>	<u>.58</u>	17
18	<u>—</u>	<u>.34</u>	<u>.07</u>	<u>.33</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.10</u>	<u>.40</u>	18
19	<u>—</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>—</u>	<u>.78</u>	<u>—</u>	<u>—</u>	<u>.52</u>	<u>.23</u>	<u>.28</u>	<u>.66</u>	19
20	<u>.01</u>	<u>.10</u>	<u>—</u>	<u>.35</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.62</u>	<u>.42</u>	<u>—</u>	<u>.16</u>	20
21	<u>.01</u>	<u>.34</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>.11</u>	<u>.20</u>	<u>.38</u>	<u>—</u>	<u>.14</u>	21
22	<u>.05</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>.53</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.30</u>	<u>—</u>	<u>.52</u>	22
23	<u>—</u>	<u>.33</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.08</u>	<u>.25</u>	<u>.15</u>	<u>—</u>	<u>.15</u>	23
24	<u>.04</u>	<u>.22</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.67</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>1.06</u>	<u>—</u>	<u>.20</u>	24
25	<u>.04</u>	<u>.05</u>	<u>—</u>	<u>.32</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.07</u>	<u>.11</u>	<u>.39</u>	<u>—</u>	<u>.05</u>	25
26	<u>.01</u>	<u>.08</u>	<u>—</u>	<u>.59</u>	<u>—</u>	<u>—</u>	<u>.21</u>	<u>.43</u>	<u>.02</u>	<u>.36</u>	<u>—</u>	<u>.34</u>	26
27	<u>—</u>	<u>.83</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.60</u>	<u>.31</u>	<u>.18</u>	<u>—</u>	<u>.23</u>	27
28	<u>—</u>	<u>.18</u>	<u>—</u>	<u>.46</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>—</u>	<u>.42</u>	<u>.03</u>	28
29	<u>—</u>	<u>?</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>1.03</u>	<u>.21</u>	<u>.01</u>	<u>.26</u>	<u>.45</u>	<u>—</u>	<u>.03</u>	29
30	<u>—</u>	<u>?</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.51</u>	<u>.06</u>	<u>.11</u>	30
31	<u>—</u>	<u>?</u>	<u>—</u>	<u>?</u>	<u>—</u>	<u>?</u>	<u>—</u>	<u>—</u>	<u>?</u>	<u>.17</u>	<u>?</u>	<u>.01</u>	31
Total	<u>2.00</u>	<u>2.78</u>	<u>2.00</u>	<u>2.94</u>	<u>2.71</u>	<u>3.68</u>	<u>.50</u>	<u>2.66</u>	<u>3.46</u>	<u>5.03</u>	<u>6.65</u>	<u>9.60</u>	TOTAL FOR YEAR <u>44.04</u>
No. of Rain Days	<u>15</u>	<u>12</u>	<u>11</u>	<u>11</u>	<u>7</u>	<u>13</u>	<u>4</u>	<u>15</u>	<u>12</u>	<u>16</u>	<u>20</u>	<u>29</u>	<u>165</u>

REGISTER OF RAINFALL IN 1912

Kept at Martins Reston
in the County of Sevon NI
by R. W. O'Leaham

Pattern Romina
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 0.00 ft.
Time of Observation 4.30
Nearest Railway Station { Name Woody Bay St
Distance 2 1/2 Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.70	—	.07	.37	.03	.02	.05	1.00	—	.30	1
2	—	—	.45	.07	—	.90	.10	—	—	—	.02	—	2
3	.11	—	.37	.02	.02	.07	.04	1.14	.25	—	.03	.08	3
4	.62	.03	1.06	—	.04	.09	—	.03	—	—	.30	—	4
5	.97	.04	.24	—	.03	—	.03	.30	—	—	—	.04	5
6	.36	.08	—	—	.21	—	—	.31	—	—	—	.07	6
7	.08	.40	.46	—	.14	.51	.17	.63	—	—	.01	.05	7
8	.43	.10	.04	.02	—	.02	—	.45	—	—	—	.01	8
9	.11	.33	.11	.08	—	.44	.05	1.53	.01	—	.04	.65	9
10	.35	.04	.02	—	—	.27	.05	—	—	—	.19	.01	10
11	—	.04	—	—	—	—	—	—	—	—	.10	.76	11
12	.15	.27	.23	.02	.11	—	.12	.02	—	—	—	.12	12
13	.13	—	.02	—	—	—	.01	.11	—	.14	—	.38	13
14	.25	.04	.74	—	.15	—	—	.55	—	—	—	.25	14
15	.30	.06	.06	—	.10	1.24	—	—	—	—	—	.35	15
16	.25	—	.43	—	—	.07	—	.35	—	.20	.03	.17	16
17	.19	—	.30	—	.03	.19	—	.48	—	—	—	.68	17
18	.02	.05	.47	—	—	—	—	.50	—	.23	.08	.19	18
19	—	.19	.15	—	—	.02	—	.80	—	—	.04	.02	19
20	.05	.02	.41	—	—	—	—	.24	—	.68	.06	—	20
21	—	.21	.50	—	.40	—	—	.45	—	.30	—	—	21
22	.35	.45	.13	—	—	.02	.32	.55	—	.08	.10	.14	22
23	—	.61	.25	—	—	.92	—	.89	—	.43	.20	.35	23
24	—	.05	.09	—	—	.50	—	—	—	.21	—	.21	24
25	—	—	.01	—	—	.12	—	.36	—	.27	.86	.72	25
26	—	.27	.02	—	—	—	—	.06	—	.67	.90	.28	26
27	—	.02	.07	—	—	.77	.43	—	—	1.09	—	1.04	27
28	—	.21	—	—	—	.56	.90	1.03	.14	.25	.48	.50	28
29	—	.12	—	—	—	.11	.70	.25	.34	.45	—	.11	29
30	—	3	.13	—	.23	.13	.30	—	—	.58	—	.03	30
31	—	3	.40	3	—	3	.11	.10	3	.01	3	.11	31
Total	4.72	3.61	7.86	.21	1.53	7.32	3.36	11.15	.79	6.59	3.44	7.62	TOTAL for year 58.20
No. of Rain Days.	17	22	27	5	12	20	15	24	5	16	16	27	206

REGISTER OF RAINFALL IN 1913

Kept at Martinsloe Rectory
in the County N Devon
by Rev. Oldham

Lat. _____ Long. _____
Time of Observation 9.30
Nearest Railway Station Woody Bay Sta.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 808 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.28	.48	.03	—	—	—	—	.08	.22	.49	.75	1
2	.02	.27	.06	.06	.10	.03	—	—	—	—	.13	.13	2
3	.12	—	.07	—	.20	—	—	—	—	.01	—	.25	3
4	1.00	—	.17	.14	.00	.03	.15	—	.09	.04	.09	.25	4
5	.30	.08	.08	—	.18	.61	.05	—	.10	—	.46	.46	5
6	.09	.16	.28	—	.03	.34	—	—	—	.25	.59	.59	6
7	—	.47	.09	—	.31	.16	—	—	—	.51	.02	.02	7
8	.03	.32	—	—	.42	—	—	.06	—	.11	.04	.04	8
9	—	.07	.18	.02	.22	.34	—	.02	.11	—	.30	.12	9
10	.99	—	.13	—	.03	.01	—	.13	—	.64	.15	—	10
11	.55	—	—	.17	.07	.37	—	.04	.07	.05	.91	.14	11
12	.19	—	—	.01	.07	.05	.04	—	.02	—	.47	—	12
13	—	—	.64	.03	—	—	.03	.19	.58	—	.15	—	13
14	.27	—	.60	.03	—	—	—	—	.04	.33	.40	.07	14
15	.21	—	.47	.03	—	—	—	—	—	—	.19	.10	15
16	.45	—	.88	.07	—	—	.03	—	—	—	.10	—	16
17	.30	—	.06	.07	—	—	.13	—	—	—	.34	—	17
18	.10	—	.31	.26	—	—	.11	—	—	—	.25	—	18
19	.46	—	.02	.12	.12	.04	.04	—	.25	.37	.07	—	19
20	.51	—	.20	.12	—	—	—	—	.09	.44	1.05	—	20
21	—	—	.25	.24	.12	—	.11	.05	—	.04	.20	—	21
22	.90	—	.91	.05	.24	—	.49	.10	—	—	.03	—	22
23	.01	—	—	.14	—	—	.22	.03	—	.30	.30	—	23
24	.08	.09	—	.33	—	.04	—	.03	—	.01	.05	—	24
25	—	—	—	.40	—	—	—	.07	—	.17	.22	—	25
26	—	—	—	.93	—	—	—	—	.02	.05	.45	—	26
27	.13	—	.08	.36	—	—	—	—	.49	—	.01	—	27
28	.64	—	.10	.39	.11	—	—	—	.35	.03	.04	—	28
29	—	?	.45	.21	.01	—	—	.07	—	.17	.11	—	29
30	.64	?	.01	—	—	—	—	—	.48	.27	—	—	30
31	.19	?	.60	?	.26	?	—	.10	?	—	?	—	31
Total	8.21	1.74	7.12	5.56	2.67	2.41	.85	1.40	1.63	4.53	7.31	3.97	44.40
Rain Days.	24	8	24	20	16	12	10	11	13	18	26	18	200

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL
FORM A.
JAN 1915

Kept at *Martins Rectory*
in the County of *Devon*
by *R. W. Ordham*

Lat. _____ Long. _____
Time of Observation *9.30*
Nearest Railway Station *Woody Bay*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *3* in.
Sea Level *808* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.08	.08	—	.16	.14	.65	—	—	.15	.14	1
2	—	—	—	—	.01	—	.53	.16	—	—	.11	.50	2
3	.03	—	.30	.16	.84	—	—	.03	—	.01	—	.23	3
4	.56	—	.12	.40	.09	—	.19	.31	—	—	.43	.94	4
5	.05	—	.41	~~.52~~	.02	—	.06	.02	—	—	.04	.06	5
6	—	.07	.15	.11	.10	.01	.44	.22	—	—	.22	.45	6
7	.06	.40	.45	.20	.27	.08	.38	.20	.03	—	—	.25	7
8	.13	—	.95	~~.24~~	.10	.43	—	.05	—	—	—	.30	8
9	.40	.01	.16	.29	.23	.97	—	.33	1.20	—	.02	—	9
10	.15	.50	.01	.69	.10	.01	—	—	.24	—	.03	.03	10
11	—	.22	1.08	—	.03	.30	—	—	.01	—	.05	.40	11
12	—	.56	.10	—	—	—	—	—	.28	.01	.20	.21	12
13	—	.60	.67	—	—	—	.07	—	.56	.33	.18	.19	13
14	—	.63	.77	—	—	—	.02	.46	—	.05	.40	.01	14
15	—	.02	.28	—	—	—	—	.25	.15	.01	1.02	.14	15
16	—	.03	—	—	—	—	.05	—	.25	—	—	.07	16
17	—	.50	.25	—	—	—	.08	—	.01	—	—	.87	17
18	—	.13	.32	—	—	—	.02	—	.08	—	—	.60	18
19	—	.20	.17	—	—	—	1.36	—	.10	—	.04	.13	19
20	—	.45	.03	—	—	.02	—	—	—	—	—	.14	20
21	—	.19	.01	—	—	—	.04	—	—	.12	—	—	21
22	—	.18	.07	.04	.06	.46	—	.14	—	.15	—	—	22
23	—	.15	.15	—	—	—	.08	.10	—	.10	—	—	23
24	—	—	.14	—	—	.03	.02	.10	—	—	.22	—	24
25	.34	.01	.52	—	—	—	.34	.92	—	.54	.03	.33	25
26	.05	.01	—	—	—	—	.34	.08	—	.10	.48	.38	26
27	.07	.01	—	—	—	—	—	—	—	.61	.64	.40	27
28	.07	.08	.07	—	.11	—	—	—	—	.54	.11	.67	28
29	.39	?	.36	—	.13	—	—	—	—	.04	.42	.17	29
30	.01	?	.23	—	—	—	—	—	—	.41	.93	.40	30
31	.25	?	—	?	.30	?	.34	—	?	.56	?	.13	31
Total	2.56	4.96	7.85	2.47	2.39	2.47	4.50	4.02	2.9	3.68	5.72	8.14	YEAR'S TOTAL 51.57
Rain Days.	14	22	26	9	14	10	18	16	11	16	20	26	201

REGISTER OF RAINFALL IN 1915

Kept at Martinslee Rectory
in the County of Levon
by R. W. Oldham

Lat. _____ Long. _____
Time of Observation 9.30
Nearest Railway Station Woody Bay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 808 ft.

1939
FORM A.
BRITISH RAINFALL.
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.



Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.14	—	—	.20	—	—	.29	.20	—	—	.24	1
2	.30	.25	.25	.16	.05	.01	—	.13	—	.02	—	.40	2
3	—	.05	.13	.34	.05	—	.22	—	—	—	—	.35	3
4	.07	.61	.13	—	.01	—	.47	—	—	—	—	.58	4
5	.10	.54	—	.14	—	.01	—	.15	—	—	—	.39	5
6	.45	.02	—	.50	—	—	.25	.13	—	—	—	.35	6
7	.41	.89	—	.02	—	—	.27	.08	—	.10	.03	.47	7
8	.46	.43	—	—	—	—	—	.12	—	.01	.48	.05	8
9	.02	.40	—	.10	—	—	—	.05	—	—	.42	.81	9
10	.38	.20	.24	.07	—	—	—	.13	—	.02	—	.05	10
11	.04	.05	—	—	.03	—	—	.05	—	—	1.36	.04	11
12	.20	.31	—	.02	.46	—	—	—	—	.08	.16	.04	12
13	.05	.43	—	—	.73	—	.10	.01	.17	.01	.08	.15	13
14	.22	—	.01	—	—	—	.11	.03	.05	—	—	.98	14
15	.40	—	—	—	.22	—	.24	—	.20	.03	.35	.06	15
16	—	1.30	—	.01	.11	—	.92	—	.01	—	—	—	16
17	—	.30	—	—	—	—	—	—	—	—	—	—	17
18	—	.47	—	—	—	—	.01	—	—	—	—	—	18
19	.01	.03	—	.13	.09	—	.43	—	—	—	—	—	19
20	.57	—	—	.05	—	.02	—	—	—	.13	—	.09	20
21	.15	.53	—	—	.11	—	.33	—	—	.39	—	.34	21
22	.05	.01	.13	.07	—	.22	.74	—	—	.07	—	.46	22
23	.03	.01	.05	—	—	.02	.07	—	.05	.42	—	.82	23
24	—	—	.07	.04	—	—	—	—	.07	.26	—	.58	24
25	—	—	—	—	—	.20	.40	—	—	—	—	.21	25
26	—	.30	—	—	—	.60	.09	—	.08	—	—	.47	26
27	—	.06	—	—	—	.26	.03	—	—	.72	—	.04	27
28	—	—	—	—	—	—	—	—	.45	.25	—	—	28
29	—	X	—	—	—	.34	—	.01	—	—	.21	.07	29
30	.25	X	—	.01	—	.08	—	—	.01	.35	.47	.39	30
31	—	X	—	X	—	X	.02	.41	X	.26	X	.39	31
Total	4.63	7.38	.88	1.66	2.01	1.76	4.70	1.59	1.29	3.12	3.56	8.82	YEAR'S TOTAL 41.40
Rain Days.	20	22	8	14	10	10	17	13	10	16	9	26	174

REGISTER OF RAINFALL IN 1916

Kept at Martinshoe Rectory
in the County of Devon
by R.W. Oldham

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station Woody Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 808 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	—	.04	.31	.38	—	—	.34	.03	—	1
2	.80	.08	.34	—	.08	—	—	—	.15	.63	.11	—	2
3	—	<u>1.48</u>	—	—	.25	.05	.13	—	.03	.41	.11	—	3
4	.54	.47	—	.04	.20	.56	—	—	.08	.03	.30	—	4
5	—	.17	—	—	.09	.04	—	—	—	.25	.30	—	5
6	.22	.38	.02	—	.23	.10	.45	—	—	.40	.66	—	6
7	—	.16	.01	—	.25	—	—	—	—	—	.61	.37	7
8	—	.11	—	—	.17	.10	—	—	—	—	.17	.10	8
9	—	.03	—	—	.03	—	.05	—	—	.13	.11	.34	9
10	—	.80	.02	.17	—	—	—	—	—	.04	—	.03	10
11	—	—	—	.30	.05	—	—	—	.07	.02	.01	—	11
12	.03	.12	.04	.03	.53	—	.24	.02	—	.41	—	—	12
13	—	.64	~~.04~~	—	—	—	—	.27	.02	.12	.01	—	13
14	.09	.50	~~.08~~	.02	.13	—	—	.26	—	.33	—	—	14
15	.06	.26	—	.17	—	—	—	.36	—	.01	—	—	15
16	.01	.02	—	.40	.01	—	.07	.30	—	.24	—	—	16
17	.28	.20	.01	.05	—	—	—	.05	.91	.07	.19	—	17
18	.04	.28	.14	—	—	—	—	.01	.11	.18	—	.15	18
19	.32	.06	.14	.20	—	—	—	—	—	—	.30	.02	19
20	.14	.26	.26	—	—	—	—	—	—	—	.19	.40	20
21	.20	.10	.24	.02	.05	—	—	—	—	—	—	.14	21
22	.01	—	—	—	.01	.03	—	.01	—	.20	.05	.58	22
23	.14	.095	—	.05	—	.27	—	.29	—	.09	.39	.14	23
24	—	.025	.06	.05	.30	—	—	.02	—	.42	.03	.19	24
25	—	.085	.30	—	—	—	—	.55	—	.17	.11	—	25
26	.06	—	.06	—	—	.10	—	.02	.65	.25	.30	—	26
27	.08	—	.485	—	.11	—	—	.10	.30	.58	—	—	27
28	—	.165	—	—	—	.01	—	.04	.07	.39	—	.00	28
29	—	.425	.02	—	—	.50	—	1.18	.06	.64	—	.55	29
30	—	~~X~~	—	~~X~~	—	.02	—	.02	—	.63	—	.01	30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.20	~~X~~	.37	~~X~~	.06	31
Total	3.16	6.89	2.26	1.50	2.53	2.09	1.32	3.70	2.42	7.33	3.98	3.93	41.11
Rain Days.	17	24	17	12	17	12	6	17	11	26	19	15	193

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Martins Rector
in the County of Devon
by R. W. Oldham

Lat. _____ Long. _____
Time of Observation 4.30 am
Nearest Railway Station Woody Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 808 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.19	.16	—	.42	—	.58	.18	—	.06	.01	1
2	.03	—	.05	.19	—	.08	—	.03	—	.15	.09	.01	2
3	.09	.31	—	.11	—	—	.53	—	—	1.49	.36	—	3
4	—	.03	.23	—	—	—	.02	—	.03	.13	—	—	4
5	.26	—	.45	.10	—	.48	—	—	.02	.38	.18	—	5
6	—	—	.04	—	—	.04	—	—	—	.35	.43	.10	6
7	.30	—	—	—	—	—	.08	.06	—	.17	.03	.02	7
8	—	—	.03	.07	—	.24	.54	.68	.07	.56	.43	.22	8
9	—	—	.04	—	.02	—	—	.05	—	.58	.10	—	9
10	.31	—	.19	.39	—	—	—	.13	—	.06	.03	—	10
11	—	—	.10	.24	—	—	—	.02	—	.54	.13	—	11
12	.02	—	—	.03	.32	.01	—	.11	—	1.08	—	.01	12
13	.03	—	.28	.13	—	.10	—	.27	.40	.32	—	.02	13
14	—	—	—	.03	—	—	.10	.07	.15	.17	.09	.03	14
15	—	—	—	.03	—	—	.01	—	—	.40	—	.28	15
16	—	.01	—	.03	—	.01	—	—	.01	.06	.11	.20	16
17	.01	—	.01	.26	.02	—	.37	.31	.25	.10	.12	—	17
18	.01	—	—	.01	—	—	.52	.05	2.26	.01	.02	—	18
19	—	.44	—	—	—	.49	—	.02	—	—	.01	—	19
20	—	.15	—	—	.42	.36	—	.01	.03	.01	—	.01	20
21	—	—	.10	—	—	—	—	.08	—	.09	.03	—	21
22	—	—	—	—	.20	—	—	.33	—	.30	.02	—	22
23	—	.24	—	—	.07	.09	—	.63	—	.11	.05	.03	23
24	—	—	—	—	—	.11	.20	.18	—	.45	.18	—	24
25	—	.03	—	—	—	—	.01	.35	—	.29	.04	—	25
26	—	—	—	—	.28	.01	—	.57	.38	.13	.10	—	26
27	—	—	—	—	—	.13	.03	.76	—	.16	—	—	27
28	—	.18	.10	—	.11	2.75	.03	.17	—	.04	.05	—	28
29	—	~~.18~~	.02	—	—	.20	—	.02	—	.53	.06	.18	29
30	—	~~.18~~	.01	—	—	—	—	.50	.01	.23	.05	—	30
31	—	~~.18~~	.03	~~.18~~	.29	~~.18~~	—	.38	~~.18~~	.18	~~.18~~	.01	31
Total	1.06	1.41	1.87	1.86	1.73	5.52	2.44	6.36	3.79	9.02	2.77	1.13	38.96
Rain Days.	9	8	16	14	9	16	12	25	12	29	24	14	188

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Martins Rectory
in the County of N Devon
by R. W. Oldham

Lat. _____ Long. _____
Time of Observation 4.30 am
Nearest Railway Station Woody Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 8.08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.09	-	.15	.04	-	-	1.31	.05	-	.63	-	1
2	-	.21	-	-	-	-	-	.94	-	.01	.03	.70	2
3	-	.14	-	.05	.04	-	-	-	.07	.07	.43	.03	3
4	-	.13	-	.05	-	-	-	.05	.08	.30	1.26	.70	4
5	-	.03	.06	.24	.03	-	-	.42	.85	.78	.10	.05	5
6	.22	.88	-	.31	-	-	-	-	.08	.33	-	.18	6
7	-	.37	-	.24	.06	-	-	.02	.95	.39	.54	.21	7
8	.18	.07	-	-	-	-	-	-	.36	.20	.02	.01	8
9	.04	-	-	.06	-	.19	.01	-	.78	.40	.07	.48	9
10	.03	.02	-	.02	-	-	1.03	-	.70	.87	.17	.81	10
11	.03	.16	.18	.02	-	-	.11	-	.28	.03	.21	.28	11
12	-	.10	.19	.02	.22	.02	.15	-	.04	-	-	.03	12
13	.25	-	-	-	-	.08	-	-	.89	.07	-	.55	13
14	.67	-	.01	-	.05	.13	.42	.02	.70	.03	-	.17	14
15	1.53	-	-	-	-	.01	.54	-	.01	.28	-	.71	15
16	.35	-	-	.66	-	-	.04	.07	.16	-	-	.10	16
17	.80	-	-	.22	-	.01	.11	.08	.39	-	-	.39	17
18	1.44	.01	-	-	-	.67	.10	.04	.96	.20	-	.37	18
19	.09	.05	.19	.05	-	.05	.04	.06	.14	.08	-	.07	19
20	.14	.18	-	.16	-	.05	.26	-	.31	.07	-	-	20
21	.10	-	-	-	-	.05	.08	-	.75	.02	-	.20	21
22	.02	-	-	-	.28	-	.58	-	.38	-	-	.50	22
23	.10	.02	-	-	.10	.10	.47	-	.04	-	.03	.13	23
24	-	.23	-	-	-	-	.40	.08	.61	-	.23	.03	24
25	-	-	-	-	.32	-	.85	1.05	.01	.06	.12	.04	25
26	.02	.15	-	-	.01	-	.13	.01	.30	.02	.32	.68	26
27	-	.08	.22	-	-	-	-	.25	.70	.01	.25	.11	27
28	-	.07	.24	-	-	-	-	-	.24	-	.50	.30	28
29	-	X	.13	-	-	-	-	-	1.41	-	.01	.08	29
30	-	X	.76	-	-	-	-	.07	.02	.07	.10	.22	30
31	-	X	.54	X	-	X	-	-	X	-	X	.04	31
Total	5.83	2.99	2.52	2.04	1.33	1.37	5.32	4.47	12.20	3.39	5.02	8.17	54.76
Rain Days.	17	19	10	11	10	11	17	15	29	21	18	29	207

REGISTER OF RAINFALL IN 1919

Kept at Martinhoe Rectory
in the County of Devon
by R. W. Oldham

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station Woody Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 808 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.



Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	-	.10	.03	.16	-	.19	-	.23	.26	-	.94	1
2	.32	-	.15	-	.02	-	.16	-	.17	.07	.01	.48	2
3	.02	-	.14	-	.12	.10	-	-	-	-	.03	.70	3
4	.06	.11	.22	-	-	-	-	.05	.28	-	-	.09	4
5	.06	.53	.69	-	.01	-	-	-	.02	-	.01	.47	5
6	.28	.04	.48	-	-	-	-	-	-	-	-	.14	6
7	.16	-	.56	.15	-	-	-	-	.05	-	-	-	7
8	.18	-	.22	.05	-	.10	-	-	-	-	-	-	8
9	.27	-	.04	-	.04	-	-	-	.01	-	.87	.03	9
10	.86	-	1.32	.02	.01	-	-	-	-	.08	-	.08	10
11	.26	-	.28	.12	.20	.05	.29	-	-	.02	-	.03	11
12	.10	-	.11	.02	-	.75	-	-	-	.19	.10	-	12
13	.82	-	.04	.63	-	-	.04	-	.17	-	-	.19	13
14	.82	.01	-	.50	.14	-	.06	-	.10	-	-	.10	14
15	.78	.02	-	.07	-	-	-	-	-	.10	-	.93	15
16	.16	.90	-	-	-	.01	-	-	-	-	.31	.01	16
17	.72	.51	.04	-	.02	.04	-	.04	-	-	.50	.03	17
18	.12	.11	.50	.01	-	-	.18	.76	.20	-	.44	.04	18
19	.34	.07	.30	-	-	.20	.03	.80	.27	-	.29	.07	19
20	.35	.15	.29	-	-	.03	-	.03	.04	-	.03	.21	20
21	.08	.94	.02	-	.01	-	.36	.01	.08	-	-	.07	21
22	-	.06	-	-	-	.05	.11	-	.48	-	.03	.10	22
23	-	-	-	-	-	-	-	-	-	.30	.08	.16	23
24	.03	-	-	-	-	.20	-	.01	.05	.83	.31	.34	24
25	.25	-	-	.01	-	.01	-	.59	.04	-	.09	.18	25
26	.15	-	.18	.31	-	.07	-	.10	.37	-	.06	.96	26
27	.17	-	.06	.36	-	-	-	.38	-	-	-	.02	27
28	-	-	.30	.04	-	-	-	.01	-	-	.15	.75	28
29	.11	X	-	.11	-	.01	-	.03	-	.06	.05	.34	29
30	-	X	.25	.27	-	.19	-	.21	-	.01	.60	.76	30
31	-	X	.06	X	-	X	.19	-	X	-	X	.37	31
Total	5.89	3.47	6.35	2.70	.73	1.81	1.61	3.10	2.56	1.92	3.96	8.59	42.6
Rain Days.	25	12	23	16	10	14	10	13	16	10	18	28	195

REGISTER OF RAINFALL IN 1920

Kept at *Martins Vicarage*
in the County of *Devon*
by *R. W. Oldham*

Lat. _____ Long. _____
Time of Observation *9.30 am*
Nearest Railway Station *Woody Bay*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *3* in.
" " " " Sea Level *808* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

X

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.11	—	—	~~1.20~~	.05	.16	.19	.17	.61	1
2	.10	—	—	.31	.04	—	.26	.19	.47	.84	—	.20	2
3	.13	.16	.01	.11	—	—	.45	.01	.15	—	—	.08	3
4	—	—	.02	.15	—	—	.03	.89	.01	.18	—	—	4
5	—	—	.14	—	.30	—	.78	.14	—	.20	—	—	5
6	—	—	.56	—	.45	—	.11	—	—	.25	.13	—	6
7	.07	—	—	.20	.02	—	.17	—	.02	—	.04	—	7
8	.04	.12	.26	.54	.13	—	.17	.16	—	—	—	—	8
9	.83	.30	.05	.23	—	.18	.36	—	.08	—	.03	—	9
10	1.68	.39	.10	.20	—	.18	.15	—	—	—	.07	—	10
11	.23	.02	.28	.31	.32	—	.11	—	—	—	—	—	11
12	.41	.15	.12	.13	.01	.09	.06	.18	—	.04	.26	—	12
13	.28	.05	.53	.18	—	—	—	—	.01	.30	.03	—	13
14	.10	.03	.48	.71	—	—	.19	—	.38	.30	.90	—	14
15	.10	.23	—	.64	.09	.09	—	—	—	.46	.24	—	15
16	—	—	.03	—	.09	.18	.08	.05	.72	.76	.04	—	16
17	.18	—	—	—	.39	.21	.02	.17	1.34	.01	—	.05	17
18	.45	—	.04	.04	.02	.08	—	.46	.12	—	—	.01	18
19	.05	.10	—	.80	.08	.14	—	.17	—	—	.01	—	19
20	.03	—	—	.11	—	.15	.02	—	—	.01	—	.46	20
21	—	—	—	.06	—	—	.10	—	.01	.01	.01	.27	21
22	.08	—	—	.01	—	.02	.20	.03	—	—	—	.64	22
23	.01	—	.03	—	—	.01	.70	.46	.01	—	—	.70	23
24	—	.07	.45	.01	—	.24	.11	—	—	—	.07	.57	24
25	.28	.12	.24	.03	—	.07	.52	—	.01	—	—	—	25
26	.35	—	.37	—	—	.12	—	—	—	—	.11	.04	26
27	.70	.11	.30	.29	.11	.69	.05	—	—	—	.72	.28	27
28	.60	.12	.39	.06	—	.25	.03	—	—	—	.11	.07	28
29	.48	.01	.35	.04	.26	.19	.13	—	—	.02	.25	.44	29
30	.45	~~X~~	.01	—	.03	.25	.18	—	.54	.11	.37	.90	30
31	.23	~~X~~	.42	~~X~~	—	~~X~~	.01	.04	~~X~~	.66	~~X~~	.21	31
TOTAL	7.86	1.98	5.21	5.27	2.34	2.90	6.19	3.00	4.03	4.34	3.56	5.53	YEAR'S TOTAL 52.21
Days with "1 in. or more	24	15	23	23	15	17	26	14	15	17	18	16	223

REGISTER

MEMBURY

Kept at Membury
in the County of Devon
by James Lee

GREEN DOWN
DEVON

IMPORTANT NOTE.—Rain
previous day. If an Observer pr
requested to add the reading at 9
for it at the end of this paragra
the selection and placing of rain
Organization are given in "Rules"
Dr. H. R. MILL, 62, Camden Squa

1917 - 1920

1804
FORM A.
BRITISH RAINFALL
ter (249.19)
5 in.
1 ft. in.
400 ft.
t entered to the
, he is earnestly
space provided
rain,
nfall
a to
Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.5	.27					.5		.22		1
2	.1		.10	.39		.28		.49	.5		.2		2
3	.2			.8		.7		.2			.1		3
4	.8			.1			.62			.16	.47		4
5		.13	.20							.27			5
6	.9		.22	.43		.4		.6	.14	.20	.10		6
7	.1		.13							.5	.13	.1	7
8	.43						.16	.26		.25	.3	.3	8
9	.9		.20				.91	.40	.5	.46	.15	.18	9
10			.7	Nov. 8	.1		.21	.9	.3	.14	.10		10
11	.26		.42	.27				.36	.1				11
12	Nov. 5		.70	Nov. 13				.64		.20	.8		12
13	.11				.45			.43		.44			13
14			.20	.1				.17	.8	.			14
15				.6			.23		.2	.3			15
16							.41	.69		.22	.2	Nov. 38	16
17		.15		.11			.2	.3		.38		.11	17
18		.2		.5			.36	.24	.67	.17			18
19		.7			.2	.1	.15		.60	.3			19
20		.53	.5			.4			.12				20
21		.6	.2		.45	.11		.15	.7				21
22			Nov. 20		.5	.10		.2		.3			22
23			.1					.15		.4			23
24		.12					.22	.31		.6			24
25			.1			.1		.7		.15			25
26		.3						.11	.21	.7	.2		26
27					.59	.8		.57	.16	.4	.2		27
28					.25	.30		1.47					28
29			.14		.22	1.01		.31					29
30		X	.5			.55	.3			1.3	.5	Nov. 16	30
31		X	.23	X		X	.41	.15	X	.4	X	.3	31
Total	1.15	1.11	3.00	1.89	2.04	2.60	3.73	7.19	2.21	4.46	1.42	.90	31.70
Rain Days	10	8	18	14	8	12	12	23	13	22	14	7	159

REGISTER OF RAINFALL IN 1884

Kept at Membury
in the County of Devon
by James Lee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Exminster (24.8.84)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

Jan. 1, following.

(-)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.5	.27					.5		.22		1
2	.1		.10	.39		.28		.49	.5		.2		2
3	.2			.8		.7		.2			.1		3
4	.8			.1			.62			.16	.47		4
5		.13	.20							.27			5
6	.9		.22	.43		.4		.6	.14	.20	.10		6
7	.1		.13							.5	.13	.1	7
8	.43						.16	.26		.25	.3	.3	8
9	.9		.20				.91	.40	.5	.46	.15	.18	9
10			.7	Inov. 8	.1		.21	.9	.3	.14	.10		10
11	.26		.42	.27				.36	.1				11
12	Inov. 5		.70	Inov. 13				.64		.20	.8		12
13	.11				.45			.43		.44			13
14			.20	.1				.17	.8				14
15				.6			.23		.2	.3			15
16							.41	.69		.22	.2	Inov. 38	16
17		.15		.11			.2	.3		.38		.11	17
18		.2		.5			.36	.24	.67	.17			18
19		.7			.2	.1	.15		.60	.3			19
20		.53	.5			.4			.12				20
21		.6	.2		.45	.11		.15	.7				21
22			Inov. 20		.5	.10		.2		.3			22
23			.1					.15		.4			23
24		.12					.22	.31		.6			24
25			.1			.1		.7		.15			25
26		.3						.11	.21	.7	.2		26
27					.59	.8		.57	.16	.4	.2		27
28					.25	.30		<u>1.47</u>					28
29			.14		.22	1.01		.31					29
30		~~X~~	.5			.55	.3			1.3	.5	Inov. 16	30
31		~~X~~	.23	~~X~~		~~X~~	.41	.15	~~X~~	.4	~~X~~	.3	31
Total	1.15	1.11	3.00	1.89	2.04	2.60	3.73	7.19	2.21	4.46	1.42	.90	31.70
Rain Days	10	8	18	14	28	12	12	23	13	4	14	7	159

REGISTER OF RAINFALL IN 1918

Kept at Green Down, Membury
in the County of Devon
by James Lee

Lat. _____ Long. _____
Time of Observation 9.2 m.
Nearest Railway Station Exminster 2.4.3.4
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.6					.4	.5	.17		1
2		.17		.10	.13			.75		.93	.2		2
3	.1	.35		.13				.6				.29	3
4		.15	.3	.17	.8				.2	.1	.8		4
5		.4						.13	.35		1.55	.49	5
6		.1	.17		.5			.70	.37	.21	.9	.8	6
7	.22	.19		.24					.26	.13		.27	7
8		.18			.11				.37	.6	.46	.19	8
9	.12	.29							.9	.43			9
10	.2			.8		.4	.59		.71	.8		.51	10
11	.6			.39			.19		.15	.17		.52	11
12			.11	.2			.37		.20	.19	.6	.10	12
13		.17	.7		.38		.6		.17	.1		.2	13
14	.22				.1		.27		.98	.18			14
15	.22				.5	.8	.7		.17	.33		.10	15
16	1.50			.38	.6		.43		.4	.5		.47	16
17	.42		.3	.43		.6	.6		.97			.3	17
18	.27		.1	.18			.35		.3			.34	18
19	1.25		.1			.96	.15		.41			.21	19
20	.23		.8			.3	.19	.2	.2	.3		.6	20
21	.6	.12		.12			.5		.14	.5			21
22	.3	.5				.2	.12		.41	.5		.33	22
23	.3	.1			.5		.91		.15	.17		.20	23
24	.18				.5		.61	.2	.8		.7	.14	24
25		.14				.2	.8		.5		.14		25
26	.2			.18	.14		.6	.80			.12	.3	26
27	.4						.27		.2	.4	.7	.23	27
28		.16	.6				.44	.12	.30	.2	.17	.2	28
29			.26						.2	.1	.3		29
30		X	.28					1.15		.1	.2		30
31		X	.39	X		X			X	.7	X	.2	31
Total	4.90	2.03	1.61	2.48	1.11	1.21	5.27	2.60	7.65	2.30	3.81	4.77	39.76
Rain Days.	18	15	13	12	11	7	19	8	25	21	14	26	189

REGISTER OF RAINFALL IN 1919.

Kept at Green Down, Membury
in the County of Devon
by James Lee

Lat. _____ Long. _____
Time of Observation 9.2 m.
Nearest Railway Station Exminster L. & S.W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.4	.23	.6					.62	1
2	.61		.28	.12	.13		.62			.18		1.09	2
3	.24		.2		.3		.1		.25	.1	.3	.3	3
4	.58		.28						.12		.11	.25	4
5	.52	.58	.67		.5			.4	1.04		.10	.2	5
6		.39	.87						.52			.20	6
7	.85	.18	.5	.1								.45	7
8	.29		.35	.13								.10	8
9	.41		.24										9
10	.11		.2	.14	.6				.2		.25		10
11	.14		.30							.5		.61	11
12	.2		.43	.15	.41		.18					.10	12
13	.15		.3	.4						.3	.6	.2	13
14	.12	.5	.6	.57								.32	14
15	.48	.15		.85	.42		.3		.4	.4		.32	15
16	.18	.7		.3						.10		.20	16
17		.64									.8	.2	17
18	.2	.44									.33		18
19	.8	.9	.76				.23	.3			.25		19
20	.95		.67			.35	.52	.32	.23		.18	.4	20
21	.56	.7	.3				.7	.20			.2	.7	21
22		.86						.2	.3			.19	22
23		2					.9		.24			.6	23
24								.1		.76	.3	.3	24
25						.9				1.09	.11	.30	25
26	.16			.7		.6		.51				.5	26
27	.11		.8	.7				.5	.3		.3	.54	27
28	.13			.21			.10	1.07				.46	28
29			.40					.72		.2	.44	.5	29
30				.12				.22		.4		.3	30
31								.62				1.32	31
TOTAL	6.71	3.54	5.54	.04	.23	.06	.73	1.91	3.81	2.52	2.32	.62	53
Days with "01 in. or more	21	12	18	14	7	4	9	10	12	10	10	15	27

REGISTER OF RAINFALL IN 1920.

Kept at Green Town Membury
in the County of Devon
by James Lee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Exminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

-53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		6	2										1
2	3		2	9	53		46		6	14	18	67	2
3	51			17			12	81	7	11		16	3
4	5	3		4			3		3	51		8	4
5							13	91		47			5
6			12	9	10		32	8		24			6
7			45	10	33		17			12			7
8				44			76						8
9	6	5		43	2		45					11	9
10	95			8		20	6						10
11	77	7	9			44	42						11
12	25		13	52	28		20						12
13	21	5	1	15		4	4				11		13
14	26	5	47	3						4		12	14
15		3	24	70					21	8	35		15
16	5	16	4	46	17	17	1		2	38	6		16
17		2	4	2	8	36	31		20	26			17
18	2			53	32	18			31				18
19	8			13	6	15		37	24				19
20				31		30			10				20
21	3	18		21	3	43						67	21
22				6			5			10		10	22
23	3			27		1	2					57	23
24	3						63	4				49	24
25	3		35								34	10	25
26	1	3	9		14		72						26
27	38		25		2		1			3	22	20	27
28	82		19	12		21	3				18	37	28
29	68	4	20	5		1	15					17	29
30	65	~~X~~	40	7	15	29			71	10		25	30
31	21	~~X~~	50	~~X~~		~~X~~	6		~~X~~	45	~~X~~	53	31
TOTAL	611	62	361	507	223	279	515	221	195	293	244	459	3985
Days with 01 in. or more	22	12	18	23	13	13	22	5	10	13	8	16	174
Days with 04 in. or more	15	8	15	21	10	11	17	5	8	12	8	16	145
YEAR'S TOTAL													4038

MEMBURY

ANIZATION.

Kept at Yarley House

YARLEY HOUSE

in the County of Devon

DEVON

by Major W. H.

IMPORTANT NOTE.—

If an Observer prefers not to
the reading at 9 a.m. on 1st J
this paragraph. Full instructio
and particulars as to the Brit
sent post-free on application
Square, London, N.W. 1.

Recd

1920

2' 20" in

an.

Gauge 5 in.

e Ground 1 ft. — in.

Sea Level 245 ft.

ered to the previous day.

ted to add
the end of
ain gauges,
Observers,"
2, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—	.43	.01	.06	.07	.16	.89	1
2						—	.08	.72	.04	.05	—	.12	2
3						—	.07	—	.04	.48	—	.07	3
4						—	.08	.84	—	.31	—	—	4
5						—	.29	.05	—	.23	—	—	5
6						—	.16	—	—	.10	—	—	6
7						—	.70	—	—	—	—	.01	7
8						—	.37	—	—	.01	—	.08	8
9						.21	.05	—	—	—	—	—	9
10						.41	.32	—	—	—	.04	—	10
11						.03	.19	—	—	—	—	—	11
12						.03	.03	—	—	—	.10	.07	12
13						—	—	—	—	.04	—	—	13
14						—	.02	—	.19	.12	.26	.01	14
15						.07	—	—	.10	.41	.04	—	15
16						.31	.29	—	.09	.23	.02	—	16
17						.19	—	—	.30	—	—	—	17
18						.17	.08	.34	.20	—	—	.01	18
19						.29	—	—	.14	—	—	—	19
20						.38	—	—	—	—	—	.48	20
21						—	.04	—	.01	.08	—	.09	21
22						.01	.01	—	—	—	—	.47	22
23						—	.55	.03	—	—	—	.52	23
24						—	—	—	—	—	.37	.04	24
25						—	.73	—	—	—	.01	—	25
26						—	—	—	—	—	.19	.17	26
27						.18	.03	—	—	—	.23	.35	27
28						.01	.12	—	—	—	—	.16	28
29						—	.03	—	—	—	.49	.24	29
30		X	X			.22	.01	—	.67	.04	.37	.34	30
31		X	X	X		X	—	—	X	.44	X	.09	31
TOTAL						2.51	4.68	1.99	1.84	2.61	2.28	4.21	YEAR'S TOTAL
Days with ".01 in. or more						14	23	6	11	14	12	19	99
(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.						10.	17	4	10	13	10	16	80

REGISTER OF RAINFALL IN 1920

Kept at Yarley House Membury
in the County of Devon
by Major W. H. Wilkins

Lat. 50° 28' 35" Long. 3° 2' 20" W
Time of Observation 9 a.m.
Nearest Railway Station Exminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—	.43	.01	.06	.07	.16	.89	1
2						—	.08	.72	.04	.05	—	.12	2
3						—	.07	—	.04	.48	—	.07	3
4						—	.08	.84	—	.31	—	—	4
5						—	.29	.05	—	.23	—	—	5
6						—	.16	—	—	.10	—	—	6
7						—	.70	—	—	—	—	.01	7
8						—	.37	—	—	.01	—	.08	8
9						.21	.05	—	—	—	—	—	9
10						.41	.32	—	—	—	.04	—	10
11						.03	.19	—	—	—	—	—	11
12						.03	.03	—	—	—	.10	.07	12
13						—	—	—	—	.04	—	—	13
14						—	.02	—	.19	.12	.26	.01	14
15						.07	—	—	.10	.41	.04	—	15
16						.31	.29	—	.09	.23	.02	—	16
17						.19	—	—	.30	—	—	—	17
18						.17	.08	.34	.20	—	—	.01	18
19						.29	—	—	.14	—	—	—	19
20						.38	—	—	—	—	—	.48	20
21						—	.04	—	.01	.08	—	.09	21
22						.01	.01	—	—	—	—	.47	22
23						—	.55	.03	—	—	—	.52	23
24						—	—	—	—	—	.37	.04	24
25						—	.73	—	—	—	.01	—	25
26						—	—	—	—	—	.19	.17	26
27						.18	.03	—	—	—	.23	.35	27
28						.01	.12	—	—	—	—	.16	28
29						—	.03	—	—	—	.49	.24	29
30		X				.22	.01	—	.67	.04	.37	.34	30
31		X		X		X	—	—	X	.44	X	.09	31
TOTAL						2.51	4.68	1.99	1.84	2.61	2.28	4.21	YEAR'S TOTAL
Days with .01 in. or more						14	23	6	11	14	12	19	20.12
(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A & E. W.						10.	17	4	10	13	10	16	80

DEVON

in the County of

by

IMPORTANT N

previous day. If an
requested to add the
for it at the end of
the selection and p
Organization are given
Dr. H. R. MILL, 62, C

Dr. H. R. MILL, 62, Camden Square, London, N.W.

911

op. in.

above Ground 1 ft. 9 in.

,, Sea Level 674 ft.

on { Name _____
Distance _____ Direction _____

and the result entered to the
universal rule, he is earnestly
year in the space provided
crement of rain,
British Rainfall
on application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			05				01	15		01	07		2
3			15	02	30			26		20	40	21	3
4			12		41						20	08	4
5	11		10	01	04			03		05	63	70	5
6	02		20	01				46		10	35		6
7	34		22	02				03		01	42	53	7
8	07		01								73	02	8
9	66		22								16	94	9
10	33										45	35	10
11	08	10	51		65						01	35	11
12	34		01						03		69	38	12
13			80		01				09		20	48	13
14			01		25				57		12	39	14
15		28	04		01					05	02	57	15
16	03	10	01			07					54	12	16
17	01	06	02			16					17	34	17
18		30	13	05		23	01				16	35	18
19		59	08	25		1.30				07	28	46	19
20	01	08	01	11		60			21	37	36	65	20
21		12	08	02		03		01	48	27	02	32	21
22	04	45	01	20		04		26	23	36		27	22
23	05	03		13		32			16	43		72	23
24	05	23		01	02	20			25	35		16	24
25	04	77			04	45		23		50		23	25
26	19	16		35		13		10	08	17		33	26
27	03	17		46		01		11	01	52	10	59	27
28		75	07	03		02		29	23	18		45	28
29		35	03	52	04	03		06			21	04	29
30				46		98	19	06	43	60		03	30
31						22	02		02	27	10	09	31
							09			25		02	
Total	2.40	4.54	2.88	2.65	1.77	4.79	.32	2.05	2.79	4.76	6.39	10.17	TOTAL for Year 4551
No. of Rain	17	16	22	16	10	16	5	13	13	19	23	29	199

REGISTER OF RAINFALL IN 1911

Kept at

Molland

in the County of

N. Devon

by

S. J. Case

Pattern

RAIN
GAUGE

Diameter of top 5 in.

Height of top above Ground 1 ft. 9 in.

" " " Sea Level 74 ft.

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			05	02	30			15		01	07		2
3			15					26		20	40	21	3
4			12		41						20	08	4
5	11		10	01	04			03		05	63	70	5
6	02		20	01				46		10	35		6
7	34		22	02				03		01	42	53	7
8	07		01								73	02	8
9	66		22								16	94	9
10	33										45	35	10
11	08	10	51		65						01	35	11
12	34		01						03		69	38	12
13			80		01				09		20	48	13
14			01		25				57		12	39	14
15		28	04		01					05	02	57	15
16	03	10	01			07					54	12	16
17	01	06	02			16					17	34	17
18		30	13	05		23	01				16	35	18
19		59	08	25		1.30				07	28	46	19
20	01	08	01	11		60			21	37	36	65	20
21		12	08	02		03		01	48	27	02	32	21
22	04	45	01	20		04		26	23	36		27	22
23	05	03		13		32			16	43		72	23
24	05	23		01	02	20			25	35		16	24
25	04	77		04	45			23		50		23	25
26	19	16		35	13			10	08	17		33	26
27	03	17		46	01			11	01	52	10	59	27
28		75	07	03	02			29	23	18		45	28
29		35	03	52	04	03		06			21	04	29
30				46		98	19	06	43	60		03	30
31						22	02		02	27	10	09	31
							09			25		02	
Total	2.40	4.54	2.88	2.65	1.77	4.79	.32	2.05	2.79	4.76	6.39	10.17	TOTAL for year 45.51
No. of Rain	17	16	22	16	10	16	5	13	13	19	23	29	199

REGISTER OF RAINFALL IN 1912

324
FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at

Molland

in the County of

Devonshire

by

S. J. Case

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			19		10	37	07	13	07	1.09		89	1
2		03	23	10		82	06			05	09	04	2
3	25		29	03	01	07	13	93	33			12	3
4	1.06		1.15	02	04	44		15			60		4
5	83	06	67	05	08	01		50	01		02	06	5
6	98	12		04	32			1.70			07	07	6
7		40	06	02	60	58	01	90	02		06	08	7
8	50	17	13	06		24		11	01		01	01	8
9	01	05	25	07		18	10				05	34	9
10	26	20		18	01	21	05	19	08		35	10	10
11	05	11		03			08	01	01		31	56	11
12	03	25	31	02		01	08					15	12
13	33	01	07			05	01	25		02		51	13
14	12	02	72		14	03		23	01	05	01	16	14
15	20	04	14	01	01	1.38		09			01	1.02	15
16	39	01	27			04		24		32	10	11	16
17	11		14		05	41		75				23	17
18	11	02	52					60		45	06	24	18
19	03	36	18		01	03	09	69		13	06	03	19
20	05	12	36		13	11		84		83	24	02	20
21	01	10	62		65		01	52		43	01		21
22	31	26	21		04		20	98		10	06	07	22
23	37	72	51			01	04	1.90		35	17	34	23
24	04	08	23			45		01		02		08	24
25	09		01			1.07		39		14	67	68	25
26		10	01			01		22		31	72	41	26
27		01	15			48	52			1.14	07	60	27
28		08	07			34	31	81	28	37		66	28
29		09	04			21	35	01	44	51		11	29
30			03		13	25	48	01	07	39	01	01	30
31			42				42	07		05		20	31
Total	6.13	3.41	7.98	63	2.32	7.80	3.01	13.23	1.33	6.75	3.75	7.90	TOTAL for year
No. of Rain Days.	22	24	28	12	15	25	18	27	11	19	22	29	64.24

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL
FORM A.
337

Kept at

Molland

in the County of

W. Devon

by

S. J. Case

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.50	.34	.10	.10				.04	.01	.20	.92	1
2	.02	.21	.03	.13	.18					.08	.11	.13	2
3	.17		.16	.11	.35				.02		.01	.24	3
4	1.14	.02	.14		.33	.03	.03		.18	.02	.07	.33	4
5	.11	.05	.03		.15	1.25	.14		.30		.20	.54	5
6	.05	.11	.15		.03	.26	.07			.52	.24	.48	6
7	-	.50	.03		.61	.21	.02			.65	.24	.04	7
8	.01	.17	.01		.41	.03	.03	.02		.20		.10	8
9	-	.10	.31	.09	.20	.52	.01	.32	.05		.38	.17	9
10	.90		.22	.01	.04	.14		.07		.18	.14		10
11	.61		.12	.49	.33	.15	.03	.06	.07	.08	.72	.20	11
12	.10			.03	.07	.02			.07		.60	.04	12
13	.21	.02	.24				.05	.25	.66		.23		13
14	.19	.01	.37	.02			.05		.20	.11	.42	.18	14
15	.10		.50	.95					.10		.44	.13	15
16	.27		.85	.13			.08	.43	.65		.24	.01	16
17	.19			.11			.10				.23		17
18	.31		.30	.21	.03	.04	.05				.13		18
19	.40		.08		.22	.22	.27		.30	.06	.02		19
20	.53		.26	.15	.02				.08	.20	.34		20
21	-		.06	.05	.15		.03	.13			.25		21
22	1.65				.10	.20	.06	.16	.15			.05	22
23	.04		1.09		.01	.06		.26	.02		.24	.75	23
24	.08	.07	.05	.21				.02			.16		24
25	-	.01		.47					.12	.03		.26	25
26	-			1.17		.02			.01		.01	.49	26
27	.25		.27	.28				.01		.38	.04	.20	27
28	.20		.10	.35						.35	.01	.36	28
29	.05		.60	.30	.04					.14	.11		29
30	.53			.02	.02			.08		.72	.26		30
31	.12		.38		.10			.58					31
Total	8.27	1.77	6.69	5.38	3.49	3.15	1.02	2.39	3.02	3.73	6.04	5.62	50.57
Rain Days.	26	12	25	21	21	14	15	13	17	16	27	20	227

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Nolland
in the County of N. Devonshire N2
by S. J. Case

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

321
FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.05	.13		.18	.36	.49			.17	.10	1
2	.01		.06	.07	.02		.22	.17			.19	.35	2
3	.05		.65	.19	.47		.01			.07	.03	.07	3
4	.22		.56	.37	.11		.39	.12			.44	.71	4
5	.18		.64	.40	.08		.01	.30				.11	5
6		.13	.40	.09	.16		.51	.28			.14	.40	6
7	.07	.37	.45	.16	.31	.10	.57	.25	.03		.01	.06	7
8	.40		1.02	.15	.42	.62	.01	.07	.04		.01	.04	8
9	.31	.01	.34	.12	.18	.65		.06	.64			.05	9
10	.15	.35	.02	.33	.40	.07			.50		.04	.50	10
11		.15	.86	.01	.11	.15			.01		.15	.50	11
12		.70	.21						.61	.10	.31	.10	12
13		.32	.33				.08		.95	.19	.50	.17	13
14		.18	.65					.64	.01	.18	.32	.16	14
15		.03	.39				.17	1.25	.09	.02	.37	.05	15
16			.01				.17		.35			.04	16
17		.17	.32				.10		.04			.30	17
18		.25	.42				.12		.12			.18	18
19		.30	.59				1.53		.12		.09	.22	19
20		.29	.24			.15						.30	20
21		.37	.01			.29	.02	.14		.18		.10	21
22		.07	.07	.04	.11	.87		.06		.62			22
23		.10	.25		.01	.04	.25	.02		.17			23
24	.01		.04		.05	.02	.05			.01	.64		24
25	.22	.06	.40				.14	.76		.51	.02	.17	25
26	.12	.01	.14				.27	.10		.04	.35	.58	26
27	.09	.02					.01			.21	.25	.30	27
28	.05	.18	.15		.10					.47	.22	.95	28
29	.38		.25		.18					.33	.29	.24	29
30	.03		.13		.05					.21	.60	.60	30
31	.05				.06		.50			.69		.30	31
Total	2.36	4.06	9.65	2.06	2.82	3.14	5.49	4.71	3.51	4.00	5.14	7.65	54.59
Rain Days.	17	20	29	12	17	11	21	16	13	16	21	28	220

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Molland
in the County of N. Devonshire
by S. J. Case

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40	36			20			79	05	58	03	16	1
2	24	17	56	22				02	05	03		73	2
3	01	05	22	73	12	14	02					70	3
4	15	40	05		03		17					90	4
5	36	58	05	15	01	02		27				61	5
6	75	07		35			24	12		13		28	6
7	45	51		14			17	15		01	08	38	7
8	30	45					02	17			14	06	8
9	02	24		48				01		16	45	92	9
10	70	15	13	06				19			12	16	10
11	12		02	05			06	06		05	125		11
12	43	75		02	50			22	02	28	53		12
13	11	42			75		12	25	12	03	17	13	13
14	15						29	50	32	06	05	97	14
15	23	01			37		21	01	01			09	15
16	01	111			19		168		(35)		01	02	16
17	04	15			07		01					01	17
18		20					06						18
19	02	10		09	19		20						19
20	112	02		12		09				21		03	20
21	50	20			01	02	06			32		73	21
22	43	14	27	09		04	45		02	17		38	22
23	03	09	05			01	39		10	75	01	102	23
24		01	02				19		03	23		71	24
25						46	76		01	03	01	28	25
26		10				35	18		12			50	26
27		13				61	17		03	57		(06) 96	27
28		04	02			06		03	67	23	01	01	28
29						17			02		11	10	29
30	20	X		01		04	08		02	79	22	37	30
31	01	X		X		X	10	05	X	63	X	25	31
Total	678	645	139	251	244	201	563	284	194	526	319	1056	5100
Rain Days.	24	25	10	13	11	12	22	15	16	19	15	27	208
YEAR'S TOTAL													

81 ✓ REGISTER OF RAINFALL IN 1916

1905
261
FORM A.
BRITISH RAINFALL

Kept at Molland
in the County of N. Devonshire
by S. J. Cave

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14		01	01	75	20	30	02		48	05		1
2	77	07	25		09				12	66	06		2
3		90			23	12	04		06	58	20	03	3
4	51	15		06	25	70	01		17	20	54	01	4
5	48	09	04		26	10				09	77		5
6	37	31	10		18	28	65			11	43	02	6
7	12	29	30		57	08				02	70	24	7
8	01	23	40	01	12	24					44	15	8
9	01	44			15	04	06			17	10	20	9
10	02	95	01	22	05	02	01			05	06	20	10
11	03		04	54	02				10	02	02	02	11
12	24	22	06	22	27		31	04		71	01	01	12
13	10	57		07	01			30		05	01	01	13
14		54	11		35		01	54		17			14
15	03	63	06	24	05		02	52	05	05			15
16	03	17		57	02		13	48		12			16
17	09	56		11					1.06	42	81	01	17
18	06	1.08	28	13					41	30	09		18
19	16	08	07	46				01			27	02	19
20	18	82	28	01							29	50	20
21	13		27		05						04	21	21
22	01					17		01		36	06	62	22
23	07	08	05	04		03		33		17	16	36	23
24	01	50	11	21	25	47		06		56	03	30	24
25	01	20	24		03	03		43	07	06	53		25
26	16	67	09		03	15		02	85	80	05	01	26
27	22	01	1.64			01		18	40	87		02	27
28		04	03					05	08	36	03	95	28
29	01	46	15			74		1.61	11	65		67	29
30		X				02		04		32		12	30
31		X	01	X		X		14	X	13	X	42	31
Total	3.97	10.06	4.60	2.90	3.73	3.40	1.54	4.78	3.48	8.48	5.75	5.10	57.79
Rain Days.	26	25	23	15	20	17	10	17	12	27	24	23	239

81 ✓ REGISTER OF RAINFALL IN 1917

Kept at Molland

in the County of N. Devonshire

by S. J. Case

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

1821
269
BRITISH RAINFALL FORM A.
26. JAN 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16		20	20		32		27	11	01	19	02	1
2	18			30		20		01	01	03	10		2
3	35			16						1.15	65		3
4		28	32				36		02	58	05		4
5	39		48	27		55	04			38	17		5
6	02		16			02		47		15	30	04	6
7	60						22	15		61	17	12	7
8	11		22	17		05	88	1.02	18	1.35	72	34	8
9			19	15	03		01	13		56	35	02	9
10	35		27	32		01		10	03	36	03		10
11	03		37	58				45		47	15		11
12	04		04	02	33			11		1.23	01	02	12
13			27	15		07		53	67	20	01	06	13
14				08	01			85	06		01		14
15	01			03			12	01	06	22	01	26	15
16		07		20				06		22	04	70	16
17		03	08	61			69	14	33	15	06	11	17
18		04		03		06	48	15	72	03	02		18
19	01	60	07			39	01	11	03		16		19
20	01	17			55	20		06			31		20
21			21			44		04	01	04	12	04	21
22						01		61		34	02		22
23		43			17	01		62		17	15	01	23
24		01				10	10	46		66	28	05	24
25		23	07			07	03	26	06	21	02		25
26		01	02		26	13	02	80	27	18	51		26
27					23	17	02	1.53	01	35	07		27
28		22	20		08	3.58		56		03	17		28
29			30			62		07		32	06		29
30		X	11					24		25	06		30
31		X	05	X	12	X		25	X	30	X		31
Total	2.26	2.09	3.63	3.27	1.78	7.00	2.98	10.06	2.57	10.55	4.97	1.79	52.95
Rain Days.	13	11	19	15	9	19	13	28	15	28	30	13	213

REGISTER OF RAINFALL IN 1918

Kept at Molland
in the County of N. Devonshire
by S. J. Case

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		15	03	15	05			1.72	03	01	99	01	1
2		12		03				25	06	05	02	24	2
3		24	01	06	10				16	07	03	07	3
4		06						06		09	88	50	4
5		06	12	17				96	79	32	07	02	5
6	45	96		38	06			01	01	14		18	6
7		33	01	02	15			06	52	33	35	17	7
8	20	03				12	03	01	46	43		02	8
9	15	10		06		44	17		70	41	07	40	9
10	25	04		25			64		40	09	03	65	10
11	17	40	19	01			86		35	02	13	65	11
12	03	25	11		36	06	22		45		01	21	12
13	55	08			03	05	05		57	13		58	13
14	33	01			04	15	39		86	06		14	14
15	2.40		02	04		14	33		04	15		75	15
16	32			1.50			29	20	19	04		32	16
17	1.27			11			25	18	04			23	17
18	85		10			96	40	02	82	15		30	18
19	22	13	17	05			11	12	22	01		54	19
20	10	29		25		15	60		19	02			20
21	12	04		02		16	07	01	85	03		39	21
22	02	01			30		52	01	22	01	01	82	22
23	08	02			09	01	47		25		05	31	23
24	01	23				01	41	30	64		48	14	24
25	01	01			20		67	96	01	05	25	03	25
26		10					79	04	33	07	33	1.02	26
27			03			02		42	44	02	50	36	27
28		37	16						08	02	47	95	28
29			12						1.36	03	02	17	29
30		X	53					12	02	03	18	27	30
31		X	57	X		X		45	X		X	01	31
Total	7.53	4.03	2.17	3.10	1.38	2.27	7.27	5.90	11.06	2.78	4.87	10.45	62.81
Rain Days.	19	23	14	15	10	12	19	19	29	26	19	30	235

82 10-2-20
REGISTER OF RAINFALL IN 1919

Kept at Molland
in the County of N. Devonshire
by S. J. Case

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

175
FORM A.
BRITISH RAINFALL
MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.95	-	.08	.09	.46	-	.25	.01	.03	.34		1.16	1
2	.38		.07	.01	.11			.01	.46	.15	.03	.44	2
3			.24		.35		.09		.08		.10	1.16	3
4	.22	.36	.63		.01	.01			.42			.06	4
5		.45	.67		.03			.21	.03		.02	.87	5
6	.70	.24	.30									.51	6
7	.30		.35	.20		.05						.08	7
8	.16		.29	.03	.02				.01				8
9	.30		.06	.25	.11						.49		9
10	.10		.65	.09	.03	.01				.17	.14	.10	10
11	.15		.20	.28	.17	.04	.06			.01	.02	.27	11
12	.38		.07	.08		.45				.27	.14	.01	12
13	.07	.03	.20	.54			.06			.07		.10	13
14	.38	.12		.89	.15		.04		.02	.08		.20	14
15	.37	.03		.13						.20	.01	.40	15
16	.23	.80			.01						.58	.01	16
17	.05	.83		.01	.01	.20		.01			1.30	.08	17
18	.06	.04	.81				.07	.38	.16		.87	.07	18
19	.35	.31	.40			.21	.52	.62	.65		.57	.30	19
20	.31	.23	.23			.10		.10	.25		.17	.50	20
21	.08	.90	.03				1.00	.08	.10		.02	.24	21
22		.24				.09	.10		.32		.20	.44	22
23								.03		.49	.21	.46	23
24				.01		.16			.09	.85	.14	.51	24
25	.27			.02		.02		.70	.04	.01	.10	.27	25
26	.20	.03	.30	.05		.02		.20	.30	.10	.11	.46	26
27	.28		.06	.56			.01	.51	.01		.13	.12	27
28	.03		.50	.07				.03			.17	1.03	28
29	.02		.01	.16				.07		.27	.01	.38	29
30	.01	X	.07	.29		.13		.38	.02	.02	.60	.70	30
31	.02	X	.12	X		X	.11		X		X	.36	31
Total	6.37	4.61	6.34	3.76	1.46	1.49	2.31	3.34	2.99	3.03	6.13	11.29	53.12
Rain Days	26	14	23	19	12	13	11	15	17	14	23	29	216

REGISTER OF RAINFALL IN 1920.

Kept at Mollandin the County of Devonby S. F. Case

Lat. 51° 4' N. Long. 3° 42' W. (Approx.)
 Time of Observation 9 a.m.
 Nearest Railway Station Brs. Thympton & Molland
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 9 in.
 " " " " Sea Level 674 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	-	.01	.07	.18	-	.34	.03	.25	.60	.18	.40	1
2	.03	-	-	.32	.04	-	.21	.58	.27	.08	-	.15	2
3	.11	.04	-	.10	.02	-	.07	.89	.15	.84	-	.25	3
4	.01	-	.04	.11	.05	-	.05	.39	.04	.20	-	-	4
5	-	-	.19	.07	.10	-	.52	.25	.04	.15	-	-	5
6	-	-	.19	.07	1.45	-	.08	-	.02	.35	-	-	6
7	.12	-	.02	.34	.04	-	.47	-	.03	-	.16	-	7
8	.10	.08	.01	.73	.19	-	.77	.04	-	.02	.01	.06	8
9	1.54	.47	.12	.23	-	.25	.46	.04	.04	-	.04	-	9
10	1.35	.65	.27	.16	-	.22	.31	-	-	-	.09	-	10
11	.23	.02	.15	.48	.36	.06	.12	-	-	-	-	-	11
12	.54	.15	.03	.20	.08	.07	.20	-	-	-	.19	.07	12
13	.19	.13	.66	.16	-	-	.06	-	-	.14	.03	.04	13
14	.45	.04	.58	.65	-	-	.04	-	.26	.37	.67	.02	14
15	.12	.15	.10	.46	.07	.04	.07	-	.21	.75	.15	-	15
16	.03	.01	.27	.09	.25	.17	.10	.03	.42	.24	.18	-	16
17	.38	-	.07	.25	.34	.07	.02	-	.72	.06	-	-	17
18	.18	-	.05	.02	.04	.06	-	.46	.35	-	-	.04	18
19	.25	.32	-	.34	-	.28	.09	.04	-	-	-	-	19
20	.18	-	-	.54	.12	.22	.10	-	.04	.02	-	.16	20
21	.01	-	-	.02	-	-	.12	-	.01	.06	-	.30	21
22	.04	-	-	.09	-	.06	.08	.03	-	-	-	.67	22
23	.01	-	.08	.01	-	-	.77	.12	-	-	-	.68	23
24	.04	.07	.31	.10	-	.03	-	-	-	-	.08	.32	24
25	.03	.05	.16	.02	.01	.09	1.00	-	.01	-	-	.01	25
26	.45	.01	.27	.01	-	.20	.08	-	.01	-	.27	.08	26
27	.32	.23	.14	.23	.18	.94	.07	-	-	-	.69	.29	27
28	.61	.04	.30	.12	-	.09	.31	-	-	-	.10	.05	28
29	.36	.02	.42	.09	.33	.08	.37	-	-	-	.12	.38	29
30	.50	~~X~~	.01	.21	.04	.02	.40	-	.74	.07	.50	.37	30
31	.24	~~X~~	.42	~~X~~	-	~~X~~	.05	-	~~X~~	.81	~~X~~	.27	31
TOTAL	8.62	2.48	4.87	6.29	4.19	2.95	7.27	2.90	3.61	4.76	3.46	4.91	YEAR'S TOTAL
Days with 01 in. or more	29	17	25	30	19	18	29	12	18	16	16	20	249
Days with .04 in. or more	23	13	20	25	17	16	27	9	13	14	14	18	209

REGIS

DEVON

Kept at Hartnolls. Mor

MORCHARD BISHOP

in the County of Devon

"HARTNOLL"

by Mrs Owen Wynne

1911-1913

711.12

don

5 in.

Ground 1 ft. - in.

Sea Level 420 ft.

304. m.

Name Laphord.

Distance 3 miles Direction N.E. N.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .12	in. —	in. .02	in. .25	in. —	in. .03	in. —	in. —	in. —	in. —	in. .01	in. —	1
2	—	—	.03	.01	.21	—	—	.22	—	.28	.27	.06	2
3	—	—	.09	—	.20	—	—	.11	.02	—	.33	.09	3
4	—	—	.10	—	—	—	—	.14	—	—	—	.56	4
5	.03	—	1.09	—	.04	—	—	—	—	.03	.09	.04	5
6	.18	—	.27	—	.01	—	—	.39	—	.02	.18	.41	6
7	.02	—	—	—	—	—	—	—	—	—	.82	.03	7
8	.20	—	.33	—	—	—	—	—	—	—	.15	.83	8
9	—	—	—	—	—	—	—	—	—	—	.88	.26	9
10	.09	—	.15	—	.68	—	—	—	—	—	.10	.32	10
11	—	—	—	—	—	—	—	—	.02	2.05	.35	.39	11
12	.24	—	—	—	—	—	—	—	.27	.01	.19	.42	12
13	—	—	—	—	—	—	—	—	.27	—	—	.14	13
14	—	.06	.01	—	—	—	—	—	—	.05	.01	.51	14
15	—	.03	—	—	—	.09	—	—	—	—	.09	.06	15
16	.02	—	—	—	—	.12	—	—	—	—	.20	.09	16
17	—	.12	.15	—	—	.11	.03	—	—	—	.09	.36	17
18	—	.42	.02	.01	—	.52	—	—	—	.26	.11	.12	18
19	—	—	—	.07	—	.50	—	—	.29	.15	.42	.41	19
20	—	.06	.11	—	—	—	—	—	.13	.59	—	.40	20
21	.01	.26	.03	—	—	—	—	—	.13	.36	—	.16	21
22	.02	.06	—	.08	—	.12	—	—	.39	.32	—	.51	22
23	—	.18	—	—	—	.08	—	—	.23	.26	—	.09	23
24	.03	.20	—	—	—	.33	—	.15	—	.43	—	.13	24
25	—	.14	—	.10	—	.03	—	—	.03	.26	—	.14	25
26	.05	.13	—	.30	.12	—	—	—	—	.61	—	.11	26
27	—	—	—	.02	.01	—	—	.15	.20	.31	.01	.51	27
28	—	.09	—	.48	—	—	—	.06	—	—	.21	.01	28
29	—	—	—	.31	—	.40	.21	—	.26	.36	—	.09	29
30	—	—	—	—	—	.05	—	—	—	.15	—	—	30
31	—	—	—	—	—	—	.06	—	—	.18	—	—	31
Total	1.06	1.45	1.56	1.93	1.24	1.43	.20	1.22	2.24	4.61	4.81	4.88	TOTAL for year 30.06
No. of Rain Days	12	12		10	7	9	3	7	12		19	28	31.01

Kept at *Hartnolls, Mordred Bishop.*
in the County of *Devon N.2*
by *Mrs Owen Wynne*

Pattern *Snowdon*
RAIN Diameter of top *5* in.
GAUGE Height of top above Ground *1* ft. — in.
" " " Sea Level *420* ft.
Time of Observation *9.30 a.m.*
Nearest Railway Station { Name *Lapford*
Distance *3 miles* Direction *N.E. E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April:	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <i>.12</i>	in. —	in. <i>.02</i>	in. <i>.25</i>	in. —	in. <i>.03</i>	in. —	in. —	in. —	in. —	in. <i>.01</i>	in. —	1
2	—	—	<i>.03</i>	<i>.01</i>	<i>.21</i>	—	—	<i>.22</i>	—	<i>.28</i>	<i>.27</i>	<i>.06</i>	2
3	—	—	<i>.09</i>	—	<i>.20</i>	—	—	<i>.11</i>	<i>.02</i>	—	<i>.33</i>	<i>.09</i>	3
4	—	—	<i>.10</i>	—	—	—	—	<i>.14</i>	—	—	—	<i>.56</i>	4
5	<i>.03</i>	—	<i>1.09</i>	—	<i>.04</i>	—	—	—	—	<i>.03</i>	<i>.09</i>	<i>.04</i>	5
6	<i>.18</i>	—	<i>.27</i>	—	<i>.01</i>	—	—	<i>.39</i>	—	<i>.03</i>	<i>.18</i>	<i>.41</i>	6
7	<i>.02</i>	—	—	—	—	—	—	—	—	—	<i>.82</i>	<i>.03</i>	7
8	<i>.20</i>	—	<i>.33</i>	—	—	—	—	—	—	—	<i>.15</i>	<i>.83</i>	8
9	—	—	—	—	—	—	—	—	—	—	<i>.88</i>	<i>.26</i>	9
10	<i>.09</i>	—	<i>.15</i>	—	<i>.68</i>	—	—	—	—	—	<i>.10</i>	<i>.32</i>	10
11	—	—	—	—	—	—	—	—	<i>.02</i>	<i>2.05</i>	<i>.35</i>	<i>.39</i>	11
12	<i>.29</i>	—	—	—	—	—	—	—	<i>.27</i>	<i>.01</i>	<i>.19</i>	<i>.42</i>	12
13	—	—	—	—	—	—	—	—	<i>.27</i>	—	—	<i>.14</i>	13
14	—	<i>.06</i>	<i>.01</i>	—	—	—	—	—	—	<i>.05</i>	<i>.01</i>	<i>.51</i>	14
15	—	<i>.03</i>	—	—	—	<i>.04</i>	—	—	—	—	<i>.09</i>	<i>.06</i>	15
16	<i>.02</i>	—	—	—	—	<i>.12</i>	—	—	—	—	<i>.20</i>	<i>.09</i>	16
17	—	<i>.12</i>	<i>.15</i>	—	—	<i>.11</i>	<i>.03</i>	—	—	—	<i>.09</i>	<i>.36</i>	17
18	—	<i>.42</i>	<i>.02</i>	<i>.01</i>	—	<i>.52</i>	—	—	—	<i>.26</i>	<i>.11</i>	<i>.12</i>	18
19	—	—	—	<i>.04</i>	—	<i>.50</i>	—	—	<i>.29</i>	<i>.15</i>	<i>.42</i>	<i>.41</i>	19
20	—	<i>.06</i>	<i>.11</i>	—	—	—	—	—	<i>.13</i>	<i>.59</i>	—	<i>.40</i>	20
21	<i>.01</i>	<i>.26</i>	<i>.03</i>	—	—	—	—	—	<i>.13</i>	<i>.36</i>	—	<i>.16</i>	21
22	<i>.02</i>	<i>.06</i>	—	<i>.08</i>	—	<i>.12</i>	—	—	<i>.39</i>	<i>.32</i>	—	<i>.51</i>	22
23	—	<i>.18</i>	—	—	—	<i>.08</i>	—	—	<i>.23</i>	<i>.26</i>	—	<i>.09</i>	23
24	<i>.03</i>	<i>.20</i>	—	—	—	<i>.33</i>	—	<i>.15</i>	—	<i>.43</i>	—	<i>.13</i>	24
25	—	<i>.14</i>	—	<i>.10</i>	—	<i>.03</i>	—	—	<i>.03</i>	<i>.26</i>	—	<i>.14</i>	25
26	<i>.05</i>	<i>.13</i>	—	<i>.30</i>	<i>.12</i>	—	—	—	—	<i>.61</i>	—	<i>.11</i>	26
27	—	—	—	<i>.02</i>	<i>.01</i>	—	—	<i>.15</i>	<i>.20</i>	<i>.31</i>	<i>.01</i>	<i>.51</i>	27
28	—	<i>.09</i>	—	<i>.48</i>	—	—	—	<i>.06</i>	—	—	<i>.21</i>	<i>.01</i>	28
29	—	—	—	<i>.31</i>	—	<i>.40</i>	<i>.21</i>	—	<i>.26</i>	<i>.36</i>	—	<i>.09</i>	29
30	—	—	—	—	—	<i>.05</i>	—	—	—	<i>.15</i>	—	—	30
31	—	—	—	—	—	—	<i>.06</i>	—	—	<i>.18</i>	—	—	31
Total	<i>1.06</i>	<i>1.45</i>	<i>1.56</i>	<i>1.93</i>	<i>1.24</i>	<i>1.43</i>	<i>.30</i>	<i>1.22</i>	<i>2.24</i>	<i>4.61</i>	<i>4.81</i>	<i>4.88</i>	<i>30.06</i>
No. of Rain Days	<i>12</i>	<i>12</i>		<i>10</i>	<i>7</i>	<i>9</i>	<i>3</i>	<i>7</i>	<i>12</i>		<i>19</i>	<i>28</i>	<i>31.01</i>

REGISTER OF RAINFALL IN 1912

Kept at *Hartnolls, Morechard Bishop*
in the County of *Devon* *N. 2*
by *Mrs Owen Wynne*

Pattern *Snowdon*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft.
" " " Sea Level *420* ft.
Time of Observation *9.30 a.m.*
Nearest Railway Station { Name *Lafford*
Distance *3 miles* Direction *N.E.*

11 JAN 1913
FORM A2.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2		.025	.09	.06	.04		.12	.08	.04	.40		.24	2
3	.02	.07	.13			<i>May 16 to June 9</i> <i>2.68 ins.</i>	.01	.04					3
4	.44		.10	.06				.04	.02		.29	.02	4
5	.59		1.35		.04			.56				.15	5
6	.84	.03	.35		.24		.08					.10	6
7		.29	.09	.03	.32							.04	7
8	.39	.20	.33	.02									8
9	.08	.09	.10	.14			.03					.06	9
10	.24	.03					.01		.04		.35	.44	10
11		.22	.20				.02				.20	.34	11
12		.24	.05				.09	<i>cu</i> <i>cu</i> <i>cu</i>				.08	12
13	.20					.01	.03			.02		.20	13
14		.10	.59			.06				.03		.04	14
15	.26		.08			.22						.48	15
16			.11			.42				.08	.23	.22	16
17	.12		.13			.56						.19	17
18	.025	.02	.18							.09	.01	.04	18
19	.14	.30	.21			.29	.01			.11	.03		19
20		.11	.14				.02			.61	.13	.04	20
21		.10	.48							.32			21
22	.14	.06	.35				.05	.25		.15		.04	22
23	.22	.35	.32			.10	.01	.94		.12	.08	.20	23
24	.04	.03	.10			.23	.01	.01		.04		.07	24
25							.04	.32		.12	.46	.63	25
26							.01	.29		.30	.65	.19	26
27						.26	.59	.01		.43	.10	.34	27
28		.04	.02			.05	.20	.21	.12	.20		.48	28
29		.05				.13	.16	.11	.68	.26		.14	29
30						.05	.34	.01	.13	.52			30
31			.39				.24	.03		.03		.08	31
Total	3.83	2.41	5.89	.34		6.44	2.14	4.41	1.21	4.46	2.53	5.18	TOTAL for year 42.14
No. of Rain Days	15	19	23	5			21		4	18	11	25	

REGISTER OF RAINFALL IN 1913

Kept at *Hartnolls, Morchard Bishop.*
 in the County of *Devon*
 by *Mrs Owen Wynne.*

Lat. _____ Long. _____
 Time of Observation *9.30 a.m.*
 Nearest Railway Station *Lufford.*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. in.
 " " " " Sea Level *420* ft.

BRITISH RAINFALL FORM A.
 12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.07	.29	.02	.04		.10	—	—	.03	—	.04	.02	1
2	—	.10	—	.16		—	—	—	—	.08	.11	.05	2
3	.04	—	.04	—		—	—	—	.01	.12	.04	.29	3
4	1.33	—	.04	—		.03	.01	—	.42	.06	.05	.43	4
5	—	.06	—	—		.59	.04	—	—	.03	.15	.68	5
6	—	.13	.15	—		.11	.01	—	—	.66	.15	.34	6
7	—	.15	.06	—	2.99	.13	—	—	—	.42	.18	.03	7
8	.03	—	.22	—		—	—	—	—	.01	—	.02	8
9	.01	.10	—	—		.11	.24	—	—	—	.39	—	9
10	.54	—	.03	.01		.01	—	.04	—	—	.21	.01	10
11	.50	—	.05	.24		.14	—	—	—	.44	.61	—	11
12	.02	—	—	—		.13	—	—	—	—	.82	—	12
13	.05	—	—	—		—	.02	—	1.26	—	.14	—	13
14	.24	—	.20	.02	—	—	—	—	—	—	.11	—	14
15	.09	—	.45	.44	—	—	—	—	—	—	.20	—	15
16	.22	—	.50	.14	.05	.25	—	—	—	—	.02	—	16
17	.12	—	.11	—	.04	—	—	—	—	.12	.05	—	17
18	.29	—	.16	.10	—	—	.01	—	—	—	.04	—	18
19	.44	—	.14	.09	—	—	.16	—	—	.02	.01	—	19
20	.25	—	.19	.12	—	—	—	—	—	.19	.20	—	20
21	—	—	.26	—	—	—	—	—	—	—	.24	—	21
22	.63	—	.40	—	.15	—	—	.09	—	.01	—	.49	22
23	—	—	—	—	.09	—	—	.34	—	—	.01	.54	23
24	.05	.06	—	—	—	—	—	—	—	—	.10	—	24
25	—	.01	—	—	—	.02	—	—	—	.04	.08	.19	25
26	—	—	—	—	—	—	—	—	—	—	—	.34	26
27	.15	—	.29	1.52	—	—	—	—	—	.12	.01	.04	27
28	.18	—	—	—	.06	—	—	—	—	.38	—	.18	28
29	.06	—	.48	—	.02	—	—	—	—	.13	.04	—	29
30	.34	—	—	—	—	—	—	—	—	.66	.01	—	30
31	.19	—	.34	—	.10	—	.08	.72	—	—	—	—	31
Total	5.93	.90	4.52	2.88	3.53	1.62	.60	1.22	1.42	3.52	4.24	3.44	34.42
Rain Days.	23	8	20			11	8	4		14	26	15	

YEAR'S TOTAL

REGI

DEVON

Kept at *Moretonham*

in the County of *S. Devon*

by *Rev. S. J. Dewe*

MORETON HAMPSTEAD
RECTORY.

1911-1920

5 in.

Ground 1 ft.

Sea Level 600 ft.

Name

Distance Direction

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 09	in.	in. 01	in. 11	in. 09	in.	in.	in.	in.	in. 02	in. 03	in. 03	1
2				04	36			56	01	15	17	32	2
3		01		01	25			09	02		23	14	3
4			09					20		02	31	62	4
5	26		08					43		07	32	07	5
6	30		24					12			14	1.23	6
7	01		01	04							68	04	7
8			06								10	86	8
9	03					67					67	1.05	9
10	05	01	31		17						02	46	10
11	27				03				01		62	11	11
12			50						17	01	27	61	12
13			14						13		03	41	13
14		03	02							09	04	87	14
15			01			02				01	57	09	15
16	02	01	09			36				01	44	62	16
17	01		1.23	06		32	01			02	16	1.00	17
18		39	38	65		36				32	55	63	18
19		16	03	07		61			55	19	34	78	19
20	03	03	16	04		01			08	68	04	91	20
21	01	25	03			03		10	21	58		17	21
22	02	03		03		01			32	32		53	22
23	02	48	03			06		04	02	23	13	22	23
24		14				65		15	01	23	01	36	24
25		12		06		07		02	15	16		27	25
26		05		31	38			01		52	04	20	26
27		29	04	04	58	01		29	13	49	01	15	27
28		16	01	49				10	01	01	28		28
29				20	06	32	67		01	42			29
30						01	06		18	39	16	04	30
31							13			06			31
Total	1.12	2.16	3.47	2.15	1.92	3.51	.87	2.11	2.01	5.00	6.36	12.79	43.47
No. of Rain Days	13	15	19	14	8	15	4	12	16	23	26	28	193

REGI

FORM A2
BRITISH RAINFALL
26 JAN 1912

Kept at Moretonhampstead Rectory
in the County of S. Devon
by Rev. S. J. Dewey

RAIN
GAUGE

Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 600 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 09	in.	in. 01	in. 11	in. 09	in.	in.	in.	in.	in. 02	in. 03	in. 03	1
2				04	36			56	01	15	17	32	2
3		01		01	25			09	02		23	14	3
4			09					20		02	31	62	4
5	26		08					43		07	32	07	5
6	30		24					12			14	1.23	6
7	01		01	04							68	04	7
8			06								10	86	8
9	03					67					67	1.05	9
10	05	01	31		17						02	46	10
11	27				03				01		62	11	11
12			50						17	01	27	61	12
13			14						13		03	41	13
14		03	02							09	04	87	14
15			01			02				01	57	09	15
16	02	01	09			36				01	44	62	16
17	01		1.23	06		32	01			02	16	1.00	17
18		39	38	65		36				32	55	63	18
19		16	03	07		61			55	19	34	78	19
20	03	03	16	04		01			08	68	04	91	20
21	01	25	03			03		10	21	58		17	21
22	02	03		03		01			32	32		53	22
23	02	48	03			06		04	02	23	13	22	23
24		14				65		15	01	23	01	36	24
25		12		06		07		02	15	16		27	25
26		05		31	38			01		52	04	20	26
27		29	04	04	58	01		29	13	49	01	15	27
28		16	01	49				10	01	01	28		28
29				20	06	32	67		01	42			29
30						01	06		18	39	16	04	30
31							13			06			31
Total	1.12	2.16	3.47	2.15	1.92	3.51	.87	2.11	2.01	5.00	6.36	12.79	43.47
No. of Rain Days	13	15	19	14	8	15	4	12	16	23	26	28	193

REGISTER OF RAINFALL IN 1912

311
FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Moretonhampstead Rectory
in the County of S. Devonshire S.5
by Rev. S. D. Dewey

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			18			46	13	04	14	68		39	1
2			45			96	04	06		02		01	2
3			22		03	18	18	1.87	01	01		03	3
4	20	15	1.42		01	21		18			09		4
5	64	22	23		03	10	10	83			02	16	5
6	78	11	01		15	05	03	11			01	03	6
7	20	1.06	38		07	63	01	15				19	7
8	41	14	35	09		34	01					01	8
9		21	26	07		08	01	83			01	33	9
10	21	11	04	01		08	02	26			23	16	10
11	01	13						02		01	24	38	11
12	01	32	03		02		03	36		01	02	05	12
13	32	03				01	57	90		02		21	13
14	11	02	43		07			70				03	14
15	1.26	02	09		26	48						22	15
16	28		28		10			02		07	03	05	16
17	02	01	25		01	01		61			02	03	17
18		02	25					46		03	04	07	18
19	05	18	46				07	45		02	04	07	19
20	19	08	48		19		03	26		24	12		20
21		20	61		39		05	10		25	02		21
22	31	28	17				04	09		12		10	22
23	55	33	12			02	04	47		01	06	30	23
24	05	03	02			36	02	01		01		27	24
25	23	01				14	11	17		27	41	54	25
26		04					02	08		50	94	65	26
27		01				34	45	18		1.36	01	67	27
28		18				07	11	52	55	42	53	46	28
29		40				02	10	61	46	57	13	17	29
30			05			16	27	02	16	55		01	30
31			21		02		29			05			31
Total	5.83	4.29	6.99	17	1.35	4.70	2.73	10.36	1.32	5.22	2.97	5.59	TOTAL for year: 51.52
No. of Rain Days.	19	25	24	3	13	20	24	28	5	21	19	27	72.8

27 JAN 1914

BRITISH RAINFALL FORM A. 323

REGISTER OF RAINFALL IN 1913

Kept at *Worcesterhamstead Vicarage*

in the County of *S. Devonshire*

by *Rev S D Dewey*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	18	02	10	07	04			03	11	24	02	1
2	31	24	15	09	28		02		01	31	36	02	2
3	27		16		31				02	08		39	3
4	1.06		12	03	11	06	01		34	13	22	26	4
5	11	05	01		10	26	09		67	02	23	77	5
6	10	13	19		05	07				99	15	20	6
7	05	76	12		1.54	10	13			72	17		7
8	09	24			46			05		08	02		8
9	18				14	05	06	06	02		86	03	9
10	81	01		04	10	01		08		19	15		10
11	67		01	13	76	02				05	1.10	01	11
12	09	02		01	06	11			01		24	04	12
13	23	01	11		09			04	49		05		13
14	60	01	19	01	13				05	01	24		14
15	18		49	84					32		05	01	15
16	54		78	04				16	29				16
17	03		07	15							05		17
18	14		40	10							08		18
19	73		10		01	20	02		21	08			19
20	14		12	24					01	08	48		20
21	01		40	42	06		01				19	01	21
22	24		95	22		06	02	08	04	13	01	32	22
23								01	01	01	16	1.07	23
24	01	24		02	01				01		04		24
25		04		80					08	07		02	25
26				1.27				02	01	01		40	26
27	23		39	19				03		40		06	27
28	07		12	50	05					74		21	28
29	14		83	51	01					45			29
30	60		01	03	01				07	82	02		30
31	24		17					63		03			31
Total	7.88	1.93	5.91	5.74	4.35	.98	.36	1.16	2.69	5.51	5.11	3.84	YEAR'S TOTAL 45.46
Rain Days.	28	12	23	21	20	11	8	10	19	22	22	17	213

REGISTER OF RAINFALL IN 1914

Kept at Moretonhampstead Rectory
in the County of S. Devonshire
by Rev S. D. Dawey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

307
FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01		04	08		08	38	16			61	25	1
2	01		04	07	03		19	01			10	80	2
3	01		15	14	45			09			10	29	3
4	15		03	24	18		60	19			44	108	4
5	10		13	21	05						03	07	5
6		21	12	19	04	01	14	05			06	70	6
7	01	96	33	16	34	09	26	11	17		01	35	7
8	01		69	06	05	47		04	11			01	8
9	02	03	55	22	01	51		17	72			02	9
10	03	58	27	32		11			17		01	27	10
11		17	54			22			05		14	79	11
12		74	06						23	07	07	98	12
13		47	69			01	02		15	29	46	30	13
14		59	65			15		47		03	39	04	14
15		02	18				37	27		09	20	15	15
16		01	03						15		01	02	16
17		57	40						01		01	96	17
18		06	10			05	04		19			25	18
19		02	117				227		11		07	09	19
20		66	37			24					05	19	20
21		70	01			02				50		02	21
22		02	03		17	01		01		32			22
23	01	06	13				05			31		01	23
24		04	02		13		01	09		05	03		24
25	15	02	29		04		11	25		28	02	35	25
26	10	03	10				15	01		02	26	66	26
27	08	02					04			09	37	34	27
28	01	02	23		12					19	24	59	28
29	19		13		12		03			07	87	08	29
30			15			05				44	62	166	30
31	22				04		38			147		73	31
Total	1.11	6.00	7.63	1.69	1.77	2.02	5.04	1.92	2.06	4.22	5.17	12.05	50.68
Rain Days.	16	22	29	10	14	14	16	14	11	15	24	29	214

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	41	11						1.50	33	32	01	13	1
2	23	29	03			03		16	06	05		59	2
3	13	36	05	01	24		01	01				48	3
4	07	25		03	04			01				45	4
5	01	1.35		13				11				88	5
6	66	09	01	18			51	02				27	6
7	50	41		09			32		01	14		17	7
8	19	39					02	09		08	09	16	8
9		09		23							48	80	9
10	37	48	02	04				04		21	12	11	10
11	14	15	03		09		08	08		22	73	11	11
12	01	80		06	58			06		04	49	01	12
13		90			64				03		32	03	13
14	05	02					22	10	01	18	02	80	14
15	23	01			27		09			04	17	16	15
16		1.36			16		64				01	19	16
17	01	26	02		03		01					01	17
18	01	18	03										18
19	02	03			21		12						19
20	34	01		13	04	11	01			20		03	20
21	32	12			08		12			21		32	21
22	23	01	15	04		02	39			04		58	22
23	01	13	08				07		01	91		61	23
24						02	10		07	18		57	24
25	06		02	02		39	04		01		04	22	25
26	02	15		04		02			10			1.01	26
27		05				09	17		01	44		01	27
28		10				14		01	26	28	02	07	28
29				05		36	01		13	01	18	46	29
30	17	X				04			03	1.37	49	69	30
31	01	X		X		X	15	02	X	1.07	X	56	31
Total	4.20	8.10	4.4	1.05	2.38	1.22	3.08	2.21	1.06	5.99	3.17	10.48	43.38
Rain Days.	24	26	10	13	11	10	19	13	13	19	14	29	201
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Kept at *Moretonhampstead Rectory*
in the County of *S. Devonshire*
by *Rev. S. D. Dewey*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14		09		14	01	03		06	32	09		1
2	30	08	10		02				03	15	64		2
3	01	1.59			42		04		02	52	40	03	3
4	24	18		01	12	21	15		10	13	1.35	01	4
5		07	05		10	18				18	35		5
6	07	18	02		11	07	5.8			20	89		6
7	12	18	15		18	02				01	1.04	12	7
8	01	03	42		15	32					07	18	8
9		57			02	14	10			04	09	30	9
10		35		03	02					02	01	08	10
11		05	02	04		01					01		11
12	06	04	36	05	07		02			01			12
13		35	15	11			01	42	06	02			13
14		64	26	01	01			08		13			14
15		50	24	13				01		07		07	15
16	14	17		09				75		13		01	16
17	18	10		06					20	16	1.73		17
18	05	24	51	08					26	03	06	07	18
19	22	21	29	15							21	11	19
20	11	1.46	25								10	1.50	20
21	03	15	16	06	08							02	21
22	01		02			13		04		48	01	78	22
23	04	08	01	01		16		18		21	18	21	23
24		28	11	01	19			11		84	02	36	24
25	01	37	39			03		40		02	50		25
26		20	11		16	08		63	1.02	1.24	06	01	26
27			1.44			02		30	55	78		01	27
28		19	04					08	25	55		32	28
29		27	05			19		2.61	12	15		40	29
30		~~X~~	01	23		01				37			30
31		~~X~~		~~X~~		~~X~~		04	~~X~~	34	~~X~~		31
Total	1.74	8.53	5.25	1.07	1.79	1.58	93	5.65	2.67	7.10	7.81	4.59	48.71
Rain Days.	17	26	24	15	15	15	7	13	11	26	20	19	208

REGISTER OF RAINFALL IN 1917

Kept at Morstonhampstead Rectory
in the County of S. Devonshire
by S. D. Dewey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
26 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.01	.27		.38		.45	.05		.01	.01	1
2			.30	.15		.03							2
3	.06			.09			.59			.47	1.10		3
4	.06	.04	1.02				.02		.04	.58			4
5	.08		.41	.39		.62			.03	.24	.15		5
6	.01		.42			.06		.26	.07	.11	.14		6
7	.44						.11	.06		.30	.04	.02	7
8	.14		.27	.17			.38	.47		.54	.07	.32	8
9			.11	.18	.04		.06		.03	.38	.31		9
10	.15		.42	.27				.23	.17	.01	.06		10
11	.03		.94	.31				.32	.06	.30	.18		11
12	.40			.02	.29			.05		.62			12
13	.03		.22	.02				.51	.07	.20			13
14	.01			.09	.01		.06	.16	.02	.01	.01	.01	14
15	.06			.03			.11	.07		.22		.35	15
16		.06		.03				.02	.01	.18	.01	.32	16
17	.01	.04	.01	.17			.16	.10	.34	.04		.04	17
18		.08		.06	.79	.08	.17	.01	.61	.09			18
19		.27	.14			.64			.05				19
20		.07	.03		.84	.05		.03	.03		.01	.06	20
21			.02					.02		.01	.04		21
22	.01				.01			.47		.10	.02		22
23		.13			.21		.01	.36		.20		.02	23
24						.05	.22	.08		.25	.06	.03	24
25		.02	.04					.38	.03	.16	.07		25
26		.01			.20	.04		.18	.07	.07	.01		26
27						1.18	.01	.92		.03			27
28		.03	.15		.01	.90		.45				.04	28
29			.05			.37		.10		.52		.30	29
30	.01	X	.07				.23	.14		.04			30
31		X	.06	X	.19	X		.03	X	.25	X		31
Total	1.51	.75	4.69	2.25	2.59	4.40	2.13	5.87	1.68	5.92	2.29	1.52	35.60
Rain Days.	16	10	19	15	10	12	13	25	16	26	17	12	191

REGISTER OF RAINFALL IN 1918

Kept at Moretonhampstead Rectory
in the County of S. Devonshire
by S. D. Dewey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

925
238
FORM A.
BRITISH RAINFALL
30-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		08		12	01			72	03	04	191		1
2		30		05				01		01	01	23	2
3		24	01	62	05			03	03	04	18		3
4		03		17				20	45		78	23	4
5		02	46	06	55			39	26	30	03	15	5
6	17	26	11	22	01			13		22		14	6
7	01	14		11	09			02	38	14	50	27	7
8		29					01		20	20	01	02	8
9	06	07		02		25	33	01	42	01		36	9
10	12			25			19		26	08		46	10
11			10	04	02		23		18	03	07	09	11
12	01	06	03	01	10	01	04		03		01	02	12
13	07	06			10		27		27	06		08	13
14	27		01		02	06	03		08	04		15	14
15	123					12	48		07	07		31	15
16	69		01	65		03	02		43	11		08	16
17	17			20	01		30		13			27	17
18	125		01			71	14		81	22		50	18
19	47		14	01			12		09	02		27	19
20	36	04		18		02	02	01	24	04		01	20
21	22	03		01		04	01		47	07		37	21
22	02				04		47		37	04	04	27	22
23	06				04		17		14		03	22	23
24		14					02	09	01		15	40	24
25					03		16	72		06	24	03	25
26	01	14		02			17	05	03	06	05	07	26
27		05	20					17	24		11		27
28	01	23	18						09	02	08	09	28
29			04						142	01	02	05	29
30		X	45	26					01	05	08	09	30
31		X	18	X		X			X	04	X	06	31
Total	520	218	193	300	107	124	318	255	714	198	430	529	3906
Rain Days.	18	17	14	18	13	8	19	13	27	25	18	28	218

58/ REGISTER OF RAINFALL IN 1919

Report at Moretonhampstead Rectory
in the County of S. Devonshire

by S. D. Dewey

1646
FORM A.
BRITISH RAINFALL
Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39		.24		.14		.30		.06	.38		1.00	1
2	.07		.01		.14		.03		.01	.03		.01	2
3	.24		.39						.11		.08	.13	3
4	1.13	.60	.52				.52	.01	.64		.02	.08	4
5	.12	.20	1.03						.15		.07	.14	5
6	.90	.90	.15	.01								.50	6
7	.56		.32	.02								.04	7
8	.44		.14	.07							.13	.03	8
9	.31			.13	.18						.72	.03	9
10	.09		.47		.01				.01	.02	.01	.52	10
11	.03		.57	.06	.20		.07			.01	.03	.42	11
12	.17		.15	.01		.05			.01	.23	.07	.01	12
13	.10	.12	.11	.49			.03			.05		.17	13
14	.48	.26		.94	.62		.10		.02	.09		.36	14
15	.26	.09		.12						.11		.27	15
16	.14	1.25			.02			.02			.24	.01	16
17	.04	.78									.40		17
18	.02	.47	.56				.09	.05	.02		.27	.01	18
19	.25	.43	.12			.09	.52	.40	.37		.17	.11	19
20	.64	.03	.08			.30		.09	.19		.17	.12	20
21	.10	.91			.01		.02		.03			.14	21
22		.04					.04		.21		.03	.06	22
23			.01					.25		.40	.08	.13	23
24		.01		.02		.15		.11		.35	.16	.42	24
25	.10	.01		.05		.07		.48			.12	.10	25
26	.24	.02	.11	.13				.04	.05	.10	.11	.45	26
27	.50	.01	.02	.22				1.50				.03	27
28			.15	.10				.01			.57	.38	28
29			.01	.08				.15		.17	.01	.05	29
30		X	.11	.10		.07		.16	.04		.54	.74	30
31		X	.11	X		X			X		X	.70	31
Total	7.32	6.13	5.38	2.55	1.32	.73	1.72	3.27	1.92	1.94	4.00	7.13	43.41
Rain Days	24	17	22	16	8	6	10	13	15	12	21	29	193

REGISTER OF RAINFALL IN 1920.

Rectory
Kept at Moreton Hampstead
in the County of Devon
by Rev. Stanley S. Devereux

Lat. 50° 39' 44" N Long 3° 45' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Moreton Hampstead
Diameter of Funnel of Rain Gauge 5 in. Snowden
Height of top of Gauge above Ground 1 ft. 5 in.
Sea Level 600 ft. 5 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.02	.11	.45		.42	.03	.08	.02	.03	.81	1
2	.43			.21			.13	.19	.02	.07		.18	2
3	.55	.08		.18	.01		.03			1.69		.31	3
4		.01	.01				.03	.36		.55			4
5		.03	.28	.02	.06		.28	.07		.22			5
6			.30	.03	.15		.08			.15			6
7	.01		.01	.08	.05		.76			.03			7
8	.03	.05		.12	.03		.21			.02		.10	8
9	1.32	.14		.01		.12	.18		.01				9
10	1.65	.15	.01	.02		.45	.19				.01		10
11	.48	.01	.12	.92	.20	.07	.09						11
12	.17	.09	.14	.37	.01	.19				.04	.11	.40	12
13	.23	.02	.57	.05						.26		.08	13
14	.01	.05	.85	.92			.01		.06	.19	.43	.05	14
15		.13	.11	.55	.05				.02	.62	.04		15
16		.01		.12		.01	.23		.23	.13	.17		16
17				.01	.24	.84			.52	.01			17
18	.16	.04		.08	.17	.21		.14	.04			.01	18
19	.03	.04		.52	.27	.18	.01	.05					19
20	.04			.33	.26	.03				.15		.36	20
21				.05			.60		.02	.05		.27	21
22	.01			.02			.05					.27	22
23			.01				.41	.14				.35	23
24	.03	.04	.19				.03				.37	.14	24
25	.15		.16	.01			.82					.10	25
26	.28		.43				.23				.32	.14	26
27	.92	.05	.23	.14		.14	.12				.60	.61	27
28	.91		.12	.06	.01	.04					.08	.07	28
29	.67		.82	.05	.05	.04					.12	.45	29
30	.13	X		.01		.10	.04		.89	.01	.37	.55	30
31	.15	X	.29	X		X	.05		X	.74	X	.08	31
TOTAL	8.48	9.4	4.67	5.24	2.01	2.34	4.47	.98	1.89	4.95	2.65	5.33	YEAR'S TOTAL
Days with .01 in. or more	23	16	19	26	15	13	23	7	10	18	12	20	43.95
Days with .04 in. or more	17	11	14	18	11	11	18	6	6	13	10	19	202
													154

RE

MDRETON HAMPS TEAD

11

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

Kept at

Black

in the County of

BLACKINGSTONE

by Samuel C. Chapman

DEVON

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camd

1911 - 1920.

8 in.

Ground ft. in.

Sea Level 1,158 ft.

Name

Distance Direction

the result entered to the
rsal rule, he is earnestly
ar in the space provided
ent of rain,
ish Rainfall
pplication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	-	02	18	16	-		01	-	02	02	02	1
2	-	-	01	01	34	-		52	-	14	20	42	2
3	-	02	01	-	26	-		04	01	-	26	15	3
4	-	-	18	-	01	-		20	-	03	28	71	4
5	27	-	18	-	-	-		69	-	08	22	05	5
6	31	-	19	-	-	-		-	-	01	10	140	6
7	02	-	-	05	-	-		-	-	-	64	03	7
8	01	-	07	-	-	-		-	-	-	09	102	8
9	03	-	-	-	-	52		-	01	-	70	140	9
10	05	01	25	-	23	-		-	01	-	01	32	10
11	20	-	-	-	02	-		-	01	-	80	07	11
12	-	-	52	-	-	-		-	16	02	22	42	12
13	-	-	02	-	-	-		-	13	-	06	50	13
14	-	04	01	-	-	-		-	-	11	13	110	14
15	-	-	-	-	-	04		-	-	-	47	08	15
16	01	02	15	-	-	81		-	-	02	38	85	16
17	-	-	98	08	-	38		-	-	02	12	162	17
18	-	37	32	54	-	46		-	-	29	50	85	18
19	01	13	03	05	-	36		-	58	19	34	88	19
20	04	04	15	04	-	01		-	07	78	02	105	20
21	02	24	01	01	-	04		23	13	55	-	17	21
22	11	06	01	05	-	03		-	53	34	-	67	22
23	02	45	04	-	-	06		-	03	30	26	30	23
24	-	14	-	-	-	60		28	-	24	-	28	24
25	-	09	-	05	-	06		-	20	19	-	21	25
26	-	05	-	31	12	-		04	-	50	05	21	26
27	-	34	05	04	41	01		34	14	62	-	19	27
28	-	11	01	47	-	-		03	-	-	25	-	28
29	-	-	-	23	13	25	81	-	19	42	-	-	29
30	-	-	01	-	-	05	03	-	01	07	24	05	30
31	-	-	-	-	-	-	18	-	-	05	-	-	31
Total	1.18	2.11	3.22	2.11	1.68	3.68	1.02	2.38	2.21	5.29	6.36	15.02	TOTAL for year
No. of Rain Days.	14	15	22	14	9	15	3	10	15	22	24	28	46.26.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

Kept at

Blackington

in the County of

Devon

by Samuel C. Chapman Esq. M. I. C. E.

Water Engineer

PATTERN
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground ft. in.
Sea Level 1,158 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08	-	02	18	16	-		01	-	02	02	02	1
2	-	-	01	01	34	-		52	-	14	20	42	2
3	-	02	01	-	26	-		04	01	-	26	15	3
4	-	-	18	-	01	-		20	-	03	28	71	4
5	27	-	18	-	-	-		69	-	08	22	05	5
6	31	-	19	-	-	-		-	-	01	10	140	6
7	02	-	-	05	-	-		-	-	-	64	03	7
8	01	-	07	-	-	-		-	-	-	09	102	8
9	03	-	-	-	-	52		-	01	-	70	140	9
10	05	01	25	-	23	-		-	01	-	01	32	10
11	20	-	-	-	02	-		-	01	-	80	07	11
12	-	-	52	-	-	-		-	16	02	22	42	12
13	-	-	02	-	-	-		-	13	-	06	50	13
14	-	04	01	-	-	-		-	-	11	13	110	14
15	-	-	-	-	-	04		-	-	-	47	08	15
16	01	02	15	-	-	81		-	-	02	38	85	16
17	-	-	98	08	-	38		-	-	02	12	162	17
18	-	37	32	54	-	46		-	-	29	50	85	18
19	01	13	03	05	-	36		-	58	19	34	88	19
20	04	04	15	04	-	01		-	07	78	02	105	20
21	02	24	01	01	-	04		23	13	55	-	17	21
22	11	06	01	05	-	03		-	53	34	-	67	22
23	02	45	04	-	-	06		-	03	30	26	30	23
24	-	14	-	-	-	60		28	-	24	-	28	24
25	-	09	-	05	-	06		-	20	19	-	21	25
26	-	05	-	31	12	-		04	-	50	05	21	26
27	-	34	05	04	41	01		34	14	62	-	19	27
28	-	11	01	47	-	-		03	-	-	25	-	28
29	-	-	-	23	13	25	81	-	19	42	-	-	29
30	-	-	01	-	-	05	03	-	01	87	24	05	30
31	-	-	-	-	-	-	18	-	-	05	-	-	31
Total	118	211	322	211	168	368	102	238	221	529	636	1502	TOTAL for Year
No. of Rain Days.	14	15	22	14	9	15	3	10	15	22	24	28	46.26

REGISTER OF RAINFALL IN 1912

22 JAN 1913
FORM A.
BRITISH RAINFALL

Kept at Blackington
in the County of Devon
by Samuel C. Chapman M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Trurotonhamstead
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.26	-	.01	.46	.09	.02	.15	.65	-	.41	1
2	-	-	.38	.02	-	.60	.05	.05	-	.01	-	.01	2
3	-	-	.33	-	.08	.27	.15	<u>1.85</u>	.03	-	-	.07	3
4	.20	.05	1.20	-	.02	.17	-	.16	-	-	.16	.01	4
5	.62	.26	.18	-	.04	.13	.02	.80	.01	-	.01	.20	5
6	.67	.14	-	-	.21	.23	.01	.10	-	-	-	.07	6
7	.20	1.20	.57	-	.04	.70	-	.12	-	-	.02	.25	7
8	.50	.20	.40	.06	-	.12	-	.07	.02	-	-	.01	8
9	.01	.20	.44	.05	-	.10	.03	.08	-	.03	.03	.27	9
10	.26	.22	.11	.03	-	.06	.01	.20	.03	-	.25	.22	10
11	.01	.14	-	-	-	-	-	.03	-	-	.19	.42	11
12	.02	.35	.05	-	-	-	.10	.35	-	-	.01	.05	12
13	.40	.02	-	-	-	.02	.46	.05	-	.07	-	.19	13
14	.15	.07	.40	-	.12	-	-	.10	-	.01	-	.05	14
15	1.50	.09	.05	-	.29	.47	-	-	-	-	-	.16	15
16	.43	.02	.28	-	.12	.01	-	.05	-	.07	.08	.03	16
17	.04	-	.22	-	.03	.03	-	.85	-	-	.02	.02	17
18	-	.03	.20	-	-	-	-	.35	-	.04	.04	.07	18
19	.09	.17	.50	-	-	-	.07	.40	-	.03	.05	.11	19
20	.25	.10	.45	-	.15	.01	.05	.31	-	.18	.14	-	20
21	-	.28	.48	-	.60	-	.02	.11	-	.22	.02	-	21
22	.41	.35	.20	-	.01	-	.03	.08	-	.15	-	.14	22
23	.41	.36	.17	-	-	.06	.01	.39	-	-	.08	.26	23
24	.07	.05	.02	-	-	.43	.01	.01	-	-	-	.30	24
25	.20	.01	-	-	-	.17	.20	.20	-	.26	.40	.65	25
26	-	.07	-	-	-	-	.02	.09	-	.70	.80	.57	26
27	-	-	-	-	-	.45	.35	.15	-	1.60	-	.65	27
28	-	.20	-	-	-	.16	.13	.70	.71	.43	.47	.49	28
29	-	.66	-	-	-	.03	.15	.48	.48	.73	.07	.12	29
30	-	-	.03	-	-	.12	.25	.01	.18	.40	-	-	30
31	-	-	.20	-	-	-	.37	-	-	.10	-	-	31
Total	6.44	5.24	7.12	.16	1.72	4.80	2.58	8.16	1.61	5.78	2.84	5.80	52.25
Rain Days.	20.	24.	23	4	13	22	22	29.	8	18	18	27.	228
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
7 FEB 1914

Kept at *Blackington*
in the County of *Devon*
by *Samuel G. Chapman Esq. Water Engineer Torrey.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Moretonhampstead*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *1,158* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	'16	'19	'07	'03	-	-	-	'04	'17	'24	'02	1
2	'40	'20	'06	'19	'28	-	-	-	'03	'14	'29	'02	2
3	'45	-	'14	-	'30	-	-	-	'02	'06	-	'33	3
4	1.20	'03	'16	'01	'12	'05	-	-	'36	'10	'32	'25	4
5	'03	'06	-	-	'15	'20	'08	-	'94	'08	'20	'70	5
6	'13	'16	'20	-	'08	'06	-	-	'01	1.02	'12	'22	6
7	'12	'77	'08	-	1.45	'07	'26	-	-	'46	'24	-	7
8	'12	'32	-	-	'46	-	-	'05	-	'06	'02	-	8
9	'20	-	-	-	'18	'03	'12	'07	'02	-	'87	'03	9
10	1.13	-	-	'03	'21	-	-	'08	-	'18	'34	-	10
11	'75	-	-	'12	1.09	'04	-	-	-	'05	'92	'01	11
12	Melted Snow '16	'01	-	'01	'07	'16	-	-	'03	-	'31	'05	12
13	'11	-	'09	-	'18	-	-	'05	'39	-	'05	-	13
14	'60	-	'20	'02	'12	-	-	-	'03	'02	'25	-	14
15	'17	-	'42	'92	-	-	-	-	'35	-	'05	-	15
16	'45	-	'58	'02	-	-	'02	'03	'33	-	-	-	16
17	'06	-	'05	'10	-	-	-	-	-	-	'05	-	17
18	'09	-	'42	'10	'02	-	-	-	-	-	'11	-	18
19	'80	-	'08	-	-	'20	'08	-	'26	'12	-	-	19
20	'15	-	'12	'38	-	-	-	-	'02	'04	'36	-	20
21	-	-	'46	'22	'07	-	'03	-	-	'03	'35	-	21
22	'25	-	1.00	'07	-	'05	'04	'10	'04	'08	-	'28	22
23	-	-	'01	-	-	-	-	'02	'01	-	'19	1.04	23
24	-	'30	-	'03	-	-	-	'02	'01	'01	'04	-	24
25	'01	'02	-	'72	-	-	-	'01	'06	'07	-	'03	25
26	-	-	-	1.92	-	-	-	'06	-	'02	-	'38	26
27	'45	-	'50	'23	-	-	-	'02	-	'52	-	'05	27
28	'13	-	'13	'43	'04	-	-	-	'01	'45	-	'05	28
29	'17	-	'95	'48	-	-	-	-	-	'44	-	-	29
30	'57	-	-	'02	'08	-	-	-	'06	'98	'04	-	30
31	'15	-	'18	-	'03	-	-	'53	-	'03	-	-	31
Total	8.85	2.03	6.02	6.14	4.96	'86	'63 1.24	1.04 2.22	3.02 5.43	5.13	5.36	3.46	47.50
Rain Days.	26	10	21	21	19	9	7	12	20	23	21	15	204

Eve 82 REGISTER OF RAINFALL IN 19 *14*

Kept at

Blackington

in the County of

Devon

by *Samuel. Chapman Esq, M. Inst. C. E. & Surveyor*
Exmouth

Lat. _____ Long. _____

Time of Observation *9 a.m*

Nearest Railway Station *Moretonhampstead*

Diameter of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *158* ft.

FORM A.
BRITISH RAINFALL.
12 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'04	'10	-	'08	'31	'18	-	-	'70	'08	1
2	-	-	'05	'10	'08	-	'20	'01	-	-	'30	'80	2
3	'03	-	'17	'15	'57	-	-	'18	-	-	'03	'35	3
4	'17	-	'04	'29	'18	-	'75	'23	-	-	'50	'74	4
5	'13	-	'10	'20	'08	-	-	-	'03	-	'09	'07	5
6	'02	'13	'14	'17	'08	'03	'15	'04	-	-	'35	'61	6
7	-	1.32	'28	'09	'21	'06	'31	'15	'17	-	-	'29	7
8	'04	-	'60	'10	'04	'62	-	'12	'29	-	-	'06	8
9	'03	'05	'42	'28	'04	'44	-	'15	'74	-	'02	'02	9
10	'04	'80	'15	'41	-	'10	-	-	'34	-	'02	'19	10
11	-	'24	'50	-	-	'18	-	-	'05	-	'12	1.03	11
12	-	'62	'06	-	-	-	-	-	'25	'15	'04	'83	12
13	-	'46	'63	-	-	-	'06	-	'18	'29	'38	'20	13
14	-	'65	'60	-	-	'19	-	'40	-	'05	'47	'07	14
15	'01	'01	'17	-	-	-	'29	'87	-	'15	'19	'17	15
16	-	-	'04	-	-	-	-	-	'26	-	-	'03	16
17	-	'62	'37	-	-	-	-	-	-	-	-	1.02	17
18	-	'03	'11	-	-	'02	'14	-	'18	-	'01	'25	18
19	-	'05	'65	-	-	-	2.43	-	'10	-	'10	'06	19
20	-	'74	'32	-	-	'26	-	-	'01	-	'02	'21	20
21	-	'70	-	-	-	-	-	-	-	'55	-	'05	21
22	-	'03	'02	-	'20	-	-	'02	-	'30	-	'01	22
23	-	'05	'18	-	'02	-	'08	-	-	'32	-	'02	23
24	'02	'15	'01	-	'20	-	'02	'12	-	'03	'05	'01	24
25	'18	'01	'38	-	'17	-	'09	'39	-	'38	'04	'41	25
26	'10	'05	'10	-	-	-	'12	'03	-	'04	'16	'85	26
27	'07	'05	'03	-	-	-	'03	-	-	'08	'24	'37	27
28	-	'03	'35	-	'11	-	-	-	-	'17	'18	'87	28
29	'19		'22	-	'17	-	'03	-	-	'08	'90	'09	29
30	'02	X	'20		-		-	-	-	'43	'65	1.88	30
31	'38	X	-	X	'04	X	'47	-	X	1.46	X	'75	31
Total	1.43	6.79	6.93	1.89	2.19	1.98	5.48	2.39	2.60	4.48	5.56	12.59	54.31
Rain Days.	15	21	29	10	15	10	16	14	12	15	23	31	211

YEARS TOTAL

only run stats 15.11.16

REGISTER OF RAINFALL IN 1915

Kept at Blackingstone Torquay Corporation Water Works
in the County of Devon
by Samuel C. Chapman.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Lussleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 1.158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.15	-	-	-	-	-	1.50	.34	.40	.01	.11	1
2	.21	.25	.05	.01	-	.04	-	.27	.06	.07	-	.77	2
3	.07	.47	.07	.03	.30	-	-	-	-	-	-	.45	3
4	.08	.30	-	-	.08	-	.06	-	-	-	-	.55	4
5	.03	1.41	-	.12	-	-	-	.22	-	-	-	1.10	5
6	.69	.17	-	.18	-	-	.63	.02	-	-	-	.27	6
7	.39	.40	-	.09	-	-	.33	-	-	.21	.03	.23	7
8	.17	.45	-	-	-	-	.03	.12	-	.13	.08	.19	8
9	.02	.05	-	.23	-	-	-	-	-	-	.55	.85	9
10	.30	.37	.03	.06	-	-	-	.02	-	.23	.09	.10	10
11	.20	.17	.04	-	.09	-	.11	.18	-	.28	.85	.09	11
12	.04	.87	-	.07	.67	-	-	.07	.01	.16	.45	-	12
13	-	.90	-	-	.70	-	-	.65	.07	.01	.25	.04	13
14	.07	.02	-	-	-	-	.26	.15	.01	.20	-	1.08	14
15	.20	.01	-	-	.37	-	.12	.02	-	.09	.09	.26	15
16	.05	1.77	-	-	.20	-	.73	-	-	-	-	.22	16
17	.02	.26	.05	-	.10	-	.02	-	-	-	-	.03	17
18	.01	.26	.01	-	-	-	-	-	-	-	-	-	18
19	.03	.02	-	-	.42	-	.10	-	-	-	-	-	19
20	.33	-	-	.15	.06	.12	.02	-	-	.22	-	.06	20
21	.22	.15	.01	-	.08	.02	.19	-	-	.12	-	.28	21
22	.21	.06	.25	.10	-	.04	.30	-	.02	.06	-	.61	22
23	.02	.02	.14	-	-	-	.10	-	.05	1.03	-	.59	23
24	.01	-	-	.03	-	.02	.18	-	.13	.26	-	.65	24
25	.04	-	.05	.05	-	.51	.06	-	-	-	.05	.23	25
26	.02	.16	-	-	-	.06	.02	-	.08	-	-	1.30	26
27	.01	.05	-	-	-	.14	.05	-	.05	.40	-	.06	27
28	-	.07	-	.03	-	.13	-	.04	.32	.18	.05	.11	28
29	-	-	-	-	-	.40	.10	-	.10	-	.28	.48	29
30	.20	X	-	-	-	.06	.04	-	.04	1.42	.52	.78	30
31	.02	X	-	X	-	X	(.24)	.05	X	1.05	X	.60	31
Total	4.01	8.81	.70	1.15	3.07	1.54	3.66	2.71	1.28	6.52	3.30	12.09	YEAR'S TOTAL 48.84
Rain Days.	28	25	10	13	11	11	20	13	13	19	13	28	205

REGISTER OF RAINFALL IN 1916

Kept at Blackingstone Moretonhampstead
in the County of Devon
by S. G. Chapman M. Inst. C. E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 11.58 ft.

FORM A.
BRITISH RAINFALL
13 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	-	.09	-	.25	.03	.08	-	.05	.39	.10	-	1
2	.21	.12	.10	-	.05	-	-	-	.07	.23	.58	-	2
3	-	.2.15	-	-	.40	-	.01	-	.03	.61	.52	.01	3
4	.24	.20	-	.01	.16	.19	.44	-	.10	.12	1.60	-	4
5	-	.10	X.06	-	.08	.20	.01	-	-	.25	.35	-	5
6	.06	.14	X -	-	.09	.04	.64	-	-	.22	1.30	-	6
7	.14	.18	X.07	-	.16	.03	.01	-	-	.02	.90	.12	7
8	.01	.35	X.60	-	.25	.12	-	-	-	-	.08	.23	8
9	-	X.17	-	-	.01	.10	.10	-	-	.08	.11	.29	9
10	-	.46	-	.06	.05	-	-	-	-	.03	.02	.10	10
11	-	.01	.05	.03	.05	-	-	-	.02	-	.01	-	11
12	.09	.05	.50	.08	.07	-	.06	.04	-	.01	-	-	12
13	-	.31	.17	.06	-	-	-	.28	.06	-	-	.02	13
14	-	.57	.26	-	.04	-	-	.18	-	.19	.03	-	14
15	-	.44	.33	.27	-	-	-	.05	-	.12	-	.09	15
16	.19	.14	-	.11	-	-	.03	.83	-	.20	-	-	16
17	.20	.11	-	.07	-	-	-	.02	.28	.16	1.40	-	17
18	.07	.24	.50	.10	-	-	-	-	.29	.06	.04	.11	18
19	.25	.30	.30	.17	-	-	-	-	-	-	.25	.16	19
20	.14	1.35	.28	-	-	-	-	-	-	-	.08	.96	20
21	.05	.14	.18	-	.10	-	-	-	-	-	-	.08	21
22	-	-	.02	-	-	.24	-	.12	-	.47	.03	.82	22
23	.09	X.07	-	.04	-	.10	-	.21	-	.19	.16	.14	23
24	-	X.12	.10	.01	.20	-	-	.21	-	.73	.04	.40	24
25	-	X.20	.30	-	-	.05	-	.53	-	-	.45	.01	25
26	.04	X.15	.10	-	.20	.12	-	.35	1.55	1.18	.07	.03	26
27	-	X -	1.25	-	-	.06	-	.20	.32	.68	-	-	27
28	-	X.15	.01	-	-	-	-	.13	.25	.66	.01	.35	28
29	-	X.25	.10	-	-	.40	-	2.60	.14	.28	-	.36	29
30	-	X	-	.17	-	.06	-	.01	-	.37	-	-	30
31	-	X	-	X	-	X	-	.06	X	.45	X	.04	31
Total	1.99	8.47	5.37	1.18	2.16	1.74	1.38	6.03	3.16	7.76	8.13	4.32	51.63
Rain Days.	15	26	21	13	16	14	9	16	12	24	22	19	207

REGISTER OF RAINFALL IN 1911

Kept at Blackingsstone
in the County of Devon
by J.C. Chapman M. Inst. C.E.
Vol. 1. Supp.

Lat. _____ Long. _____
Time of Observation 9.9.11
Nearest Railway Station Lustleigh J.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1158 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	.01	.26	-	.40	-	.70	-	.05	.02	.01	1
2	-	-	.14	.13	-	.07	-	-	-	-	-	-	2
3	.09	-	-	.05	-	-	.55	-	-	.55	1.43	-	3
4	.10	<i>Shw</i> .01	.96	-	-	-	.04	-	.10	.54	-	-	4
5	.08	-	.37	.28	-	.82	-	-	.01	.16	.07	-	5
6	-	-	.44	-	-	.09	-	.05	.04	.11	.10	.03	6
7	.42	-	-	-	-	-	.14	.14	-	.33	.05	.03	7
8	.08	-	<i>Shw</i> .15	.20	-	-	.52	.46	-	.51	.09	.36	8
9	-	-	.11	.05	.05	-	.09	-	.05	.37	.39	.01	9
10	.19	-	.50	.20	-	-	-	.27	.11	.03	.08	-	10
11	.04	-	1.23	.11	-	-	-	.20	.05	.27	.20	-	11
12	.26	-	-	.03	.28	-	-	.08	-	.54	-	.01	12
13	.04	-	.27	.01	-	.05	-	.95	.09	.22	-	.01	13
14	-	-	-	.14	-	-	.02	.21	.05	.05	.02	.03	14
15	.10	-	-	.01	-	-	.31	.06	-	.24	-	.35	15
16	-	.10	-	.05	-	-	-	.05	.01	.17	.03	.20	16
17	-	.05	.02	.18	.05	-	.25	.15	.42	.05	-	-	17
18	-	.16	-	.08	.89	.12	.19	.01	.72	.06	-	-	18
19	-	.33	.10	-	-	.60	-	-	.07	-	-	-	19
20	-	.13	.08	-	.75	.10	-	.04	.05	-	.02	.09	20
21	-	-	<i>Shw</i> .01	-	-	.01	-	.01	-	.01	.06	-	21
22	<i>Shw</i> .02	-	<i>Shw</i> .01	-	.03	-	-	.85	-	.12	.03	-	22
23	-	.14	-	-	.20	.05	.01	.30	.02	.18	-	.03	23
24	-	-	-	-	-	.06	.26	.11	-	.28	.08	.03	24
25	-	.04	.12	-	-	-	-	.38	.06	.15	.05	-	25
26	-	-	-	-	.19	.08	-	.21	.07	.05	.05	-	26
27	-	-	-	-	-	1.18	.04	1.14	-	.05	.03	-	27
28	-	.05	.15	-	.02	.80	-	.43	-	-	-	.05	28
29	-	-	.05	-	-	.30	-	.12	-	.68	-	<i>Shw</i> .20	29
30	-	X	.08	-	-	-	.40	.40	-	.06	.02	<i>Shw</i> .03	30
31	-	X	.05	X	.32	X	-	.06	X	.29	X	-	31
Total	1.45	1.01	4.85	1.78	2.78	4.73	2.82	7.38	1.92	6.12	2.82	1.47	YEAR'S TOTAL 39.13
Rain Days.	12	9	20	15	10	15	13	25	16	27	19	16	194

REGISTER OF RAINFALL IN 1918

Kept at Blackington
in the County of S. Devon
by Sagey Corporation Waterworks

Lat. _____ Long. _____
Time of Observation 9.00 am
Nearest Railway Station Luttrell, G.R. 10. 19
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1158 ft.

FORM A.
BRITISH RAINFALL
1. 19
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.14	—	.12	.03	—	—	.90	—	.05	2.18	—	1
2	—	.32	—	.06	—	—	—	.01	—	.02	.01	.27	2
3	—	.34	—	1.12	.08	—	—	.20	.01	.05	.16	—	3
4	—	.03	—	.04	—	—	—	.29	.58	—	.95	.33	4
5	.01	.03	.38	.06	.56	—	—	.54	.52	.31	.04	.29	5
6	.14	.22	.08	.20	—	—	—	—	—	.24	—	.21	6
7	—	.17	—	.07	.08	—	—	.04	.45	.11	.49	.40	7
8	~~melted snow~~ .01	.38	—	—	—	—	—	—	.15	.25	—	—	8
9	.07	.09	—	.06	—	.24	.26	—	.49	.05	—	.54	9
10	.13	—	—	.38	—	—	.11	—	.17	.13	—	.50	10
11	—	.02	.14	.06	.05	—	.29	—	.19	.06	.12	.08	11
12	—	.11	.08	—	.10	—	.10	—	.04	—	.02	.03	12
13	.08	.07	—	—	.28	—	.36	—	.30	.11	—	.08	13
14	.30	—	.01	—	.07	.08	.05	—	.10	.03	—	.20	14
15	1.30	—	.01	.04	.02	.06	.70	—	.10	.07	—	.35	15
16	.65	—	.01	.50	—	.08	.04	—	.40	.10	—	.06	16
17	.22	—	.01	.23	—	—	.34	—	.14	—	—	.25	17
18	1.28	—	.10	—	—	.85	.16	—	.90	.26	—	.45	18
19	.43	—	.07	.02	—	—	.19	—	.08	.04	—	.27	19
20	.43	.07	—	.17	—	.05	.02	—	.25	.07	—	.02	20
21	.24	.03	—	—	—	.06	.02	—	.54	.12	—	.51	21
22	.02	.02	—	—	.06	—	.23	.06	.30	.03	.06	.26	22
23	.08	.01	—	—	.04	—	.03	—	.19	—	.07	.16	23
24	.01	.12	—	—	—	—	.02	.11	.06	—	.21	.41	24
25	.01	—	—	—	.03	—	.11	.40	—	.06	.27	.04	25
26	.04	.13	—	—	—	—	.11	.04	.07	.06	.07	.08	26
27	.02	.11	—	—	—	—	—	.15	.22	.01	.12	.01	27
28	—	.22	.19	—	—	—	—	—	.11	.05	.11	.09	28
29	—	X	.14	—	—	—	—	—	1.26	—	—	.03	29
30	—	X	.40	.28	—	—	—	—	.05	.12	.16	.10	30
31	.01	X	.11	X	—	X	—	—	X	.03	X	.05	31
Total	5.51	2.63	1.73	3.41	1.40	1.42	3.74	2.74	7.67	2.43	5.04	6.07	43.79
Rain Days	21	20	14	16	12	7	18	11	26	25	16	28	214

REGISTER OF RAINFALL IN 1919.

Kept at Blackingstone
in the County of Levon
by Samuel S. Chapman Esq. M. Inst. C.E. - Supt. Engineer
Topical

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38	-	29	02	13	-	31	-	-	21	-	80	1
2	10	-	02	-	03	-	05	-	08	06	-	02	2
3	24	-	41	-	-	-	-	-	01	-	08	10	3
4	94	90	51	-	-	-	25	02	23	-	03	09	4
5	10	19	118	-	-	-	-	-	71	-	10	15	5
6	84	92	13	04	-	-	-	-	24	-	-	49	6
7	49	-	27	05	-	-	01	-	-	-	-	05	7
8	64	-	23	04	-	-	-	-	-	-	08	-	8
9	26	-	-	26	19	-	-	-	-	-	46	13	9
10	10	-	54	01	02	-	-	-	-	04	04	112	10
11	04	-	61	07	28	-	07	-	-	01	03	27	11
12	25	02	12	04	-	05	-	-	03	20	09	01	12
13	15	22	15	41	-	-	06	-	02	06	-	18	13
14	50	33	-	76	44	-	07	-	-	10	-	48	14
15	19	25	-	08	-	-	-	-	05	08	-	38	15
16	09	139	-	-	01	-	-	05	-	-	20	01	16
17	02	25	-	-	-	-	-	01	-	-	30	-	17
18	06	44	58	-	-	-	13	08	02	-	26	-	18
19	32	62	18	-	-	-	42	45	30	01	13	08	19
20	104	04	06	-	-	33	-	08	10	-	17	11	20
21	07	94	-	-	-	-	05	01	07	01	-	13	21
22	-	05	02	-	-	01	05	-	18	-	06	06	22
23	-	-	-	-	-	-	-	28	-	48	10	10	23
24	-	-	-	01	-	23	-	12	-	27	15	32	24
25	10	-	-	06	-	06	-	53	-	-	11	08	25
26	20	01	11	14	-	7	-	04	05	07	11	43	26
27	32	02	03	12	-	-	-	167	-	-	-	03	27
28	-	-	19	07	-	-	-	05	-	-	45	33	28
29	-	-	02	07	-	-	-	09	-	13	-	10	29
30	02	~~X~~	04	07	-	09	-	25	03	-	66	76	30
31	01	~~X~~	09	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	45	31
TOTAL	747	659	578	232	110	77	147	373	212	173	361	726	YEAR'S TOTAL 4395
Days with 01 in. or more	26	16	22	18	7	6	11	15	15	14	20	28	198

REGISTER OF RAINFALL IN 1920.

Kept at Blackington

in the County of Devon

by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer

Lat. Long.

Time of Observation 9.00

Nearest Railway Station Marstonhamstead

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 1158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17												1
2	43												2
3	49												3
4													4
5													5
6													6
7	02												7
8	03												8
9	1.10												9
10	1.55												10
11	42												11
12	17												12
13	24												13
14	01												14
15													15
16													16
17		86	4.10	5.46	1.46	1.74	4.35	82	1.90	3.97	2.90	5.07	17
18	13												18
19	04												19
20	06												20
21													21
22	03												22
23	02												23
24	02												24
25	17												25
26	29												26
27	1.06												27
28	78												28
29	67												29
30	16	X											30
31	10	X		X		X			X		X		31
TOTAL	8.16	.86	4.10	5.46	1.46	1.74	4.35	82	1.90	3.97	2.90	5.07	YEAR'S TOTAL 40.79
Days with .01 in. or more	24												
Days with .04 in. or more	18												

MDRETON HAMPSTEAD

BULLATON

BULLATON

DEVON

1911 - 1920

Kept at

in the County of

by Samuel Bishop

IMPORTANT NOTE
previous day. If an Officer
requested to add the reason
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Cannon Square, London, N.W.

11.

FORM A2.
BRITISH RAINFALL.

17 FEB 1912

8 in.

ve Ground 1 ft. 0 in.

Sea Level 928 ft.

Name

Distance Direction

the result entered to the
versal rule, he is earnestly
ear in the space provided
ment of rain,
itish Rainfall
application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'05	-	'02	'11	'17			-	-	'03	'03	'02	1
2	-	-	'01	'01	'89			'45	'01	'13	'16	'46	2
3	-	'01	'01	-	'25			'03	'02	-	'31	'12	3
4	-	-	'10	-	-			'25	-	'02	'31	1.02	4
5	'30	-	'15	-	-			'74	-	'06	'19	'04	5
6	'30	-	'23	-	-				-	'01	'09	1.72	6
7	'02	-	-	'02	-				-	-	'85	'03	7
8	'01	-	'05	-	-				-	-	'07	1.18	8
9	'02	-	-	-	-	'42			-	-	'76	1.30	9
10	'04	'02	'40	-	'08				'01	-	'02	'42	10
11	'29	-	-	-	'02				'03	-	'90	'12	11
12	7	-	'42	-	-				'14	'02	'11	'31	12
13	-	-	'03	-	-				'15	-	'11	'50	13
14	-	'03	-	-	-				-	'15	'27	1.01	14
15	-	-	'02	-	-	'03			-	-	'38	'11	15
16	'02	'02	'11	-	-	'83			-	-	'41	1.26	16
17	-	-	'85	'06	-	'40			-	-	'11	1.55	17
18	-	'42	'21	'44	-	'49			-	'22	'48	'89	18
19	-	'10	'03	'08	-	'34			'74	'13	'27	'82	19
20	'05	'02	'13	'05	-	'02			'03	1.11	'01	'95	20
21	'02	'25	'03	'01	-	'04		'51	'08	'37	-	'14	21
22	'14	'05	'01	'07	-	'01		-	'53	'24	-	'70	22
23	'03	'40	'03	-	-	'03		-	'02	'43	'12	'37	23
24	-	'16	-	-	-	'31		'21	-	'26	-	'34	24
25	-	'17	-	'04	-	'08		-	'18	'25	-	'21	25
26	-	'06	-	'32	'03	-		'03	-	'52	'05	'19	26
27	-	'30	'04	'05	'29	'01		'27	'13	'48	'03	'18	27
28	-	'24	'01	'47	-	-		'03	-	-	'15	-	28
29	-	-	-	'26	'27	'21	'84	-	'18	'48	-	-	29
30	-	-	-	-	-	'04	'04	-	'01	'40	'33	'05	30
31	-	-	-	-	-	-	'76			'05	-	-	31
Total	1.29	2.25	2.89	1.99	1.50	3.26	1.06	2.52	2.26	5.36	6.52	16.01	TOTAL for year
No. of Rain Days.	13	15	21	14	8	15	3	9	15	20	25	28	46.91

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

Kept at

Bullaton

in the County of

Devon S5

by Samuel Chapman Esq. M. I. C. E.
Water Engineer

Pattern
RAIN Gauge Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 928 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'05	-	'02	'11	'17			-	-	'03	'03	'02	1
2	-	-	'01	'01	'89			'45	'01	'13	'16	'46	2
3	-	'01	'01	-	'25			'03	'02	-	'31	'12	3
4	-	-	'10	-	-			'25	-	'02	'31	1'02	4
5	'30	-	'15	-	-			'74	-	'06	'19	'04	5
6	'30	-	'23	-	-			-	-	'01	'09	1'72	6
7	'02	-	-	'02	-			-	-	-	'85	'03	7
8	'01	-	'05	-	-			-	-	-	'07	1'18	8
9	'02	-	-	-	-	'42		-	-	-	'76	1'30	9
10	'04	'02	'40	-	'08				'01	-	'02	'42	10
11	'29	-	-	-	'02				'03	-	'90	'12	11
12	7	-	'42	-	-				'14	'02	'11	'31	12
13	-	-	'03	-	-				'15	-	'11	'50	13
14	-	'03	-	-	-				-	'15	'27	1'01	14
15	-	-	'02	-	-	'03			-	-	'38	'11	15
16	'02	'02	'11	-	-	'83			-	-	'41	1'26	16
17	-	-	'85	'06	-	'40			-	-	'11	1'55	17
18	-	'42	'21	'44	-	'49			-	'22	'48	'89	18
19	-	'10	'03	'08	-	'34			'74	'13	'27	'82	19
20	'05	'02	'13	'05	-	'02			'03	1'11	'01	'95	20
21	'02	'25	'03	'01	-	'04		'51	'08	'37	-	'14	21
22	'14	'05	'01	'07	-	'01		-	'53	'24	-	'70	22
23	'03	'40	'03	-	-	'03		-	'02	'43	'12	'37	23
24	-	'16	-	-	-	'31		'21	-	'26	-	'34	24
25	-	'17	-	'04	-	'08		-	'18	'25	-	'21	25
26	-	'06	-	'32	'03	-		'03	-	'52	'05	'19	26
27	-	'30	'04	'05	'29	'01		'27	'13	'48	'03	'18	27
28	-	'24	'01	'47	-	-		'03	-	-	'15	-	28
29	-	-	-	'26	'27	'21	'84	-	'18	'48	-	-	29
30	-	-	-	-	-	'04	'04	-	'01	'40	'33	'05	30
31	-	-	-	-	-	-	'78	-	-	'05	-	-	31
Total	1'29	2'25	2'89	1'99	1'50	3'26	1'06	2'52	2'26	5'36	6'52	16'01	TOTAL for year
No. of Rain Days.	13	15	21	14	8	15	3	9	15	20	25	28	46.91

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
22 JAN 1913

Kept at

Bullaton

in the County of

Devon

by Samuel C. Chapman Esq. M. Inst. C.E.

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station Lustleigh

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 928 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	33	-	01	50	07	01	14	77	-	44	1
2	-	-	46	01	-	47	04	07	-	-	-	-	2
3	-	-	47	-	01	37	23	1.66	-	-	-	04	3
4	20	02	1.39	-	02	31	-	14	-	-	09	-	4
5	67	30	20	-	03	05	02	63	-	-	01	28	5
6	69	09	02	-	22	23	01	10	-	-	01	06	6
7	15	1.03	49	01	03	65	-	14	-	-	-	42	7
8	55	19	40	08	-	14	01	-	-	-	-	01	8
9	01	14	38	05	-	13	01	11	-	-	-	32	9
10	22	10	15	-	-	34	02	17	02	-	18	27	10
11	-	10	-	-	-	-	-	04	-	-	16	44	11
12	03	31	05	-	-	-	09	37	-	-	01	04	12
13	48	02	-	-	-	03	71	06	-	04	-	24	13
14	13	09	45	-	12	-	-	04	-	01	-	05	14
15	1.30	08	06	-	28	39	-	-	-	-	-	20	15
16	37	01	42	-	11	01	-	07	-	07	06	07	16
17	07	-	19	-	03	05	-	81	-	-	02	04	17
18	01	-	18	-	-	-	-	42	-	02	01	04	18
19	06	20	45	-	-	-	08	23	-	02	03	12	19
20	15	10	60	-	18	01	02	32	-	19	10	-	20
21	-	28	47	-	62	-	02	08	-	16	01	-	21
22	34	35	14	-	01	-	04	06	-	10	-	16	22
23	40	33	14	-	-	07	01	39	-	01	06	24	23
24	08	06	02	-	-	54	01	-	-	-	-	39	24
25	21	01	-	-	-	09	27	25	-	32	38	62	25
26	-	06	-	-	-	-	02	08	-	74	1.01	92	26
27	-	01	-	-	-	55	38	19	-	1.91	-	66	27
28	-	16	-	-	-	14	21	80	45	50	54	50	28
29	-	75	01	-	-	04	15	27	48	77	10	08	29
30	-	-	03	-	-	13	26	01	16	44	-	-	30
31	-	-	17	-	-	-	42	-	-	07	-	01	31
Total	6.12	4.79	7.67	15	1.67	5.24	3.10	7.52	1.27	6.14	2.78	6.66	53.11
Rain Days.	20	24	25	4	13	22	23	27	5	17	17	26	223

REGISTER OF RAINFALL IN 19 13

Kept at

Bullaton

in the County of

5 Devon

by Samuel C. Chapman Esq, Water Engineer, Torquay

Lat.

Long.

Time of Observation 9 a.m

Nearest Railway Station Lustleigh

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 928 ft.

FORM A.
BRITISH RAINFALL
-7 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	'17	'25	'10	'07	-	-	-	'03	'37	'21	-	1
2	'33	'24	'07	'15	'26	-	-	-	'02	'15	'29	'03	2
3	'83	'01	'15	-	'29	-	-	-	'13	'06	'01	'34	3
4	1'10	'04	'18	'01	'13	'04	-	-	'27	'25	'26	'21	4
5	'13	'08	-	-	'19	'17	'03	-	'99	'13	'22	'65	5
6	'12	'21	'27	-	'09	'05	-	-	-	'65	'20	'15	6
7	'12	'87	'09	-	1'40	'06	'27	-	-	'29	'29	-	7
8	'12	'30	-	-	'35	-	-	'04	-	'06	-	-	8
9	'15	-	-	-	'15	'03	'09	'05	'02	-	'82	'01	9
10	1'35	-	-	'02	'10	-	-	'06	-	'14	'45	-	10
11	'67	-	-	'12	1'05	'05	-	-	'01	'12	'81	'01	11
12	Thilled Snow '09	'01	-	'02	'06	'15	-	-	'03	-	'23	'02	12
13	'16	-	'15	-	'15	-	-	'05	'27	-	'08	-	13
14	'53	-	'27	'03	'10	-	-	-	'01	'01	'17	-	14
15	'21	-	'58	1'04	-	-	-	-	'40	-	'01	-	15
16	'46	-	'67	'04	-	-	'01	'02	'20	-	-	-	16
17	'03	-	'03	'13	-	-	-	-	-	-	'07	-	17
18	'02	-	'53	'10	'02	-	-	-	-	'01	'09	-	18
19	1'10	-	'11	-	-	'16	'01	-	'33	'14	-	-	19
20	'11	-	'30	'39	-	-	-	-	'02	'05	'40	-	20
21	-	-	'40	'20	'09	-	'02	'01	-	'03	'24	-	21
22	'25	-	'83	'03	-	'07	'02	'09	'06	'13	-	'33	22
23	-	-	'01	-	-	-	-	'02	'01	-	'18	1'08	23
24	'02	'29	-	'04	-	'01	-	-	-	-	'03	'02	24
25	'01	'02	-	'75	-	-	-	'01	'06	'07	-	'01	25
26	-	-	-	2'16	-	-	-	'06	-	'02	-	'45	26
27	'56	-	'38	'25	-	-	-	'01	-	'70	-	'04	27
28	'15	-	'13	'50	'01	-	-	-	'02	'41	-	'04	28
29	'15	-	'83	'41	'01	-	-	'02	-	'50	-	-	29
30	'65	-	-	'08	'10	-	-	-	'08	'94	'01	-	30
31	'16	-	'18	-	'04	-	-	'38	-	'03	-	-	31
Total	9'60	2'24	6'41	6'57	4'66	'79	'45	'82	2'86	5'26	5'07	3'39	YEAR'S TOTAL 48'13
Rain Days.	27	11	21	21	20	10	7	13	19	23	21	15	208

REGISTER OF RAINFALL IN 1914

Kept at Bullaton
in the County of Devon
by S. B. Chapman Esq, M. Inst. C.E. Water Engineer

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 928 ft.

FORM A.
BRITISH RAINFALL
12 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.04	.20	-	.06	.19	.19	-	-	.65	.10	1
2	.01	-	.03	.02	.10	-	.19	.01	-	-	.36	.70	2
3	.01	.01	.17	.22	.64	-	-	.04	-	-	.02	.43	3
4	.10	-	.01	.83	.18	-	.73	.22	-	-	.42	.83	4
5	.10	-	.07	.19	.07	-	-	-	.01	-	.08	.09	5
6	.01	.11	.13	.20	.07	-	.14	.03	-	-	.02	.81	6
7	-	1.88	.33	.07	.24	.08	.31	.17	.16	-	-	.26	7
8	.01	-	.60	.23	.02	.62	.01	.04	.16	-	-	.20	8
9	.01	.05	.25	.31	.06	.39	-	.13	.85	-	.01	.01	9
10	.03	1.04	.15	.40	.01	.08	-	-	.33	-	-	.26	10
11	-	.22	.48	-	.01	.14	-	-	.06	-	.09	.76	11
12	-	.55	.05	-	-	-	-	-	.25	.09	.06	.71	12
13	-	.58	.75	-	-	-	.06	-	.13	.29	.34	.20	13
14	-	.57	.46	-	-	.11	-	.56	.01	.04	.53	.05	14
15	.01	.01	.16	-	-	-	.26	.38	-	.11	.21	.12	15
16	-	-	.03	-	-	-	.01	-	.33	-	-	.01	16
17	-	.50	.39	-	-	-	-	-	.01	-	-	1.14	17
18	-	.03	.12	-	-	-	.06	-	.17	.01	.01	.28	18
19	-	.02	.54	-	-	-	1.68	-	.08	-	.08	.11	19
20	-	.81	.29	-	-	.17	-	-	.01	-	.03	.20	20
21	-	.69	.01	-	-	.01	-	-	-	.45	-	.02	21
22	-	.02	.01	-	.20	-	-	.02	-	.31	-	-	22
23	-	.06	.21	-	.01	-	.05	-	-	.31	-	-	23
24	-	.29	.01	-	.14	-	.01	.15	-	.02	.01	.02	24
25	.10	.01	.32	-	.18	-	.12	.33	-	.38	.02	.61	25
26	.09	.04	.06	-	-	-	.13	.02	-	.06	.25	.95	26
27	.06	.05	.04	-	-	-	.01	-	.01	.06	.29	.38	27
28	.01	.02	.49	-	.11	-	-	-	-	.14	.12	.78	28
29	.22		.22	-	.12	-	.04	-	-	.08	1.00	.07	29
30	.02	X	.19	X	-	X	.01	-	X	.38	.67	1.85	30
31	.25	X	-	X	.02	X	.47	-	X	1.09	X	.75	31
Total	1.04	7.56	6.61	2.17	2.18	1.66	4.48	2.29	2.57	3.82	5.27	12.70	52.35
Rain Days.	16	22	30	10	17	9	19	14	15	16	22	29	219
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1915

Kept at Bullaton Torquay Corporation Water Works
in the County of Devon
by Samuel C. Chapman

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lussleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 928 ft.

1867
FORM A
BRITISH RAINFALL
21 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	.12	-	-	-	-	-	1.19	.24	.39	.01	.11	1
2	.17	.29	.05	.02	-	.06	-	.15	.02	.04	-	.70	2
3	.05	.55	.07	.01	.31	-	-	.01	-	-	-	.60	3
4	.04	.25	-	-	.03	-	.04	-	-	-	-	.34	4
5	.07	1.39	-	.15	-	-	-	.16	-	-	-	1.07	5
6	.75	.13	-	.24	.01	-	.58	.01	-	-	-	.32	6
7	.30	.51	-	.11	-	-	.25	-	-	.24	.01	.25	7
8	.11	.43	-	-	-	-	.02	.09	-	.09	.13	.30	8
9	.04	.06	-	.19	-	-	-	.01	-	-	.49	1.14	9
10	.33	.36	.02	.05	-	-	-	.09	-	.15	.10	.09	10
11	.12	.05	.05	-	.08	-	.12	.12	-	.38	.91	.09	11
12	.03	.69	-	.06	.70	-	-	.09	.01	.08	.37	-	12
13	-	.98	-	-	.58	-	-	.06	.04	.01	.28	.03	13
14	.07	.02	-	-	-	-	.23	.02	.01	.20	.01	1.20	14
15	.18	.01	-	-	.29	-	.14	.01	-	.03	.10	.26	15
16	.03	1.75	-	-	.31	-	.55	-	-	-	-	.09	16
17	.01	.25	.03	-	.01	-	.01	-	-	-	-	.02	17
18	-	.19	.01	-	-	-	-	-	-	-	-	-	18
19	.01	.02	-	.01	.50	-	.05	-	-	-	-	-	19
20	.19	-	-	.15	.06	.12	.04	-	-	.19	-	.04	20
21	.17	.06	.01	-	.06	.01	.18	-	-	.08	-	.23	21
22	.12	.02	.28	.04	-	.03	.34	-	.02	.05	-	.64	22
23	.04	.04	.08	-	-	-	.02	-	.08	1.11	-	.73	23
24	-	-	-	.02	-	.03	.09	-	.06	.29	-	.59	24
25	.03	-	.03	.02	-	.50	.06	-	-	.01	.03	.23	25
26	.04	.24	-	-	-	.04	.02	-	.04	-	-	1.29	26
27	.01	.04	-	-	-	.15	.06	-	.06	.51	-	.07	27
28	-	.07	-	.06	-	.20	-	-	.29	.13	.03	.11	28
29	-	-	-	-	-	.27	.02	-	.10	-	.36	.37	29
30	.26	X	-	-	-	.05	.03	-	.01	1.16	.45	.73	30
31	.02	X	-	X	-	X	.20	.07	X	.97	X	(.76)	31
Total	3.50	8.52	.63	1.13	2.94	1.46	3.05	2.08	.98	6.11	3.28	12.30	45.98
Rain Days.	26	25	10	14	12	11	21	14	13	20	14	28	208

REGISTER OF RAINFALL IN 1916

1826

FORM A.
BRITISH RAINFALL.
5 JUN 1917

Kept at Holmer Bullaton
in the County of Devon
by Farquay Corporation

Lat. _____ Long. _____
Time of Observation 9.00 am
Nearest Railway Station Littlehight
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 928 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	-	.06	-	.42	.03	.03	-	.06	.39	.17	-	1
2	.30	.13	.08	-	.03	-	-	-	.06	.24	.87	-	2
3	.01	2.18	-	-	.43	-	.03	-	.01	.62	.37	.04	3
4	.27	.16	-	.01	.04	.29	.05	-	.08	.14	1.44	-	4
5	.01	.08	.04	-	.09	.15	.02	-	-	.36	.21	-	5
6	.05	.16	.02	-	.09	.02	.69	-	-	.15	1.65	-	6
7	.07	.20	.09	-	.11	.07	-	-	-	.02	.92	.09	7
8	.01	.23	.18	-	.25	.15	-	-	-	-	.13	.20	8
9	-	2.25	-	-	-	.06	.06	-	-	.03	.14	.30	9
10	-	.37	-	.04	.05	-	-	-	-	.03	.02	.06	10
11	-	.03	.01	.03	.07	-	-	-	-	-	.01	-	11
12	.05	.06	.44	.08	.08	-	.03	.04	.01	.02	-	-	12
13	-	.30	.16	.06	-	-	.01	.48	.05	-	-	-	13
14	-	.46	.26	-	.01	-	-	.14	-	.10	.02	-	14
15	-	.45	.25	.28	-	-	-	.05	-	.12	-	.05	15
16	.25	.21	-	.03	-	-	.04	.73	-	.16	-	.01	16
17	.13	.09	-	.07	-	-	-	.01	.18	.20	1.26	-	17
18	.04	.22	.43	.10	-	-	-	-	.27	.03	.02	.09	18
19	.30	.25	.25	.14	-	-	-	-	-	-	.20	.16	19
20	.11	1.15	.23	-	-	-	-	-	-	-	.07	1.21	20
21	.04	.06	.04	-	.09	.01	-	-	-	-	-	.06	21
22	-	-	.01	-	-	.21	-	.14	-	.32	.02	.79	22
23	.05	.05	-	.04	-	.07	-	.20	-	.22	.30	.14	23
24	-	.07	.04	.02	.20	-	-	.28	-	.89	.03	.45	24
25	.01	.21	.31	-	-	.07	-	.38	-	-	.28	.01	25
26	.02	.10	.04	-	.22	.06	-	.28	1.64	1.20	.05	-	26
27	-	-	.99	-	-	.07	-	.40	.15	.56	-	-	27
28	-	.11	.01	-	-	-	-	.12	.18	.64	.01	.39	28
29	-	.21	.04	-	-	.39	-	2.54	.12	.27	-	.15	29
30	-	X	-	-	-	.05	-	.01	.01	.40	-	-	30
31	-	X	-	X	-	X	-	.04	X	.65	X	.01	31
Total	1.87	8.09	4.01	0.90	2.18	1.70	0.96	5.54	2.52	7.46	8.19	4.21	48.23
Rain Days.	18	26	22	12	15	15	9	16	13	24	22	18	210

REGISTER OF RAINFALL IN 1917

Kept at

Bullaton.

in the County of

Devon.

by L.C. Chapman. M. Inst. C.E.
Water Engineer. Tavy.

Lat.

Long.

Time of Observation

9.9.m.

Nearst Railway Station

Lustleigh

Diameter of Funnel of Rain Gauge

8 in.

Height of top of Gauge above Ground

1 ft. - in.

" " " " Sea Level

928 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.02	.15	-	.38	-	.64	.01	.01	.01	-	1
2	-	-	.13	.15	-	.06	-	-	-	-	-	-	2
3	.04	-	-	.04	-	-	.43	-	-	.49	1.40	-	3
4	.09	<i>Shw.</i> .02	.77	-	-	-	.02	-	.07	.65	-	-	4
5	.08	-	.30	.30	-	.90	-	-	.03	.15	.05	-	5
6	-	-	.24	-	-	.11	-	-	.02	.15	.13	.02	6
7	.46	-	-	-	-	-	.12	.15	-	.21	.05	.02	7
8	.07	-	<i>Shw.</i> .05	.15	-	-	.34	.29	-	.52	.10	.36	8
9	-	-	.09	.13	.04	-	.08	-	.04	.35	.21	.07	9
10	.20	-	.64	.30	-	-	-	.42	.10	.02	.01	-	10
11	.02	-	1.03	.12	-	-	-	.27	.30	.32	.20	-	11
12	.21	-	-	.04	.29	-	-	.03	-	.52	-	.01	12
13	<i>Shw.</i> .12	-	.31	.01	-	-	-	1.08	.07	.23	-	-	13
14	-	-	-	.18	-	-	.05	.33	.02	.02	-	.01	14
15	.04	-	-	.01	-	-	.14	.03	-	.19	-	.37	15
16	-	.10	-	.05	-	-	-	.05	.01	.15	.01	.25	16
17	-	.04	.01	.18	.03	-	.22	.18	.48	.04	-	-	17
18	-	.10	-	.05	.93	.17	.08	.01	.53	.09	-	-	18
19	-	.28	.14	-	-	.40	-	-	.04	-	-	-	19
20	-	.18	.05	-	.45	.06	-	-	.03	-	-	.10	20
21	-	-	-	-	.45	.02	-	.02	-	.01	.06	-	21
22	<i>Shw.</i> .02	-	<i>Shw.</i> .01	-	.01	-	-	1.04	-	.09	.01	-	22
23	-	.14	-	-	.25	.01	.01	.27	-	.18	-	.01	23
24	-	-	-	-	-	.06	.30	.10	-	.30	.04	-	24
25	-	.01	.08	-	-	-	-	.42	.02	.13	.11	-	25
26	-	-	-	-	.27	.07	-	.15	.03	.05	.02	-	26
27	-	-	.01	-	-	1.12	.02	1.11	-	.02	.01	-	27
28	-	.03	.13	-	.03	.55	-	.83	-	-	-	<i>Shw.</i> .03	28
29	-	-	.08	-	-	.50	-	.09	-	.65	-	<i>Shw.</i> .14	29
30	-	~~X~~	.10	-	-	-	.28	.15	-	.06	.01	-	30
31	-	~~X~~	.03	~~X~~	.38	~~X~~	-	.02	~~X~~	.30	~~X~~	-	31
Total	1.36	.90	4.22	1.86	2.68	4.41	2.09	7.68	1.80	5.90	2.46	1.42	YEAR'S TOTAL 36.78
Rain Days.	12	9	20	15	10	14	13	23	16	27	17	12	188

2a? mjs
REGISTER OF RAINFALL IN 1918

25
FORM A.
BRITISH RAINFALL.

Kept at Bullaton

in the County of Shropshire

by Longway Corporation Waterworks

Lat. Long.

Time of Observation 9.00 am

Nearest Railway Station Looe High J. R. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 928 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.13	—	.09	.01	—	—	.75	—	.03	1.97	—	1
2	—	.45	—	.04	—	—	—	.01	.01	.01	.01	.30	2
3	—	.38	—	1.15	.10	—	—	.19	—	.03	.18	—	3
4	—	.07	—	.03	—	—	—	.28	.40	.01	1.24	.26	4
5	.01	.06	.22	.05	.51	—	—	.55	.40	.22	.02	.25	5
6	.17	.27	.04	.16	—	—	—	—	—	.25	—	.20	6
7	.01	.10	—	.05	.06	—	—	.07	.45	.19	.50	.41	7
8	—	.29	—	—	—	—	—	—	.09	.25	.01	—	8
9	.05	.06	—	.05	—	.20	.19	—	.55	.02	—	.50	9
10	.07	—	—	.27	—	—	.11	—	.18	.09	—	.51	10
11	—	—	.12	.05	.03	—	.18	—	.10	.10	.07	.07	11
12	—	.06	.04	—	.15	—	.15	—	.02	—	.02	.01	12
13	.11	.03	—	—	.23	—	.24	—	.25	.12	—	.07	13
14	.42	—	.01	—	.06	.10	.03	—	.06	.01	—	.17	14
15	1.30	—	.01	.02	.02	.07	.90	—	.06	.10	—	.40	15
16	.70	—	.01	.30	—	.01	.03	—	.38	.07	—	.08	16
17	.20	—	.02	.28	—	—	.40	—	.11	—	—	.20	17
18	1.23	—	.06	—	—	1.02	.10	.01	.87	.25	—	.43	18
19	.38	—	.06	.02	—	.01	.25	—	.07	.02	—	.20	19
20	.35	.07	—	.16	—	—	.06	—	.18	.06	—	.02	20
21	.23	.01	—	—	—	.02	.03	—	.51	.14	—	.50	21
22	.02	—	—	—	.02	—	.77	.02	.25	.03	.07	.25	22
23	.06	.02	—	—	.05	—	.10	—	.13	—	.04	.20	23
24	.01	.11	—	—	—	—	.01	.21	.03	—	.21	.35	24
25	.01	—	—	—	.02	—	.12	.45	—	.04	.25	.01	25
26	.04	.15	—	—	—	—	.10	.04	.04	.07	.07	.04	26
27	—	.07	—	—	—	—	—	.17	.15	.01	.08	—	27
28	—	.15	.17	—	—	—	—	—	.15	.03	.04	.04	28
29	—	X	.12	—	—	—	—	—	1.16	—	—	.01	29
30	.01	X	.27	.16	—	—	—	—	.04	.10	.10	.10	30
31	.01	X	.10	X	—	X	—	—	X	.03	X	.04	31
Total	5.39	2.48	1.25	2.88	1.26	1.43	3.82	2.75	6.67	2.28	4.88	5.62	40.71
Rain Days	21	18	14	16	12	7	18	12	26	26	17	27	214
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919.

Kept at Bullston
in the County of Devon
by Samuel C. Chapman Esq. M. Inst. E. E. Water Engineer
Exmouth

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Furleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 928 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	-	.28	-	.12	-	.21	-	-	.30	-	.69	1
2	.12	-	.01	-	.01	-	.06	-	.07	.02	-	.01	2
3	.32	-	.28	-	-	-	-	-	-	-	.05	.08	3
4	~~.35~~	.76	.34	-	-	-	.27	.04	.23	-	.01	.05	4
5	.13	.14	.66	-	-	-	-	-	.60	-	.04	.07	5
6	.60	.50	.12	.02	-	-	-	-	.18	-	-	.44	6
7	.70	-	.29	.06	-	-	.01	-	-	-	-	.04	7
8	.45	-	.18	.04	.02	-	-	-	-	-	.08	-	8
9	.35	-	-	.17	.17	-	-	-	-	-	.43	.07	9
10	.12	-	.32	.01	.02	-	-	-	-	.02	-	.65	10
11	.04	-	.39	.04	.31	-	.04	-	-	.01	.04	.18	11
12	.20	.01	.09	-	-	.02	-	-	-	.31	.05	.01	12
13	.12	.13	.15	.52	-	-	.03	-	.01	.06	-	.12	13
14	.45	.35	-	.72	.48	-	.02	-	-	.09	-	.36	14
15	.22	.25	-	.06	-	-	-	-	.04	.08	-	.34	15
16	.07	.123	-	-	-	-	-	-	-	-	.16	-	16
17	.02	.30	-	-	-	-	-	-	-	-	.21	-	17
18	.05	.42	.40	-	-	-	.12	.04	-	-	.21	-	18
19	.25	.62	.09	-	-	-	.33	.27	.32	.01	.08	.06	19
20	.56	.03	.02	-	-	.18	-	.07	.08	.01	.18	.04	20
21	.08	.110	-	-	-	-	.01	.01	.08	.01	-	.16	21
22	-	.03	.03	-	-	.01	.02	-	.13	-	-	.02	22
23	-	-	-	-	-	-	-	.26	-	.32	.09	.18	23
24	-	.01	-	.01	-	.16	-	.07	-	.22	.11	.27	24
25	.08	-	-	.05	-	.03	-	.46	-	-	.06	.09	25
26	.12	.02	.08	.14	-	-	-	.01	.02	.06	.12	.40	26
27	.16	-	.05	.03	-	-	-	1.46	-	-	-	.03	27
28	.01	.01	.13	.08	-	-	-	.03	-	-	.40	.48	28
29	.01	-	.01	.07	-	-	-	.06	-	.14	-	.10	29
30	-	~~X~~	.01	.04	-	.07	-	.17	.05	-	.60	.82	30
31	.02	~~X~~	.08	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.42	31
TOTAL	6.00	5.91	4.01	2.06	1.13	.47	1.12	2.95	1.81	1.66	2.92	6.18	YEAR'S TOTAL 36.22
Days with .01 in. or more	27	17	22	16	7	6	11	13	12	15	18	27	191

6 JAN 1921

Time of Observation. 9.00

Nearest Railway Station Lustleigh

Diameter of Funnel of Rain Gauge.....8.....in.

Height of top of Gauge above Ground...../.....ft.....in.

" " " " Sea Level 928 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MORETON HAMPS TEAD

MARDON

DEVON

1911 - 1920

Kept at

in the County of

by Samuel C. Chapin

IMPORTANT NOTE
previous day. If an O
requested to add the rea
for it at the end of th
the selection and plac
Organization are given i
Dr. H. R. MILL, 62, Car

11

FORM A2.
BRITISH RAINFALL.
17 FEB 1972

8 in.
e Ground / ft. 0 in.

Sea Level 835 ft.

Name Lutterleigh

Distance Direction

the result entered to the
versal rule, he is earnestly
ear in the space provided
ment of rain,
British Rainfall
application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	-	02	13	23	-	-	-	-	02	02	01	1
2	-	-	01	01	33	-	-	40	01	15	15	45	2
3	-	01	01	-	23	-	-	02	02	-	20	14	3
4	-	-	14	-	-	-	-	45	-	03	23	1 01	4
5	33	-	12	-	-	-	-	47	-	08	16	03	5
6	26	-	25	-	-	-	-	-	-	02	09	1 55	6
7	02	-	-	03	-	-	-	-	-	-	82	02	7
8	01	-	07	-	-	-	-	-	-	-	05	1 16	8
9	02	-	-	-	-	62	-	-	-	-	73	1 33	9
10	04	01	40	-	13	-	-	-	01	-	01	30	10
11	19	-	-	-	01	-	-	-	02	-	96	10	11
12	-	-	50	-	-	-	-	-	15	02	05	32	12
13	-	-	02	-	-	-	-	-	18	-	07	40	13
14	-	02	-	-	-	-	-	-	-	13	30	80	14
15	-	-	02	-	-	03	-	-	-	-	28	10	15
16	02	01	09	-	-	92	-	-	-	-	45	1 29	16
17	-	-	87	05	-	38	-	-	-	01	10	1 10	17
18	-	36	21	44	-	45	-	-	-	25	58	86	18
19	-	10	03	08	-	33	-	-	75	15	25	62	19
20	04	03	15	04	-	01	-	-	02	99	02	80	20
21	02	15	02	01	-	05	-	1 38	08	30	-	12	21
22	17	06	01	07	-	02	-	-	58	21	-	68	22
23	01	32	04	-	-	02	-	-	01	35	15	36	23
24	-	17	-	-	-	26	-	27	-	27	-	27	24
25	-	12	-	03	-	05	-	-	17	28	-	19	25
26	-	06	-	30	02	-	-	03	-	53	04	19	26
27	-	25	05	03	31	01	-	25	11	51	02	18	27
28	-	20	01	51	-	-	-	03	-	-	12	-	28
29	-	-	-	28	55	21	91	-	16	44	-	-	29
30	-	-	-	-	-	05	02	-	01	28	35	05	30
31	-	-	-	-	-	-	11	-	-	04	-	-	31
Total	1 17	1 87	3 04	2 01	1 81	3 41	1 04	3 30	2 28	5 06	6 20	14 43	TOTAL for year
No. of Rain Days.	13	15	21	14	8	15	3	9	15	21	25	28	45 62

WIDELOW ROAD REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

17 FEB 1912

Kept at Mardon
in the County of Devon S5

by Samuel C. Chapman Esq. M.I.C.E.
Rate Engineer

Pattern
RAIN Diameter of top 8 in.
GAUGE Height of top above Ground 1 ft. 0 in.
" " " Sea Level 835 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Lustleigh
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.02	.13	.23	-	-	-	-	.02	.02	.01	1
2	-	-	.01	.01	.33	-	-	.40	.01	.15	.15	.45	2
3	-	.01	.01	-	.23	-	-	.02	.02	-	.20	.14	3
4	-	-	.14	-	-	-	-	.45	-	.03	.23	1.01	4
5	.33	-	.12	-	-	-	-	.47	-	.08	.16	.03	5
6	.26	-	.25	-	-	-	-	-	-	.02	.09	1.55	6
7	.02	-	-	.03	-	-	-	-	-	-	.82	.02	7
8	.01	-	.07	-	-	-	-	-	-	-	.05	1.16	8
9	.02	-	-	-	-	.62	-	-	-	-	.73	1.33	9
10	.04	.01	.40	-	.13	-	-	-	.01	-	.01	.30	10
11	.19	-	-	-	.01	-	-	-	.02	-	.96	.10	11
12	-	-	.50	-	-	-	-	-	.15	.02	.05	.32	12
13	-	-	.02	-	-	-	-	-	.18	-	.07	.40	13
14	-	.02	-	-	-	-	-	-	-	.13	.30	.80	14
15	-	-	.02	-	-	.03	-	-	-	-	.28	.10	15
16	.02	.01	.09	-	-	.92	-	-	-	-	.45	1.29	16
17	-	-	.87	.05	-	.38	-	-	-	.01	.10	1.10	17
18	-	.36	.21	.44	-	.45	-	-	-	.25	.58	.86	18
19	-	.10	.03	.08	-	.33	-	-	.75	.15	.25	.62	19
20	.04	.03	.15	.04	-	.01	-	-	.02	.99	.02	.80	20
21	.02	.15	.02	.01	-	.05	-	1.38	.08	.30	-	.12	21
22	.17	.06	.01	.07	-	.02	-	-	.58	.21	-	.68	22
23	.01	.32	.04	-	-	.02	-	-	.01	.35	.15	.36	23
24	-	.17	-	-	-	.26	-	.27	-	.27	-	.27	24
25	-	.12	-	.03	-	.05	-	-	.17	.28	-	.19	25
26	-	.06	-	.30	.02	-	-	.03	-	.53	.04	.19	26
27	-	.25	.05	.03	.31	.01	-	.25	.11	.51	.02	.18	27
28	-	.20	.01	.51	-	-	-	.03	-	-	.12	-	28
29	-	-	-	.28	.55	.21	.91	-	.16	.44	-	-	29
30	-	-	-	-	-	.05	.02	-	.01	.28	.35	.05	30
31	-	-	-	-	-	-	.11	-	-	.04	-	-	31
Total	1.17	1.87	3.04	2.01	1.81	3.41	1.04	3.30	2.28	5.06	6.20	14.43	TOTAL for year
No. of Rain Days.	13	15	21	14	8	15	3	9	15	21	25	28	45.62

REGISTER OF RAINFALL IN 1912

22 JAN 1913
FORM A.
BRITISH RAINFALL

Kept at

Mardon

in the County of

Devon S.5

by Samuel C. Chapman, M. Inst. C.E.

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Lustleigh Station

Diameter of Rain Gauge

8

in.

Height of top of Gauge above Ground

1

ft.

0

in.

Sea Level

835

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'24	-	'02	'60	'06	'01	'15	'81	-	'42	1
2	-	-	'42	'01	-	'47	'04	'06	-	-	-	-	2
3	-	-	'53	-	'01	'34	'20	1'72	-	-	-	'04	3
4	'16	'06	'77	-	'03	'28	-	'12	-	-	'08	-	4
5	'63	'29	'18	-	'04	'03	'02	'60	-	-	'01	'28	5
6	'47	'15	'02	-	'21	'24	'01	'09	-	-	'01	'04	6
7	'15	1'10	'50	'01	'05	'64	-	'11	-	-	-	'40	7
8	'58	'16	'36	'07	-	'14	'01	'01	-	-	-	'01	8
9	'01	'15	'31	'03	-	'19	'01	'12	-	-	-	'31	9
10	'21	'11	'17	'01	-	'26	'03	'10	'02	-	'18	'25	10
11	-	'10	-	-	-	-	-	'03	-	-	'18	'32	11
12	'02	'31	'04	-	-	-	'11	'37	-	-	'01	'02	12
13	'55	'01	-	-	-	'02	'62	'05	-	'02	-	'14	13
14	'11	'11	'44	-	'11	-	-	'04	-	'01	-	'04	14
15	1'22	'11	'05	-	'28	'37	-	-	-	-	-	'12	15
16	'34	'01	'49	-	'10	'01	-	'06	-	'07	'04	'06	16
17	'05	-	'18	-	'02	'05	-	'85	-	-	'02	'04	17
18	'01	-	'16	-	-	-	-	'37	-	'01	'01	'04	18
19	'07	'15	'50	-	-	-	'07	'30	-	'01	'03	'10	19
20	'13	'10	'60	-	'22	'01	'02	'30	-	'16	'08	-	20
21	-	'27	'35	-	'67	-	'03	'12	-	'15	'01	-	21
22	'36	'26	'23	-	'01	-	'04	'05	-	'11	-	'15	22
23	'40	'31	'12	-	-	'05	'01	'32	-	'01	'06	'30	23
24	'08	'05	'02	-	-	'61	'01	-	-	-	-	'37	24
25	'18	'01	-	-	-	'11	'09	'32	-	'34	'26	'60	25
26	-	'05	-	-	-	-	'03	'07	-	'51	'70	'73	26
27	-	'01	-	-	-	'56	'42	'18	-	1'75	-	'45	27
28	-	'17	-	-	-	'13	'22	'72	'54	'44	'52	'45	28
29	-	'72	'01	-	-	'04	'17	'25	'40	'72	'08	'07	29
30	-	-	'04	-	-	'12	'26	'01	'19	'32	-	-	30
31	-	-	'15	-	-	-	'47	-	-	'06	-	'01	31
Total	5'73	4'77	6'88	13	1'77	5'37	2'95	7'35	1'30	5'50	2'30	5'76	49'81
Rain Days.	20	24	25	5	13	22	23	28	5	17	17	26	225

YEAR'S TOTAL

REGISTER OF RAINFALL IN 19 13

Kept at

Mardon

in the County of

S. Devon

by Samuel C. Chapman Esq. Station Engineer, Torquay.

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station Lustleigh

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 835 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	'15	'25	'11	'06	-	-	-	'04	'36	'19	-	1
2	'31	'23	'06	'21	'21	-	-	-	'02	'18	'20	'01	2
3	'68	'01	'10	-	'29	-	-	-	'04	'06	'01	'29	3
4	1'11	'04	'09	'01	'13	'07	-	-	'27	'22	'28	'18	4
5	'14	'07	-	-	'17	'18	'03	-	'92	'13	'11	'59	5
6	'10	'23	'21	-	'09	'04	-	-	-	1'13	'16	'12	6
7	'16	'75	'08	-	1'23	'06	'30	-	-	'42	'30	-	7
8	'11	'23	-	-	'32	-	-	'04	-	'06	-	-	8
9	'14	-	-	-	'13	'03	'10	'07	'02	-	'73	'01	9
10	1'10	-	-	'02	'11	-	-	'05	-	'14	'42	-	10
11	'70	-	-	'11	1'02	'05	-	-	'01	'12	'80	'01	11
12	melted Snow '10	'01	-	'02	'08	'18	-	-	'03	-	'23	'02	12
13	'13	-	'07	-	'13	-	-	'04	'22	-	'06	-	13
14	'43	-	'18	'03	'14	-	-	-	'02	'01	'16	-	14
15	'17	-	'52	'79	-	-	-	-	'34	-	'04	-	15
16	'40	-	'51	'04	-	-	'01	-	'25	-	-	-	16
17	'09	-	'04	'15	-	-	-	-	-	-	'04	-	17
18	'02	-	'47	'09	'02	-	-	-	-	'01	'06	-	18
19	'70	-	'09	-	-	'16	'01	-	'33	'13	-	-	19
20	'11	-	'17	'44	-	-	-	-	'02	'05	'32	-	20
21	-	-	'26	'17	'08	-	'02	-	-	'03	'25	-	21
22	'23	-	'68	'05	-	'07	'02	'07	'06	'15	-	'32	22
23	-	-	'01	-	-	-	-	'02	'01	-	'19	'98	23
24	'02	'26	-	'04	-	'01	-	-	-	-	'03	'02	24
25	'01	'02	-	'64	-	-	-	'01	'06	'08	-	'01	25
26	-	-	-	1'91	-	-	-	'06	-	'02	-	'31	26
27	'56	-	'40	'23	-	-	-	'01	-	'76	-	'05	27
28	'20	-	'13	'38	'01	-	-	-	'02	'23	-	'03	28
29	'16	-	'82	'38	'01	-	-	'07	-	'40	-	-	29
30	'61	-	-	'06	'04	-	-	-	'10	'88	'01	-	30
31	'13	-	'18	-	'04	-	-	'38	-	'05	-	-	31
Total	8'62	2'00	5'42	5'88	4'37	85	'49	82	2'78	5'72	4'59	2'95	YEAR'S TOTAL 44'49
Rain Days.	27	11	21	21	20	10	7	11	19	23	21	15	206

REGISTER OF RAINFALL IN 19 14

Kept at Mordon
in the County of Devon
by S. B. Chapman Esq. M. Inst. C.E. Water Engineer
Torquay.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 835 ft.

FORM A.
BRITISH RAINFALL
12 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'05	'19	-	'06	'28	'21	-	-	'81	'07	1
2	'01	-	'04	'05	'11	-	'22	'01	-	-	'37	'67	2
3	'02	'01	'13	'27	'67	-	-	'04	-	-	'05	'40	3
4	'15	-	'01	'33	'18	-	'76	'21	-	-	'44	1.00	4
5	'09	-	'07	'17	'05	-	-	-	'02	-	'09	'11	5
6	'01	'11	'11	'16	'08	-	'24	'02	-	-	'02	'85	6
7	-	1.70	'26	'06	'20	'07	'33	'16	'17	-	-	'28	7
8	'01	-	'55	'20	'02	'67	'01	'06	'23	-	-	'19	8
9	'01	'05	'33	'25	'05	'39	-	'13	'99	-	'01	'01	9
10	'03	'88	'12	'33	'01	'09	-	-	'40	-	-	'31	10
11	-	'22	'43	-	'01	'16	-	-	'06	-	'08	'98	11
12	-	'45	'05	-	-	-	-	-	'26	'10	'07	'76	12
13	-	'45	'73	-	-	-	'06	-	'10	'30	'35	'24	13
14	-	'43	'35	-	-	'11	-	'58	'01	'04	'54	'06	14
15	'02	'01	'12	-	-	-	'23	'70	-	'16	'24	'15	15
16	-	-	'03	-	-	-	'01	-	'42	-	-	'01	16
17	-	'49	'33	-	-	-	-	-	'01	-	-	1.24	17
18	-	'04	'10	-	-	'01	'05	-	'15	'01	'01	'31	18
19	-	'02	'52	-	-	-	2.13	-	'11	-	'10	'10	19
20	-	'69	'26	-	-	'15	-	'02	'01	-	'04	'22	20
21	-	'58	'01	-	-	'03	-	-	-	'47	-	'04	21
22	-	'02	'01	-	'20	-	-	'02	-	'30	-	-	22
23	-	'06	'21	-	'01	-	'04	-	-	'31	-	-	23
24	-	'33	'01	-	'16	-	'01	'10	-	'02	'01	'02	24
25	'10	'01	'30	-	'23	-	'11	'41	-	'46	'02	'60	25
26	'09	'04	'06	-	-	-	'09	'02	-	'06	'24	1.02	26
27	'06	'06	'03	-	-	-	'01	-	'01	'10	'27	'65	27
28	'01	'02	'41	-	'11	-	-	-	-	'15	'18	'86	28
29	'20		'29	-	'12	-	'04	-	-	'10	'97	'08	29
30	'01	X	'18	-	-	-	'01	-	-	'41	'74	1.67	30
31	'20	X	-	X	'02	X	'50	-	X	1.19	X	'70	31
Total	1.02	6.67	6.10	2.01	2.23	1.74	5.13	2.69	2.95	4.18	5.65	13.60	55.97
Rain Days.	16	22	30	10	17	10	19	15	15	16	22	29	221

REGISTER OF RAINFALL IN 1915

Kept at Mardon, Torquay, Corporation Water Works
in the County of Devon
by Samuel C. Chapman

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lussleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 835 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.41	.21	-	-	-	-	-	1.31	.25	.41	.01	.13	1
2	.21	.31	.07	.02	-	.06	-	.19	.04	.05	-	1.00	2
3	.07	.57	.09	.01	.34	-	-	.01	-	-	-	.63	3
4	.06	.27	-	-	.05	-	.03	-	-	-	-	.35	4
5	.04	1.40	-	.16	-	-	-	.18	-	-	-	1.08	5
6	.80	.19	-	.28	.01	-	.55	.01	-	-	-	.29	6
7	.39	.50	-	.11	-	-	.28	-	-	.27	.01	.29	7
8	.13	.55	-	.01	-	-	.02	1.0	-	.11	.12	.32	8
9	.02	.07	-	.17	-	-	-	.01	-	.01	.50	1.02	9
10	.32	.38	.02	.05	-	-	-	.06	-	.17	.11	.13	10
11	.15	.11	.06	-	.08	-	.10	.23	-	.27	1.06	.11	11
12	.03	.69	-	.07	.79	-	-	.06	.01	.12	.44	-	12
13	-	.90	-	-	.72	-	-	.09	.04	.01	.28	.04	13
14	.08	.02	-	-	-	-	.25	.04	.02	.20	.01	1.29	14
15	.20	.01	-	-	.35	-	.15	.01	-	.05	.10	.26	15
16	.04	2.10	-	-	.36	-	.71	-	-	-	-	.13	16
17	.01	.28	.03	-	.02	-	.01	-	-	-	-	.02	17
18	-	.28	.01	-	-	-	-	-	-	-	-	-	18
19	.61	.02	-	.01	.64	-	.05	-	-	-	-	-	19
20	.27	-	-	.10	.04	.14	.04	-	-	.21	-	.05	20
21	.18	.09	.01	-	.07	.01	.19	-	-	.09	-	.18	21
22	.12	.02	.34	.08	-	.04	.32	-	.02	.05	-	.55	22
23	.02	.01	.10	-	-	-	.02	-	.09	1.17	-	.67	23
24	-	-	-	.02	-	.03	.11	-	.07	.29	-	.65	24
25	.03	-	.02	.05	-	.60	.07	-	-	.01	.03	.25	25
26	.05	.27	-	-	-	.04	.03	-	.05	-	-	1.51	26
27	.01	.05	-	-	-	.14	.09	-	.06	.53	-	.07	27
28	-	.10	-	.05	-	.22	-	-	.31	.12	.04	.14	28
29	-	-	-	-	-	.29	.08	-	.11	-	.36	.39	29
30	.25	X	-	X	-	.07	.03	-	.02	1.13	.52	.72	30
31	.02	X	-	X	-	X	.24	.08	X	1.14	X	.62	31
Total	3.86	9.40	.75	1.19	3.47	1.64	3.37	2.38	1.09	6.41	3.59	12.89	50.04
Rain Days.	26	25	10	15	12	11	21	14	13	21	14	28	210

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Mardon Moretonhamstead
 in the County of Devon
 by S. E. Chapman. M. Inst. C. E.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Lustleigh G.W.R.
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 835 ft.

FORM A.
 BRITISH RAINFALL
 13 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	-	.07	-	.44	.03	.04	-	.06	(.43)	.15	-	1
2	.33	.14	.08	-	.03	-	-	-	.06	.26	.80	-	2
3	.01	<u>1.79</u>	-	-	.50	-	.25	-	.02	.56	~~.83~~	.02	3
4	.21	.29	-	-	.04	.23	.08	-	.06	.14	1.47	-	4
5	.01	.06	*.04	-	.06	.15	.02	-	-	.27	.18	-	5
6	.05	.14	*.01	-	.10	.02	.71	-	-	.16	1.45	-	6
7	.07	.22	*.08	-	.11	.09	-	-	-	.02	.81	.09	7
8	.01	.21	*.22	-	.26	.14	-	-	-	-	.07	.24	8
9	-	*.19	-	-	-	.04	.06	-	-	.03	.11	.33	9
10	-	.43	-	.05	.03	.02	-	-	-	.04	.02	.08	10
11	-	.03	.01	.03	.07	.01	-	-	-	-	.01	-	11
12	.05	.07	.35	.07	.08	-	.04	.04	.01	.02	-	-	12
13	-	.32	.18	(.09)	-	-	.02	.19	.06	-	-	-	13
14	-	.60	.26	-	.02	-	-	.13	-	.11	.02	-	14
15	-	.43	.26	.32	-	-	-	.07	-	.11	-	.07	15
16	.27	.19	-	.03	-	-	.04	.62	-	.17	-	.02	16
17	.19	.08	-	.04	-	-	-	.01	.18	.24	1.31	-	17
18	.05	.17	.44	.09	-	-	-	-	.29	.04	.02	.08	18
19	.34	.28	.24	.15	-	-	-	-	-	-	.20	.16	19
20	.13	1.20	.25	-	-	-	-	-	-	-	.05	1.17	20
21	.05	*.04	.12	-	.09	.01	-	-	-	-	-	.05	21
22	-	*. -	.01	-	-	.23	-	.13	-	.33	.02	.71	22
23	.06	*.04	-	.04	-	.10	-	.23	-	.21	.27	.13	23
24	-	*.07	.04	.03	.19	-	-	.21	-	.68	.02	.42	24
25	.01	*.18	.30	-	-	.05	-	.40	-	-	.34	.01	25
26	.03	*.09	.02	-	.19	.09	-	.31	1.62	1.07	.05	-	26
27	-	*. -	1.21	-	-	.09	-	.41	.28	.53	-	-	27
28	-	*.08	.01	-	-	-	-	.12	.18	.65	.01	.40	28
29	-	*.19	.05	-	-	.35	-	<u>2.67</u>	.14	.25	-	.13	29
30	-	X	-	.01	-	.05	-	.01	.01	.39	-	-	30
31	-	X	-	X	-	X	-	.05	X	.60	X	.01	31
Total	2.03	7.53	4.25	.95	2.21	1.70	1.26	5.60	2.97	7.31	7.71	4.12	YEAR'S TOTAL 47.64
Rain Days.	18	26	22	12	15	17	9	16	13	24	22	18	212

REGISTER OF RAINFALL IN 1917

Kept at Mardon
in the County of Devon
by Samuel C. Chapman M. Inst. C.E.
Arthur Chapman Juny

Lat. _____ Long. _____
Time of Observation 9.9.m.
Nearest Railway Station Rustleigh L.N.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 835 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.02	.21	-	.37	-	.48	.01	.01	.02	-	1
2	-	-	.13	.13	-	.05	-	-	-	-	-	-	2
3	.05	<i>Shw</i> .02	-	.08	-	-	.38	-	-	.43	<u>1.28</u>	-	3
4	.07	-	.93	-	-	-	.02	-	.04	.46	-	-	4
5	.07	-	.40	.23	-	.66	-	-	.02	.13	.06	-	5
6	-	-	.29	-	-	.80	-	-	-	.13	.10	.02	6
7	.41	-	-	-	-	-	.11	.14	-	.22	.04	.02	7
8	.07	-	<i>Shw</i> .22	.16	-	-	.35	.27	-	.43	.07	.30	8
9	-	-	.10	.09	.03	-	.06	-	.04	.31	.18	.03	9
10	.19	-	.60	.16	-	-	-	.37	.16	.02	.04	-	10
11	.03	-	1.24	.10	-	-	-	.28	.11	.24	.18	-	11
12	.22	-	-	.02	.35	-	-	.03	-	.38	-	.01	12
13	<i>Shw</i> .04	-	.29	.01	-	.01	-	.72	.06	.25	-	-	13
14	-	-	-	.15	-	-	.02	.29	.02	.02	-	.01	14
15	.04	-	-	.01	-	-	.16	.02	-	.13	-	.40	15
16	-	.10	-	.04	-	-	-	.01	.01	.12	.01	.13	16
17	-	.04	.01	.13	.04	-	.20	.16	.37	.04	-	-	17
18	-	.13	-	.04	.95	.15	.11	.02	.49	.06	-	-	18
19	-	.32	.11	-	-	.28	-	-	.06	-	-	-	19
20	-	.14	.03	-	.36	.05	-	-	.02	-	-	.10	20
21	-	-	-	-	-	.03	-	.02	-	.01	.02	-	21
22	<i>Shw</i> .02	-	<i>Shw</i> .01	-	.02	-	-	.91	-	.07	.01	-	22
23	-	.12	-	-	.17	.01	-	.17	-	.16	-	.01	23
24	-	-	-	-	-	.05	.28	.08	-	.17	.03	-	24
25	-	.01	.06	-	-	-	-	.40	.04	.10	.08	-	25
26	-	-	-	-	.23	.08	-	.20	.03	.04	.01	-	26
27	-	-	.01	-	-	.91	.02	1.00	-	.02	.01	-	27
28	-	.02	.15	-	.01	.59	-	.50	-	-	-	.03	28
29	-	-	.09	-	-	.25	-	.07	-	.73	-	<i>Shw</i> .15	29
30	-	X	.11	-	-	-	.14	.12	-	.04	.01	-	30
31	-	X	.04	X	.19	X	-	.02	X	.27	X	-	31
Total	1.22	.90	4.84	1.56	2.35	4.29	1.85	6.28	1.48	5.03	2.15	1.21	YEAR'S TOTAL 33.16
Rain Days.	12	9	20	15	10	15	12	23	15	27	17	12	187

REGISTER OF RAINFALL IN 1918

Kept at Mardon
in the County of Salmon
by Harvey Corporation Waterworks

Lat. _____ Long. _____
Time of Observation 9.00 am
Nearest Railway Station Luttrell Pk. J. R. No. 1
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 837 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.12	—	.08	.01	—	—	.80	—	.03	1.50	—	1
2	—	.38	—	.04	—	—	—	.01	—	.01	.01	.16	2
3	—	.35	—	1.00	.04	—	—	.16	.01	.03	.17	—	3
4	—	.06	—	.03	—	—	—	.28	.48	.01	.84	.33	4
5	.01	.04	.21	.06	.52	—	—	.47	.42	.23	.02	.15	5
6	.13	.15	.05	.13	—	—	—	.01	—	.22	—	.17	6
7	.01	.09	—	.04	.05	—	—	.06	.39	.15	.48	.36	7
8	—	.19	—	—	—	—	—	—	.07	.24	.01	—	8
9	.06	.05	—	.05	—	.15	.17	—	.50	.02	—	.42	9
10	.06	—	—	.26	—	—	.14	—	.16	.10	—	.48	10
11	—	—	.11	.06	.03	—	.19	—	.13	.11	.07	.04	11
12	—	.05	.04	—	.14	—	.14	—	.03	—	.02	.01	12
13	.09	.01	—	—	.33	—	.30	—	.25	.11	—	.06	13
14	.33	—	.01	—	.07	.06	.03	—	.06	.01	—	.15	14
15	.91	—	.01	.02	.02	.09	.75	—	.07	.07	—	.31	15
16	.68	—	.01	.32	—	.01	.04	—	.33	.06	—	.07	16
17	.17	—	.02	.19	—	—	.37	—	.10	—	—	.18	17
18	1.03	—	.05	—	—	.80	.11	.01	.78	.26	—	.40	18
19	.32	—	.06	.02	—	.01	.23	—	.07	.02	—	.17	19
20	.31	.06	—	.19	—	—	.11	—	.17	.08	—	.02	20
21	.21	.01	—	—	—	.02	.03	—	.50	.14	—	.37	21
22	.02	—	—	—	.03	—	.74	.02	.20	.03	.07	.19	22
23	.05	.02	—	—	.05	—	.06	—	.12	—	.04	.16	23
24	.01	.09	—	—	—	—	.02	.19	.04	—	.18	.37	24
25	.01	—	—	—	.02	—	.11	.50	—	.04	.28	.03	25
26	.04	.08	—	—	—	—	.12	.04	.04	.08	.05	.04	26
27	—	.04	—	—	—	—	—	.15	.14	.01	.28	—	27
28	—	.14	.13	—	—	—	—	—	.17	.03	.05	.04	28
29	—	X	.12	—	—	—	—	—	1.13	—	—	.01	29
30	.01	X	.30	.15	—	—	—	—	.24	.11	.09	.07	30
31	.01	X	.10	X	—	X	—	—	X	.03	X	.05	31
Total	4.47	1.93	1.22	2.64	1.36	1.14	3.66	2.70	6.40	2.23	3.96	4.21	36.52
Rain Days.	21	18	14	16	12	7	18	13	26	26	17	27	215
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919.

Kept at Mardon
in the County of Devon
by Samuel C. Chapman Esq. R. Inst. S.E. Water Engineer

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 835 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'37	-	'30	-	'07	-	'21	-	-	'28	-	'79	1
2	'15	-	'02	-	'03	-	'18	-	'10	'02	-	'01	2
3	'27	-	'40	-	-	-	-	-	-	-	'06	'05	3
4	^{M. S. S. S.} '30	'46	'48	-	-	-	'20	'05	'28	-	'02	'06	4
5	'10	'17	'20	-	-	-	-	-	'81	-	'03	'07	5
6	'56	'73	'11	'03	-	-	-	-	'21	-	-	'44	6
7	'38	-	'20	'03	-	-	'02	-	-	-	-	'06	7
8	'37	-	'22	'04	'02	-	-	-	-	-	'10	-	8
9	'22	-	-	'24	'15	-	-	-	-	-	'40	'07	9
10	'11	-	'28	'01	'02	-	-	-	-	'02	'01	'82	10
11	'03	-	'54	'05	'32	'01	'05	-	-	'01	'03	'20	11
12	'27	'01	'19	-	-	'01	-	-	-	'15	'06	'02	12
13	'10	'19	'19	'50	-	-	'03	-	'01	'04	-	'15	13
14	'32	'33	-	'76	'43	-	'04	-	-	'10	-	'52	14
15	'24	'23	-	'08	-	-	-	-	'04	'08	-	'32	15
16	'10	'18	-	-	'01	-	-	-	-	-	'16	-	16
17	'03	'25	-	-	-	-	-	-	-	-	'19	-	17
18	'05	'42	'60	-	-	-	'15	'02	'01	-	'21	-	18
19	'35	'69	'11	-	-	-	'42	'28	'30	'01	'08	'03	19
20	'76	'03	'03	-	-	'27	-	'07	'11	'01	'19	'05	20
21	'09	'02	-	-	-	-	'01	-	'09	'01	-	'10	21
22	-	'03	'04	-	-	'01	'04	-	'12	-	-	'02	22
23	-	-	-	-	-	-	-	'24	-	'44	'08	'10	23
24	-	'01	-	'02	-	'17	-	'08	-	'30	'13	'25	24
25	'08	-	-	'06	-	'06	-	'49	-	-	'09	'10	25
26	'15	'02	'08	'13	-	-	-	'03	'02	'06	'14	'38	26
27	'25	-	'05	'04	-	-	-	1.50	-	-	-	'02	27
28	'01	'01	'17	'09	-	-	-	'03	-	'01	'54	'40	28
29	'01	-	'02	'08	-	-	-	'08	-	'15	-	'09	29
30	-	~~XXXX~~	'01	'05	-	'07	-	'18	'05	-	'70	'75	30
31	'02	~~XXXX~~	'07	~~XXXX~~	-	~~XXXX~~	-	-	~~XXXX~~	-	~~XXXX~~	'50	31
TOTAL	5.69	5.78	5.31	2.24	1.05	.60	1.35	3.05	2.15	1.69	3.22	6.37	YEAR'S TOTAL 38.47
Days with '01 in. or more	27	17	22	16	8	7	11	12	13	16	19	27	195

REGISTER OF RAINFALL IN 1920.

Kept at Mardon

in the County of Devon

by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer

Lat. _____ Long. _____

Time of Observation 9.00

Nearest Railway Station Lustleigh

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

Sea Level 837 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	—	03	08	61	—	49	03	08	04	02	67	1
2	38	—	—	14	01	—	17	04	02	03	—	13	2
3	34	04	—	09	—	—	04	—	—	1.35	—	27	3
4	—	—	03	—	—	—	05	42	—	45	—	—	4
5	—	04	30	05	04	—	25	05	—	20	—	—	5
6	—	—	40	03	10	—	15	—	—	13	—	01	6
7	02	—	01	09	11	—	47	—	—	01	01	—	7
8	09	04	—	23	02	—	14	—	—	04	—	04	8
9	1.06	06	—	02	—	14	28	—	01	—	—	—	9
10	1.36	10	—	01	—	28	13	—	—	—	—	—	10
11	26	02	14	1.08	21	05	22	—	—	—	—	—	11
12	14	08	17	35	02	12	02	—	—	06	13	46	12
13	19	02	54	02	—	—	—	—	—	05	—	06	13
14	01	07	53	99	—	—	02	—	08	26	33	03	14
15	—	16	07	55	05	—	—	—	03	65	02	—	15
16	—	04	01	05	—	01	34	—	29	06	10	—	16
17	—	01	—	18	23	53	01	—	40	—	—	—	17
18	08	07	01	08	10	31	01	15	02	—	01	—	18
19	04	03	—	46	01	29	—	01	—	01	—	01	19
20	02	—	—	17	08	06	02	—	—	23	—	49	20
21	—	—	—	07	—	—	06	—	07	11	—	23	21
22	02	—	—	05	—	—	04	—	—	01	—	32	22
23	02	—	01	—	—	—	31	10	—	—	—	42	23
24	02	02	23	—	—	—	04	—	—	—	35	09	24
25	11	02	16	03	—	—	81	—	—	—	—	10	25
26	34	—	37	—	—	01	13	—	—	—	21	27	26
27	96	05	21	10	—	12	18	—	—	—	70	68	27
28	75	—	10	03	—	04	01	—	—	—	03	27	28
29	57	—	75	05	02	08	—	—	—	01	30	46	29
30	12	~~—~~	—	—	02	14	01	—	87	04	44	69	30
31	10	~~—~~	31	~~—~~	—	~~—~~	01	—	~~—~~	41	~~—~~	10	31
TOTAL	7.06	87	4.38	5.00	1.63	2.18	4.41	80	1.87	4.15	2.65	5.80	YEAR'S TOTAL
Days with "01 in. or more	24	17	20	25	15	14	27	7	10	20	13	21	40.80
Days with "04 in. or more	18	11	14	19	9	12	19	5	6	15	8	18	213
													154

82

REGISTER

DEVON

MORETON HAMPSTEAD,

TOWER PARK.

1916-1920

Kept at Moretonhampstead
in the County of Devon
by D. W. Flower

FORM A.
BRITISH RAINFALL.

ge. in.
ound ft. in.
a Level ft.

IMPORTANT NOTE.—Rain result entered to the previous day. If an Observer ~~pl~~ not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.05-		.07	22	.12		1
2									.04	15	.52		2
3							.05-		.05-	5.4	.39	.03	3
4							.07		.20	14	1.22		4
5										18	.30		5
6							.57			20	.89		6
7										.03	1.04	.10	7
8										.01	.12	.20	8
9							.09			.07	.10	.29	9
10										.04	.02	.07	10
11											.02		11
12							.05-			.02			12
13								.42	.05-	.02			13
14								.13		.12			14
15								.05-		.09			15
16								.70		.16			16
17								.01	.24	.18	1.36		17
18									.23	.05-	.02		18
19											.30		19
20											.05-	1.33	20
21											.01	.20	21
22								.10		.50		.74	22
23								.14		.25-	.18	.19	23
24								.17	.01	.87	.03	.30	24
25								.35-	.01	.03	.46	.01	25
26								.79	1.28	1.07	.06		26
27								.32	.24	.80	.03	.01	27
28								.11	.25-	.50		.32	28
29								2.37	.14	.16		.34	29
30		X								.38		.01	30
31		X		X		X		.05-	X	.34	X		31
Total				.88	1.88	1.95	.88	5.71	2.81	7.12	7.24	4.14	YEAR'S TOTAL
Rain Days.							6	14	13	27	21	15	

REGISTER

FORM A.
BRITISH RAINFALL.

Kept at Moretonhampstead, Tower Park
in the County of Devon
by D. W. Flower

Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.05		.07	.22	.12		1
2									.04	.15	.52		2
3							.05		.05	.54	.39	.03	3
4							.07		.20	.14	1.22		4
5										.18	.30		5
6							.57			.20	.89		6
7										.03	1.04	.10	7
8										.01	.12	.20	8
9							.09			.07	.10	.29	9
10										.04	.02	.07	10
11											.02		11
12							.05			.02			12
13								.42	.05	.02			13
14								.13		.12			14
15								.05		.09			15
16								.70		.16			16
17								.01	.24	.18	1.36		17
18									.23	.05	.02		18
19											.30		19
20											.05	1.33	20
21											.01	.20	21
22								.10		.50		.74	22
23								.14		.25	.18	.19	23
24								.17	.01	.87	.03	.30	24
25								.35	.01	.03	.46	.01	25
26								.79	1.28	1.07	.06		26
27								.32	.24	.80	.03	.01	27
28								.11	.25	.50		.32	28
29								2.37	.14	.16		.34	29
30		X								.38		.01	30
31		X		X		X		.05	X	.34	X		31
Total				.88	1.88	1.95	.88	5.71	2.81	7.12	7.24	4.14	YEAR'S TOTAL
Rain Days.							6	14	13	27	21	15	

REGISTER OF RAINFALL IN 1917

Kept at Moretonhampstead, Lower Park
in the County of Devonshire
by D. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02	28		40		43	05		02		1
2			22	10		05		01					2
3	05			05			78			44	98		3
4	08	04	85				03		04	65	01	01	4
5	09		35	40		87			05	26	09		5
6			39	01		08		15	15	10	10	01	6
7	30						08	08		35	06	01	7
8	23		20	16			34	48		50	05	30	8
9			12	09	05		08	02	04	35	22	01	9
10	16		40	25				23	13		05		10
11	09		98	18				36	04	35	16		11
12	26		02	05	26			05		53			12
13	03		19	01		01		58	08	24			13
14	01		01	07	01		06	16	03		01	01	14
15	06			03			15	07		25		37	15
16	01	05		03			01	05		19	02	30	16
17				13	01		18	14	35	05			17
18		14		05	77	(09)	20		62	07			18
19		25	12			68			07				19
20		07	03		75	05		03	03			07	20
21		01	02			01		02			03	01	21
22	02				02			50		10	01		22
23		11			23			41		21		03	23
24		01				07	22	10		17	04	03	24
25		02	04				04	35	03	17	05		25
26		01			19	03		25	08	09	02		26
27			01			1.18	02	94		04		01	27
28		02	18		02	84		49				03	28
29			07			33	03	12		49		26	29
30		X	08				19	16		06		01	30
31		X	06	X	23	X		05	X	22	X	01	31
Total	1.39	73	4.36	1.89	2.54	4.67	2.41	6.23	1.79	5.88	1.92	1.48	35.29
Rain Days.	13	11	21	16	11	14	15	26	15	23	17	17	199

REGISTER OF RAINFALL IN 1918

Kept at Moretonchampstead, Lower Park
in the County of S. Devon
by D. W. Flower

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		08		13	03			70		04	1.67		1
2		27		05				01	01	02	02	21	2
3		29	01	67	06			04	04	04	13	01	3
4		05		06				16	47	01	73	22	4
5		02	30	06	53			48	26	25	03	09	5
6	16	16	13	19	02			01	01	22		12	6
7	03	12		09	08			04	41	16	48	23	7
8	02	28							25	19	01	04	8
9	06	05		03		25	38	03	40	02		39	9
10	10			21			16		25	09		48	10
11	01	02	09	05	05		24		21	03	07	08	11
12		05	05		10	02	08		05	01	03	01	12
13	09	06			13		25		27	04		06	13
14	25	01			03	07	05		08	03		15	14
15	1.01		01	02	01	12	43		09	10		28	15
16	65			65		07	02		39	09		07	16
17	22		01	23			35		16	01		26	17
18	1.14		02			72	12		86	24		45	18
19	40		16	02		01	13		10	03		36	19
20	33	03		19		02	03		25	05			20
21	24	03				05	03		46	07		34	21
22	03	01			03		53		39	06	05	25	22
23	07				04		09		13	01	03	22	23
24	01	13					02	10	01		15	33	24
25							13	73		07	25	02	25
26		12		01			14	05	02	06	03	07	26
27	01	05	25					13	28	01	12	01	27
28		20	13	01				01	07	02	07	07	28
29			06						1.46		02	05	29
30		X	39	22		X			02	05	05	09	30
31		X	17	X		X		02	X	02	X		31
Total	4.83	2.03	1.78	2.89	1.11	1.33	3.18	2.51	7.40	2.04	3.94	4.96	38.00
Rain Days.	19	20	14	18	12	9	18	14	28	29	18	28	227

REGISTER OF RAINFALL IN 1919

Kept at Moretonhampstead, Lower Park
in the County of S. Devonshire
by D. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1647
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39		.23	.01	.12		.25		.07	.41		.98	1
2	.11		.01		.03		.03		.02		.01	.02	2
3	.17		.40		.01				.12		.07	.11	3
4	.68	.56	.48		.01		.43	.02	.66		.03	.06	4
5	.11	.08	.93				.01		.13		.09	.11	5
6	.74	.96	.16	.01							.01	.47	6
7	.53		.25	.02								.05	7
8	.36		.10	.05							.10		8
9	.24		.01	.10	.18						.76	.02	9
10	.12		.38	.02	.02					.03		.43	10
11	.05		.48	.05	.21		.07			.02	.05	.49	11
12	.15	.01	.10			.05				.20	.10	.01	12
13	.09	.12	.14	.55			.01			.03		.19	13
14	.45	.29		.74	.52		.06		.02	.12		.27	14
15	.25	.15		.09						.12		.25	15
16	.10	1.13			.03			.04			.24	.01	16
17	.01	.71									.23		17
18	.02	.47	.50				.10	.03	.02		.27	.01	18
19	.23	.35	.13			.14	.55	.43	.31		.16	.06	19
20	.70	.02	.07			.26		.08	.17	.01	.20	.09	20
21	.09	.88					.01	.01	.02		.01	.16	21
22		.04	.01				.04		.23		.01	.06	22
23			.02					.24		.41	.06	.11	23
24		.03		.01		.17		.10		.35	.18	.36	24
25	.08	.01		.04		.07		.52		.01	.10	.12	25
26	.18	.01	.10	.17				.09	.03	.09	.13	.44	26
27	.44		.03	.11				1.50				.05	27
28	.01		.17	.08				.02			.46	.36	28
29	.01		.02	.08				.16		.18		.05	29
30		X	.13	.11		.08		.15	.03	.01	.50	.70	30
31	.01	X	.14	X		X			X		X	.55	31
Total	6.32	5.82	4.99	2.24	1.13	.77	1.56	3.39	1.83	1.99	3.77	6.59	40.40
Rain Days	27	17	24	17	9	6	11	14	13	14	22	29	40.40

REGISTER OF RAINFALL IN 1920

Kept at Maretonhamstead Lower Park
in the County of Devonshire
by D. W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	01	01	10	44		47	01	09	03	04	53	1
2	36			21	01		14	20	02	07		10	2
3	56			15			06		01	153		32	3
4		01	01	01			07	39		51			4
5		04	26	04	06		20	05		24			5
6		01	26	04	17		10			15	01	01	6
7	01		02	09	05		80			03	01		7
8	08	04		13	03		25	01		03		10	8
9	116	07	01	01		13	26						9
10	129	13	01	01		43	15						10
11	37	01	12	76	19	06	10			01		01	11
12	21	05	15	36	02	10	02			03	11	36	12
13	25	03	62	04						32	01	09	13
14	01	05	69	83			03		06	27	29	05	14
15			06	61	05				03	64	04		15
16		02	01	11	01	03	22		26	06	20		16
17				02	24	170			55	02	01	01	17
18	11	04		06	16	22		15	04			02	18
19	05	04		53	27	15	02	05	01				19
20	03	01		26	32	06				17		35	20
21				04			09		04	03		29	21
22				02			06					25	22
23	01		01				38	12				30	23
24	02	04	17				05	01			35	12	24
25	08	01	15	01			72				01	10	25
26	29		40				22				27	13	26
27	86	05	22	13		15	10				55	59	27
28	87	01	12	07		05	02				08	06	28
29	48		85	06	08	05					15	30	29
30	12	~~X~~	01	02	01	14	03		87	02	34	51	30
31	14	~~X~~	28	~~X~~		~~X~~	04		~~X~~	65	~~X~~	10	31
TOTAL	741	67	444	472	211	327	460	99	198	481	247	470	4217
Days with 01 in. or more	23	19	22	27	16	13	25	9	11	19	16	23	223
Days with 04 in. or more	18	10	14	20	11	12	20	6	7	11	11	19	159
YEAR'S TOTAL													4217

REG

DEVON.

Kept at *Twitchen House*in the County of *Devon*by *Robert Melhercott*MORTEHOE,
"TWITCHEN HOUSE"

1911 - 1920

11

8 in.

ve Ground 1 ft. in.

Sea Level 430 ft.

Name *Mortehoe*

Distance $1\frac{1}{2}$ Direction *6.5 E*

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'07	—	'02	'19	'08	'13	—	'53	—	'02	'30	'01	1
2	—	—	'01	—	'17	'01	—	'33	—	'19	'47	'14	2
3	—	—	'04	—	'43	—	—	—	'05	—	'38	'53	3
4	—	—	'21	—	—	—	—	'27	—	—	'45	'12	4
5	'38	—	'18	—	—	—	—	'23	—	'12	'15	'56	5
6	'19	—	'04	—	—	—	—	'03	—	—	'13	—	6
7	'17	—	—	'01	—	—	—	—	—	—	'48	—	7
8	'27	—	'22	—	—	—	—	—	—	—	'43	'82	8
9	'23	—	—	—	'36	—	—	—	—	—	'55	'26	9
10	'03	'03	'68	—	—	—	—	—	—	—	'01	'35	10
11	'23	—	—	—	—	—	—	—	'09	—	'34	'35	11
12	—	—	'67	—	'05	—	—	—	'43	—	'21	'10	12
13	—	—	'02	—	—	—	—	—	'21	—	'11	'14	13
14	—	'19	'01	—	—	—	—	—	—	'05	'08	'26	14
15	'04	'07	'01	—	—	'04	—	—	—	—	'42	'10	15
16	—	'03	—	—	—	'16	—	—	—	—	'07	'14	16
17	—	'11	—	—	—	'48	—	—	—	—	'30	'42	17
18	—	'33	'01	'18	—	'43	—	—	—	'10	'08	'28	18
19	—	'05	—	'05	—	'03	—	—	'28	'03	'05	'85	19
20	—	'11	'29	'24	—	'03	—	'02	'37	'38	—	'12	20
21	'02	'26	'01	—	—	'04	—	—	'18	'35	—	'04	21
22	'07	'04	'02	'16	—	'24	—	—	'20	'09	—	'44	22
23	'03	'13	'02	'01	—	'02	—	'16	'26	'06	'10	'15	23
24	'04	'32	—	—	—	'48	—	'08	'04	'47	—	'11	24
25	'08	'05	—	'31	—	'01	—	'11	'06	'13	—	'03	25
26	'03	'24	—	'41	—	—	—	'14	'03	'32	—	'45	26
27	—	'92	—	—	—	—	—	'38	'15	'33	—	'41	27
28	—	'16	—	'32	—	—	—	'10	—	—	'09	'04	28
29	—	—	'02	'11	—	'82	'09	'04	'28	'46	—	'01	29
30	—	—	—	—	—	'01	'76	—	'03	'28	'12	'10	30
31	—	—	—	—	—	—	'04	—	—	'11	—	'03	31
Total	188	304	248	199	109	250	29	242	266	349	532	742	TOTAL for year 3458
No. of Rain Days.	15	16	18	11	5	14	3	13	15	17	22	29	178

2 - JAN 1912

Kept at *Turlehen House, Morte-hoe*in the County of *Devon N. 1*by *Robert Melhercott for D. Longstaff*

Pattern
RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *1* ft. *-* in.
" " " Sea Level *430* ft.
Time of Observation *9 45*
Nearest Railway Station { Name *Morte-hoe*
Distance *1 1/2* Direction *E.S.E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'07	—	'02	'19	'08	'13	—	'53	—	'02	'30	'01	1
2	—	—	'01	—	'17	'01	—	'33	—	'19	'47	'14	2
3	—	—	'04	—	'43	—	—	—	'05	—	'38	'53	3
4	—	—	'21	—	—	—	—	'27	—	—	'45	'12	4
5	'38	—	'18	—	—	—	—	'23	—	'12	'15	'56	5
6	'19	—	'04	—	—	—	—	'03	—	—	'13	—	6
7	'17	—	—	'01	—	—	—	—	—	—	'48	—	7
8	'27	—	'22	—	—	—	—	—	—	—	'43	'82	8
9	'23	—	—	—	'36	—	—	—	—	—	'55	'26	9
10	'03	'03	'68	—	—	—	—	—	—	—	'01	'35	10
11	'23	—	—	—	—	—	—	—	'09	—	'34	'35	11
12	—	—	'67	—	'05	—	—	—	'43	—	'21	'10	12
13	—	—	'02	—	—	—	—	—	'21	—	'11	'14	13
14	—	'19	'01	—	—	—	—	—	—	'05	'08	'26	14
15	'04	'07	'01	—	—	'04	—	—	—	—	'42	'10	15
16	—	'03	—	—	—	'16	—	—	—	—	'07	'14	16
17	—	'11	—	—	—	'48	—	—	—	—	'30	'42	17
18	—	'33	'01	'18	—	'03	—	—	—	'10	'08	'28	18
19	—	'05	—	'05	—	'03	—	—	'28	'03	'05	'85	19
20	—	'11	'29	'24	—	'05	—	'02	'37	'38	—	'12	20
21	'02	'26	'01	—	—	'04	—	—	'18	'35	—	'04	21
22	'07	'04	'02	'16	—	'24	—	—	'20	'09	—	'44	22
23	'03	'13	'02	'01	—	'02	—	'16	'26	'06	'10	'15	23
24	'04	'32	—	—	—	'48	—	'08	'04	'47	—	'17	24
25	'08	'05	—	'31	—	'01	—	'11	'06	'13	—	'03	25
26	'03	'24	—	'41	—	—	—	'14	'03	'32	—	'45	26
27	—	'92	—	—	—	—	—	'38	'15	'33	—	'41	27
28	—	'16	—	'32	—	—	—	'10	—	—	'09	'04	28
29	—	—	'02	'11	—	'82	'09	'04	'28	'46	—	'01	29
30	—	—	—	—	—	'01	'76	—	'03	'28	'12	'10	30
31	—	—	—	—	—	—	'04	—	—	'11	—	'03	31
Total	1'88	3'04	2'48	1'99	1'09	2'50	'29	2'42	2'66	3'49	5'32	7'42	TOTAL for year 34'58
No. of Rain Days.	15	16	18	11	5	14	3	13	15	17	22	29	178

REGISTER OF RAINFALL IN 1912

Kept at *Twitcheu House, Mortehoe*
 in the County of *Devon NI*
 by *Rev. Retherseth (for Dr. Langstaff)*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Mortehoe*
 Diameter of Rain Gauge *8* in.
 Height of top of Gauge above Ground *1* ft. _____ in.
 " " " " Sea Level *430* ft.

BRITISH RAINFALL FORM A. JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'33	—	'08	'33	'01	'14	'11	<i>1'18</i>	—	'16	1
2	—	—	'22	'05	—	<i>1'46</i>	'03	—	—	—	'08	—	2
3	'13	<i>'03</i>	'26	'04	—	'10	'06	'83	'14	—	~~'11~~	'06	3
4	'50	—	<i>'90</i>	'01	'01	'01	—	'10	—	—	~~'47~~	—	4
5	'85	'08	'19	'03	'03	—	—	'40	—	—	~~'01~~	'07	5
6	'40	'08	—	'06	'26	—	—	'58	—	—	'05	'13	6
7	'04	'25	'22	'02	'19	<i>1'13</i>	'24	'11	—	—	~~'03~~	'06	7
8	'46	'10	'18	'04	—	'14	'03	'07	'01	—	—	—	8
9	'18	'15	'27	'06	—	'09	'18	<i>1'17</i>	'02	—	'02	<i>'79</i>	9
10	'35	'01	'09	—	—	'25	'14	'09	—	—	'16	'83	10
11	—	'01	—	—	~~'01~~	—	'05	—	—	—	'20	'13	11
12	'07	—	'19	'01	'11	—	'28	'04	—	—	'12	'43	12
13	'21	—	'08	—	—	'03	'01	'12	—	'07	—	'11	13
14	'10	'06	'67	—	'10	—	—	'49	—	'01	—	<i>'79</i>	14
15	'10	'03	'03	—	'18	<i>1'03</i>	—	'05	—	—	'03	'19	15
16	'35	—	'18	—	'10	'09	—	'14	—	'09	'02	'59	16
17	'03	—	'17	—	'01	'29	—	'54	—	—	'10	'10	17
18	—	'09	'37	—	—	—	—	'66	—	'13	'03	'04	18
19	—	'10	'11	—	—	—	—	'67	—	'04	'03	—	19
20	'01	'03	'35	—	'07	—	—	'13	—	'31	'02	—	20
21	—	'12	'35	—	<i>'31</i>	—	—	'36	—	'11	—	'17	21
22	'50	'25	~~'25~~	—	'10	'05	'05	'48	—	'14	'04	'50	22
23	'19	<i>'58</i>	'25	—	—	'35	'37	'90	—	'53	'14	'14	23
24	'01	'04	'05	—	—	'30	'60	—	—	'27	—	—	24
25	'04	—	'03	—	—	'13	'10	'40	—	'16	<i>'56</i>	'67	25
26	—	'10	'09	—	—	'61	'03	'11	—	'61	'45	'32	26
27	—	—	—	—	—	'32	'52	—	—	'92	'03	<i>'94</i>	27
28	—	'13	'01	—	—	'04	<i>'72</i>	'78	'18	'13	'50	'37	28
29	—	'18	—	—	'11	'01	'32	'12	<i>'26</i>	'19	—	'13	29
30	—	—	'14	—	—	—	'20	—	—	'25	—	'02	30
31	'01	—	'30	—	—	—	'12	'09	—	'04	—	'20	31
Total	<i>4'53</i>	<i>2'42</i>	<i>6'03</i>	<i>'32</i>	<i>1'67</i>	<i>6'76</i>	<i>4'06</i>	<i>9'57</i>	<i>'72</i>	<i>5'18</i>	<i>3'09</i>	<i>7'94</i>	<i>52'29</i>
Rain Days.	<i>20</i>	<i>20</i>	<i>26</i>	<i>9</i>	<i>15</i>	<i>20</i>	<i>20</i>	<i>26</i>	<i>6</i>	<i>18</i>	<i>21</i>	<i>25</i>	<i>226</i>

REGISTER OF RAINFALL IN 1913

Kept at *Twicken House*
in the County of *N. Northhamptonshire*
by *R. Hetherington, Jr. & G. B. Longstaff.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Northam*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *430* ft.

FORM A.
BRITISH RAINFALL
2 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'13	'24	'25	'05	'07	—	—	—	'01	—	'12	'46	1
2	'03	'16	'02	'03	'20	—	—	—	—	'03	'19	'20	2
3	'05	—	'05	'02	'17	—	—	—	'01	—	'01	'30	3
4	'86	—	'06	'07	—	'19	—	—	'07	'13	'09	'28	4
5	'27	'08	'05	—	'41	'36	'02	—	'09	—	'63	'40	5
6	'02	'09	'16	—	'07	'16	—	—	—	'13	'12	'20	6
7	—	'32	'06	—	'90	'23	—	—	—	'63	'11	'02	7
8	'03	'17	'01	—	'20	'02	'12	'02	—	'01	—	'08	8
9	—	'08	'18	'02	'13	'23	'01	'06	'01	'03	'61	'13	9
10	'39	—	'15	'01	'07	'03	—	'17	—	'72	'23	—	10
11	'63	—	'03	—	'14	'13	—	'03	'11	'07	'59	'13	11
12	'48	—	—	'11	'02	'06	'02	—	'06	—	'44	—	12
13	'02	—	'42	'04	—	—	'09	'32	'45	—	'18	—	13
14	'05	—	'35	'03	—	—	—	—	'05	'25	'18	'13	14
15	'30	—	'31	'99	—	—	—	—	—	—	'13	'09	15
16	'42	—	'61	'10	—	—	'03	'01	'09	—	'08	—	16
17	'19	—	'02	'09	—	—	'07	—	—	—	'15	—	17
18	'09	—	'17	'15	—	—	'03	—	—	—	'08	—	18
19	'47	—	'13	—	'08	'04	'03	—	'50	'26	'02	—	19
20	'26	—	'11	'14	—	—	—	—	'07	'20	'56	—	20
21	—	—	'23	'47	'06	'03	'14	'02	—	'10	'33	—	21
22	'03	—	'90	—	'09	'28	'02	'63	'18	—	—	'03	22
23	'03	—	'01	—	'02	—	—	'09	'09	—	'19	'50	23
24	'05	'07	—	'27	'01	'01	—	—	—	—	'15	—	24
25	—	'01	—	'37	—	—	—	—	'08	'03	'25	'13	25
26	—	—	—	'80	—	—	—	'11	'04	'01	'03	'35	26
27	'21	—	'12	'20	—	—	—	—	—	'23	'07	'04	27
28	'12	—	'12	'29	'17	—	—	—	—	'21	'03	'07	28
29	—	—	'24	'58	'05	—	—	—	—	'16	'08	—	29
30	'47	—	—	—	—	—	—	—	—	'36	'04	—	30
31	'19	—	'64	—	'07	—	—	'04	—	'03	—	—	31
Total	6'79	1'22	5'40	4'83	2'93	1'77	'58	1'50	1'91	3'59	5'69	3'54	YEAR'S TOTAL 39'75
Rain Days.	25	9	26	21	19	13	11	11	16	19	28	18	216

REGISTER OF RAINFALL IN 1914

Kept at Witchen House
Witcham
in the County of Devon
by Robt. Rethercott

Lat. _____ Long. _____
Time of Observation 9.4 m
Nearest Railway Station Witcham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 430 ft.

FORM A.
BRITISH RAINFALL
6 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'01	'03	'06	—	'39	'23	'73	—	—	'10	'35	1
2	'02	—	—	—	'05	—	'30	'15	—	—	'02	'37	2
3	'05	—	'25	'26	'59	—	—	'18	—	'02	'01	'05	3
4	'35	—	'09	'32	'11	—	'80	'41	—	—	'35	'04	4
5	'11	—	'40	'31	—	—	'04	'02	—	—	'06	'04	5
6	—	'03	'11	'08	'10	'02	'06	'05	—	—	'57	'13	6
7	'09	'39	'31	'18	'20	—	'38	'28	'09	—	—	'10	7
8	'19	—	'84	'06	'10	'27	—	'21	—	—	—	'10	8
9	'27	'08	'19	'09	'27	'84	—	'38	'95	—	—	—	9
10	'21	'31	'07	'35	'13	'04	—	—	'38	—	—	'03	10
11	—	'29	'63	—	'06	'31	—	—	'01	—	'13	'53	11
12	'01	'38	'12	—	—	—	—	—	'45	—	'17	'07	12
13	—	'47	'41	—	—	—	'08	—	'38	'14	'40	'08	13
14	—	'47	'28	—	—	—	'05	'36	'04	'07	'35	'13	14
15	—	'03	'41	—	—	—	—	'63	'19	—	'09	'10	15
16	—	—	—	—	—	—	'09	—	'24	—	—	—	16
17	'09	'27	'13	—	—	—	'06	—	'01	—	—	'50	17
18	—	'15	'40	—	—	—	'06	—	'11	—	—	'67	18
19	—	'03	'09	—	—	—	'08	—	—	—	'06	'14	19
20	—	'49	'13	—	—	'20	—	—	—	—	—	'19	20
21	—	'17	—	—	—	—	'05	—	—	'19	'01	—	21
22	—	'13	'66	'05	'04	'35	'01	'08	—	'17	—	—	22
23	—	'08	'31	—	—	—	'09	'02	—	'11	—	—	23
24	—	—	'06	—	—	'02	—	'06	—	—	'30	'01	24
25	'37	—	'25	—	—	—	'13	'03	—	'18	'03	'28	25
26	'01	'03	'01	—	—	—	'24	'03	—	'39	'25	'34	26
27	'09	'04	—	—	—	'01	—	—	—	'20	'49	'19	27
28	'03	'08	'24	—	'09	—	—	—	—	'25	'13	'75	28
29	'20	—	'26	—	'14	—	—	—	—	'07	'28	'11	29
30	'02	X	'17	—	—	—	—	—	—	'14	'59	'18	30
31	'72	X	—	X	'09	X	'53	—	X	'40	X	'14	31
Total	2'23	3'93	6'85	1'76	1'97	2'45	4'28	4'62	2'85	2'33	5'39	6'62	YEAR'S TOTAL 45'28
Rain Days.	17	20	26	10	13	10	18	16	11	13	20	26	200

REGISTER OF RAINFALL IN 1915

1933
FORM A.
BRITISH RAINFALL
4 JAN 1916

Kept at *Twicken, Morteboe*
in the County of *Devon*
by *Robt. Ketherscott for D. Longstaff*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Morteboe*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *430* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>40</i>	<i>25</i>	—	—	<i>21</i>	—	—	<i>23</i>	<i>10</i>	<i>23</i>	<i>14</i>	<i>19</i>	1
2	<i>24</i>	<i>26</i>	<i>28</i>	<i>16</i>	—	<i>09</i>	—	<i>30</i>	<i>05</i>	<i>01</i>	—	<i>29</i>	2
3	<i>01</i>	<i>14</i>	<i>24</i>	<i>29</i>	<i>25</i>	<i>01</i>	<i>05</i>	—	—	—	—	<i>32</i>	3
4	<i>04</i>	<i>35</i>	<i>08</i>	—	<i>03</i>	—	<i>19</i>	—	—	—	—	<i>54</i>	4
5	<i>06</i>	<i>33</i>	<i>03</i>	<i>05</i>	—	<i>08</i>	—	<i>16</i>	—	—	—	<i>43</i>	5
6	<i>40</i>	<i>08</i>	—	<i>47</i>	—	—	<i>28</i>	<i>13</i>	—	—	<i>05</i>	<i>44</i>	6
7	<i>29</i>	<i>71</i>	—	<i>04</i>	<i>11</i>	—	<i>21</i>	<i>04</i>	—	<i>29</i>	<i>24</i>	<i>47</i>	7
8	<i>15</i>	<i>27</i>	—	—	—	—	—	<i>16</i>	—	<i>63</i>	—	<i>10</i>	8
9	<i>05</i>	<i>20</i>	—	<i>08</i>	—	—	—	<i>10</i>	—	—	<i>72</i>	<i>89</i>	9
10	<i>40</i>	<i>36</i>	<i>23</i>	<i>11</i>	—	—	—	—	—	<i>08</i>	<i>01</i>	<i>02</i>	10
11	<i>03</i>	<i>01</i>	<i>13</i>	—	<i>07</i>	—	—	<i>04</i>	—	<i>03</i>	<i>88</i>	<i>16</i>	11
12	<i>18</i>	<i>30</i>	—	<i>03</i>	<i>34</i>	—	<i>06</i>	<i>08</i>	—	<i>08</i>	<i>27</i>	<i>10</i>	12
13	<i>09</i>	<i>29</i>	<i>01</i>	<i>04</i>	<i>73</i>	—	<i>06</i>	<i>04</i>	<i>21</i>	<i>01</i>	<i>05</i>	<i>16</i>	13
14	<i>14</i>	—	<i>01</i>	—	—	—	<i>03</i>	<i>02</i>	<i>10</i>	—	<i>02</i>	<i>88</i>	14
15	<i>29</i>	—	—	—	<i>25</i>	—	<i>33</i>	—	<i>12</i>	—	<i>12</i>	<i>21</i>	15
16	<i>01</i>	<i>64</i>	—	<i>02</i>	<i>12</i>	—	<i>150</i>	—	<i>10</i>	—	—	<i>01</i>	16
17	—	<i>13</i>	—	—	<i>12</i>	—	—	—	—	—	—	—	17
18	—	<i>29</i>	—	—	—	—	<i>10</i>	—	—	—	—	—	18
19	<i>03</i>	<i>06</i>	—	<i>09</i>	<i>27</i>	—	<i>55</i>	—	—	—	—	—	19
20	<i>53</i>	<i>02</i>	—	<i>09</i>	—	<i>11</i>	<i>01</i>	—	—	<i>14</i>	—	<i>04</i>	20
21	<i>27</i>	<i>48</i>	—	—	<i>23</i>	<i>03</i>	<i>28</i>	—	<i>08</i>	<i>41</i>	—	<i>15</i>	21
22	<i>03</i>	<i>04</i>	<i>20</i>	<i>15</i>	<i>12</i>	<i>03</i>	<i>44</i>	—	—	<i>24</i>	—	<i>29</i>	22
23	<i>09</i>	<i>03</i>	<i>15</i>	—	—	<i>10</i>	<i>04</i>	—	<i>03</i>	<i>90</i>	—	<i>50</i>	23
24	—	—	<i>03</i>	<i>06</i>	—	<i>01</i>	<i>04</i>	—	<i>23</i>	<i>17</i>	—	<i>32</i>	24
25	—	—	<i>03</i>	—	—	<i>18</i>	<i>79</i>	—	—	—	—	<i>16</i>	25
26	—	<i>11</i>	—	—	—	<i>03</i>	<i>69</i>	—	<i>16</i>	—	—	<i>46</i>	26
27	—	<i>14</i>	—	—	—	<i>31</i>	<i>13</i>	—	—	<i>67</i>	—	<i>07</i>	27
28	—	<i>04</i>	—	—	—	<i>02</i>	<i>01</i>	<i>01</i>	<i>30</i>	<i>19</i>	—	—	28
29	—	—	—	—	—	<i>17</i>	—	<i>01</i>	<i>09</i>	—	<i>23</i>	<i>07</i>	29
30	<i>11</i>	~~X~~	—	<i>08</i>	—	<i>15</i>	—	—	<i>02</i>	<i>22</i>	<i>20</i>	<i>13</i>	30
31	—	~~X~~	—	~~X~~	—	~~X~~	<i>16</i>	<i>51</i>	~~X~~	<i>46</i>	~~X~~	<i>18</i>	31
Total	<i>584</i>	<i>553</i>	<i>142</i>	<i>176</i>	<i>285</i>	<i>132</i>	<i>595</i>	<i>183</i>	<i>159</i>	<i>476</i>	<i>293</i>	<i>758</i>	YEAR'S TOTAL <i>4136</i>
Rain Days.	<i>22</i>	<i>24</i>	<i>12</i>	<i>15</i>	<i>13</i>	<i>14</i>	<i>21</i>	<i>14</i>	<i>13</i>	<i>17</i>	<i>12</i>	<i>27</i>	<i>204</i>

REGISTER OF RAINFALL IN 1916

Kept at *Twitchen House, Metchov*
in the County of *Devon*
by *Col. Hethercott for R. G. B. Longstaff*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Metchov*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *430* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>'19</i>	—	<i>'02</i>	—	<i>'13</i>	<i>'23</i>	<i>39</i>	—	—	<i>'38</i>	<i>'04</i>	—	1
X 2	<i>'82</i>	<i>'08</i>	<i>'76</i>	—	<i>'10</i>	—	<i>'01</i>	—	<i>'28</i>	<i>'90</i>	<i>'09</i>	—	2
3	<i>'02</i>	<i>'89</i>	—	—	<i>'12</i>	<i>'12</i>	—	—	<i>'02</i>	<i>'46</i>	<i>'32</i>	<i>'04</i>	3
4	<i>'34</i>	<i>'63</i>	—	<i>'01</i>	<i>'36</i>	<i>'44</i>	—	—	<i>'13</i>	<i>'01</i>	<i>'16</i>	—	4
5	<i>'07</i>	<i>'06</i>	<i>'02</i>	—	<i>'04</i>	<i>'06</i>	—	—	<i>'03</i>	<i>'09</i>	<i>'18</i>	—	5
6	<i>39</i>	<i>'34</i>	<i>'01</i>	—	<i>'07</i>	—	<i>39</i>	—	—	<i>'13</i>	<i>38</i>	—	6
7	<i>'01</i>	<i>'09</i>	<i>'03</i>	—	<i>'11</i>	—	—	—	—	—	<i>'59</i>	<i>'35</i>	7
8	—	<i>'14</i>	<i>'10</i>	—	<i>'21</i>	<i>'12</i>	—	—	—	—	<i>'29</i>	<i>'13</i>	8
9	—	<i>'02</i>	<i>'01</i>	—	<i>'01</i>	—	<i>'13</i>	—	—	<i>'06</i>	<i>'07</i>	<i>'28</i>	9
10	—	<i>'87</i>	<i>'02</i>	<i>'16</i>	<i>'02</i>	—	<i>'01</i>	—	—	—	<i>'04</i>	<i>'02</i>	10
11	—	<i>'02</i>	<i>'01</i>	<i>'13</i>	<i>'08</i>	—	—	<i>'05</i>	<i>'03</i>	<i>'01</i>	<i>'06</i>	—	11
12	<i>'04</i>	<i>'11</i>	<i>'04</i>	<i>'05</i>	<i>'38</i>	—	<i>'17</i>	<i>'11</i>	—	<i>'41</i>	<i>'02</i>	—	12
13	—	<i>'69</i>	<i>'03</i>	<i>'03</i>	<i>'03</i>	—	<i>'01</i>	<i>'28</i>	—	<i>'04</i>	—	—	13
14	<i>'08</i>	<i>'64</i>	<i>'11</i>	<i>'02</i>	<i>'11</i>	—	—	<i>'44</i>	—	<i>'08</i>	—	—	14
15	<i>'02</i>	<i>'32</i>	—	<i>'26</i>	<i>'01</i>	—	<i>'01</i>	<i>'07</i>	—	<i>'02</i>	—	—	15
16	<i>'02</i>	<i>'03</i>	—	<i>'45</i>	<i>'03</i>	—	<i>'28</i>	<i>'01</i>	—	<i>'13</i>	—	—	16
17	<i>'24</i>	<i>'24</i>	—	<i>'05</i>	—	—	—	<i>'02</i>	<i>'80</i>	<i>'21</i>	<i>'38</i>	—	17
18	<i>'02</i>	<i>'28</i>	<i>'18</i>	<i>'01</i>	—	—	—	<i>'01</i>	<i>'07</i>	<i>'08</i>	—	<i>'19</i>	18
19	<i>'18</i>	<i>'20</i>	<i>'03</i>	<i>'07</i>	—	—	—	—	—	—	<i>'15</i>	<i>'08</i>	19
20	<i>'12</i>	<i>'61</i>	<i>'13</i>	<i>'03</i>	—	—	—	—	—	—	<i>'27</i>	<i>'33</i>	20
21	<i>'11</i>	<i>'13</i>	<i>39</i>	—	<i>'06</i>	<i>'02</i>	—	—	—	—	<i>'26</i>	<i>'17</i>	21
22	—	—	<i>'01</i>	—	—	<i>'10</i>	—	<i>'05</i>	—	<i>'15</i>	<i>'14</i>	<i>'66</i>	22
23	<i>'05</i>	<i>'06</i>	<i>'04</i>	<i>'04</i>	—	<i>'48</i>	—	<i>'25</i>	—	<i>'11</i>	<i>'13</i>	<i>'28</i>	23
24	—	—	<i>'17</i>	<i>'05</i>	<i>'15</i>	<i>'01</i>	—	<i>'04</i>	—	<i>'26</i>	<i>'01</i>	<i>'24</i>	24
25	—	<i>'25</i>	<i>'33</i>	—	<i>'03</i>	<i>'02</i>	—	<i>'29</i>	<i>'02</i>	<i>'26</i>	<i>'19</i>	<i>'01</i>	25
26	<i>'13</i>	<i>'05</i>	<i>'13</i>	—	—	<i>'12</i>	—	—	<i>'35</i>	<i>'27</i>	<i>'04</i>	—	26
27	<i>'12</i>	<i>'01</i>	<i>'88</i>	—	<i>'09</i>	<i>'04</i>	—	<i>'03</i>	<i>'30</i>	<i>'43</i>	—	—	27
28	—	<i>'26</i>	<i>'10</i>	—	—	—	—	—	<i>'01</i>	<i>'31</i>	<i>'02</i>	<i>'62</i>	28
29	—	<i>'38</i>	<i>'10</i>	—	—	<i>'64</i>	—	<i>'58</i>	<i>'18</i>	<i>'42</i>	—	<i>'43</i>	29
30	—	X	—	—	—	<i>'02</i>	—	—	—	<i>'40</i>	—	<i>'02</i>	30
31	—	X	—	X	—	X	—	<i>'08</i>	X	<i>'28</i>	X	<i>'17</i>	31
Total	<i>2'97</i>	<i>7'40</i>	<i>3'65</i>	<i>1'36</i>	<i>2'14</i>	<i>2'42</i>	<i>1'40</i>	<i>2'31</i>	<i>2'22</i>	<i>6'08</i> <i>5'90</i>	<i>3'83</i>	<i>4'02</i>	YEAR'S TOTAL <i>39'82</i> <i>39'62</i> <i>2'17</i>
Rain Days.	<i>19</i>	<i>26</i>	<i>24</i>	<i>14</i>	<i>20</i>	<i>14</i>	<i>9</i>	<i>15</i>	<i>12</i>	<i>25</i>	<i>22</i>	<i>17</i>	

REGISTER OF RAINFALL IN 1917

Kept at Twitchen House Mortehoe
 in the County of Devon
 by P. Hethercott, Jr. & D. Longstaff

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Mortehoe
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 430 ft.

1807
 FORM A.
 BRITISH RAINFALL.
 18 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'03	—	'31	'22	—	'26	—	'27	'10	—	'26	—	1
2	'03	—	'03	'16	—	'06	—	'02	—	'13	'15	—	2
3	'12	'30	—	'06	—	—	'53	—	—	'81	'90	—	3
4	—	'09	'29	—	—	—	'03	—	'08	'56	'03	'01	4
5	'18	—	'20	'09	—	'28	—	—	'04	'20	'08	—	5
6	'04	—	'25	—	—	'12	—	—	—	'14	'25	'05	6
7	'34	—	—	—	—	—	'10	'22	—	'12	'05	'04	7
8	'03	—	'16	'06	—	'04	'07	'29	'09	'70	'49	'25	8
9	—	—	'07	'02	'10	—	—	'05	—	'25	'05	—	9
10	'26	—	'34	'27	'01	—	—	'11	—	'07	—	—	10
11	'02	'03	'16	'33	—	—	—	—	—	'62	'33	—	11
12	'18	—	'01	'01	'20	—	—	'30	—	'83	—	'01	12
13	'14	—	'22	'10	'01	'03	—	'20	'43	'02	—	'03	13
14	—	—	—	'07	—	—	—	'10	'07	'05	'08	'05	14
15	—	'02	—	'03	—	—	'02	—	'05	'19	—	'24	15
16	—	'03	—	'01	—	—	'08	—	—	'12	'13	'22	16
17	—	—	'06	'30	—	—	'55	'11	'30	'13	'05	—	17
18	—	—	—	—	'03	—	'31	—	1'80	'09	'02	—	18
19	—	'57	'02	—	—	'39	—	'02	'02	—	'02	—	19
20	—	'16	—	—	'43	'97	—	—	'02	—	'01	'04	20
21	—	—	'12	—	—	—	—	'17	—	'08	—	'01	21
22	—	—	—	—	'06	—	—	'38	—	'25	—	—	22
23	—	'38	—	—	'10	'05	—	'46	—	'30	'08	'02	23
24	—	'04	'01	—	—	'11	'23	'08	—	'34	'28	'01	24
25	—	'05	'04	—	—	'05	—	'34	'15	'41	'06	—	25
26	—	'02	—	—	'57	'08	'02	'30	'24	'07	'14	—	26
27	—	—	—	—	—	'25	'28	1'16	—	'15	—	—	27
28	—	'19	'15	—	'06	'81	'09	'08	—	'06	'01	—	28
29	—	—	'07	—	—	'02	—	'02	—	'42	—	'25	29
30	—	×	'02	—	—	—	'18	'44	—	'18	'05	—	30
31	—	×	—	×	'52	×	—	'20	×	'31	×	—	31
Total	1'37	1'88	2'53	1'71	2'09	3'46	2'49	5'32	3'39	7'60	3'52	1'23	YEAR'S TOTAL 36'59
Rain Days.	11	12	19	14	11	15	13	22	13	28	22	14	194

REGISTER OF RAINFALL IN 1918

Kept at Twickenham
in the County of W Devon
by R. Hetherington for D. Longstaff.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Twickenham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 4.30 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'09	—	'15	'07	—	—	<u>1.42</u>	'02	—	'52	—	1
2	—	'23	—	'05	—	—	—	'26	'02	—	'12	'36	2
3	—	'08	—	'06	'12	—	—	—	'08	'08	'24	'12	3
4	—	'07	—	—	—	—	—	11	'31	'15	'60	'56	4
5	'03	—	'05	'24	'16	—	—	'37	'95	'38	'06	'02	5
6	'21	<u>'74</u>	—	'27	—	'02	—	—	'18	'16	—	'13	6
7	'04	'28	—	—	'05	'05	—	'03	'70	'20	'25	'05	7
8	'03	'05	—	—	—	'12	—	'01	'25	'28	'05	—	8
9	'12	'06	—	'09	—	'10	'07	'02	'57	'15	'08	'42	9
10	'07	'05	—	'34	—	—	'62	—	'73	'16	'13	'48	10
11	'04	'10	'11	'03	—	—	'22	—	'24	—	'21	'15	11
12	—	'09	'05	—	'37	'04	'17	—	'33	—	—	'06	12
13	'31	'01	—	—	—	'02	—	—	'25	'25	—	'40	13
14	'41	—	—	—	'05	'21	'05	'04	1.29	'03	—	'23	14
15	1.16	—	—	—	'01	'03	'83	—	'03	'13	—	'45	15
16	'56	—	—	'75	—	'01	'16	'02	'23	'02	—	'13	16
17	'45	—	—	'03	—	'02	'06	'08	'07	'27	—	'23	17
18	<u>1.22</u>	—	'16	—	—	'61	'02	'08	'86	'04	—	'18	18
19	'05	'20	'27	'10	—	—	'11	'15	'02	'02	—	'10	19
20	'13	'27	'01	'28	—	'04	'22	'04	'16	'04	—	—	20
21	'07	'01	—	'01	—	'11	'10	—	'52	—	—	'31	21
22	'01	—	—	—	'26	—	<u>3.2</u>	—	'19	—	—	'36	22
23	'15	'32	—	—	'05	'08	'34	—	'06	—	'04	'24	23
24	'01	—	—	—	—	'01	'05	'28	'58	—	'33	'03	24
25	—	'10	—	—	'49	—	'48	—	—	'09	'15	'01	25
26	—	'13	—	—	—	—	'15	'11	'11	'04	'21	'38	26
27	—	—	'11	—	—	'03	—	'16	'34	'01	'37	'23	27
28	—	'10	'13	—	—	—	—	—	'17	—	'31	'29	28
29	—	—	'16	—	—	—	—	—	<u>1.33</u>	—	'01	'06	29
30	'01	~~X~~	'56	—	—	—	—	'05	'04	'07	'09	'15	30
31	—	~~X~~	'30	~~X~~	—	~~X~~	—	'13	~~X~~	'01	~~X~~	'05	31
Total	5.08	2.98	1.91	2.40	1.63	1.50	3.97	3.36	<u>10.63</u>	2.58	3.77	6.18	46.78
Rain Days.	20	19	11	13	10	16	17	18	29	21	18	28	220

REGISTER OF RAINFALL IN 1919

Kept at Witchen Mortehoe
in the County of Devon
by R. Nethercott for Lt Col Longstaff

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mortehoe
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 430 ft.

1695
FORM A.
BRITISH RAINFALL.
28 JAN 20
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	—	.13	.01	.12	—	.04	—	.07	.12	—	.70	1
2	.22	—	.10	—	.04	—	.03	—	.01	—	.01	.40	2
3	.26	—	.07	—	.24	—	—	—	.03	—	.02	.61	3
4	.06	.38	.21	—	.03	.24	—	.06	.18	—	—	.03	4
5	.10	.23	.06	—	.08	—	—	—	—	—	—	.47	5
6	.19	.12	.20	—	—	—	—	—	—	—	—	.45	6
7	.11	—	.20	.09	—	.01	—	—	.04	—	—	.02	7
8	.17	—	.22	.04	—	.06	—	—	—	—	.02	—	8
9	.07	—	.04	.17	—	—	—	—	—	—	.92	.01	9
10	.29	—	.86	.01	.04	—	—	—	—	.03	.11	.30	10
11	.22	—	.37	.14	.16	.05	.35	—	—	.03	.05	.02	11
12	.28	.01	.14	.01	.01	.57	—	—	—	.11	.12	—	12
13	.63	—	.05	.30	—	—	.01	—	.19	.08	—	.19	13
14	.24	.09	—	.53	.16	—	.04	—	.02	.04	—	.12	14
15	.19	—	—	.01	.01	—	—	—	—	.04	—	.79	15
16	.09	1.20	.02	—	.02	.01	.02	—	—	—	.21	.01	16
17	—	.61	.01	—	—	.04	.08	—	—	—	.49	.02	17
18	.03	.10	.90	.02	—	—	.10	.44	.04	—	.40	.06	18
19	.31	.14	.25	—	—	.07	—	.51	.44	—	.20	.04	19
20	.26	.09	.11	—	.04	.06	—	.04	.06	—	.04	.27	20
21	.03	.75	.02	—	.08	—	.39	.02	.27	—	.03	.09	21
22	—	.07	—	—	—	—	.05	—	—	—	.02	.10	22
23	—	—	—	—	—	—	—	—	.04	.47	.07	.22	23
24	—	—	—	—	—	.22	—	.80	.01	.71	.26	.33	24
25	.29	—	—	—	—	.03	—	.10	.21	—	.12	.03	25
26	.20	—	.12	.26	—	.06	—	.38	—	—	.08	.47	26
27	.30	—	—	.15	—	.02	—	—	—	.05	—	.11	27
28	.03	—	.40	.03	—	—	—	—	—	—	.20	.57	28
29	.01	—	—	.09	—	—	—	.09	—	—	.14	.33	29
30	—	X	.05	.15	—	.13	—	.28	—	—	.31	.64	30
31	—	X	.09	X	—	X	.04	—	X	—	X	.58	31
Total	4.65 4.77	3.79 3.89	4.62	2.01	1.03	1.57	1.15 1.25	2.72	1.61	1.68	3.82	7.98	36.95 36.95
Rain Days.	25	12	23	16	13	14	11	10	14	10	21	29	198

FORM C I.

METEOROLOGICAL

British Rainfall Organization.

PLEASE fill in name of place and month.

RAINFALL at *Turkham* *March* in the County of *Devon*In the Month of *March* 19*19*

Date	Inches.	REMARKS ON THE DAYS.	
1	.07	—	04
2	.22	—	03
3	.26	—	—
4	.06	.38	—
5	.10	.23	—
6	.19	.12	—
7	.11	—	—
8	.17	—	—
9	.07	—	—
10	.20	—	—
11	.22	—	35
12	.28	.01	—
13	.63	—	01
14	.24	.09	04
15	.19	—	—
16	.09	.20	02
17	—	.61	08
18	.03	.10	10
19	.31	.14	—
20	.26	.09	—
21	.03	.75	.39
22	—	.07	05
23	—	—	—
24	—	—	—
25	.29	—	—
26	.20	—	—
27	.30	—	—
28	.03	—	—
29	.01	—	—
30	—	—	—
31	—	—	—

4.77

Days with .01 in. or more

4.65

3.79

1.25

1.15

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this Form.

1st of following month.

TOTAL adds to

PRINTED PAPER.

ADDITIONAL REMARKS.

23.3.40. *Twitchen.
Mortehoe
Devon.*

*Repeat errors in casting
up totals. Daily amounts
correct.*

*Monthly totals as corrected
by you.*

SIGNED... *R. Rethercott*

No writing on this side of the line.



THE SUPERINTENDENT,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

REGISTER OF RAINFALL IN 1920.

Kept at Twitchen Northcote
in the County of Devon
by R. Hester Esq. for Col. Lingard D.S.O.

Lat. _____ Long. _____
Time of Observation 9 a.m. & 9 a.m. Summer time
Nearest Railway Station Northcote
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'03	—	'01	'08	'30	—	<u>112</u>	'03	'23	'36	'07	'44	1
2	'03	—	—	'30	'03	—	'21	'26	'39	'11	—	'10	2
3	'15	'12	—	'09	—	—	'22	'08	'22	'52	—	'12	3
4	'01	—	'05	'12	'01	—	—	<u>55</u>	'02	'35	—	—	4
5	—	—	'15	—	'41	—	'64	'07	—	'13	—	—	5
6	—	—	'32	'01	<u>42</u>	—	'20	—	—	'22	'03	—	6
7	'07	—	—	'20	'03	—	'08	—	'01	'01	'07	'01	7
8	'03	'10	—	'63	'11	—	'27	'28	—	—	—	'01	8
9	'73	<u>44</u>	'09	'36	—	'19	'42	—	'06	—	'10	—	9
10	<u>122</u>	'04	'10	'18	—	'07	'15	—	—	—	'05	—	10
11	'13	'30	'11	'28	'24	'13	'09	—	—	—	—	'01	11
12	'53	'10	'04	'18	'02	'09	'05	'17	'03	'09	'22	—	12
13	'05	'08	'39	'15	—	—	—	—	—	'49	'02	—	13
14	'11	'01	<u>43</u>	<u>80</u>	—	'05	'11	—	'26	'13	'43	'03	14
15	'08	'18	—	'44	'15	'01	—	'02	—	'53	'17	—	15
16	'01	—	'07	'01	'31	'13	'12	—	'36	<u>98</u>	'04	—	16
17	'14	—	'01	'01	'02	'04	'03	'19	<u>111</u>	'06	—	'02	17
18	'22	—	'04	'08	—	'15	'11	'40	'19	—	—	'03	18
19	'04	'13	—	'44	'02	'19	'04	—	—	—	—	—	19
20	'05	—	—	'17	—	'25	'09	—	—	'03	—	'18	20
21	—	—	—	'10	—	—	'55	—	—	'08	—	'21	21
22	'08	—	—	'09	—	—	'17	—	—	—	—	<u>68</u>	22
23	'01	—	'08	—	—	—	'69	'14	—	—	—	'43	23
24	'02	'04	'30	'03	—	'04	'02	—	—	—	'04	'21	24
25	'04	'02	'13	—	—	'03	'11	—	—	—	—	—	25
26	'39	—	'30	—	'05	'14	'15	—	—	—	'05	'09	26
27	'29	'14	'29	'16	'15	<u>75</u>	—	—	—	—	<u>47</u>	'34	27
28	'66	'04	'32	'06	'01	'16	'14	—	—	—	—	'13	28
29	'19	'02	'41	'01	'25	'01	'15	—	—	—	'18	'41	29
30	'24	~~—~~	'01	'03	'02	'30	'01	—	'88	'10	'32	'52	30
31	'15	~~—~~	<u>43</u>	~~—~~	—	~~—~~	'03	—	~~—~~	'95	~~—~~	'11	31
TOTAL	5'70	1'76	4'08	5'01	2'55	2'73	5'97	2'16	3'76	5'14	2'26	4'08	YEAR'S TOTAL 45'20
Days with '01 in. or more	28	15	22	26	18	18	27	11	12	17	15	20	229

REGIS

DEVON.

Kept at *Newton Abbot*

NEWTON ABBOT.

in the County of *Devon*

by *E. S. Wylie*

1911-1920

FORM A2.
BRITISH RAINFALL.
1-1-1912
5 in.
Ground - ft. 6 in.
Sea Level 100 ft.
Name *Newton Abbot*
Distance *600 yds* Direction *NE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.38					.03	.03		1
2				.01				.11		.16	.14	.37	2
3					.22				.03		.13	.09	3
4		.04	.01					.03			.20	.54	4
5	.21		.10					.22		.06	.19		5
6	.29		.36							.13	.11	.95	6
7	.03			.02							.46	.02	7
8			.07								.14	.50	8
9											.36	.82	9
10	.02		.61		.05				.01			.25	10
11	.31								.15		.85	.05	11
12			.53						.21	.02	.06	.25	12
13			.03									.54	13
14		.02									.07	.68	14
15		.01	.01							.15	.24	.05	15
16			.04			.36					.54	.66	16
17			.73	.01		.27					.26	.65	17
18		.23	.64	.25		.25				.17	.21	.56	18
19		.03	.03	.02		.73			.44	.16	.05	.52	19
20		.01	.21	.04					.13	.74		.96	20
21	.05	.20	.03			.05		.11	.10	.23		.06	21
22	.10	.07	.03			.20			.44	.13		.55	22
23		.25	.05	.02		.01			.03	.28	.12	.40	23
24		.17				.36		.05		.31		.30	24
25		.08		.03		.01		.05	.11	.13		.07	25
26		.07		.32				.09		.54		.23	26
27		.49	.06	.06				.09	.14	.40	.05	.16	27
28		.19		.38				.06			.04		28
29				.05		.18	.43		.12	.38			29
30				.07		.01				.35	.17	.02	30
31			.03				.05						31
Total	1.01	1.86	3.54	1.28	.65	.243	.48	.81	1.91	4.37	4.42	10.25	TOTAL for year
No. of Rain Days.	7	14	18	13	3	11	2	9	12	18	21	26	154

REGIS

Kept at Newton Abbot
in the County of Devon S.S
by E. A. Wylie

Pattern Copper Cylindrical
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 6 ft. in.
" " " Sea Level 100 ft.
Time of Observation 9 am
Nearest Railway Station { Name Newton Abbot
Distance 600 yds Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.38					.03	.03		1
2				.01				.11		.16	.14	.37	2
3					.22				.03		.13	.09	3
4		.04	.01					.03			.20	.54	4
5	.21		.10					.22		.06	.19		5
6	.29		.36							.13	.11	.95	6
7	.03			.02							.46	.02	7
8			.07								.14	.50	8
9											.36	.82	9
10	.02		.61		.05				.01			.25	10
11	.31								.15		.85	.05	11
12			.53						.21	.02	.06	.25	12
13			.03									.54	13
14		.02									.07	.68	14
15		.01	.01							.15	.24	.05	15
16			.04			.36					.54	.66	16
17			.73	.01		.27					.26	.65	17
18		.23	.64	.25		.25				.17	.21	.56	18
19		.03	.03	.02		.73			.44	.16	.05	.52	19
20		.01	.21	.04					.13	.74		.96	20
21	.05	.20	.03			.05		.11	.10	.23		.06	21
22	.10	.07	.03			.20			.44	.13		.55	22
23		.25	.05	.02		.01			.03	.28	.12	.40	23
24		.17				.36		.05		.31		.30	24
25		.08		.03		.01		.05	.11	.13		.07	25
26		.07		.32				.09		.54		.23	26
27		.49	.06	.06				.09	.14	.40	.05	.16	27
28		.119		.38				.06			.04		28
29				.05		.18	.43		.12	.38			29
30				.07		.01				.35	.17	.02	30
31			.03				.05						31
Total	1.01	1.86	3.54	1.28	.65	.243	.48	.81	1.91	4.37	4.42	10.25	TOTAL for year.
No. of Rain Days.	7	14	18	13	3	11	2	9	12	18	21	26	154

REGISTER OF RAINFALL IN 1912

Kept at Newton Abbot
in the County of Devon S. 5
by E. D. Wylie

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Newton Abbot
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 5 in.
" " " " Sea Level 108 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.7			.54	.3	.2	.10	.76	.4	.38	1
2			.25			.24	.2	.4		.5		.2	2
3			.23		.2	.23	.9	<u>1.04</u>	<u>.2</u>			.5	3
4	.8	<u>SNOW</u>	.78		.5	.38		.12			.15		4
5	.54	.36	.22		.1		.7	.57				.19	5
6	.40	.11	.2		.31	.24		.5				.3	6
7	.11	.75	.23		.5	.38		.5				.39	7
8	.66	.21	.60	.11		.3	.4	.2				.13	8
9	.6	.5	.8	.9		.7	.5	.11				.29	9
10	.20	.12	.8	.1		.5	.3	.15		<u>Revised</u> .8	.13	.25	10
11	.3	.8	.1					.17		.2	.9	.47	11
12	.16	.44	.8				.8	.60			.1	.3	12
13						.2	.41	.2		.10		.13	13
14	.5	.8	.55		.6			.6				.4	14
15	.61	.7	.4		.37	.31						.13	15
16	.23		.39		.3	.2		.11		.6		.4	16
17	.5	.1	.34		.2	.2		.87			.1	.10	17
18		.3	.18					.16		.1		.4	18
19	.3	.4	.38			.6	.7	.16				.1	19
20	.5	.7			.18	.2	.14	.22		.24			20
21		.23	.26		.25			.16		.7			21
22	.58	.43	.16				.10	.6		.10	.5	.17	22
23	.50	.32	.20			.7	.3	.39		.5	.7	.27	23
24	.8	.7				.33		.13				.27	24
25	.15	.11				.5		.50		.28	.27	.36	25
26		.7					.2	.6		.34	.70	.60	26
27		.12				.32	.37	.54		.75		.53	27
28		.15				.21	.14	.56	.30	.41	.42	.54	28
29		.46				.19	.15	.43	.63	.56	.9	.5	29
30			.9			.50	.17	.1	.28	.34			30
31			.24				.49			.2		.5	31
Total	4.57	4.21	5.48	.21	1.35	4.28	2.40	7.22	1.33	4.19	2.03	5.46	42.73
Rain Days.	19	24	23	3	11	22	19	29	5	18	12	27	212

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at *Newton Abbot*
in the County of *Devon*
by *E. P. Wylie*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Newton Abbot*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *5* in.
" " " " Sea Level *100* ft.

FORM A.
BRITISH RAINFALL
2-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.14	.20	8	7				7	9	.36	2	1
2	.18	.23	2	.13	.43		.11		2	2	.15	4	2
3	.62		7	8	.17				4	.20	.10	.25	3
4	.94	2	9	3	5	7			.44	.23	.31	.19	4
5	.11	5	9		.17	.12			.65	.21		.26	5
6	8	.16	8		.18	7			1	.65	5	2	6
7	2	.59	4		.78	7	.14			6	.19		7
8	7	.39			.25		2	1		1	2	2	8
9	4	2			.24	2	4	.15			.43		9
10	.86	2		3	.13			5		.18	4		10
11	.47			3	.58	4				6	.79		11
12	13			2	6	2			2		.30	1	12
13	.20		.10	3				6	.11		9		13
14	.37		.21	4	.27				1		8		14
15	.31	2	.48	.74					7		.13		15
16	.50		.43	4					.50				16
17	8		2	9							4		17
18	4		.33	.11									18
19	.61		9			.11			.38	4			19
20	.16		.23	.25	7					.10	.48		20
21	2		.30	3						4	.38		21
22	.25		.55			3		6	5	.12		.29	22
23	1		1					2			8	.81	23
24	1	.10		6		5					3		24
25		2		.43						.13		1	25
26				1.15				9	6	2		.20	26
27	.40		.28	.30				12		.30		2	27
28	.24		4	.24						.26		5	28
29	.15		.58	.26						.19		6	29
30	.55			5			1	1	2	.54			30
31	.14		.14					29		4			31
Total	7.46	1.76	4.38	4.22	5.35	.60	.32	.76	2.45	3.49	4.05	2.25	35.09
Rain Days.	28	12	22	22	14	10	5	10	15	21	19	15	193

YEAR'S TOTAL

END month 9-11-15
REGISTER OF RAINFALL IN 1914

Kept at Newton Abbot
in the County of Devon
by E. Wylie

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Newton Abbot
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL
2 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			3	14			18	48			41	24	1
2	1		4	3	4	6	28	1			33	43	2
3			5	14	66						1	6	3
4	9		1	26	24		40	21			42	58	4
5	8		9	10	9				3		1	5	5
6	2	13		10	10		17	5				57	6
7	3	85	20	22	6		19	8	27		1	54	7
8	5	1	70	11	2	43		7	17			10	8
9	2	4	36	16	10	41		30	62				9
10	4	58	7	15	1	9			16				10
11		11	37			13			2		3	68	11
12		20	9			10			11	14	2	56	12
13		64	35				9		11	24	31	16	13
14		50	41				4	39	2	5	49	6	14
15	1		12				5	18	3	8	27	6	15
16	3		3						42				16
17		42	20						1				17
18		9	7				4		17			77	18
19		4	83				1.68		4		8	5	19
20		35	13			6					4	20	20
21		56			10	3				33		8	21
22		6	3		2	5		2		23			22
23		4	35		15					36			23
24		3	2					5		8	5		24
25	11		19				2	34		37	6	47	25
26	3	2					2			4	21	57	26
27	1	3								5	26	34	27
28		4	44							6	31	61	28
29	23		15		15					6	46	5	29
30		X	13	2	X	2	2			38	66	62	30
31	17	X		X		X	44		X	70	X	44	31
Total	93	4.74	5.49	1.43	1.74	1.38	3.62	2.38	2.08	3.17	4.74	8.54	40.24
Rain Days.	15	20	26	11	13	10	14	12	14	15	20	25	195

REGISTER OF RAINFALL IN 1915

1848

FORM A.
BRITISH RAINFALL
1st JAN 1916

Kept at Newton Abbot
in the County of Devon
by E. S. Wylie

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Newton Abbot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. _____ in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.17						59	30	.41	5	17	1
2	.31	15	7	1		8		39				57	2
3	4	17	7	2	40			1		5		56	3
4	4	16		1	5			1				40	4
5	3	68	4	17	1			28				59	5
6	.74	11		40			.54	2				26	6
7	.34	34		11			15	1		10	1	40	7
8	6	34		1			4	8		8	11	27	8
9	1	13		3							20	58	9
10	.15	48	4	5				2		15	6	7	10
11	4	20	19	3	2		1	2		15	67	3	11
12	4	73			.54		2	22	2	5	36	1	12
13		60			91				3		8	3	13
14	4				1		26	20	1	10	2	65	14
15	.15				31		26			3	2	12	15
16	1	1.31			20		66					14	16
17		43	1		5							5	17
18	1	26	2										18
19				1	37		12						19
20	9			17		9				23		5	20
21	.22	6				30						2	21
22	6	1	44	18		2	40		3	12		40	22
23		3	9			2	4		10	60		64	23
24				4		2	3		12	15		64	24
25	4		3	7		60	9					49	25
26	3	23				24	12					66	26
27	4	8				18	4		2	53	1		27
28		6		8		14			35	8		9	28
29						60	5		6	10	30	14	29
30	.19					8	11		1	59	56	47	30
31	5						21	4		56		38	31
Total	2.95	6.73	1.00	1.39	2.84	2.07	3.45	1.89	1.05	4.08	2.45	8.88	38.81
Rain Days.	24	22	10	15	11	11	19	13	11	18	13	28	196

REGISTER OF RAINFALL IN 1916

Kept at Newton Abbot
in the County of Devon
by E. Dwyer

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station Newton Abbot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 5 in.
" " " " Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20		3		.17		3		.13	.23	9		1
2	.27	9	2		2		1		.11	.16	.44		2
3	3	.70			.45				5	.56	.24		3
4	.23	.16			8	.18				8	.88		4
5	2	.22	4		5	.15				.25	8		5
6	2	.18	2	3	.20		.63			.14	1.04		6
7	5	.22	.13		6	5				3	.55	.13	7
8		.22	.21		.19	6				4	.13	.17	8
9		.28	3		3	.21	1				.14	.50	9
10		.42	1		4	1					2	4	10
11		2	.37	5	4	.16							11
12	3	4	.20	5	.12		5	4		1			12
13		.32	.16	6	2			.18	3				13
14		.62	.18		.14			.14		.19			14
15	1	.35	.28	.10				8		4		.13	15
16	.25	9	2	9			3	.23		.10		6	16
17	.27	5		4					.11	.28	1.05		17
18	8	9	.47	2					.11	4	2	8	18
19	.23	.19	.23	2							.10	6	19
20	10	.64	.27									.98	20
21		5	4		9							.53	21
22						.17		6		.45		.65	22
23		2		3		.15		.15		.15	.34	.10	23
24		.12		.17	.15	3		.10		.67	5	.43	24
25	3	.44	8		.10	2		.30		3	.11	3	25
26		.15	9		8	.18		.31	1.33	1.00	3	8	26
27	1	2	1.49			.26		.34	.33	.30		3	27
28		7	2			2		.15	1.03	.56		3.0	28
29		.20				.40		.98	9	.14		3.0	29
30		X				3		2	5	.80		1	30
31		X		X		X		4	X	.38	X		31
Total	1.83	5.97	4.39	.66	2.00	2.08	.76	3.12	3.37	6.63	5.31	4.26	YEAR'S TOTAL
Rain Days.	16	26	22	11	17	16	6	15	11	24	17	19	40 4/3

REGISTER OF RAINFALL IN 1917

Kept at The Chesnuts
 in the County of Newton Abbott
 by E. Wylie

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station Newton Abbott
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 5 ft. 5 in.
 " " " " Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.14		.33		.33	1		2	2	1
2				24		5					80		2
3	.04			6			22			.30			3
4	8		.67						4	43			4
5	8		34	6		57	2			9	11		5
6	1		13			5				9	8	2	6
7	40						16	17		12	4		7
8	7		18	10		2	18	40	5	41	5	28	8
9			34	5	4		5	9		18	14	1	9
10	27		34	37				25	3	2	17	3	10
11	2		78	23				14		22	2	1	11
12	21		3		31			2		30			12
13	6		23	2		2		22	4	6			13
14				10			19	16	1				14
15	6						19	7		33		46	15
16	15			5				9	2	31	3	15	16
17		6		5	5		27		58	13			17
18		8		3	71	9	22	3	65	3			18
19		42	9			9	2		10				19
20			12		43	16			2			6	20
21			1			3		4			3		21
22	3		1		4			42		11			22
23	2	3			23			30		15			23
24		1	1				49	10		13			24
25			4					23	7	6	5		25
26					21	9		33	7	5			26
27						64	3	70		6			27
28		2	8		4	22		41				1	28
29			16		56	26		1		63		8	29
30		X	40				30	20		4	2		30
31		X	1	X	8	X		3	X	20	X	2	31
Total	1.50	.62	3.87	1.50	2.70	2.52	2.34	4.73	1.69	4.44	1.56	1.15	28.62
Rain Days.	14	6	19	13	11	14	13	23	13	24	13	12	174

REGISTER OF RAINFALL IN 1918

Kept at Newtown Abbot
in the County of Devon
by E. D. Wylie

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station Newton Abbot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 in.
" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.2	22		13				63		3	59	1	1
2		18		6				10		3	1	47	2
3		17	2	69	13			13	3	3	22	3	3
4		2		8				16	43	2	56	19	4
5	.1		12	3	63			49	30	33	1	4	5
6	.15	19	6	10				3	2	23		14	6
7		15	1	3		2		2	35	6	45	20	7
8	.2	10			8				11	(36)		2	8
9		2	2	2		5	38		52	2	2	42	9
10	.5	1		35			23		13	18		32	10
11	.2		22	8			85		15	5	6	4	11
12	.2	9	7		16		13		5	1		2	12
13		2	7		7		32		31	6		6	13
14	.29				7	5	23		22	3		10	14
15	.45			2	7	7	47		10	7		20	15
16	.63		2	16		7	14		19	1		9	16
17	.24		2	15			40		4	7		32	17
18	.73		5			70	10	1	49	7		37	18
19	.20			3		4	16		10	2		23	19
20	.8	10		15			5		27	5		42	20
21	.9	4					2		37	13			21
22	.3				10		50		18	5	5	25	22
23	.12	5	2		5		51	4	5	7	2	18	23
24		12					5	14	2		15	29	24
25	.2			8			28	59			25	14	25
26	.5	3			2		19	5	5	1	15	9	26
27	.2	4	14					9	5	3	9		27
28		10	23	3					7	4		4	28
29			13						85			2	29
30		X	44						5	8	10	7	30
31		X	5	X		X			X	4	X	1	31
Total	3.54	1.65	1.62	2.18	1.33	.93	4.91	2.48	5.47	2.18	2.73	4.67	33.69
Rain Days	20	18	16	17	10	6	18	13	27	28	15	29	217

Box 8806

1626

REGISTER OF RAINFALL IN 1919.

Kept at Newton Abbot
in the County of Devon
by E. S. Wylie

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Newton Abbot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 4 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42		17		10		20		5	18		92	1
2	24		2		2		18		10			2	2
3	30		42		1				11			5	3
4	50	59	48			3	15	11	57		10	3	4
5	2	28	78						43		5	8	5
6	56	55	14	3									6
7	38	2	38	7								4	7
8	47		20		2	2					50		8
9	43		2	10	7						44	1	9
10	13		75	1	2							25	10
11	10		29	11	33		12			4		35	11
12			3	3		3				4	12	3	12
13	15	14	2	56					5	4		16	13
14	57	22		44	38		2			6		30	14
15	30	26		4					12	5		30	15
16	10	58		1							8		16
17	2	63			2			3			25	8	17
18	3	42	56				18	7			22		18
19	65	54	12			15	63	33	15		12	2	19
20	44	3	4			41		23	13	2	10	4	20
21	5	76	5				2	3	6		1	6	21
22	1	1	4			2	3	2	25		2	3	22
23								8	7	44	12	10	23
24		2				23		7		42	15	17	24
25	6	5		5		15		35	3	1	1	10	25
26	4	2	5	10				3	3		7	43	26
27	28		4	34			2	1.53				4	27
28	4	3	24	7				13			49	41	28
29	1		1	104	4			7				15	29
30	2			2				18		10	60	77	30
31	1		4									86	31
TOTAL	5.93	5.15	4.89	2.02	.92	1.04	1.45	3.15	2.15	1.40	3.45	5.75	37.30
Days with "01 in. or more	28	18	23	16	9	8	10	15	14	11	18	27	194

REGISTER OF RAINFALL IN 1920.

Kept at Newton Abbot

in the County of Devon

by E. J. Wylie

Lat. _____ Long. _____
Time of Observation 9.30 am
Nearest Railway Station Newton Abbot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 4 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16		2	7	53		32		13	7	2	83	1
2	31			11			2		4	8		22	2
3	14	11		37	2		4	9		59		26	3
4			3	11			3	60		32			4
5		4	13	2	15		30	25		12			5
6			30	4	3		11	1		8		1	6
7	2		3	10			50					1	7
8	10	4	3	25			20			2		14	8
9	72	4		2		12	10						9
10	1.66			1		32	33						10
11	41	9	18	25	30	7	23					1	11
12	14	9	12	33		14	4			2	20	8	12
13	11	3	48	8						7		7	13
14	4	5	47	68			2		10	32	65	19	14
15	1	9	16	55						76	5		15
16		3	2	6	6	4	22		12	7			16
17				6	37	15	3		40		2		17
18	14	4		7	7	18	2	24					18
19	4	5		48	13	28	1	1		3			19
20		1		23		14			4	8		41	20
21	1			4			2			8		5	21
22	5			4			8			1		35	22
23	3						18	4				60	23
24	8		30				2	2			22	28	24
25	2		12	2	1		88				2	6	25
26	25		26				9				18	11	26
27	80	6	14	6		15	9				36	32	27
28	56	2	12	3		5	5				1	11	28
29	61	1	72	2	4						28	47	29
30	17				3	20	5		73	3	35	75	30
31	12		34							35		22	31
TOTAL	6.65	.80	3.97	5.10	1.74	1.84	3.93	1.26	1.56	3.10	2.31	5.53	36.61
Days with .01 in. or more	25	16	19	26	12	12	26	8	7	18	12	22	203
Days with .04 in. or more	19	11	14	19	8	12	18	5	7	13	8	19	153

REC

NEWTON ABBOT.

Kept at Scale Hayne

in the County of D

by Bernard N

SCALE HAYNE COLLEGE

DEVON.

IMPORTANT NOTE
previous day. If an O
requested to add the rea
for it at the end of thi
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Can

1915, 1917-1918

3° 40' W

FORM A.
BRITISH RAINFALL

1. a - in

Newton Abbot (3 miles) 1916

n Gauge 5 in.

ve Ground 1 ft. 0 in.

Sea Level 339 ft.

the result entered to the
versal rule, he is earnestly
ar in the space provided
ment of rain,
itish Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.18							.32		.02	.13	1
2		.14	.04				.07					.84	2
3	.35		.22	.07		.34				.47		.56	3
4	.03	.09		.05	.06			.01				.37	4
5	.05	.92			.01			.19				.73	5
6	.88						.45	.01					6
7	.30	.58		.11			.12			.18	.01	.41	7
8	.10	.34					.03	.07		.09		.43	8
9		.11	.04								.18	.77	9
10	.18		.01	.05	.02		.27			.19	.10	.08	10
11	.21		.18							.26	1.05	.02	11
12	.04			.02	.66		.11	.01	.03	.38			12
13	.03	1.87			.98		.01		.01	.01		.01	13
14	.13						.32	.09	.02	.13	.08	.91	14
15							.25			.02	.03	.22	15
16		1.65		.56			.78			.01		.21	16
17		.25	.01	.06				.01					17
18		.21											18
19	.02	.21	.01	.53	.10	.12				.21		.03	19
20	.19	.09	.01	.14	.01								20
21	.25			.06	.02	.22				.11		.02	21
22	.10	.04	.50			.23						.38	22
23			.08			.01	.13		.10			.43	23
24	.05			.08	.05	.12			.05				24
25	.13				.70								25
26	.02	.22				.06						2.04	26
27	.02	.13			.18	.06							27
28			.06		.12				.07			.13	28
29				.52				.39	.01	.21	.18		29
30		X			.03					.41	.41		30
31	.31	X	X	X		.03	X		1.68	X	.36		31
Total	36.3	7.35	.90	.56	3.29	1.77	2.93	2.16	.89	5.22	2.47	10.07	41.24
Rain Days.	In nearly all cases it is impossible to state the number of rain days each month. As Saturdays & Sunday's fall have been mixed & taken as one reading, which is shown by the above brackets. From April next onwards it will be possible to take all readings daily. (B.N. 1916)												
									6				

REGISTER OF RAINFALL IN 1915

Kept at Seale Hayne College, Newton Abbot
in the County of Devon
by Samuel N. Wale

Lat. 50° 33' N Long. 3° 40' W
Time of Observation 9.2
Nearest Railway Station Newton Abbot (3 miles)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 339 ft.

FORM A.
BRITISH RAINFALL
15 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.18							.32		.02	.13	1
2		.14	.04			.07		1.34		.47		.84	2
3	.35	.22	.07		.34							.56	3
4	.03	.09		.05	.06			.01				.37	4
5	.05	.92			.01			.19				.73	5
6	.88	.58					.45	.01				.41	6
7	.30			.11			.12	.07		.18	.01	.40	7
8	.10	.34					.03			.09		.43	8
9		.11		.04							.18	.77	9
10	.18		.01					.03		.19	.10	.08	10
11	.21		.18	.05	.02			.27		.26	1.05	.02	11
12	.04			.02	.66			.11	.01	.03	.38		12
13	.03	1.87			.98		.01			.01		.01	13
14	.13						.32	.09	.02	.13	.08	.91	14
15							.25			.02	.03	.22	15
16		1.65			.56		.78			.01		.21	16
17		.25	.01		.06			.01					17
18		.21											18
19	.02	.21		.01	.53	.10	.12						19
20	.19	.09	.01	.14	.01					.21		.03	20
21	.25				.06	.02	.22			.11		.02	21
22	.10	.04	.50				.23					.38	22
23	.05		.08			.01	.13		.10	1.75		.43	23
24				.08		.05	.12		.05				24
25	.13					.70							25
26	.02	.22				.18	.06					2.04	26
27	.02	.13					.06						27
28			.06			.12			.07			.13	28
29						.52			.39	.01	.21	.18	29
30		X					.03			1.68	.41	.41	30
31	.31	X		X		X		.03	X		X	.36	31
Total	36.3	7.35	.90	.56	3.29	1.77	2.93	2.16	.89	5.22	2.47	10.07	41.24
Rain Days.	In nearly all cases it is impossible to state the number of rain days each month. As Saturdays & Sundays fall here been mixed & taken as one reading, which is shown by the above brackets. From April next onwards it will be possible to take all readings daily. B.N.W.												

REGISTER OF RAINFALL IN 1917

Key at *Seale-Hayne College, Newton Abbot*
 in the County of *Devon*
 by *Dennard N. Wade B. Sc.*

Lat. *50° 33' N* Long. *3° 40' W*
 Time of Observation *9 a.m.*
 Nearest Railway Station *Newton Abbot*
 Diameter of Funnel of Rain Gauge *5 1/8 in.*
 Height of top of Gauge above Ground *1 ft. 0 in.*
 " " " " Sea Level *339 ft.*

1729
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0075		.025	.13	~~.04~~	.415		.45	.0175	.0075		.01	1
2			.0275	.105	~~.05~~	.005							2
3	.0300			.085			.18			.78x	.8375		3
4	.0325	.03	.0635						.025				4
5	.0450		.295	.09	~~.07~~	.71				.125	.11		5
6	.		.74		~~.07~~	.07				.09	.0625	.005	6
7	.4350						.14	.16		.155	.025		7
8	.08		.325	.075			.12		.02	.48	.06	.28	8
9			.09	.045	.03		.0125		.015	.17	.195	.035	9
10	.32		.39	.305								.02	10
11	.015		1.645	.13				1.14x		.30	.1775		11
12	.215		.005		.3275					.35			12
13	.045		.245	.0425		.01			.0475	.0675			13
14				.045x			.445		.01				14
15	.09						.175	.03		.2775	.01	.4375	15
16		.16		.0275						.20		.215	16
17		.0175		.035	.035		.355	.065	.54	.0915			17
18		.1050		.015	.795	.025	.2375		.695				18
19		.4075	.08			.11			.135				19
20		.12	.0125		.475	.04	.02		.035				20
21						.04				.0025	.0175		21
22			.03		.03			.5575		.0775			22
23		.02			.135			.16		.11			23
24						.03	.315			.21	.025		24
25			.025					.62x	.08	.08	.07	.19	25
26					.275	.07			.0625	.0525			26
27						1.20		1.015		.02			27
28			.125		.02	.27		.50					28
29			.1375			.24		.01		.645			29
30		X	.255					.19		.03			30
31		X	.01	X		X		.015	X	.26	X		31
Total	1.315	.86	3.926	1.13	2.1225	3.235	2.010	4.9125	1.6825	4.5825	1.590	1.1925	28.5585
Rain Days.	11	7	19	13	9	14	10	(20)	12	23	11	(11)	(159)

REGISTER OF RAINFALL IN 1918

at *Leeds Hayne College,*
in the County of *S. Devon*
by *Bernard N. Wake B. Sc.*

Lat. *50° 33' N* Long. *3° 40' W*
Time of Observation *9.0 a.m.*
Nearest Railway Station *Newton Abbott.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *339* ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.2350		.1400	.0150			.705					1
2		.2475		.0200				.020					2
3		.2350		.9500	.0875								3
4		.0100		.0225				.440					4
5	.0025		.1200	.0300	.4975			.504					5
6	.1250	.1975	.0575	.1150				.040					6
7		.1600			.0050	.0125		.025					7
8		.1600					.0050						8
9	.0675	.0100		.0125		.0500	.2450						9
10	.0375			.2400			.2400						10
11			.1675	.0950			.5400						11
12		.0700	.0550		.1600		.0250						12
13					.0900		.2500						13
14	.3525				.1600	.0600	.0200						14
15	1.1300				.0350		.6000						15
16	.6550			.1950		.0330	.0260						16
17	.3775		.0350	.1375			.4000						17
18	.9425			.0025		.7800		.010					18
19	.1800		.1575										19
20	.0775	.0650		.1250				.010					20
21	.1050	.0500					.1500						21
22	.0225				.1100		.4450	.010					22
23	.1075	.0275			.1000		.5200						23
24	.0100	.1200					.1350						24
25	.0050			.2875	.0100		.3300						25
26	.0375	.0200					.1500	.610					26
27		.0300	.1200	.0050									27
28		.1100	.2050										28
29			.1600										29
30		X	.3150	.0025									30
31	.0050	X	.0500	X		X			X		X		31
Total	4.2400	1.7475	1.4425	2.4750	1.1700	.9355	4.1760	2.374					YEAR'S TOTAL
Rain Days.	15	16	11	13	11	5	16	10					

As almost all the records not kept after August, & during June & August by the military authorities & in the accuracy of which I cannot vouch. I should suggest a comparison between these records for June - kept by a military man & those kept by Mr Wiley. The latter, Newton Abbott, as it will be seen from previous records his observations are very close. I can vouch for the accuracy of the records from Jan. to May inclusive. I can vouch for the accuracy of the records from June to August, but the military records for the latter part of the year are not kept by the military authorities.

YEAR'S TOTAL

REC

DEVON

9 11

FORM A2.
BRITISH RAINFALL
JAN 1912Kept at Sherwoodin the County of Devonby Captain A. L.

NEWTON ST. CYRES.

1911-1912, 1914, 1915.

p. 5 in.

Above Ground 1 ft. - in.

Sea Level 400 ft.

9. 2. m.

Name Newton St. Cyres.Distance 2 Direction NE & N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.04	0.25	0.04			0.50	0.04			0.04	1
2					0.22			0.02		0.09	0.22	0.15	2
3					0.12			0.04			0.05	0.14	3
4			0.02		0.01			0.86		0.02	0.03	0.52	4
5	0.10		0.22					0.01			0.45	0.05	5
6	0.20		0.26								0.08	1.03	6
7	0.01										0.35		7
8			0.20								0.04	1.05	8
9	0.01					0.04					0.50	1.00	9
10	0.01		0.14		0.09							0.20	10
11	0.20				0.12						0.49	0.15	11
12			0.50								0.10	0.33	12
13			0.03						0.11	0.01	0.03	0.54	13
14		0.05	0.01						21	0.05	0.02	0.90	14
15		0.04				0.02					0.22	0.05	15
16						0.48					0.27	0.31	16
17			0.28	0.04		0.18	0.01				0.08	1.08	17
18			0.16	0.38		0.34				0.29	0.16	0.61	18
19			0.06	0.04					0.40	0.25	0.29	0.74	19
20	0.04		0.23	0.02					0.08	0.40	0.01	0.83	20
21	0.01	0.04	0.08			0.02			0.14	0.11		0.08	21
22	0.11	0.09		0.05				0.45	0.38	0.15		0.38	22
23	0.01		0.04	0.03		0.01			0.02	0.45	0.07	0.08	23
24		0.02				0.05		0.22		0.16		0.16	24
25				0.05	0.03	0.28			0.06	0.40	0.23	0.19	25
26		0.10	0.03	0.16		0.04		0.02	0.01	0.85		0.15	26
27		0.05	0.05	0.02				0.24	0.12			0.21	27
28		0.20		0.48						0.22			28
29				0.40		0.27	0.45		0.11	0.15			29
30						0.04				0.03	0.11	0.07	30
31							0.07						31
Total	0.70	0.59	2.34	1.92	0.63	1.71	0.53	2.36	1.68	3.63	3.80	11.04	TOTAL for year 31.03
No. of Rain Days.	10	8	17	12	7	12	3	9	12	16	21	27	154

Kept at Sherwoodin the County of Devonby Captain A. L. Cave.

Pattern Snowdon
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. - in.
 " " " Sea Level 400 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Newton St Cymer.
 Distance 2 Direction NE & N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.04	0.25	0.04	-	-	0.50	0.04	-	-	0.04	1
2	-	-	-	-	0.22	-	-	0.02	-	0.09	0.22	0.15	2
3	-	-	-	-	0.12	-	-	0.04	-	-	0.05	0.14	3
4	-	-	0.02	-	0.01	-	-	0.86	-	0.02	0.03	0.52	4
5	0.10	-	0.22	-	-	-	-	0.01	-	-	0.45	0.05	5
6	0.20	-	0.26	-	-	-	-	-	-	-	0.08	1.03	6
7	0.01	-	-	-	-	-	-	-	-	-	0.35	-	7
8	-	-	0.20	-	-	-	-	-	-	-	0.04	1.05	8
9	0.01	-	-	-	-	0.04	-	-	-	-	0.50	1.00	9
10	0.01	-	0.14	-	0.09	-	-	-	-	-	-	0.20	10
11	0.20	-	-	-	0.12	-	-	-	-	-	0.49	0.15	11
12	-	-	0.50	-	-	-	-	-	-	-	0.10	0.33	12
13	-	-	0.03	-	-	-	-	-	0.11	0.01	0.03	0.54	13
14	-	0.05	0.01	-	-	-	-	-	0.21	0.05	0.02	0.90	14
15	-	0.04	-	-	-	0.02	-	-	-	-	0.22	0.03	15
16	-	-	-	-	-	0.48	-	-	-	-	0.27	0.31	16
17	-	-	0.28	0.04	-	0.18	0.01	-	-	-	0.08	1.08	17
18	-	-	0.16	0.38	-	0.34	-	-	-	0.29	0.16	0.61	18
19	-	-	0.06	0.04	-	-	-	-	0.40	0.25	0.29	0.74	19
20	0.04	-	0.23	0.02	-	-	-	-	0.08	0.40	0.01	0.83	20
21	0.01	0.04	0.08	-	-	0.02	-	-	0.14	0.11	-	0.08	21
22	0.11	0.09	-	0.05	-	-	-	0.45	0.38	0.15	-	0.38	22
23	0.01	-	0.04	0.03	-	0.01	-	-	0.02	0.45	0.07	0.08	23
24	-	0.02	-	-	-	0.05	-	0.22	-	0.16	-	0.16	24
25	-	-	-	0.05	0.03	0.28	-	-	0.06	0.40	0.23	0.19	25
26	-	0.10	0.02	0.16	-	0.04	-	0.02	0.01	0.85	-	0.15	26
27	-	0.05	0.05	0.02	-	-	-	0.24	0.12	-	-	0.21	27
28	-	0.20	-	0.48	-	-	-	-	-	0.22	-	-	28
29	-	-	-	0.40	-	0.27	0.45	-	0.11	0.15	-	-	29
30	-	-	-	-	-	0.04	-	-	-	0.03	0.11	0.07	30
31	-	-	-	-	-	-	0.07	-	-	-	-	-	31
Total	0.70	0.59	2.34	1.92	0.63	1.71	0.53	2.36	1.68	3.63	3.80	11.04	TOTAL for year 31.03
No. of Rain Days.	10	8	17	12	7	12	3	9	12	16	21	27	154

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
10 JAN 1913

Kept at *Sherwood, Newton S5 Cycles*
in the County of *Devon. S.6*
by *Capt. A. L. Cave.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Newton S5 Cycles*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *400* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.27	-	-	0.73	0.02	0.04	0.06	0.73	-	0.35	1
2	-	-	0.18	0.04	-	0.61	0.05	-	-	0.01	-	0.04	2
3	-	-	0.10	-	0.03	0.16	-	1.23	0.02	-	-	-	3
4	0.21	0.05	0.95	-	-	0.10	0.18	0.04	-	-	0.35	-	4
5	0.32	0.23	0.22	-	0.05	0.19	0.01	0.58	-	-	-	0.12	5
6	0.34	0.10	0.01	-	0.30	0.12	0.04	0.38	-	-	-	0.02	6
7	0.04	0.90	0.34	-	0.11	0.83	-	0.10	-	-	-	0.15	7
8	0.35	0.18	0.39	-	-	0.16	0.34	0.04	0.01	-	-	-	8
9	0.01	0.04	0.37	0.07	-	0.45	-	0.02	-	-	-	0.17	9
10	0.22	0.10	0.10	-	-	0.05	-	0.15	-	-	0.16	0.35	10
11	0.04	0.07	0.02	-	-	0.35	-	0.13	-	-	0.13	0.08	11
12	0.01	0.23	0.03	-	-	-	-	0.31	-	-	-	0.04	12
13	0.24	-	-	-	-	0.01	-	0.01	-	-	-	0.03	13
14	0.09	0.01	0.48	-	0.08	-	-	0.05	-	-	-	-	14
15	0.85	0.02	0.01	-	0.30	0.60	0.01	-	-	-	-	0.14	15
16	0.34	-	0.08	-	0.07	-	0.04	-	-	0.05	0.04	0.09	16
17	0.08	-	0.20	-	0.03	0.02	-	0.45	-	-	-	0.03	17
18	-	0.03	0.23	-	-	0.18	0.10	0.38	-	0.03	0.03	0.03	18
19	0.05	0.10	0.50	-	-	-	-	0.42	-	0.02	0.04	0.03	19
20	0.13	0.05	0.31	-	0.20	0.01	-	0.14	-	0.26	0.09	-	20
21	-	-	0.32	-	0.02	-	0.05	0.22	-	0.10	0.05	-	21
22	0.29	0.07	0.15	-	0.09	-	-	0.50	-	0.19	-	0.04	22
23	0.45	0.23	0.14	-	0.01	0.04	0.08	0.11	-	-	0.04	0.12	23
24	0.06	0.10	0.02	-	-	0.23	0.10	0.05	-	0.03	-	0.29	24
25	0.01	-	-	-	-	0.10	-	0.34	-	0.25	0.19	0.50	25
26	0.20	-	-	-	-	0.02	0.15	0.02	-	0.20	0.43	0.30	26
27	-	-	-	-	-	0.32	0.38	0.14	-	1.08	0.04	0.17	27
28	-	0.02	-	-	-	0.02	0.16	0.35	0.03	0.18	0.39	0.40	28
29	-	0.30	0.07	-	-	0.18	0.08	0.25	0.80	0.48	-	0.07	29
30	-	-	-	-	-	0.05	0.25	-	0.14	0.51	-	-	30
31	-	-	0.20	-	-	-	0.16	0.01	-	0.02	-	0.01	31
Total	4.33	2.83	5.69	0.11	1.29	5.53	2.20	6.55	1.06	4.14	1.98	3.57	39.28
Rain Days.	21	19	25	2	12	24	18	27	6	16	13	24	207

REGISTER OF RAINFALL IN 1914

Kept at Sherwood, Newton St. Lyles
in the County of Devon
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.05	0.13		0.08		0.21			0.71	0.07	1
2			0.02	0.04	0.04		0.33				0.26	0.60	2
3			0.16	0.21	0.28			0.16			0.02	0.18	3
4	0.13		0.02	0.17	0.10		0.50	0.15			0.53	0.58	4
5	0.21		0.03	0.22	0.08				0.04		0.02	0.04	5
6		0.02	0.09	0.09	0.03		0.16	0.08			0.20	0.35	6
7	0.02	0.79	0.09	0.03	0.00	0.13	0.21		0.11			0.11	7
8	0.03		0.80	0.02	0.06	0.51		0.04	0.04				8
9		0.02	0.38	0.13	0.03	0.48		0.15	1.45				9
10	0.06	0.49	0.11	0.23	0.05	0.07			0.65			0.17	10
11		0.15	0.18		0.04	0.16						0.77	11
12		0.45	0.13						0.16	0.04	0.12	0.72	12
13		0.13	0.35				0.04		0.21	0.22	0.22	0.14	13
14		0.17	0.25			0.24		0.31		0.02	0.24	0.02	14
15			0.10				0.04	0.81	0.05	0.02	0.24	0.28	15
16			0.03							0.07		0.01	16
17		0.12	0.03									0.31	17
18		0.12	0.64			0.03		0.03	0.12			0.21	18
19		0.07	0.26				0.23		0.08		0.08	0.04	19
20		0.44				0.16		0.07				0.21	20
21		0.60								0.33		0.11	21
22			0.02		0.22	0.03				0.11			22
23		0.04	0.22				0.05			0.12			23
24		0.51	0.03		0.15		0.06	0.05			0.07		24
25	0.12		0.25		0.02		0.15	0.21		0.36	0.01	0.14	25
26	0.09		0.04				0.20	0.03			0.06	0.75	26
27	0.07	0.02					0.01			0.14	0.11	0.15	27
28		0.01	0.19		0.09					0.40	0.24	0.61	28
29	0.02		0.09		0.14					0.07	0.44	0.01	29
30			0.08							0.24	0.29	1.46	30
31	0.03						0.24			1.24		0.67	31
Total	0.78	4.15	4.64	1.27	1.43	1.89	2.22	2.30	2.98	3.31	3.86	8.70	37.53
Rain Days.	10	14	27	10	15	10	13	13	11	13	18	26	183

REGISTER OF RAINFALL IN 1915

Kept at Sherwood, Newton St. Cyres
in the County of Devon
by Capt. A. L. Cave.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.16	/	/	/	/	/	.93	.21	.44	/	.11	1
2	.19	.17	.16	/	/	.30	/	.32	.09	.08	/	.51	2
3	/	.20	.02	.02	.22	/	/	.01	/	/	/	.50	3
4	.05	.13	/	/	.04	/	1.11	/	/	/	/	.24	4
5	/	1.12	/	.07	/	/	/	.08	/	/	/	.69	5
6	.88	.14	/	.09	/	/	.38	/	/	/	/	.09	6
7	.42	.25	/	.09	/	/	.21	.01	/	.06	/	.14	7
8	.04	.30	/	/	/	/	.01	.12	/	/	.06	.15	8
9	.01	.04	/	.13	/	/	/	/	/	/	.46	.62	9
10	.18	.38	/	.05	/	/	/	.12	/	.11	.11	.12	10
11	.17	.19	.02	/	.04	/	.09	.58	/	.11	.64	/	11
12	.12	.42	/	.05	.53	/	/	.16	/	.02	.17	/	12
13	/	.71	/	/	.42	/	/	.74	.06	/	.19	/	13
14	/	/	/	/	/	/	.09	.16	/	.28	.05	.35	14
15	.15	/	/	/	.31	/	.19	/	.08	.05	/	.17	15
16	.01	.77	/	/	.15	/	.65	/	.02	/	/	.14	16
17	/	.16	/	/	.12	/	/	/	.01	/	/	.01	17
18	/	.16	/	/	/	/	/	/	/	/	/	/	18
19	.02	.05	/	/	.25	/	.18	/	/	/	/	/	19
20	.28	/	/	.08	.15	.11	/	/	/	.17	/	.05	20
21	.32	.15	/	/	.02	/	.09	/	/	.14	/	.15	21
22	.07	.01	.21	.14	/	.09	.34	/	/	.09	/	.26	22
23	.02	/	.03	/	/	/	.08	/	/	.91	/	.49	23
24	/	/	/	.02	/	/	/	/	.17	.15	/	.56	24
25	.02	.06	/	.01	/	.69	/	/	/	/	/	.31	25
26	/	.04	/	/	/	.05	/	/	.02	/	/	.79	26
27	/	/	/	/	/	.35	.11	/	/	.40	/	.04	27
28	/	/	/	/	/	.21	/	/	.47	.23	/	.42	28
29	/	/	/	/	/	.32	/	/	.09	/	.13	.42	29
30	.14	X	/	/	/	/	.02	/	.01	1.02	.35	.51	30
31	/	X	/	X	/	X	.12	/	X	.93	X	.22	31
Total	3.53	5.91	.44	.75	2.25	2.12	3.67	2.63	1.23	5.22	2.16	8.06	37.94
Rain Days.	19	21	5	11	11	8	15	11	11	17	9	26	164

REGI

DEVON.

Kept at

Fairlea R.

NORTHAM.

in the County of

N. S.

"FAIRLEA"

by

Col Bennett

1916 A/B 1911-1920

FORM A2.
BRITISH RAINFALL.

2-JAN 1912

in.

Ground ft.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.38	.06				.55			.08		1
2			.24	.24				.24		.43	.33	.20	2
3			.03	.47				.13	.04		.17	.14	3
4			.19					.08			.33	.67	4
5	.25		.15					.21		.06	.19		5
6	.20		.09					.01			.16	.71	6
7	.05										.55		7
8	.10		.08								.46	.84	8
9	.13		.05								.47	.22	9
10	.02		.54		.16						.02	.34	10
11	.24				.01				.04		.30	.24	11
12			.47						.26		.19	.12	12
13			.04		.11				.47	.02	.02	.20	13
14		.05	.01							.07	.03	.20	14
15	.07	.03	.05			.03					.32	.07	15
16						.14					.13	.28	16
17		.03				.36					.12	.60	17
18		.28	.03	.18		.03				.15	.23	.45	18
19		.01		.14		.42			.36	.06	.04	.63	19
20		.02	.12	.17					.58	.33		.20	20
21	.02	.20				.05		.40	.26	.47		.05	21
22	.01	.06		.09		.12			.16	.20		.34	22
23	.03	.11	.05			.06			.18	.08	.16	.08	23
24		.20				.62		.21	.01	.25		.16	24
25	.01	.03		.23		.02			.06	.09		.01	25
26		.07		.26			.15	.10		.34		.22	26
27		.46						.40	.14	.25		.18	27
28		.15	.01	.45				.15			.28	.01	28
29			.02	.12		.75	.19	.03	.25	.24			29
30						.06	.02		.01	.28	.07	.05	30
31							.01			.13		.01	31
Total	1.17	1.40	1.93	2.02	1.05	2.66	.37	2.51	2.82	3.45	4.65	7.22	TOTAL for year
No. of Rain Days.	14	13	14	16	9	6	12	4	12	14	17	22	31

REGI

FORM A2.
BRITISH RAINFALL.

2-JAN-1912

Kept at Fairlea Northam
in the County of W. Devon
by Col Bennett

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.04			.38	.06			.55			.08		1	
2					.24			.24		.43	.33	.20	2	
3			.03		.47			.13	.04		.17	.14	3	
4			.19					.08			.33	.67	4	
5	.25		.15					.21		.06	.19		5	
6	.20		.09					.01			.16	.71	6	
7	.05										.55		7	
8	.10		.08								.46	.84	8	
9	.13		.05								.47	.22	9	
10	.02		.54		.16						.02	.34	10	
11	.24				.01				.04		.30	.24	11	
12			.47						.26		.19	.12	12	
13			.04		.11				.47	.02	.02	.20	13	
14		.05	.01							.07	.03	.20	14	
15	.07	.03	.05			.03					.32	.07	15	
16						.14					.13	.28	16	
17		.03				.36					.12	.60	17	
18		.28	.03	.18		.03				.15	.23	.45	18	
19		.01		.14		.42			.36	.06	.04	.63	19	
20		.02	.12	.17					.58	.33		.20	20	
21	.02	.20				.05		.40	.26	.47		.05	21	
22	.01	.06		.09		.12			.16	.20		.34	22	
23	.03	.11	.05			.06			.18	.08	.16	.08	23	
24		.20				.62		.21	.01	.25		.16	24	
25	.01	.03		.23		.02			.06	.09		.01	25	
26		.07		.26			.15	.10		.34		.22	26	
27		.46						.40	.14	.25		.18	27	
28		.15	.01	.45				.15			.28	.01	28	
29			.02	.12		.75	.19	.03	.25	.24			29	
30						.06	.02		.01	.28	.07	.05	30	
31							.01			.13		.01	31	
Total	1.17	1.40	1.93	2.02	1.05	2.66	.37	2.51	2.82	3.45	4.65	7.22	TOTAL for year	
No. of Rain Days.	14	13	14	16	9	6	12	4	12	14	17	22	27	31.5

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Fairlea Northam

in the County of Devon

by Colonel F. W. Bennet

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft.
" " " Sea Level 200 ft.
Time of Observation 8.30 a.m.
Nearest Railway Station { Name Bideford L&SWR
Distance 2 1/4 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.36		.10	.37		.13	.05	1.12	.08	.31	1
2			.31	.02		1.21	.02			.06			2
3	.04		.40	.01		.06	.02	1.00	.08			.02	3
4	.33		1.05		.03	.04		.08			.37		4
5	.50	.04	.09	.01	.04		.01	.48				.06	5
6	.59	.10	.01		.24			.46			.02	.05	6
7	.01	.29	.08		.09	.45	.07	.25				.07	7
8	.35	.13	.11	.02		.18	.05						8
9		.20	.24	.82		.10	.09	.80			.02	.50	9
10	.32	.02	.05			.12	.02	.32			.17	.04	10
11			.01				.01				.31	.64	11
12	.03		.08		.16	.05	.17	.05			.05	.03	12
13	.18						.17	.02		.07		.24	13
14	.09	.02	.52		.75	.01		.31		.02		.05	14
15	.10	.02	.04		.10	1.23		.02			.03	.57	15
16	.16		.22		.16	.03		.06		.07	.04	.11	16
17			.15		.02	.27		.42			.03	.25	17
18		.04	.20					.19		.13	.02	.07	18
19		.07	.14			.03		.59		.04	.02	.04	19
20	.02	.02	.22		.02	.01		.25		.40	.02		20
21		.04	.30		.42			.21		.08			21
22	.37	.24	.20				.02	.32		.10	.03	.06	22
23	.05	.48	.20		.01	.22		.78		.20	.08	.33	23
24	.04	.03	.01			.36	.18			.33		.15	24
25	.02					.27	.05	.18		.10	.50	.54	25
26		.07	.01				.02	.05		.36	.54	.38	26
27		.01	.02			.37	.48			.72	.02	.56	27
28		.10	.02			.14	.15	.58	.24	.10	.49	.51	28
29		.23	.07		.01	.23	.75	.12	.29	.25	.02	.08	29
30					.01	.23	.19		.02	.47		.01	30
31			.35				.14			.06		.04	31
Total	3.20	2.15	5.46	.08	1.50	5.98	2.61	7.67	.68	4.68	2.86	5.71	4.58
No. of Rain Days.	17	26	28	5	15	22	19	24	5	19	20	26	219

REGISTER OF RAINFALL IN 1913

Kept at *Lauria - Northam*
 in the County of *Devon*
 by *Colonel F W Bennet*

Lat. _____ Long. _____
 Nearest Railway Station _____
 Time of Observation _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 4 JAN 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. ·05	in. ·23	in. ·20	in. ·08	in. ·12	in.	in.	in.	in. ·01	in.	in. ·21	in. ·22	1
2	·02	·16		·02	·20	·02				·51	·20	·02	2
3	·04		·05		·26							·24	3
4	·84		·02			·09	·02		·07	·28	·12	·18	4
5	·12	·02	·04		·24	·50	·03		·28		·58	·70	5
6	·07	·08	·13		·02	·12				·12	·28	·20	6
7		·54	·05		·55	·08	·02			·47	·12	·03	7
8	·03	·26			·16	·04		·05				·01	8
9		·07		·03	·11	·04	·02	·22	·02		·55	·04	9
10	·56		·08	·02	·10			·10		·37	·14		10
11	·53		·03	·05	·12	·20	·05	·03	·04	·05	·66	·03	11
12	·14	·01		·08	·01	·02	·04		·12		·43		12
13			·21				·02	·10	·46		·13		13
14	·30		·20					·03	·14	·21	·12	·02	14
15	·10		·49	1·08							·17	·03	15
16	·16		·74	·10			·01		·05		·02		16
17	·15		·02	·04			·03				·08		17
18	·13		·18	·09	·02	·03					·09		18
19	·44		·08		·12	·07	·06		·32	·45	·01		19
20	·17		·25	·07					·04	·25	·35		20
21			·16	·47	·07		·09	·01		·04	·29		21
22	·42		·78	·12	·01	·21		·30	·07			·08	22
23	·02		·03					·10	·01		·14	·66	23
24	·08	·07		·10				·03			·10	·02	24
25				·42					·07	·02	·11	·08	25
26		·02		·83		·02		·03	·03		·02	·38	26
27	·23		·21	·18				·05		·35	·01	·04	27
28	·07		·09	·26	·33					·19	·01	·10	28
29	·01		·14	·60	·03					·11	·02		29
30	·34									·35	·02		30
31	·13		·74		·23			·09		·01			31
Total	5·15	1·46	4·92	4·64	2·70	1·44	·39	1·14	1·73	3·78	4·98	3·08	TOTAL for year 35·41
No. of Rain Days.	25	10	23	19	18	13	11	13	15	16	27	19	209

REGISTER OF RAINFALL IN 1914

Kept at *Fairlea Northam*

in the County of *Devon N34 R1*

by *Colonel F W Bennet*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Bideford*
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground *before* in.
 „ „ *same* „ Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.06	.10			.07	.70			.17	.09	1
2	.01					.29	.31	.12			.02	.43	2
3	.03		.13	.24	.45			.04		.02		.17	3
4	.29		.11	.25	.01		.60	.89			.28	.81	4
5	.15		.29	.33	.01		.05				.12	.08	5
6	.03	.07	.08	.21	.06		.30	.04				.26	6
7		.50	.17	.17	.12	.11	.55	.14	.18			.16	7
8	.07		.87	.02	.05	.22	.05	.08			.05	.07	8
9	.18	.05	.18	.07	.15	.69		.20	.69			.03	9
10	.11	.26	.08	.37	.06	.04			.29		.02	.02	10
11		.10	.37		.04	.11					.05	.41	11
12		.56	.17						.28		.16	.04	12
13		.44	.58				.06		.31	.07	.12	.13	13
14		.61	.38				.13	.76	.05		.29	.06	14
15		.08	.14				.01	.33	.10	.02	.60	.16	15
16			.01				.02		.15			.02	16
17		.34	.20						.02			.55	17
18		.13	.29				.02		.30			.38	18
19			.21				1.15		.02		.09	.17	19
20		.32	.09			.14						.09	20
21		.19				.02	.07			.17		.06	21
22		.06	.03	.01	.05	.18	.01	.03		.55			22
23		.05	.12			.02	.11			.12			23
24			.10			.02	.10	.06			.14		24
25	.25	.02	.11				.15	.47		.34	.03	.30	25
26	.05		.02				.06	.03		.14	.38	.47	26
27	.10	.02								.18	.34	.21	27
28	.02	.03	.13		.10					.20	.10	.75	28
29	.20		.34		.08					.16	.49	.04	29
30	.01		.17							.09	.59	.27	30
31	.09				.08		.41			.71		.33	31
Total	1.59	3.79	5.43	1.77	1.26	1.84	4.23	3.89	2.39	2.77	4.04	6.56	39.56
Rain Days.	15	19	27	10	13	11	20	14	11	13	19	28	200

REGISTER OF RAINFALL IN 1915

Kept at Fairbairn Northam

in the County of Devon (North)

by Mr. F. W. Bennet

Lat. 51° Long. 4° 10' Time of Observation 8:30 a.m. Nearest Railway Station Bideford Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 2 ft. 6 in. Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.62	.01		.08			.29	.12	.27		.80	1
2	.30	.20	.10	.05		.02		.17		.02			2
3	.03	.07	.09	.17	.21			.01				.33	3
4	.02	.50	.01		.01		.42					.52	4
5	.10	.47		.10	1.33	.01		.22				.40	5
6	.49	.05		.25			.37	.07				.23	6
7	.23	.63		.02			.20	.02		.26	.03	.36	7
8	.18	.45					.01	.21		.03	.15	.05	8
9	.02	.35		.08				.07			.47	.83	9
10	.28	.27	.16	.07		.04		.02		.05	.04	.04	10
11	.08		.09		.01					.03	.78	.11	11
12	.13	.25		.04	.39					.02	.23	.11	12
13	.03	.27			.61		.12	.02	.17	.01	.05	.04	13
14	.05						.21	.12	.03		.02	.53	14
15	.14			.03	.35		.13	.01	.06	.04	.04	.22	15
16	.03	.92			.15		1.22		.02				16
17	.07	.22											17
18	.01	.28		.10	.01								18
19	.02				.29		.20			.01			19
20	.48			.10		.06	.02					.05	20
21	.25	.34			.11	.03	.12		.15	.14		.15	21
22	.07	.05	.15	.05		.03	.30		.01	.24		.35	22
23	.05	.02	.02			.04	.18		.01	.22		.86	23
24				.02		.01	.42		.09	.82		.20	24
25		.04	.04			.28	.08			.84		.09	25
26		(.17)				.02	.06		.05	.02		.48	26
27						.56	.09		.02			.03	27
28						.01			.37	.45		.03	28
29						.06			.06	.23	.19	.26	29
30	.15	X		.01					.05	.36	.31	.25	30
31		X		X		X	.11	.30	X	.20	X		31
Total	3.55	5.67	.67	1.09	3.45	1.17	4.26	1.53	1.21	4.26	2.31	7.32	36.49
Rain Days.	24	20	9	14	12	13	18	13	14	20	11	26	194

REGISTER OF RAINFALL IN 1917

Kept at Fairlea Northam
in the County of Ex Devon
by Colonel F W Bennet

Lat. _____ Long. _____
Time of Observation 9 a m
Nearest Railway Station Bideford LSWR
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.12	.27		.51		.14	.05		.04		1
2	.01		.05	.15		.15				.09	.15		2
3	.03			.12			.75			.55	.77		3
4		.05	.33				.08		.02	.27			4
5	.13		.14	.41		.16				.19	.06		5
6	.08		.12			.19				.05	.26	.02	6
7	.28		~~.12~~				.13	.18		.38	.05	.07	7
8			.15	.08		.27	.17	.41		.53	.17	.27	8
9			.02	.01	.14			.10	.05	.74	.18		9
10	.19		.34	.39				.06		.03	.07		10
11	.02		.19	.22						.25	.33		11
12	.24			.12	.19			.04		.46			12
13	.23		.20	.03	.01	.02		.38	.42	.29			13
14				.05				.34	.12	.12		.02	14
15				.04						.22		.20	15
16		.08		.03		.01				.05	.07	.18	16
17			.03	.24			.46	.16	.18	.16	.03		17
18					.06		.44	.01	1.14	.13	.01		18
19		.42				.32			.01		.02		19
20		.17	.04		.25	.76						.04	20
21			.15			.01		.17		.04	.03		21
22					.02			.32		.22			22
23		.21			.12			.26		.10	.05	.05	23
24						.07	.23	.14		.29	.16		24
25		.02				.29		.23	.01	.13	.02		25
26					.46	.04	.02	.36	.20	.05	.05		26
27						.20	.01	1.05		.26			27
28		.09	.02		.13	1.92	.02	.20		.17			28
29			.19			.07	.01	.21		.72	.03		29
30		~~X~~	.06				.22			.10	.01		30
31		~~X~~	.05	~~X~~	.40	~~X~~		.14	~~X~~	.33	~~X~~		31
Total	1.22	1.04	2.20	2.16	1.78	4.99	2.54	4.90	2.20	6.92	2.56	.85	YEAR'S TOTAL 33.36
Rain Days.	10	7	17	14	10	16	12	20	10	28	21	8	173

REGISTER OF RAINFALL IN 1918

Kept at Fairlea Northam

in the County of Devon

by Colonel F W Bennet

Lat. Long. Time of Observation 9 a.m. Nearest Railway Station Bideford Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 3 ft. Sea Level 190 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08		.08	.05			(.98)			.60		1
2		.11		.03				.23	.08		.05	.25	2
3		.12		.03	.06				.07	.14	.21		3
4		.02			.09			.04	(.01)	.08	.75	.54	4
5		.02	.05	.12				.51	.91	.36	.09		5
6	.16	.40		.21					.03	.20	.02	.11	6
7		.15			.03	.04			.38	.18	.32	.05	7
8		.06				.02	.12		.47	.14	.04		8
9	.17	.04		.05		.17	.02	.01	.41	.05	.03	.26	9
10	.12			.25			.69		.35	.11	.05	.54	10
11	.09	.02	.07				.48		.19	.03	.14	.13	11
12	.02	.07	.06		.15		.13		.07				12
13	.05				.02		.01		.55	.07		.31	13
14	.76				.04	.15	.30		.59	.03		.10	14
15	1.35						.48		.01	.20		.50	15
16	.47			.43			.15	.01	.13	.01		.17	16
17	.37			.03			.03	.05	.13			.15	17
18	.96	.02	.08			.38	.04	.05	.60	.27		.19	18
19	.07	.08	.12	.08			.26	.04	.03	.02		.13	19
20	.20	.10		.14		.02	.19	.01	.18				20
21	.07					.15	.02		.71	.03		.24	21
22				.14			.20		.10	.01		.19	22
23	.07	.02			.08	.03	.28		.07		.04	.22	23
24		.24				.03	.25	.13	.30		.30	.11	24
25				.02	.31		.45	.37		.05	.20		25
26		.15					.15	.03	.08		.03	.23	26
27		.09	.06					.10	.30		.31	.02	27
28		.15	.14						.02		.22	.17	28
29		X	.08						1.32			.09	29
30		X	.42	.01				.05		.04	.39	.16	30
31		X	.32	X		X		.01	X		X	.01	31
Total	4.93	1.94	1.40	1.48	.97	.99	4.25	2.62	8.09	2.02	3.79	4.87	YEAR'S TOTAL 37.35
Rain Days	15	19	10	13	10	9	19	16	27	19	18	24	1998

REGISTER OF RAINFALL IN 1919

Kept at Northam (Fairlea)
in the County of Devon
by Colonel F W Bennet

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 200 ft.

FORM A
BRITISH RAINFALL
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28		.05	.21	.10		.18		.05	.16		.85	1
2	.29		.02		.06				.03	.02		.25	2
3	.04		.13		.08				.24		.03	.63	3
4	.04	.38	.19			.15		.08				.02	4
5	.07	.44	.19						.02			.17	5
6	.27	.18	.12									.30	6
7	.06		.13	.05		.02						.12	7
8	.18		.29	.07		.04					.03		8
9	.14		.03	.16	.06						1.07		9
10	.12		.85	.01	.04	.04				.13	.02	.34	10
11	.13		.39	.08	.10		.30			.04	.11		11
12	.20	.01	.16			.35				.05	.08		12
13	.15	.02	.08	.28			.07		.06	.09		.10	13
14	.38	.05		.53			.02		.04	.02		.25	14
15	.33			.03	.38					.05		.69	15
16	.09	.80									.25		16
17		.30			.05	.02		.29			.41		17
18		.04	.68		.03		.04	.38	.04		.32		18
19	.20	.17	.14			.06	.02	.06	.43		.25	.06	19
20	.17	.03	.18		.02	.07			.25		.05	.13	20
21	.07	.64			.05		.21		.03			.11	21
22		.04					.07		.24		.03	.04	22
23								.01		.15	.05	.12	23
24	.01					.35			.02	.40	.22	.43	24
25	.24					.05		.66			.24	.03	25
26	.13		.11	.13				.03	.12	.09	.22	.30	26
27	.15			.22		.06		.29				.04	27
28	.02		.20	.10						.02	.14	.44	28
29	.02			.22				.11		.02	.25	.09	29
30		X	.02	.26		.14		.18			.46	.47	30
31		X	.15	X		X	.06		X		X	.42	31
Total	3.83	3.10	4.11	2.35	.97	1.35	.97	2.09	1.57	1.24	4.23	6.40	YEAR'S TOTAL 32.2
Rain Days.	25	13	20	14	11	12	9	10	13	13	19	24	18

REGISTER OF RAINFALL IN 1920

Kept at Fairlea Northam
in the County of Devon
by Colonel F W Bennet

Pattern Ordinary
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 3 ft.
Sea Level 200 ft.
Time of Observation 9 a.m.
Nearest Railway Station Name Bidford
Distance 2 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.11			.32	.02		.07	.25	.32	.20		.10	2
3	.16	.09		.02	.01		.07		.05	.60		.21	3
4			.01					.46	.03	.45		.01	4
5			.08	.02	.18		.37	.06		.13			5
6			.27		.25		.15			.35	.04		6
7	.01		.02	.16			.17				.53		7
8	.03	.07		.43	.16		.25	.08			.55		8
9	.62	.16	.05	.13		.10	.15		.05		.04		9
10	.77	.33	.02	.37		.17	.12				.02		10
11	.26		.12	.16	.12	.02	.03						11
12	.33	.03	.07	.19	.01	.06	.05	.08		.04	.13		12
13	.09		.38	.07					.03	.53	.02		13
14	.02		.30	.50		.11	.11		.17	.55	.45		14
15		.13	.02	.51	.11	.01			.05	.44	.14		15
16					.02		.05	.05	.38	.78	.09		16
17				.25	.18			.02	1.31	.08			17
18	.26	.02	.01	.02	.04	.15		.29	.10				18
19	.05	.14		.47	.02	.12							19
20	.04	.03		.24		.14				.03		.23	20
21				.05			.01			.12		.13	21
22	.01			.01			.04					.43	22
23			.06				.68	.32				.41	23
24	.02	.04	.25	.01							.03	.14	24
25	.03	.15	.23			.02	.54					.01	25
26	.31		.31			.09	.02		.02		.05	.02	26
27	.37	.13	.29	.15		.54	.08				.59	.26	27
28	.55		.29	.04	.15	.11	.01					.04	28
29	.23	.02	.38	.04	.44	.03	.02				.14	.37	29
30	.13		.01			.13	.17		.68	.13	.23	.48	30
31	.10		.35				.02			.52		.11	31
Total	4.50	1.34	3.54	4.18	1.93	1.80	3.96	1.84	3.39	5.36	2.02	3.49	TOTAL for year 37.35
No. of Rain Days	22	13	22	23	15	15	23	10	13	16	15	16	203

RE

DEVON

911

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Northam

NORTHAM VICARAGE.

in the County of Dev

by M. D. D. D. D. D.

1911-1916.

op. in.
above Ground ft. in.

Sea Level ft.

Name Bideford
Distance 1.75 miles Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	—	—	.37	.12	—	—	.55	—	.01	.07	.01	1
2	—	—	.01	.01	.12	—	—	.25	.03	.38	.33	.19	2
3	—	—	.03	—	.45	—	—	.11	—	—	.18	.14	3
4	—	—	.19	—	—	—	—	.17	—	—	.36	.69	4
5	.25	—	.22	—	—	—	—	.14	—	.06	.30	.07	5
6	.10	—	.02	—	—	—	—	.01	—	—	.18	.74	6
7	.05	—	—	—	—	—	—	—	—	—	.56	.01	7
8	.12	—	.09	—	—	—	—	—	—	—	.45	.88	8
9	.15	—	.06	—	—	—	—	—	—	—	.60	.25	9
10	.02	—	.51	—	.16	—	—	—	—	—	.01	.48	10
11	.22	—	—	—	.01	—	—	—	.05	—	.30	.29	11
12	—	—	.49	—	—	—	—	—	.44	—	.22	.21	12
13	—	—	.04	—	.22	—	—	—	.24	.01	.02	.12	13
14	—	.07	.02	—	.01	—	—	—	—	.08	.07	.19	14
15	.07	.03	.05	—	—	.04	—	—	—	—	.30	.09	15
16	.01	.01	—	—	—	.12	—	—	—	—	.14	.26	16
17	—	.04	.01	—	—	.34	—	—	—	—	.13	.62	17
18	—	.34	.03	.17	—	.12	—	—	—	.15	.26	.44	18
19	—	.03	—	.13	—	.28	—	—	.36	.06	.07	.67	19
20	.01	.03	.10	.15	—	—	—	.01	.62	.42	—	.23	20
21	.02	.19	—	—	—	.05	—	.34	.20	.30	—	.07	21
22	.02	.06	—	.03	—	.11	—	—	.17	.25	—	.34	22
23	—	.11	.06	.02	—	.05	—	.05	.17	.09	.15	.08	23
24	.02	.20	—	—	—	.67	—	.13	.02	.27	—	.14	24
25	.02	.05	—	.25	—	.01	—	—	.05	.12	—	.03	25
26	—	.09	—	.25	—	—	.15	.10	—	.40	.02	.21	26
27	—	.45	—	.01	—	—	—	.40	.14	.21	—	.20	27
28	—	.13	.01	.45	—	—	—	.15	—	—	.26	.02	28
29	—	—	—	.12	—	.78	.19	.04	.42	.22	.01	—	29
30	—	—	—	—	—	.04	.02	—	.02	.31	.07	.05	30
31	—	—	—	—	—	—	.02	—	—	.12	—	.02	31
Total	1.24	1.83	1.94	1.96	1.09	2.61	0.38	2.45	2.93	3.46	5.06	7.74	TOTAL for year 1911-1912 32.69
No. of Rain Days.	15	15	17	12	7	12	4	14	14	18	24	30	182

RE

911

FORM A2.
BRITISH RAINFALL.
8 JAN 1912Kept at Norham Vicaragein the County of Devon N3by M. D. Simonds & Co. Ltd.

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation 9 am
Nearest Railway Station { Name Bideford
Distance 1.75 miles Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	—	—	.37	.12	—	—	.55	—	.01	.07	.01	1
2	—	—	.01	.01	.12	—	—	.25	.03	.38	.33	.19	2
3	—	—	.03	—	.45	—	—	.11	—	—	.18	.14	3
4	—	—	.19	—	—	—	—	.17	—	—	.36	.69	4
5	.25	—	.22	—	—	—	—	.14	—	.06	.30	.07	5
6	.10	—	.02	—	—	—	—	.01	—	—	.10	.74	6
7	.05	—	—	—	—	—	—	—	—	—	.56	.01	7
8	.12	—	.09	—	—	—	—	—	—	—	.45	.88	8
9	.15	—	.06	—	—	—	—	—	—	—	.60	.25	9
10	.02	—	.51	—	.16	—	—	—	—	—	.01	.48	10
11	.22	—	—	—	.01	—	—	—	.05	—	.30	.29	11
12	—	—	.49	—	—	—	—	—	.44	—	.22	.21	12
13	—	—	.04	—	.22	—	—	—	.24	.01	.02	.12	13
14	—	.07	.02	—	.01	—	—	—	—	.08	.07	.19	14
15	.07	.03	.05	—	—	.04	—	—	—	—	.30	.09	15
16	.01	.01	—	—	—	.12	—	—	—	—	.14	.26	16
17	—	.04	.04	—	—	.34	—	—	—	—	.13	.62	17
18	—	.34	.03	.17	—	.12	—	—	—	.15	.26	.44	18
19	—	.03	—	.13	—	.28	—	—	.36	.06	.07	.67	19
20	.01	.03	.10	.15	—	—	—	.01	.62	.42	—	.23	20
21	.02	.19	—	—	—	.05	—	.34	.20	.30	—	.07	21
22	.02	.06	—	.03	—	.11	—	—	.17	.25	—	.34	22
23	—	.11	.06	.02	—	.05	—	.05	.17	.09	.15	.08	23
24	.02	.20	—	—	—	.67	—	.13	.02	.27	—	.14	24
25	.02	.05	—	.25	—	.01	—	—	.05	.12	—	.03	25
26	—	.09	—	.25	—	—	.15	.10	—	.40	.02	.21	26
27	—	.45	—	.01	—	—	—	.40	.14	.21	—	.20	27
28	—	.13	.01	.45	—	—	—	.15	—	—	.26	.02	28
29	—	—	—	.12	—	.78	.19	.04	.42	.22	.01	—	29
30	—	—	—	—	—	.04	.02	—	.02	.31	.07	.05	30
31	—	—	—	—	—	—	.02	—	—	.12	—	.02	31
Total	1.24	1.83	1.94	1.96	1.09	2.61	0.38	2.45	2.93	3.46	5.06	7.74	TOTAL for year 32.69
No. of Rain Days.	15	15	17	12	7	12	4	14	14	10	24	30	182

FORM A.
BRITISH RAINFALL

24
Northam Beacon

Deon

modern orthodoxy and

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

ft. 10 in

Sea Level

173 ft.

the result entered to the
rsal rule, he is earnestly
in the space provided
ent of rain,
ish Rainfall
pplication to

Jan. 1, following.

Jan. 1, following

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading at
for it at the end of this para
the selection and placing of re
Organization are given in "*Rub*
Dr. H. R. MILL, 62, Camden S

Dear Sir,

As you say I returned the rainfall
for Feb 14 1912 as 0.71. It did not strike me
as at all peculiar at the time. The total
for the month is not very diff^r from the
average. I can remember nothing which
suggests that a wind like has been made

Yours faithfully

Washington Stone

Полка Кенз

Apr 5. 1913-

Date.	Jan.	Feb.	March.	April.						Nov.	Dec.	Date.		
1	—	—	.38	—	suggests that a mistake has been made Yours faithfully Madison H. Stone North Street Apr 5. 1913. Send comparison table					—	.33	1		
2	—	—	.30	.04						—	—	.08	—	2
3	.05	—	.37	.02						—	—	.01	.02	3
4	.35	—	1.16	—						—	—	.40	—	4
5	.59	.08	.08	.01						—	—	.01	.08	5
6	.54	.09	.01	—						—	—	—	.04	6
7	.02	.53	.14	.01						—	—	.02	.07	7
8	.34	.09	.06	.03						—	—	—	.01	8
9	.01	.18	.22	.03						—	—	.01	.50	9
10	.33	.02	.05	—						—	—	.16	.04	10
11	.01	.02	—	—	—	—	.30	.68	11					
12	.02	—	.08	.01	—	—	.08	.02	12					
13	.17	—	.01	—	—	—	—	.26	13					
14	.09	.01	.52	—	.16	—	—	.15	—	.02	.01	.05	14	
15	.11	.03	.06	—	.09	1.15	—	.01	—	—	.02	.60	15	
16	.25	—	.20	—	.11	.03	—	.05	—	.07	.04	.14	16	
17	—	—	.15	—	.02	.21	—	.39	—	—	.04	.28	17	
18	—	.04	.25	—	—	—	—	.26	—	.12	.02	.06	18	
19	—	.10	.11	—	.01	.04	.01	.59	—	.03	.03	.04	19	
20	.02	.04	.23	—	.02	.01	—	.33	—	.44	.03	—	20	
21	—	.05	.36	—	.41	—	—	.19	—	.10	—	—	21	
22	.36	.21	.21	—	—	.04	.01	.31	—	.11	.03	.06	22	
23	.06	.48	.19	—	—	.19	—	.76	—	.20	.09	.33	23	
24	.04	.04	.02	—	—	.33	.22	.01	—	.35	—	.23	24	
25	.02	—	—	—	—	.25	—	.18	—	.15	.56	.60	25	
26	—	.06	.02	—	—	—	.01	.03	—	.28	.71	.32	26	
27	—	.02	.03	—	—	.35	.65	.01	—	.72	.02	.60	27	
28	—	.10	.02	—	—	.14	.15	.58	.22	.11	.48	.47	28	
29	—	.23	.02	—	.01	.37	.69	.11	.27	.25	.03	.06	29	
30	—	—	.07	—	—	.16	.18	—	.02	.52	—	.02	30	
31	—	—	.36	—	—	—	.12	.01	—	.05	—	.04	31	
Total	3.38	~~3.12~~ 2.42	5.68	.15	1.43	5.77	2.65	7.51	.64	4.78	3.18	5.95	YEARS TOTAL ~~45.24~~ 43.54	
Rain Days.	19	20	29	7	14	23	18	28	6	19	23	27	233	

REGISTER

Kept at

in the County of

by

IMPORTANT NOTE.—R

previous day. If an Observer requested to add the reading at for it at the end of this para the selection and placing of ra Organization are given in "Rul Dr. H. R. MILL, 62, Camden S

POST CARD

ONLY THE ADDRESS TO BE WRITTEN HERE.

ATTEN OR ER.

Rhett Esq D.S.

62 Camden Square

London

W

FORM A. BRITISH RAINFALL

9-JAN-1914

round ft. 18 in.

Sea Level 173 ft.

the result entered to the sal rule, he is earnestly in the space provided

nt of rain, sh Rainfall application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.38	—	.09	.36	.01	.20	.05	1.15	—	.33	1
2	—	—	.30	.04	—	1.18	.01	—	—	.06	.08	—	2
3	.05	—	.37	.02	—	.06	.02	.95	.07	—	.01	.02	3
4	.35	—	1.16	—	.02	.03	—	.06	—	—	.40	—	4
5	.59	.08	.08	.01	.03	—	—	.48	—	—	.01	.08	5
6	.54	.09	.01	—	.25	—	—	.52	—	—	—	.04	6
7	.02	.53	.14	.01	.06	.49	.11	.22	—	—	.02	.07	7
8	.34	.09	.06	.03	—	.13	—	.01	—	—	—	.01	8
9	.01	.18	.22	.03	—	.07	.10	1.00	.01	—	.01	.50	9
10	.33	.02	.05	—	—	.14	.02	.04	—	—	.16	.04	10
11	.01	.02	—	—	—	—	.01	—	—	—	.30	.68	11
12	.02	—	.08	.01	.15	.03	.15	.03	—	—	.08	.02	12
13	.17	—	.01	—	—	.01	.18	.03	—	.05	—	.26	13
14	.09	.01	.52	—	.16	—	—	.15	—	.02	.01	.05	14
15	.11	.03	.06	—	.09	1.15	—	.01	—	—	.02	.60	15
16	.25	—	.20	—	.11	.03	—	.05	—	.07	.04	.14	16
17	—	—	.65	—	.02	.21	—	.39	—	—	.04	.28	17
18	—	.04	.25	—	—	—	—	.26	—	.12	.02	.06	18
19	—	.10	.11	—	.01	.04	.01	.59	—	.03	.03	.04	19
20	.02	.04	.23	—	.02	.01	—	.33	—	.44	.03	—	20
21	—	.05	.36	—	.41	—	—	.19	—	.10	—	—	21
22	.36	.21	.21	—	—	.04	.01	.31	—	.11	.03	.06	22
23	.06	.48	.19	—	—	.19	—	.76	—	.20	.09	.33	23
24	.04	.04	.02	—	—	.33	.22	.01	—	.35	—	.23	24
25	.02	—	—	—	—	.25	—	.18	—	.15	.56	.60	25
26	—	.06	.02	—	—	—	.01	.03	—	.28	.71	.32	26
27	—	.02	.03	—	—	.35	.65	.01	—	.72	.02	.60	27
28	—	.10	.02	—	—	.14	.15	.58	.22	.11	.48	.47	28
29	—	.23	.02	—	.01	.37	.69	.11	.27	.25	.03	.06	29
30	—	—	.07	—	—	.16	.18	—	.02	.52	—	.02	30
31	—	—	.36	—	—	—	.12	.01	—	.05	—	.04	31
Total	3.38	~~3.12~~ 2.42	5.68	.15	1.43	5.77	2.65	7.51	.64	4.78	3.18	5.95	YEAR'S TOTAL 45.24 43.54
Rain Days.	19	20	29	7	14	23	18	28	6	19	23	27	233

REGISTER OF RAINFALL IN 1913

Kept at Northam Vicarage
in the County of Devon
by Reb. Dimmock

Lat. _____ Long. _____
Time of Observation 9 a
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
4-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.25	.19	.10	.09	—	—	—	.02	.01	.21	.24	1
2	.02	.17	.02	.03	.18	.02	—	—	—	.57	.20	.03	2
3	.04	.01	.04	—	.25	—	—	—	—	.01	.01	.31	3
4	.82	—	.03	—	—	.04	.02	—	.07	.29	.17	.25	4
5	.12	.03	.04	—	.25	.61	.03	—	.23	—	.50	.73	5
6	.05	.09	.14	—	.03	.18	—	—	—	.13	.32	.23	6
7	.01	.59	.05	—	.55	.11	.01	—	—	.49	.12	.03	7
8	.03	.25	—	—	.16	.01	.01	.02	—	—	.01	.01	8
9	—	.08	.04	.04	.12	.20	.02	.22	.03	—	.60	.05	9
10	.56	—	.04	.01	.10	.06	—	.12	—	.37	.17	—	10
11	.60	—	.04	.07	.12	.18	.05	.04	.03	.05	.69	.05	11
12	.35	—	.01	.07	.01	.02	.06	—	.12	—	.51	.01	12
13	.02	—	.19	—	—	—	.03	.10	.57	—	.13	.05	13
14	.12	—	.20	—	—	—	—	.02	.14	.20	.15	.01	14
15	.08	—	.53	1.15	—	—	—	—	.14	—	.21	—	15
16	.17	—	.77	.08	—	—	.01	—	.08	—	.02	—	16
17	.13	—	.05	.04	—	—	.03	—	.01	—	.07	—	17
18	.15	—	.18	.09	.03	.03	.01	—	.39	—	.07	—	18
19	.43	—	.09	—	.12	.06	.05	—	.32	.45	.01	—	19
20	.17	—	.29	.07	—	—	—	—	.25	.25	.36	.06	20
21	—	—	.15	.40	.08	—	.09	.01	.07	.05	.27	.68	21
22	.44	—	.34	.06	.02	.28	—	.30	.02	—	.01	.06	22
23	.03	—	.04	—	—	—	—	.06	.02	—	.15	.68	23
24	.09	.06	—	.11	—	—	—	.01	.07	—	.11	.03	24
25	—	—	—	.44	—	—	—	—	.03	.03	.12	.60	25
26	—	.02	—	.37	—	.01	—	.05	.23	—	.02	.45	26
27	.22	—	.21	.18	—	—	—	.09	—	.34	.02	.04	27
28	.07	—	.10	.22	.34	—	—	—	—	.16	.01	.11	28
29	.01	—	.13	.57	.02	—	—	—	—	.12	.01	—	29
30	.47	—	—	—	—	—	—	—	—	.35	.02	—	30
31	.15	—	.72	—	.21	—	—	.09	—	.01	—	—	31
Total	5.40	1.55	4.63	4.10	2.68	1.81	0.42	1.13	1.86	3.88	5.27	3.47	YEAR'S TOTAL 36.20
Rain Days.	27	10	26	19	18	14	13	13	16	18	30	20	224

REGISTER OF RAINFALL IN 1914

Kept at Northam Vicarage
in the County of Devon N34
by Presb. Dimond & Churchward

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

BRITISH RAINFALL
FORM A.
12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	.03	.10	—	.22	.07	.65	—	—	.15	.09	1
2	.02	—	—	.01	.01	.01	.28	.12	—	—	.01	.47	2
3	.05	—	.15	.27	.42	—	.01	.06	—	.02	.01	.17	3
4	.38	—	.11	.25	.01	—	.57	.78	—	—	.27	.85	4
5	.15	—	.30	.36	.01	—	.03	.01	—	—	.11	.11	5
6	—	.03	.09	.25	.06	—	.38	.04	—	—	.07	.20	6
7	.04	.54	.19	.18	.13	.10	.57	.13	.14	—	.01	.15	7
8	.07	.01	.87	.02	.07	.22	.05	.07	—	—	.01	.05	8
9	.19	.05	.20	.06	.15	.77	—	.19	.72	—	—	.03	9
10	.11	.27	.12	.37	.08	.03	—	—	.32	—	.01	.02	10
11	—	.10	.40	—	.05	.11	—	—	.01	—	.06	.37	11
12	—	.63	.12	—	—	—	—	—	.27	—	.16	.04	12
13	—	.46	.63	—	—	—	.07	—	.32	.07	.22	.12	13
14	—	.68	.47	—	—	.01	.14	.90	.06	—	.29	.07	14
15	—	.07	.15	—	—	—	.04	.35	.12	.01	.63	.14	15
16	—	.01	—	—	—	—	—	—	.14	—	—	.02	16
17	—	.35	.25	—	—	—	.01	—	.04	—	—	.59	17
18	—	.15	.28	—	—	—	.02	—	.27	—	—	.39	18
19	—	.01	.22	—	—	—	1.19	—	.03	—	.88	.10	19
20	—	.33	.08	—	—	.12	—	—	—	—	—	.10	20
21	—	.17	.01	—	—	—	.07	.02	—	.16	—	.06	21
22	—	.07	.03	.02	.06	.18	.02	—	—	.66	—	.02	22
23	—	.05	.12	—	—	.03	.11	.02	—	.12	.02	—	23
24	.01	—	.11	—	—	.02	.11	.04	—	—	.04	—	24
25	.26	.01	.12	—	—	—	.14	.46	—	.36	.03	.32	25
26	.09	—	.01	—	—	—	.05	.06	—	.13	.35	.48	26
27	.13	.02	—	—	—	—	—	—	—	.13	.34	.17	27
28	.02	.03	.13	—	.10	—	—	—	—	.21	.11	.88	28
29	.20	—	.38	—	.08	—	—	—	—	.15	.51	.06	29
30	.02	X	.17	—	—	—	—	—	—	.09	.57	.17	30
31	.10	X	.01	X	.07	X	.38	—	X	.67	X	.24	31
Total	1.84	4.06	5.75	1.89	1.30	1.82	4.31	3.90	2.44	2.78	4.96	6.56	YEAR'S TOTAL 41.61
Rain Days.	16	22	28	11	14	12	21	16	12	13	23	29	217

and by c the own state 17.11.16
REGISTER OF RAINFALL IN 1915

1979
FORM A.
BRITISH RAINFALL

Kept at Normanvicary
in the County of Devon **N3**
by M. J. M. O'Connell

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Brixton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 181 ft. 6 in.
" " " " Sea Level 173 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.11	—	—	.06	—	—	.29	.12	.27	.01	.18	1
2	.35	.15	.08	.06	—	.02	—	.10	.03	.02	—	.49	2
3	.02	.02	.06	.19	.16	—	.01	—	—	—	—	.35	3
4	.05	.48	.01	—	.01	—	.42	—	—	—	—	.48	4
5	.13	.47	—	.11	—	.01	—	.20	—	—	—	.39	5
6	.42	.05	—	.21	—	—	.30	.06	—	—	—	.20	6
7	.21	.70	—	.02	1.42	—	.15	.02	—	.25	.04	.24	7
8	.24	.48	—	—	—	—	.01	.20	—	.03	.18	.05	8
9	.02	.36	—	.05	—	—	—	.06	—	—	.45	.67	9
10	.30	.23	.15	.06	—	.03	—	.02	—	.05	.03	.04	10
11	.12	.01	.10	.01	.02	—	—	—	—	.02	.79	.12	11
12	.14	.25	—	.04	.35	—	—	—	—	.03	.16	.17	12
13	.03	.30	—	.03	.51	—	.20	.03	.13	.01	.05	.68	13
14	.04	—	—	—	—	—	.17	.05	.02	—	.02	.50	14
15	.11	—	.01	—	.32	—	.17	—	.05	.93	.04	.21	15
16	.02	.94	—	.02	.09	—	1.19	—	.02	—	—	.02	16
17	.07	.23	—	—	.05	—	.02	—	—	—	—	.01	17
18	.01	.31	—	—	—	—	.01	—	—	.01	—	—	18
19	.03	.01	—	.09	.17	—	.20	—	—	—	—	—	19
20	.50	—	—	.07	.01	.05	.02	—	—	.13	—	.04	20
21	.26	.30	—	.01	.11	.03	.15	—	.12	.22	—	.18	21
22	.07	.06	.11	.05	—	.03	.27	—	.01	.22	—	.35	22
23	.06	.02	.02	—	—	.04	.07	—	.01	.77	—	.67	23
24	—	—	.01	.02	—	—	.37	—	.06	.94	—	.11	24
25	.02	—	.03	—	—	.24	.12	—	—	.02	.02	.12	25
26	—	.20	—	—	—	.02	.06	—	.04	—	—	.44	26
27	—	.03	—	—	—	.46	.07	—	.01	.43	—	.02	27
28	—	.02	—	—	—	.01	—	—	.36	.21	—	—	28
29	—	X	—	—	—	.12	—	.01	.04	.03	.18	.02	29
30	.15	X	—	.01	—	.05	—	—	.06	.32	.31	.25	30
31	.01	X	—	X	—	X	.09	.28	X	.18	X	.28	31
Total	3.72	5.73	0.50	1.04	3.28	1.11	4.07	1.32	1.08	5.08	2.28	6.29	YEAR'S TOTAL 35.94
Rain Days.	26	23	10	16	13	13	21	12	15	21	13	28	35.04

W 82
REGISTER OF RAINFALL IN 1916

1928
285
FORM A.
BRITISH RAINFALL

gh
Kept at Northam Vicarage
in the County of N. Devonshire
by Rev. Fred Dimond-Churchward

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	09		01		10	13			02				1
2	45	03	36		07			01	21				2
3	01	72	01		17	06			02				3
4	31	17		01	28	31			10				4
5	02	05			04	08			02				5
6	06	18			07								6
7	04	29	12		13								7
8		31	57		11	04							8
9		07	01		04								9
10		103		10					04				10
11		01		12	03				03				11
12	03	06	08	07	27			03					12
13		38	02		02			09	01				13
14	03	35	02		06			73					14
15	01	19	02	14				17					15
16	01	07		14	01			16					16
17	10	15	01					01	63				17
18	02	29	16	09				03	10				18
19	18	15	02	09				03	01				19
20	10	50	25										20
21	05	06	18		02	04							21
22			02			06		08					22
23	01	04	03	03		31		25					23
24		05	29	03	11	01		02					24
25		12	22		03	09		32	02				25
26	03	03	03		01	11			62				26
27	03	01	55		13	02		05	41				27
28		13	02					05	09				28
29		35	01			35		40	03				29
30		X				04							30
31		X		X		X		05	X		X		31
Total	158	579	301	82	170	165		248 248	236				YEAR'S TOTAL
Rain Days.	19	27	23	10	19	14		17	16				

RE

NORTH BOVEY.

MANDR HOUSE

DEVON

1912.

Kept at Manor H
in the County of North
by W Gurnham

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London,

London

in.

Ground 1 ft.

Sea Level 700 ft.

2 m

ame Moreton Hampstead

Distance 2 1/2 Direction Bovey

the result entered to the

ersal rule, he is earnestly

r in the space provided

ent of rain,

ish Rainfall

pplication to

Jan. 1, following.

02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	x	55	30	x	x	15	36	01	16	08	x	1
2	x	x	21	x	01	37	14	08	15	80	x	48	2
3	x	x	56	x	x	123	04	05	x	01	x	02	3
4	x	x	20	x	03	22	20	200	03	x	x	05	4
5	23	10	170	x	01	26	x	15	x	x	08	x	5
6	85	20	25	x	04	03	05	85	x	x	02	16	6
7	93	20	x	x	21	04	x	10	x	x	x	03	7
8	16	115	55	x	10	75	x	28	x	x	x	26	8
9	47	19	88	12	x	21	04	02	x	x	x	x	9
10	01	33	28	10	x	05	01	06	x	x	01	40	10
11	23	11	07	01	x	14	03	27	x	x	23	23	11
12	x	16	x	x	x	x	x	04	x	x	32	63	12
13	x	36	09	x	02	x	02	32	x	x	02	06	13
14	38	03	x	x	x	01	66	13	x	05	x	40	14
15	06	03	60	x	10	x	x	03	x	01	x	10	15
16	135	02	13	x	26	56	x	x	x	x	x	36	16
17	37	x	32	x	08	02	x	07	x	11	05	14	17
18	x	x	29	x	x	02	x	72	x	x	02	02	18
19	01	01	25	x	x	x	x	70	x	04	01	08	19
20	04	28	30	x	x	x	06	55	x	02	01	03	20
21	15	08	71	x	14	02	01	36	x	18	11	x	21
22	x	24	73	x	47	x	03	13	x	25	02	x	22
23	36	55	26	x	x	x	03	16	x	08	x	15	23
24	35	42	21	x	x	03	03	67	x	x	10	36	24
25	05	03	03	x	x	47	05	02	x	01	x	32	25
26	22	02	x	x	x	25	10	16	x	34	53	81	26
27	x	09	x	x	x	x	04	10	x	77	112	72	27
28	x	02	x	x	x	40	36	23	x	170	11	107	28
29	x	19	x	x	x	12	20	68	70	57	65	57	29
30	x		x	x	x	03	13	76	62	48	16	18	30
31	x		07		x		30	x		65		x	31
Total	622	481	874	053	147	523	268	1005	151	633	362	763	TOTAL for year
No. of Rain Days	18	23	23	4	12	21	22	29	5	18	18	25	58.84
		24		3		22					18	26	220

Kept at Manor House Gardens
in the County of North Devon
by W Gurnham

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 700 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Moretonhampstead
Distance 2 1/2 Direction Bovey

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	x	55	30	x	x	15	36	01	16	08	x	1
2	x	x	21	x	01	37	14	08	15	80	x	48	2
3	x	x	56	x	x	123	04	05	x	01	x	02	3
4	x	x	20	x	03	22	20	200	03	x	x	05	4
5	23	10	170	x	01	26	x	15	x	x	08	x	5
6	85	20	25	x	04	03	05	85	x	x	02	16	6
7	93	20	x	x	21	04	x	10	x	x	x	03	7
8	16	115	55	x	10	75	x	28	x	x	x	26	8
9	47	19	38	12	x	21	04	02	x	x	x	x	9
10	01	33	28	10	x	05	01	06	x	x	01	40	10
11	23	11	07	01	x	14	03	27	x	x	23	23	11
12	x	16	x	x	x	x	x	04	x	x	32	63	12
13	x	36	09	x	02	x	02	32	x	x	02	06	13
14	38	03	x	x	x	01	66	13	x	05	x	40	14
15	06	03	60	x	10	x	x	03	x	01	x	10	15
16	135	02	13	x	26	56	x	x	x	x	x	36	16
17	37	x	32	x	08	02	x	07	x	11	05	14	17
18	x	x	29	x	x	02	x	72	x	x	02	02	18
19	01	01	25	x	x	x	x	70	x	04	01	08	19
20	04	28	30	x	x	x	06	55	x	02	01	03	20
21	15	08	71	x	14	02	01	36	x	28	11	x	21
22	x	24	73	x	47	x	03	13	x	25	02	x	22
23	36	55	26	x	x	x	03	16	x	08	x	15	23
24	35	42	21	x	x	03	03	67	x	x	10	36	24
25	05	03	03	x	x	47	05	02	x	01	x	32	25
26	21	02	x	x	x	25	10	16	x	34	53	81	26
27	x	09	x	x	x	x	04	10	x	77	112	72	27
28	x	02	x	x	x	40	36	23	x	170	11	107	28
29	x	19	x	x	x	12	20	68	70	57	65	57	29
30	x	x	x	x	x	03	13	76	62	48	16	18	30
31	x	x	07	x	x	30	x	x	x	65	x	x	31
Total	622	481	874	053	147	523	268	1005	151	633	362	763	TOTAL for year
No. of Rain Days	18	23	23	4	12	21	22	29	5	18	18	25	5884
		24		3		22						26	220

REGIST

DEVON

NORTHLEIGH. REC.

1911-1915

Kept at Northleigh
in the County of Devon
by Evers Water Ch

in.
und ft.
Level 335 ft.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Distance 3 1/2 miles Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.01		.01	.21	.46			.19	.01	.08	.35	.39	2
3				.02	.17			.02	.02		.04	.19	3
4		.01	.05	.02				.03	.03	.01	.09	.64	4
5	.29		.06					.30		.05	.09	.01	5
6	.516		.26					.02		.03	.14	1.20	6
7	.03										.45	.02	7
8	.01		.29								.04	1.06	8
9	.04		.01								.40	.71	9
10	.18	.03	.40		.10						.02	.33	10
11	.38	.01			.06						1.14	.22	11
12	.01		1.06						.26		.06	.17	12
13											.08	.42	13
14		.05								.11	.02	1.44	14
15	.01	.02				.02				.01	.41	.02	15
16		.03	.01	.02		.62					.67	.72	16
17		.02	.15	.18		.16				.05	.25	.65	17
18		.15	.13	.07		.13				.16	.08	.31	18
19		.05	.01	.14		.08			.46	.24	.06	.63	19
20	.03	.06	.21			.01		.01	.12		.01	.26	20
21	.01	.12	.01	.01		.01			.02	.94		.18	21
22	.13	.10	.01	.02		.02			.34	.52		.66	22
23		.14	.01			.04			.08	.16	.11	.42	23
24	.01	.27				.38		.06		.59	.01	.33	24
25		.05		.20		.08		.01	.08	.18		.06	25
26		.10		.45	.02			.03	.01	.20	.05	.28	26
27		.35	.17		.66			.03	.08	.94	.04	.14	27
28		.28		.70				.05		.01	.08	.01	28
29				.43	.02	.26	.22		.25	.53	.01	.01	29
30			.01			.06			.02	.11	.35	.02	30
31							.07			.03			31
Total	1.70	1.84	3.19	2.76	1.49	1.87	.29	0.76	1.78	4.99	5.08	11.51	TOTAL for year 1911
No. of Rain Days	14	18	19	14	7	13	2	12	14	21	27	30	1911

REGIST

Kept at *Northleigh Rectory*
in the County of *Honiton* *S.7*
by *Mrs Walter Champenour*

Pattern

RAIN GAUGE

Diameter of top

Height of top above Ground

" " " Sea Level

5 in.

ft. 7 1/2

335 ft.

Time of Observation

9 a.m.

Nearest Railway Station

Name

Distance

Direction

Colyton

3 1/2 Miles

SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in. 3	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.01		.01	.29	.46			.19	.01	.08	.35	.39	2
3				.02	.17			.02	.02		.04	.19	3
4		.01	.05	.02				.03	.03	.01	.09	.64	4
5	.29		.06					.30		.05	.07	.01	5
6	.516		.26					.02		.03	.17	1.20	6
7	.03										.45	.02	7
8	.01		.29								.04	1.06	8
9	.04		.011								.40	.71	9
10	.18	.03	.70		.10						.02	.33	10
11	.38	.01			.06						1.14	.22	11
12	.01		1.06						.26		.06	.17	12
13											.08	.42	13
14		.05								.11	.02	1.44	14
15	.01	.02				.02				.01	.41	.02	15
16		.03	.01	.02		.62					.67	.72	16
17		.02	.15	.18		.16				.05	.25	.65	17
18		.15	.13	.07		.13				.16	.08	.31	18
19		.05	.01	.14		.08			.46	.24	.06	.63	19
20	.03	.06	.21			.01		.01	.12		.01	.26	20
21	.01	.12	.01	.01		.01			.02	.94		.18	21
22	.13	.10	.01	.02		.02			.34	.52		.66	22
23		.14	.01			.04			.08	.16	.11	.42	23
24	.01	.27				.38		.06		.59	.01	.33	24
25		.05		.20		.08		.01	.08	.18		.06	25
26		.10		.45	.02			.03	.01	.20	.05	.28	26
27		.35	.17		.66			.03	.08	.94	.04	.14	27
28		.28		.70				.05		.01	.08	.08	28
29				.43	.02	.26	.22		.25	.53	.01	.01	29
30			.01			.06			.02	.11	.35	.02	30
31							.07			.03			31
Total	1.70	1.84	3.19	2.76	1.49	1.87	.29	0.76	1.78	4.99	5.08	11.51	TOTAL for year
No. of Rain Days	14	18	19	14	7	13	2	12	14	21	27	30	191

REGISTER OF RAINFALL IN 1912

Kept at Northleigh Rectory
Honiton
in the County of Devon
by Mrs Walter Champenour

Pattern British
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 19 ft.
" " " Sea Level 335 ft.
Time of Observation 9 am
Nearest Railway Station { Name Colyton
Distance 3 1/2 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.06	.01		.02	.06			.04	.01	.31	2
3			.23	.01		.40	.85	.56	.02			.03	3
4	.23		1.17		.01	.36		.05	.01		.26		4
5	.68	.47	.30	.02	.04			.68	.01		.01	.30	5
6	.55	.10	.02	.02	.28	.27	.62	.40				.04	6
7	.04	.82	.25		.09	.58		.07				.31	7
8	.83	.26	.63			.13	.07					.02	8
9		.08	.02	.23		.15	.09	.06				.64	9
10	.10	.16	.03	.01			.03	.10			.03	.30	10
11		.06	.14			.07					.05	.66	11
12	.07	.50	.02				.04	.34				.03	12
13	.08		.13				.19					.13	13
14	.11	.09	.70		.24			.06				.02	14
15	.49	.20	.03		.33	.75					.01	.09	15
16	.70	.16	.62		.01	.63		.14	.04	.04	.05	.08	16
17	.19		.27		.02	.07		.22				.02	17
18	.03	.01	.14					.15	.02	.02	.05	.06	18
19	.01		.22			.06	.11	.20	.02	.02	.01	.02	19
20	.08	.28	.56		.00	.01	.01	.30	.02	.33	.02	.01	20
21		.32	.44		.74		.02	.37		.18			21
22	.50	.30	.26		.18		.16	.10		.27	.01	.05	22
23	.46	.34	.25		.01	.01	.03	.01		.02	.14	.27	23
24	.06	.05	.02			.91		.04		.01	.01	.33	24
25	.11	.02	.01			.08	.03	.22		.38	.19	.57	25
26	.01	.02				.88	.02	.12		.85	.51	.33	26
27							.60	.07		1.56			27
28		.09				.06	.16	.56	.33	.69	.43	.02	28
29		.33				.22	.09	.25	.69	.56	.01	.05	29
30			.05			.18	.20	.02	.25	.38	.01		30
31			.34				.69	.01		.03		.13	31
Total	5.33	4.66	7.20	.30	2.04	5.57	3.60	7.99	1.34	5.72	1.82	5.46	TOTAL for year
No. of Rain Days	20	21	27	6	12	21	21	26	6	17	19	28	223

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
6-JAN 1914

Kept at *Northleigh Rectory*
Houlton
in the County of *S Devon*
by *Mrs W. Champemoune*

Lat. _____ Long. _____
Time of Observation *9 a m*
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *5* in.
" " " " Sea Level *335* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.21	.22	.05	.08				.13	.04	.14	.04	1
2	.23	.06	.01	.18	.25		.02		.01	.05	.16	.02	2
3	.67	.01	.05	.03	.26				.01	.01	.01	.25	3
4	~~1.87~~		.01		.22	.04			.15	.23	.17	.25	4
5	.03	.07	.01		.33	.12	.02		.87	.01	.65	.36	5
6	.14	.09	.07		.03	.10	.02		.01	.64	.05	.36	6
7	.01	.43	.05		.88	.02	.02			.46	.55	.01	7
8	.09	.09	.01	.01	.33	.01				.08		.01	8
9	.01	.02			.07	.12		.08		.01	.63	.02	9
10	.96	.01		.02	.11	.02		.02		.57	.09		10
11	1.08	.01		.11	.09	.06				.05	.90		11
12	.01				.35	.01			.02	.01	.50	.02	12
13	.29	.01	.02		.01			.12	.49		.15	.01	13
14	.46	.01	.11	.07	.01				.10	.01	.18		14
15	.30	.01	.53	.42					.14	.01	.01		15
16	.19	.01	.51	.04		.01			.16				16
17	.07		.02	.10							.01		17
18	.10		.60	.12	.02						.10		18
19	.68		.08	.01	.04	.34	.01		.63	.01	.01		19
20	.30		.24	.67		.01			.01	.10	.23	.01	20
21	.01		.22	.12	.05					.01	.56		21
22	.08		.42	.34	.01	.10	.02	.01	.14	.01	.01	.16	22
23	.01		.01		.01				.01		.16	.68	23
24	.01	.11		.05		.05					.03	.02	24
25		.01		.39				.05	.01	.02	.01	.03	25
26				.18	.2			.27	.01	.01		.18	26
27	.31		.25	.67				.01		.07		.01	27
28	.39		.04	.42						.55	.01	.13	28
29	.12		.93	.40				.02		.53	.01	.01	29
30	.52		.01	.01	.01					.61	.01		30
31	.26		.10				.07	.56		.03			31
Total	9.27	1.16	4.58	5.08	3.85	1.02	.18	1.17	2.90	4.13	4.74	2.46	40.54
Rain Days.	29	16	24	22	19	15	8	9	17	25	26	20	229

cont. in month 10-11-15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at Northleigh Rectory
in the County of Devon
by Mrs W. Champenourne

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colyton
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.05	.02		.07	.21	.58			.21	.04	1
2			.03		.13	.01	.45	.07			.84	.41	2
3	.03		.27	.31	.73			.22			.25	.09	3
4	.17		.04	.30	.15		.62	.16			.50	.56	4
5	.15		.09	.20	.16		.02	.01			.01	.01	5
6		.17	.02	.21	.07		.06					.66	6
7	.03	.90	.07	.10	.17	.04	.23	.23	.04		.01	.39	7
8	.04	.01	.55	.03	.15	.20	.30	.07				.09	8
9	.02	.04	.55	.45	.04	.67		.26	1.24			.01	9
10	.06	.66	.01	.11	.12	.05		.01	.40			.04	10
11	.01	.11	.66	.01	.08	.17			.06	.03	.04	.95	11
12		.15	.18			.01			.25	.18	.02	.85	12
13		.34	.40				.08		.21	.19	.30	.23	13
14		.27	.25		.01	.20		1.47		.16			14
15	.02	.01	.25				.03	.22	.01	.02	.65	.08	15
16	.01	.01	.16					.01	.57				16
17		.54	.25				.01		.01			.66	17
18		.10	.06				.26		.43			.29	18
19		.07	.61			.01	3.14		.01		.05	.08	19
20		.66	.10			.04	.01					.43	20
21		.65	.01					.02		.36		.02	21
22		.04	.07		.13	.08		.03		.23		.02	22
23		.10	.34		.03		.01			.99		.02	23
24		.06	.04		.18			.02		.07	.76	.01	24
25	.07	.01	.48				.03	.73		.66	.04	.28	25
26	.09	.01	.11				.06	.01		.05	.29	.55	26
27	.05	.01	.01				.04			.03	.12	.31	27
28	.01	.10	.64		.07					.18	.34	1.38	28
29	.10		.16		.10		.05			.21	.74	.04	29
30	.01		.14	.02	.01					.17	.34	.97	30
31	.18		.01		.02		.64			1.75		.39	31
Total	1.07	5.03	6.60	1.76	2.25	1.64	5.95	4.12	3.25	4.68	4.92	9.75	51.32
Rain Days.	18	24	31	11	18	12	18	17	11	16	19	9.29	224

REGISTER OF RAINFALL IN 1915

1925
FORM A.
BRITISH RAINFALL
14 JAN 1916

Kept at Northleigh Rectory
in the County of Devon
by W. W. Champennow

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colyton
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 335 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.35						.35	.12	.34	.04	.28	1
2	.40	.15	.19	.05		.09		.36	.01	.35		.40	2
3	.02	.10	.08	.04	.20	.01	.01	.02			.01	.52	3
4	.09	.10			.03			.02				.23	4
5	.03	.78	.01	.08				.39				.78	5
6	.02	.15		.44			.84	.04			.01	.27	6
7	.50	.88		.11			.29				.04	.22	7
8	.16	.42		.08			.04	.08			.05	.15	8
9	.02	.10		.14			.01	.01			.56	.72	9
10	.26	.35	.03	.03			.01			.19	.02	.07	10
11	.10	.74	.05				.02	.11		.01	1.00	.12	11
12	.20	.65	.01	.04	.50			.43		.09	.41	.02	12
13		.53			.29			.02	.08	.01	.10	.08	13
14							.25	.48	.12	.01	.01	.41	14
15	.21	.07			.26		.25	.01	.01	.05	.04	.08	15
16		1.40			.08		1.29		.02	.01		.24	16
17		.69			.03		.01	.05			.01	.02	17
18		.26			.01		.15					.01	18
19				.14	.64			.15			.01		19
20	.27				.01	.13	.01	.01		.54	.01	.05	20
21	.23		.01			.04	.13			.46		.03	21
22	.09	.06	.31			.25	.60		.01	.01		.38	22
23	.01		.07			.02	.19		.20	2.21		.68	23
24		.03	.01				.20		.29	.24		.48	24
25	.09		.01	.05		.16	.62		.11	.01	.02	.27	25
26	.02	.05				.03	.22		.01			.85	26
27	.01						.08		.01	.90	.01		27
28		.20				.72			.27	.12	.02	.04	28
29						.40	.11		.01	.01	.24	.08	29
30	.23	X					.03		.01	1.10	.52	.31	30
31		X		X		X	.15	.02	X	1.67	X	.24	31
Total	4.99	8.01	.78	1.20	2.05	1.85	5.54	2.54	1.28	8.39	3.43	4.12	YEAR'S TOTAL 48.08
Rain Days.	21	21	11	11	10	11	23	17	15	20	20	29	209

REGI

DEVON.

OAKFORD

Kept at Oakford

in the County of Devon

by FGA

1916

16

ong.

9 a.m.

on Bampton, Devon

Rain Gauge in.

above Ground ft. in.

Sea Level 650 ft.

FORM A.
BRITISH RAINFALL.
JAN 1917

Jan. 1, following.

IMPORTANT NOTE. Rainfall measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.47	.07	.25				.33			1
2				.01	.12	.01			.08	.43	.30		2
3					.26	.03				.46	.32		3
4				.04	.32	.58	.22		.11	.25	.80		4
5					.26	.24				.10	.69		5
6					.18	.18	.48				.44		6
7					.20	.06				.03	.98	.17	7
8					.24	.46					.44	.15	8
9					.13	.03	.66			.10	.02	.24	9
10				.12	.06					.10			10
11				.42	.09				.02	.01		.18	11
12				.17	.38		.12	.63		.22		.10	12
13				.8	.01			.45	.02	.03			13
14					.19			.30		.09			14
15				.19				.40	.01	.03			15
16				.29			.09	.53		.17			16
17				.15					.72	.22	.35		17
18				.23					.35	.19			18
19				.23						.01	.60		19
20				.03								.58	20
21					.05						.22	.28	21
22						.15				.76			22
23						.14				.09	.04	.50	23
24				.14	.46	.10		.28		.58	.18	.45	24
25						.02		.53	.09	.01	.54		25
26						.12		.41	1.13	.80		.30	26
27						.12		.11	.35	1.12		.20	27
28								.09	.19	.54		.35	28
29						.50		1.80		.46		.75	29
30		X			.09				.10	.29		.08	30
31		X		X	.51	X		.13	X	.14	X	.26	31
Total	2.84	4.36	6.98	2.10	3.51	2.81	1.22	5.06	3.17	7.56	5.42	4.51	YEAR'S TOTAL
Rain Days.				12	17	16	5	12	12	27	14	15	56.04

REG

16

Kept at

Oakford

in the County of

Devon

by

F. G. Buller

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Bampton, Devon

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

" " " " Sea Level

650

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.47	.07	.25				.33			1
2				.01	.12	.01			.08	.43	.30		2
3					.26	.03				.46	.32		3
4				.04	.32	.58	.22		.11	.25	.80		4
5					.26	.24				.10	.69		5
6					.18	.18	.48				.44		6
7					.20	.06				.03	.98	.17	7
8					.24	.46					.44	.15	8
9					.13	.03	.66			.10	.02	.24	9
10				.12	.06					.10			10
11				.42	.09				.02	.01		.18	11
12				.17	.38		.12	.63		.22		.10	12
13				.8	.01			.45	.02	.03			13
14					.19			.30		.09			14
15				.19				.40	.01	.03			15
16				.29			.09	.53		.17			16
17				.15					.72	.22	.35		17
18				.23					.35	.19			18
19				.23						.01	.60		19
20				.03								.50	20
21					.05						.22	.28	21
22						.15				.76			22
23						.14				.09	.04	.50	23
24				.14	.46	.10		.28		.58	.18	.45	24
25						.02		.53	.09	.01	.54		25
26						.12		.41	1.13	.80		.30	26
27						.12		.11	.85	1.12		.20	27
28								.09	.19	.54		.35	28
29						.50		1.80		.46		.75	29
30		X			.09				.10	.29		.08	30
31		X		X	.21	X		.13	X	.14	X	.26	31
Total	2.84	4.36	6.98	2.10	3.51	2.81	1.22	5.06	3.17	7.56	5.42	4.51	YEAR'S TOTAL
Rain Days.				12	17	16	5	12	12	27	14	15	56.04

DEVON.
OKEHAMPTON,
BELSTONE WATCHET.
1920

BRITISH RAINFALL ORGANIZATION.
1920

Long. _____
Station _____
Inlet of Rain Gauge _____ in.
Gauge above Ground _____ ft. _____ in.
" " Sea Level _____ ft.

Kept at Okeham
in the County of _____
by _____

IMPORTANT NOTE. Rain should be measured daily and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	in.	
1								(5.0)	2.8	2.2		(18.5)	1
2								4.0	4.7	5.1		(38.5)	2
3									2.2	40.0		7.3	3
4								12.0	5	10.0		7.5	4
5								~~0.2~~	3	13.5		5	5
6									4	4.5			6
7									1.1	5.0			7
8								1.2	5			4.5	8
9													9
10									~~0.5~~	(10)			10
11										2			11
12										7	540	+	12
13										8.0		+	13
14										1		+	14
15									4.5				15
16								6	15.5	37.0			16
17								3	37.0	2.7			17
18								7.1	3.3				18
19									1.4	2			19
20								5.0		3.1			20
21								1	4	1			21
22								1	1	5		35.0	22
23								8.1		1		7.0	23
24								1		2		20.0	24
25											700	4.5	25
26												6.5	26
27											10.0	7.0	27
28												35.0	28
29											28.5		29
30		X							22.0	(16.0)	(20.0)	18.0	30
31		X		X		X						5.0	31
TOTAL								(43.6)	96.7	(149.3)	(12.5)	176.3	YEAR'S TOTAL
Days with 0.1 in. or more								38.8	97.2			196.3	
Days with 0.4 in. or more								.9	16			14	

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at Okehampton, Belstone & Alchet
in the County of N Devon
by Miss Wells

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.		in.				in.	in.	
1								(5.0)	2.8	2.2		(18.5)	1
2								4.0	4.7	5.1		(38.5)	2
3									2.2	40.0		7.3	3
4								12.0	5	10.0		7.5	4
5								~~0.2~~	3	13.5		5	5
6									4	4.5			6
7									1.1	5.0			7
8								1.2	5			4.5	8
9													9
10									~~0.5~~	(10)			10
11										2			11
12										7	54.0	+	12
13										8.0		+	13
14									4.5	1		+	14
15													15
16								6	15.5	37.0			16
17								3	37.0	2.7			17
18								7.1	3.3				18
19									1.4	2			19
20								5.0		3.1			20
21								1	4	1			21
22								1	1	5		35.0	22
23								8.1		1		7.0	23
24								1		2		20.0	24
25												4.5	25
26												6.5	26
27											10.0	7.0	27
28												35.0	28
29											28.5		29
30		X							22.0	(16.0)	(20.0)	18.0	30
31		X		X		X						5.0	31
TOTAL								(43.6)	96.7	(149.3)	(112.5)	176.3	YEAR'S TOTAL
Days with ".01 in. or more								38.8	97.2			146.8	
Days with ".04 in. or more								.9	16			14	

REGISTER OF RAINFALL IN 1920.

Kept at Waxley Hill, Baldone
in the County of Devon
by J. W. C. Terry

Lat. 50° 43' N Long. 3° 58' W
Time of Observation 9 a.m.
Nearest Railway Station Okehampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " " Sea Level 1100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	/	.03	.08	.64	/							1
2	.56	/	/	.44	.02	/							2
3	.56	/	/	.05	.01	/							3
4	/	/	.03	/	/	/							4
5	/	.02	.78	.03	.22	/							5
6	/	/		.04	.40	/							6
7	.07	/	.04	.42	.10	/							7
8	/	.09	/	.17	.15	/							8
9		.21	.05	.05	/	.15							9
10		.28	.12	/	/	.29							10
11		.03	.11	.67	.09	.04							11
12		/	/	.41	/	.07							12
13		/	.91	.27	/	.03							13
14		.10	.41	1.05	/	/							14
15		.24	.05	1.25	.07	.44							15
16		.02	.07	.15	/	/							16
17		.18	.03	/	.64	/							17
18		/	/	.12	.12	.19							18
19		/	/	.10	.08								19
20		/	/	.95	.10								20
21		/	/	/	/	/							21
22		/	/	/	/	.13							22
23		/	/	/	/	/							23
24		/	.45	.07	/	incomplete							24
25		/	.25	/	/								25
26		/	.47	/	/								26
27		.10	.47	.23	/								27
28		.03	.45	.15	/								28
29		/	.76	.20	.10								29
30		X	/	.06	.13								30
31		X	X	X	/	X			X		X		31
TOTAL	9.22	1.30	5.90	6.96	2.87	1.34							YEAR'S TOTAL
Days with ".01 in. or more	?	11	20	22	15	8							

ORHAMPTON

ORGANIZATION.

1919.

Long. 14°W.

on 9 a.m.

Station Orhampton, L.S.W.R.

Height of Rain Gauge 5 in.

Gauge above Ground 1 ft. 0 in.

Sea Level 500 ft.

Result entered to the previous day.

If requested to add

for it at the end of

the year of rain gauges,

Rainfall Observers,

Organization, 62, Camden

his form.

Jan. 1, following.

(1.20)

Kept at Orhampton

in the County of Devon

by W. H. H. H.

GRAMMAR SCHOOL.

DEVON.

1919 -

IMPORTANT

If an Observer prefers the reading at 9 a.m. this paragraph. Full and particulars as to sent post-free on application to the Meteorological Office, 62, Whitehall, London, N.W.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.49	—	—	0.09	0.18	0.04	0.15	0.10	—	0.40	—	0.51	1
2	0.31	—	—	0.03	0.31	—	0.31	—	—	0.25	—	1.14	2
3	0.63	—	0.10	—	0.11	0.36	—	—	—	0.03	—	0.11	3
4	0.15	—	0.40	—	0.14	0.56	—	0.21	0.46	—	—	0.62	4
5	—	0.23	0.54	—	—	0.06	0.23	—	—	—	—	0.02	5
6	—	0.27	1.04	—	0.10	—	—	0.41	—	—	—	0.10	6
7	1.5	0.50	0.36	—	—	0.20	—	—	—	0.07	—	—	7
8	0.05	—	0.63	0.115	—	0.04	—	—	—	—	—	0.20	8
9	—	—	0.13	0.145	0.15	—	—	—	—	—	—	0.54	9
10	—	—	0.16	0.17	0.04	—	—	—	0.15	—	—	—	10
11	0.12	—	0.63	0.11	0.03	0.05	—	—	0.16	—	1.14	—	11
12	0.23	—	0.85	0.35	0.13	0.10	0.16	—	—	0.12	—	0.24	12
13	0.28	0.02	0.17	0.13	—	—	—	—	—	0.20	—	0.32	13
14	0.11	0.10	0.09	0.48	—	—	0.09	0.04	0.50	0.05	—	0.20	14
15	0.53	—	—	0.88	0.32	—	0.05	—	—	0.25	—	0.20	15
16	0.43	—	—	0.10	—	—	—	0.10	—	0.14	—	0.65	16
17	0.16	0.80	—	—	0.02	0.05	—	0.11	0.01	—	0.12	0.02	17
18	0.04	0.08	0.01	—	—	0.30	—	0.17	—	—	1.16	0.04	18
19	0.10	0.59	0.62	—	—	0.30	0.10	0.45	—	—	0.59	—	19
20	0.35	0.08	0.18	—	—	0.15	0.25	0.84	0.36	—	0.45	0.21	20
21	0.27	0.07	0.15	—	—	—	0.01	—	—	0.56	0.20	0.26	21
22	0.15	0.53	—	—	—	0.04	0.45	—	—	—	—	0.14	22
23	—	0.30	—	—	0.01	—	0.19	0.07	0.19	—	0.24	0.75	23
24	—	—	0.01	—	0.15	0.25	0.40	0.32	—	0.30	—	0.64	24
25	—	—	—	0.01	0.02	0.03	—	—	—	—	—	0.02	25
26	0.11	0.02	—	0.01	0.06	0.02	—	—	—	—	0.24	0.09	26
27	0.50	0.04	0.23	0.32	—	0.02	—	0.50	—	0.47	0.24	0.75	27
28	0.30	—	—	0.29	—	0.01	—	0.70	—	—	0.25	—	28
29	0.30	—	0.45	0.14	0.30	—	—	—	0.34	—	0.42	0.09	29
30	—	—	—	0.16	0.01	—	—	—	0.01	0.80	—	0.11	30
31	—	—	0.15	—	—	—	—	—	—	—	—	1.30	31
TOTAL	7.11	3.63	6.09	3.53	2.08	2.48	2.39	4.02	2.77	3.58	4.46	9.2	51.91
Days with 0.1 in. or more	22	14	17	17	18	18	12	13	10	12	12	26	189

REGISTER OF RAINFALL IN 1919.

Kept at Okelamptn Grammar School
in the County of Devon
by W. Hunter Esq.

Lat. 50° 31' N Long. 4° 1' W
Time of Observation 9 a.m.
Nearest Railway Station Okelamptn, L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(.20)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.49	—	—	0.09	0.18	0.04	0.15	0.10	—	0.40	—	0.51	1
2	0.31	—	—	0.03	0.31	—	0.31	—	—	0.25	—	1.14	2
3	0.63	—	0.10	—	0.11	0.36	—	—	—	0.03	—	0.11	3
4	0.15	—	0.40	—	0.14	0.56	—	0.21	0.46	—	—	0.62	4
5	—	0.23	0.54	—	—	0.06	0.23	—	—	—	—	0.02	5
6	—	0.27	1.04	—	0.10	—	—	0.41	—	—	—	0.10	6
7	1.5	0.50	0.36	—	—	0.10	—	—	—	0.01	—	—	7
8	0.05	—	0.63	0.115	—	0.84	—	—	—	—	—	0.20	8
9	—	—	0.13	0.145	0.15	—	—	—	—	—	—	0.52	9
10	—	—	0.16	0.17	0.04	—	—	—	0.15	—	—	—	10
11	0.12	—	0.63	0.11	0.03	0.05	—	—	0.16	—	1.14	—	11
12	0.23	—	0.85	0.35	0.13	0.10	0.16	—	—	0.12	—	0.24	12
13	0.28	0.02	0.17	0.13	—	—	—	—	—	0.20	—	0.32	13
14	0.11	0.10	0.09	0.48	—	—	0.09	0.04	0.50	0.05	—	0.20	14
15	0.53	—	—	0.88	0.32	—	0.05	—	—	0.25	—	0.20	15
16	0.43	—	—	0.10	—	—	—	0.10	—	0.14	—	0.65	16
17	0.16	0.80	—	—	0.02	0.05	—	0.11	0.01	—	0.12	0.02	17
18	0.04	0.08	0.01	—	—	0.30	—	0.17	—	—	1.16	0.04	18
19	0.10	0.59	0.62	—	—	0.30	0.10	0.45	—	—	0.59	—	19
20	0.35	0.08	0.18	—	—	0.15	0.25	0.84	0.36	—	0.45	0.21	20
21	0.27	0.07	0.15	—	—	—	0.01	—	—	0.56	0.20	0.26	21
22	0.15	0.53	—	—	—	0.04	0.45	—	—	—	—	0.14	22
23	—	0.30	—	—	0.01	—	0.19	0.07	0.19	—	0.24	0.75	23
24	—	—	0.01	—	0.15	0.25	0.40	0.32	—	0.30	—	0.64	24
25	—	—	—	0.01	0.02	0.03	—	—	—	—	—	0.02	25
26	0.11	0.02	—	0.01	0.06	0.02	—	—	—	—	0.24	0.09	26
27	0.50	0.04	0.23	0.32	—	0.02	—	0.50	—	0.47	0.24	0.75	27
28	0.30	—	—	0.29	—	0.01	—	0.70	—	—	0.25	—	28
29	0.30	~~—~~	0.45	0.14	0.30	—	—	—	0.34	—	0.42	0.09	29
30	—	~~—~~	—	0.16	0.01	—	—	—	0.01	0.80	—	0.11	30
31	—	~~—~~	0.15	~~—~~	—	~~—~~	—	—	~~—~~	—	~~—~~	1.30	31
TOTAL	7.11	3.63	6.09	3.53	2.08	2.48	2.39	4.02	2.77	3.58	4.46	9.2	51.91
Days with "01 in. or more	6.22	14	6.99	3.62	1.94	2.59	2.34	3.92	2.58	3.18	5.05	8.96	51.93

REGISTER OF RAINFALL IN 1919.

Kept at Okehampton
in the County of Devon
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	49	-	-	18					-	40	-	51	1
2	31	-	-	31					-	25	-	14	2
3	63	-	10	11					-	03	-	11	3
4	15	-	40	14					46	-	-	62	4
5	-	23	54	-					-	-	-	02	5
6	-	27	04	10					-	-	-	10	6
7	15	50	36	-					-	01	-	-	7
8	05		63	-					-	-	-	20	8
9	-		13	15					-	-	-	54	9
10	-		16	04					15	-	-	-	10
11	12		63	03					16	-	14	-	11
12	23		85	13					-	12	-	24	12
13	28	02	17	-					-	20	-	32	13
14	11	10	09	-					56	05	-	20	14
15	53		-	32					-	25	-	20	15
16	43		-	-					-	14	-	65	16
17	16	80	-	02					01	-	12	02	17
18	04	08	01						-	-	16	04	18
19	10	59	62						-	-	59	-	19
20	35	08	18						36	-	48	21	20
21	27	07	15						-	56	20	26	21
22	15	53	-						-	-	-	14	22
23	-	30	01						19	-	24	75	23
24	-	-	15						-	30	-	64	24
25	-	-	02						-	-	-	02	25
26	11	02	06						-	-	24	09	26
27	50	04	23						-	47	24	75	27
28	30		-						-	-	25	-	28
29	30		45	30					34	-	42	09	29
30	-		-	01					01	80	-	11	30
31	-		15									130	31
TOTAL	7.11	3.62	6.90	2.08					2.77	3.38	4.16	9.87	YEAR'S TOTAL
addn. in. ore	1.08	3.63	10.76	2.07					2.18	3.58	5.09	9.27	

22

REG

OKEHAMPTON
OAKLANDS
DEVON

Kept at Okehampton
in the County of North
by Maj. Gen. Flo

1911 - 1920

FORM A2.
BRITISH RAINFALL
20 JAN 1912

in.
round 1 ft. in.
sea Level 500 ft.

ame
Distance Direction

the result entered to the
ersal rule, he is earnestly
r in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

IMPORTANT NOTE

previous day. If an Obs
requested to add the read
for it at the end of this
the selection and placin
Organization are given in "Rules for
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10		04	30	15						06		1
2			03	11	30			18		24	31	33	2
3			07		42			03	03		69	15	3
4			05					39			05	60	4
5	34		13					29		03	40	14	5
6	33		15					07			27	157	6
7	07										84		7
8	11		26								20	78	8
9	14										66	78	9
10	12		47		25						18	50	10
11	34				07				04		30	21	11
12	25		42						50		37	83	12
13			05						23		05	24	13
14		18	03								12	48	14
15		05	11			07					74	10	15
16		05			03	12					15	55	16
17		12	59			24					25	94	17
18		52	21	54		63				22	45	72	18
19		07		17		50			41	22	15	88	19
20		05	12	21		11			40	63		55	20
21		34				06			33	22		14	21
22		07		15		13			17	41		40	22
23		30				30			15	52		19	23
24	06	34				55		18		81		29	24
25	16			25		07			10	30		44	25
26	03	10		52	06			12		20	05	21	26
27		90			04	03		47	23	35		30	27
28		28		72				03			26		28
29		X		40	26	73	24		33	40			29
30		X				10	06		03	42	11	11	30
31		X		X		X	03		X	13	X		31
Total	2.05	3.37	2.73	3.37	1.58	3.64	.33	1.76	2.95	5.10	6.66	12.43	45.97
No. of Rain Days	12	14	15	10	9	14	3	9	13	13	22	26	162

REG

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Okehampton, Oaklands
in the County of North Devon N.3.
by Maj. Gen. Holley

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10		04	30	15						06		1
2			03	11	30			18		24	31	33	2
3			07		42			03	03		69	15	3
4			05					39			05	60	4
5	34		13					29		03	40	14	5
6	33		15					07			27	1.57	6
7	07										84		7
8	11		26								20	78	8
9	14										66	78	9
10	12		47		25						18	50	10
11	34				07				04		30	21	11
12	25		42						50		37	83	12
13			05						23		05	24	13
14		18	03								12	48	14
15		05	11			07					74	10	15
16		05			03	12					15	55	16
17		12	59			24					25	94	17
18		52	21	54		63				22	45	72	18
19		07		17		50			41	22	15	88	19
20		05	12	21		11			40	63		55	20
21		34				06			33	22		14	21
22		07		15		13			17	41		40	22
23		30				30			15	52		19	23
24	06	34				55		18		81		29	24
25	16			25		07			10	30		44	25
26	03	10		52	06			12		20	05	21	26
27		90			04	03		47	23	35		30	27
28		28		72				03			26		28
29		X		40	26	73	24		33	40			29
30		X				10	06		03	42	11	11	30
31		X		X		X	03		X	13	X		31
Total	2.05	3.37	2.73	3.37	1.58	3.64	.33	1.76	2.95	5.10	6.66	12.43	15.97
No. of Rain Days	12	14	15	10	9	14	3	9	13	15	22	26	162

52

comp with 22.11.13

W.

1856

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Okehampton, Oaklands
in the County of North Devon **N3**
by Maj. Gen. Holley

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			15			46		21	12	52		40	2
3	08		30			159	07						3
4	08		30			17	04	1.00	23			06	4
5	08		1.17			17		15			25		5
6		15	52		06		10	74			03	17	6
7	83	15		07	28			25				14	7
8	13	76	36	08	25	48		21				10	8
9	24	09	30	06		19	18						9
10	04	23	18	10								77	10
11	27						05	23			29	10	11
12		18									56	66	12
13	03	28	25		03		04	27				08	13
14	12	03					26	15		08		50	14
15	17		72		12			34				16	15
16	57		11		20	1.30		04				91	16
17	11		47		03	05		20		19	13	10	17
18			17		09	14		59				28	18
19		04	30				04	1.10		14	12	05	19
20	05	37	12			11		49		14	05	07	20
21	07	05	40		10			90		75	10		21
22		18	35		90			31		33			22
23	07	25	20		04			44		11		23	23
24	38	66	27			05		1.45		10	23	27	24
25	03	04	24			19	04			03		21	25
26	09					36		25		25	70	15	26
27		05					08	13		40	76	28	27
28		03	04			33	49	22		1.45		77	28
29		21				37	15	67	72	29	50	78	29
30		19				19	15	05	37	42	06	16	30
31		X				28	25		15	90			31
		X	32	X	03	X	36	05	X	05	X	25	
Total	3.83	~~3.9~~ 3.94	7.24	31	2.13	6.43	2.30	~~10.44~~ 10.44	1.59	6.15	3.78	~~7.65~~ 7.65	TOTAL for year
No. of Rain Days	18	19	22	4	12	17	15	25	5	17	13	25	55.79

REGISTER OF RAINFALL IN 1913

Kept at Okehampton, Oaklands

in the County of H. Devon

by May Gen. E. H. Holley

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 6.00 ft.

2/22
BRITISH RAINFALL
FORM A.
28 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	30	22	15	08					06	29	20	1
2	09	13	06	14	07					12	31	10	2
3	22		26		25				20	07		50	3
4	1.09		27						45	26	03	31	4
5	15	12			10	77	22		15		35	1.07	5
6	12	09	32		04	17	15			71	38	26	6
7	03	60	09		83	32				49	11		7
8	04	20			30		05	06		03	03		8
9	10	08	14		13	34	09	15	05		45	12	9
10	71		08	06	04	05		06		35	17		10
11	68			09	23	07				15	95	15	11
12	15					05					32		12
13	10		17					12	25		13		13
14	24		31	11					08	11	32	07	14
15	17		54	1.19					07		12	05	15
16	55		86	10			08		12		11		16
17	04		11	17			06				20		17
18	34		39	35		32					21		18
19	72		14				04		22	15			19
20	55		28	15					03	09	79		20
21	05		19	09	23		10	11			24		21
22	48		75	03	05	13		17	05	02		24	22
23	07							07			11	84	23
24	07	24		04							09		24
25		03		53					10	03	06	15	25
26				1.34						01		60	26
27	14		40	25						57	04	15	27
28	03		09	29	05				10	50		29	28
29	09	X	73	60						27	05		29
30	58	X		05	03				03	77	10		30
31	30	X	37	X		X		67	X	04	X		31
Total	7.93	1.79	6.77	5.73	2.43	2.22	79	1.41	1.90	4.80	5.96	5.10	46.83
Rain Days.	29	9	22	19	14	9	8	8	14	20	25	16	193

82
✓
REGISTER OF RAINFALL IN 1914

23 JAN 1915
FORM A
BRITISH RAINFALL

Kept at Oaklands Cheshampton
in the County of H. Devonshire
by Maj. Gen. E. H. Holley

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 5.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06	39		15	40	29			54	24	1
2			03	07			18	08			03	1.03	2
3	07		32	21	42			43				45	3
4	43		23	27	34		15	32			50	1.08	4
5	09		41	49	10			07				10	5
6		14	18	29	11		33	07			07	47	6
7	07	91	65	17	15	13	32	20	18			27	7
8	12		1.81		07	42		05					8
9	20		56	16	17	54		11	65			07	9
10	08	57	13	28	12	09			43			33	10
11		17	90			22			13		13	65	11
12		92	23						44	07	29	36	12
13		56	53						50	09	56	12	13
14		60	60					56	05		31	09	14
15			28				29	17	06	07	26	15	15
16			07						13			08	16
17		70	65				04		03			97	17
18		17	18						25			48	18
19		09	30				1.67		14		11	28	19
20		40	77			48		41				15	20
21		56					14	16		22			21
22		05	06	04	08	07				75			22
23		09	20				16	05		12			23
24		40	08				07	38		18	10		24
25	22		17		15		15			19	07	34	25
26	18		05				14	09		05	35	69	26
27	15		05							42	29	34	27
28	05	11	17		16		37			33	21	90	28
29	60	X	11		10		03			06	66	10	29
30	03	X	15							31	65	1.39	30
31	15	X		X	05	X	23		X	1.32	X	69	31
Total	2.44	6.44	9.93	2.37	2.02	2.10	4.67	3.44	2.99	4.18	5.13	11.82	57.53
Rain Days.	14	16	29	10	13	8	16	16	12	14	17	26	191

REGISTER OF RAINFALL IN 1915

Kept at Oakhlands, Okehampton

in the County of N. Devon

by Maj. Gen. E. H. Holley

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.32			.10			.88	.54	.32	.04	.31	1
2	.30	.60	.18	.18				.22		.03		.36	2
3	.32	.30	.22	.22	.11		.10	.03				.70	3
4	.09	.73	.04									.28	4
5		.80		.20				.12				.66	5
6	1.09	.08		.33			.65	.04				.22	6
7	.49	.63	.04	.15			.63			.06		.31	7
8	.26	.50						.10		.05	.21	.13	8
9	.05	.20		.27							.63	.91	9
10	.68	.36	.10					.49		.09	.16	.10	10
11	.25	.03	.05	.07			.06	.04		.05	.69	.12	11
12	.06	.74			.67			.22		.11	.31	.08	12
13	.09	1.00		.08	1.06			.59	.06		.34	.11	13
14	.17						.25	.44	.03	.15	.20	1.14	14
15	.35				.33		.12		.12	.13	.03	.13	15
16	.03	1.08			.12		1.09					.08	16
17	.08	.24			.04								17
18		.43											18
19	.12	.05			.08		.25						19
20	.73			.29	.04	.14				.09		.05	20
21	.25	.17			.17		.22			.07		.31	21
22	.04	.11	.13	.09			.45			.16		.47	22
23	.11		.06			.04	.19		.05	.58		1.02	23
24							.05			.43		.93	24
25			.05			.22	.36					.34	25
26		.23				.30	.22		.16			.67	26
27		.13				.25	.30		.04	.45			27
28		.05		.09		.20			.42	.32		.03	28
29						.56					.17	.13	29
30	.25					.15			.10	.50	.59	.57	30
31	.03						.17	.05		.45		.32	31
Total	6.18	8.78	.87	1.97	2.72	1.86	5.11	3.22	1.52	4.04	3.37	10.48	50.12
Rain Days.	23	22	9	11	10	8	16	12	9	18	11	27	176

REGISTER OF RAINFALL IN 1916

Kept at Oaklands, Okehampton

in the County of N. Devonshire

by Maj. Gen. E. H. Holley

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16				35	11	28		06	10	13		1
2	1.05	04	22		09		06		16	18	41		2
3		1.62			29		04		12	44	20	07	3
4	52	20			03	80	09		13	18	1.07		4
5	09	10	04		19	16				15	44		5
6	29	30			18	29	46			25	66		6
7	20	31	18		28					10	96	27	7
8		40	21		16	15					11	24	8
9	04	15				07	07			30	10	47	9
10		65		16						04		05	10
11				26									11
12	13	18	42	10	09		18	08		42			12
13		67	06		03			73	08	06			13
14	09	62	10		15			27		20			14
15	03	42	11					30		05			15
16	03	08		42				32		16			16
17	11	18		03					56	40	1.27		17
18	04	47	37	09				04	26	10	04		18
19	30	12		25							48		19
20	13	57	28								18	61	20
21	21	14	22		05						08	25	21
22						04		13		65	06	60	22
23	03					15		16		20	13	26	23
24			19		25			07		62	06	20	24
25		13	34			05		67		13	53	06	25
26	05	05	13			10		50	76	1.00	15		26
27	04	74	1.22		10	05		04	22	1.10			27
28		05	05			04		14	41	35		98	28
29		39	09			53		1.50	07	33		80	29
30		X		32						45			30
31		X						14	X	14	X	12	31
Total	3.54	8.58	4.23	1.63	2.24	2.54	1.18	5.09	2.83	8.10	7.06	4.98	52.00
Rain Days.	19	23	17	8	14	13	7	15	11	26	19	14	186

REGISTER OF RAINFALL IN 1917

Kept at Oaklands, Okehampton
in the County of N. Devonshire
by E. H. Holley

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.05	.25		.11		.39	.07		.12		1
2	.06		.03	.27		.15				.03			2
3	.22			.15			.40			.88	.41		3
4			.43				.05		.05	.45			4
5	.30		.56	.50		.80		.03		.46	.25		5
6	.06		.57			.15		.05	.16	.08	.31	.05	6
7	.58						.27	.11		.46	.20	.06	7
8	.14		.15	.20		.09	.17	.55	.06	.93	.50	.45	8
9			.04	.13	.08		.05	.10		.66	.53		9
10	.14		.18	.30				.13		.07			10
11	.10		.43	.54				.87		.47	.25		11
12	.40			.07	.24			.25		1.12			12
13	.17		.10	.12		.06		1.00	.41	.37		.08	13
14				.10			.04	.81	.05	.23		.06	14
15				.06				.24		.48		.34	15
16		.16		.03			.20	.04		.37	.03	.30	16
17		.03	.03	.32			.41	.20	.38	.19			17
18		.03			.34	.08	.45	.05	.77	.10			18
19		.34	.16			.20			.04		.04		19
20		.27	.03		.67	.09		.17	.07		.13	.17	20
21			.08			.10		.03		.07	.30		21
22						.15		.47		.27			22
23		.10			.18	.04		.75		.25	.11	.14	23
24						.12	.15	.10		.46	.22	.03	24
25		.06	.07				.12	.25	.03	.29	.11		25
26					.30	.05		.17	.27	.19	.13		26
27						.32		1.12		.17	.06		27
28		.08	.21		.14	1.85		.67		.13		.04	28
29		X	.12			.31		.09		.67	.03	.25	29
30		X	.10					.19		.10			30
31		X	.09	X	.39	X		.17	X	.15	X		31
Total	2.22	1.07	3.43	3.04	2.34	4.67	2.31	9.00	2.36	10.10	3.73	1.97	46.24
Rain Days.	11	8	19	14	8	17	11	27	12	28	18	12	185

REGISTER OF RAINFALL IN 1918

Kept at *Oaklands, Okehampton*
in the County of *N. Devonshire*
by *E. H. Holley*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
22.119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		04	06	25	09			64	03	03	1.10		1
2		30		05							10	20	2
3		16		16	04				03	21	30	03	3
4		07						10	49		59	33	4
5		03	28	26	30			77	35	40	03		5
6	30	60	21	50	18					23		13	6
7		26			03				45	32	56	19	7
8	07	15				07			34	24	04		8
9	07	16				24	45		54	14	06	50	9
10	21			22			65		55	24		34	10
11	10	17	10		04		20		65	05	07	43	11
12		13	05		25		18		08			09	12
13	32	10			06		14		50	03		81	13
14	29					20	19		29	06		17	14
15	2.21					10	18		20	29		45	15
16	56			74			10		20	04		15	16
17	41			20			10	18	11			34	17
18	1.28					56	26	06	43	30		63	18
19	22	03	07	06			07	05	09			30	19
20	45	18		26		09	05		33	05		03	20
21	20	09				15	06		68	05		25	21
22					24		93		34	08		43	22
23	12			03			15		07		06	34	23
24		30					07	22	25		18	18	24
25					23		34	56		09	23	15	25
26		23		05			25	06	28		08	45	26
27		24	22			06		21	50		28	12	27
28		38	16						05		26	22	28
29		X	10						1.22			19	29
30		X	44	11				09	05	07	03	13	30
31		X	30	X		X		03	X		X	07	31
Total	6.81	3.62	1.99	2.86	1.49	1.47	4.37	2.97	9.10	2.92	3.97	7.65	49.22
Rain Days.	15	19	11	12	11	8	18	12	27	19	16	28	196

REGISTER OF RAINFALL IN 1919

Kept at Oaklands, Okehampton
in the County of N Devonshire
by E H Holley

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	65		06				32						1
2	20		05				03						2
3	05		48										3
4	21	28	69				16						4
5	52	23	70										5
6	81	47	33										6
7	28		30										7
8	28		15										8
9	27		04										9
10	12		60										10
11	08		75				16						11
12	32	17	15										12
13	12		07				09						13
14	54	13					06						14
15	31	06											15
16	19	71											16
17	03	40											17
18	05	16	70				06						18
19	24	08	14				26						19
20	23	07	13										20
21	17	81					35						21
22		03					18						22
23													23
24													24
25	23												25
26	38	05	21										26
27	31												27
28			37										28
29													29
30		X	10										30
31		X	42	X		X	04		X		X		31
Total	6.59	3.65	6.44	4.02			1.71						YEAR'S TOTAL
Rain Days	24	14	20	15			11						

REGISTER OF RAINFALL IN 1920.

Kept at W. L. and S. L. and S. L.
in the County of Devon
by E. P. Burt

Lat. 50° 44' N Long. 4° W
Time of Observation 9.30 a.m.
Nearest Railway Station W. L. and S. L.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.03	.08	.65	~~.71~~	.78	.22	.02	.26	.05	.56	1
2	.61			.52	.03	~~.53~~	.28		.30	.26		.23	2
3	.50	.17		.09	.01	~~.15~~	.15	.47	.09	1.76		.40	3
4			.03	.01		~~.03~~	.03	.62	.02	~~.45~~			4
5		.01	.33	.02	.30	~~.15~~	.23	.11	.01	1.16			5
6			.53	.04	.51		.05		.01	.30	.01		6
7	.10		.13	.54	.12		.21		.03		.02	.02	7
8	.02	.07		.22	.08		.26	.03				.20	8
9	1.09	.23	.05	.06		.14	.46						9
10	1.49	.43	.14	.02		.31	.33				.05		10
11	.24	.04	.10	.60	.10	.01	.13			.01			11
12	.46	.15	.26	.56	.05	.06	.06			.02	.21	.20	12
13	.31	.07	.76	.07		.01	.01			.18		.03	13
14	.15	.10	.74	1.03			.11		.16	.33	.87	.01	14
15		.24	.06	1.00	.03	.29			.06	.77	.10		15
16		.01	.10	.05	.02	.02	.22	.01	.41	.19	.23		16
17	.13		.09	.08	.56	.52		.05	1.03	.08			17
18	.37		.06	.07	.14	.06		.42	.19				18
19	.11	.09		.93	.05	.12			.02	.01		.04	19
20	.12			.27	.19	.15				.06		.45	20
21				.08		.02	.17		.02			.36	21
22	.08			.02			.10					.31	22
23	.02						.78	.32				.42	23
24	.05		.42	.05			.03				.38	.37	24
25	.30	.02	.40			.03	.83					.13	25
26	.60	.12	32			.06	.15				.31	.10	26
27	1.50		25	.30		.45	.08				.84	.40	27
28	.83	.03	59	.17		.19	.11				.10	.07	28
29	.91		59	.20	.19	.19	.09				.14	.49	29
30	.32	~~X~~	~~X~~	.12	.14	.41	.26		.62	.22	.77	.51	30
31	.33	~~X~~	82	~~X~~		~~X~~	.10		~~X~~	.42	~~X~~	.20	31
TOTAL	10.62	1.78	6.80	7.20	3.17	3.04	6.01	2.25	2.99	5.48	4.08	5.50	YEAR'S TOTAL
Days with ".01 in. or more	25	15	23	27	17	18	26	9	15	17	14	21	225
Days with ".04 in. or more	21	11	21	23	14	13	23	7	8	12	12	15	184

REC

DEVON

Kept at

Ottert

OTTERTON VICARAGE

in the County of

Devon

by

Rev. Ric

1911-1913, 1915

6 in.

above Ground

Sea Level

Name

Distance

FORM A2.
BRITISH RAINFALL.
2 MAY 1912

East Budleigh

Went

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.23				.01				.01	1
2				.07	.36			.21		.04	.24	.23	2
3					.13						.06	.05	3
4			.09					.03	.02		.14	.37	4
5	.05		.05					.16		.03	.10		5
6	.34		.33							.01	.08	.97	6
7	.02			.01							.37	.01	7
8			.15								.08	.65	8
9											.40	.57	9
10	.03	.05	.27		.04							.20	10
11	.17				.05						.94	.12	11
12			.86						.03		.03	.11	12
13									.32		.01	.60	13
14		.14								.16		1.00	14
15		.05				.02					.22	.10	15
16						.39					.53	.39	16
17			.39			.15					.24	.33	17
18		.15	.14	.20		.09				.12	.12	.38	18
19			.01	.06		.44			.30	.19	.19	.40	19
20	.02	.04	.16	.05					.04	.04		.50	20
21		.10		.05		.06			.03	.79		.12	21
22	.27	.05		.02		.05			.19	.06		.57	22
23		.08				.14			.07	.18	.07	.26	23
24	.01	.12				.74				.35		.28	24
25		.04		.04		.08			.09	.06		.17	25
26		.08		.24	.02	.01		.01		.22	.04	.14	26
27		.20	.06	.01	.01			.11	.09	.90	.04	.21	27
28		.33		.45				.02	.01		.04		28
29				.17	.94	.18	.45		.16	.18			29
30						.07			.02	.14	.09	.04	30
31							.07			.01			31
Total	.91	1.43	2.51	1.60	1.55	2.42	.52	.55	1.37	3.58	4.03	8.78	TOTAL for year 29.25
No. of Rain Days.	8	13	11	13	7	13	2	7	13	17	22	27	153

REC

FORM A2.
BRITISH RAINFALL.

Report at Otorton Vicarage
in the County of Durham
by Rev. Richard Baynour

Pattern Gunnel
RAIN GAUGE Diameter of top 6 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 80-90 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name East Budleigh
Distance 4 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.23				.01				.01	1
2				.07	.36			.21		.04	.24	.23	2
3					.13						.06	.05	3
4			.09					.03	.02		.14	.37	4
5	.05		.05					.16		.03	.10		5
6	.34		.33							.01	.08	.97	6
7	.02			.01							.37	.01	7
8			.15								.08	.65	8
9											.40	.57	9
10	.03	.05	.27		.04							.20	10
11	.17				.05						.94	.12	11
12			.86						.03		.03	.11	12
13									.32		.01	.60	13
14		.14								.16		1.00	14
15		.05				.02					.22	.10	15
16						.39					.53	.39	16
17			.39			.15					.24	.33	17
18		.15	.14	.20		.09				.12	.12	.38	18
19			.01	.06		.44			.30	.19	.19	.40	19
20	.02	.04	.16	.05					.04	.04		.50	20
21		.10		.05		.06			.03	.79		.12	21
22	.27	.05		.02		.05			.19	.06		.57	22
23		.08				.14			.07	.18	.07	.26	23
24	.01	.12				.74				.35		.28	24
25		.04		.04		.08			.09	.06		.17	25
26		.08		.24	.02	.01		.01		.22	.04	.14	26
27		.20	.06	.01	.01			.11	.09	.90	.04	.21	27
28		.33		.45				.02	.01		.04		28
29				.17	.94	.18	.45		.16	.18			29
30						.07			.02	.14	.09	.04	30
31							.07			.01			31
Total	.91	1.43	2.51	1.60	1.55	2.42	.52	.55	1.37	3.58	4.03	8.78	TOTAL for year 29.25
No. of Rain Days.	8	13	11	13	7	13	2	7	13	17	22	27	153

REGISTER OF RAINFALL IN 1912

Kept at Otterton Vicarage
 in the County of Dorset
 by The Rev. Richard Seymour

RAIN GAUGE Pattern Copper
 Diameter of top 5 in.
 Height of top above Ground 7 ft.
 " " " Sea Level 80 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name East Budleigh
 Distance 4 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.16	.03		.25	.08		.02	.53		.35	2
3			.12			.34	.05	.02		.02	.02	.01	3
4	.13		.62			.30	.19	1.06	.01		.01	.03	4
5	.34	.28	.30		.02	.18		.61			.01	.32	5
6	.42	.08			.31	.06	.05	.20			.03	.05	6
7	.01	.64	.18		.16	1.03		.08				.44	7
8	.40	.23	.48	.02		.51	.05					.01	8
9	.06	.04	.02	.10		.33	.04	.03				.33	9
10	.08	.08	.13			.03	.01	.08	.02		.04	.44	10
11	.15	.03						.02			.04	.02	11
12	.02	.35	.09			.01	.07	.38					12
13	.06	.01				.02	.04	.01		.01		.03	13
14	.05		.42		.14			.16				.01	14
15	.38	.17	.02		.35	.33						.07	15
16	.36	.01	.27		.02	.03		.04		.03	.02	.01	16
17	.22		.16			.14		.78				.02	17
18	.10	.03	.13					.06				.04	18
19	.03	.11	.24			.04	.09	.09				.04	19
20	.06	.10	.33		.14		.02	.41		.19	.04		20
21		.06	.28		.45			.11		.15			21
22	.31	.36	.09		.16		.06	.08		.16	.02	.06	22
23	.50	.32	.23		.02	.01	.01	.43		.16	.16	.23	23
24	.11	.05				.34		.07		.06		.13	24
25	.35					.17	.05	.49		.26	.11	.47	25
26	.01	.03					.01	.08		.35	.38	.31	26
27						.41	.58	.19		1.12		.28	27
28		.08				.05	.16	.34	.18	.46	.38	.53	28
29		.19				.46	.11	.22	.57	.43		.01	29
30						.25	.05	.01	.27	.33			30
31			.29				.63	.01		.12		.03	31
Total	4.15	3.25	4.68	.15	1.77	5.55	2.35	6.09	1.07	4.38	1.58	4.27	TOTAL for year 39.29
No. of Rain Days	22	21	21	3	10	23	20	28	6	16	14	26	210

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
21 JAN 1914

Kept at Otorton Vicarage
in the County of S. Devon
by the Rev. Richard Seymour

RAIN Gauge { Pattern Funnel
Diameter of top 5 in.
Height of top above Ground 7 ft.
" " " Sea Level 80 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name East Budleigh
Distance 1/4 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.20	.08	.08	.13				.15	.16	.18		1
2	.03	.09		.11	.14		.05			.01	.08		2
3	~~(43)~~ .33		.01	.01	.34							.25	3
4	1.08		.01		.15		.01		.12	.42	.10	.15	4
5	.10	.08	.05		.13	.09	.04		.67		.28	.46	5
6	.04	.07	.07		.06	.10	.11			1.69	.02	.24	6
7		.41	.07		.37	.01	.11			.29	.20	.01	7
8	.06	.10			.36		.03			.02	.01	.02	8
9	.01	.01			.06		.02	.05			.21		9
10	.46	.01			.05			.02		.18	.04		10
11	.93			.10	.27	.07				.02	.71		11
12	.05				.44	.02			.01		.46	.01	12
13	.21							.11	.14		.13		13
14	.30		.08	.04	.16					.01	.14		14
15	.37		.40	.28					.02		.01		15
16	.18		.36	.08		.01			.20				16
17	.05		.03	.01									17
18	.03		.16	.05	.06						.05		18
19	.45		.08		.02	.01			.41	.01			19
20	.25		.24	.28		.07				.14	.09		20
21			.12	.21	.09					.02	.43		21
22	.34		.53	.02			.01	.01	.12	.03		.18	22
23			.01			.05				.01	.11	.67	23
24	.01	.04		.05				.01			.01		24
25		.01		.23					.02	.04			25
26				.74				.18				.11	26
27	.44		.15	.41						.16			27
28	.58		.06	.29						.37		.06	28
29	.16		.45	.31				.02		.08		.07	29
30	.20				.01			.03	.46	.40			30
31	.17		.10					.76		.03			31
Total	6.93	1.02	3.06	3.30	2.84	.43	.38	1.19	2.32	4.09	3.26	2.23	TOTAL for year 31.05
No. of Rain Days.	25	10	20	18	17	9	8	9	11	20	19	12	178

REGISTER OF RAINFALL IN 1915

Kept at Otorton Vicarage
in the County of Deron
by Rev R Seymour

Lat. 51 Long. 3
Time of Observation 9 a m
Nearest Railway Station East Budleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft.
" " " " Sea Level 80 ft.

BRITISH RAINFALL
FORM A.
21 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.21						.17	.22	.39		.21	1
2	.20	.17	.16	.02		.12		.62		.22		.36	2
3	.02	.07	.06	.05	.23					.01		.60	3
4	.01	.07			.02			.01				.39	4
5	.04	.41						.37				.53	5
6	.55	.23		.25			.46	.01				.23	6
7	.25	.44		.06			.16				.02	.25	7
8	.11	.32					.05	.10				.05	8
9	.01	.06		.05							.30	.82	9
10	.13	.43	.04	.05						.08	.02	.08	10
11	.11	.61	.15	.02	.02		.03	.02		.03	.88	.02	11
12	.21	.38		.08	.53			.12		.04	.48	.01	12
13		.35			.20			1.57	.04		.15		13
14							.25	.15	.05	.10	.02	.56	14
15	.08	.02			.27		.06	.01		.05	.03	.09	15
16	.03	.73			.23		.65			.01		.13	16
17	.01	.57			.11			.01				.01	17
18		.14			.01								18
19	.01	.01			.40	.09	.17						19
20	.19	.01		.10						.35		.08	20
21	.25	.03				.01	.05			.43		.04	21
22	.04	.04	.35	.03	.01	.01	.38					.22	22
23	.01	.04	.06	.01		.16	.10		.14	2.33		.30	23
24		.04		.02			.93		.14	.11		.38	24
25	.04		.02			.57	.02				.06	.28	25
26	.02	.08				.22	.19					.79	26
27	.01	.02				.28	.12			.66		.01	27
28		.07				.16			.30	.22	.03	.07	28
29						.40					.13	.05	29
30	.16	~~X~~				.01			.01	.73	.40	.23	30
31	.03	~~X~~		~~X~~		~~X~~	.14	.01	~~X~~	1.30	~~X~~	.33	31
Total	2.80	5.55	.84	.74	2.03	2.03	3.76	3.17	.90	7.06	2.52	7.14	YEAR'S TOTAL 38.542
Rain Days.	25	26	7	12	11	11	16	13	7	17	12	28	185

REGI

DEVON.

Kept at Ottery St Mary

OTTERY ST MARY.

in the County of Devon

by W A Wilcock

1911-1912
1914-1918

FORM A2.
BRITISH RAINFALL.
1912
5 in.
e Ground 1 ft. 2 in.
Sea Level 200 ft.
Name Ottery St Mary
Distance 1/2 m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.12							.02		1
2			.03	.02	.47			.11		.19	.32	.22	2
3					.12				.01		.04	.11	3
4	.12		.10					.03		.01	.10	.62	4
5	.26		.02					.37		.06	.29	.02	5
6	.04		.22					.01		.03	.11	1.23	6
7											.42	.03	7
8	.02		.24								.06	.91	8
9	.14										.34	.75	9
10	.33	.04	.35		.09							.23	10
11			.02		.06						.73	.17	11
12			.86					.02			.07	.21	12
13									.30	.01	.05	.70	13
14		.02	.02							.04		1.54	14
15		.03				.01					.22	.03	15
16						.57					.57	.84	16
17	.02	.01	.30	.05		.15					.11	.66	17
18		.14	.11	.22		.14				.14	.02	.45	18
19		.05		.05		.18			.39	.25	.16	.56	19
20		.04	.17	.11		.02			.07	.22		.90	20
21	.03	.06		.02		.02			.07	.82		.07	21
22	.02	.04		.03					.30	.32		.61	22
23		.02	.03			.07			.05	.12		.23	23
24		.22				.44		.06		.34		.24	24
25		.04		.17		.05			.05	.12		.11	25
26		.11		.32	.05	.01		.01		.12	.04	.20	26
27		.22	.10		.06	.01		.02	.11	.87	.02	.17	27
28		.24		.52				.07			.06		28
29				.42		.25	.40		.25	.37			29
30					.04					.10	.22	.03	30
31							.03			.06			31
Total	1.04	1.40	2.71	2.29	.89	1.92	.43	.76	1.60	4.19	4.09	11.80	TOTAL for year
No. of Rain Days.	9	15	15	12	7	13	2	9	10	19	21	27	33.12

REGI

Kept at Ottery St Mary
in the County of Devon S.7
by H A Wilcock

Pattern Army & Navy
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 200 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ottery St Mary
Distance 1/2 m Direction SW

FORM A2.
BRITISH RAINFALL.
FEB 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.12							.02		1
2			.03	.02	.47			.11		.19	.32	.22	2
3					.12				.01		.04	.11	3
4	.12		.10					.03		.01	.10	.62	4
5	.26		.02					.37		.06	.29	.02	5
6	.04		.22					.01		.03	.11	1.23	6
7											.42	.03	7
8	.02		.24								.06	.91	8
9	.14										.34	.75	9
10	.33	.04	.35		.09							.23	10
11			.02		.06						.73	.17	11
12			.85					.02			.07	.21	12
13									.30	.01	.05	.70	13
14		.02	.02							.04		1.54	14
15		.03				.01					.22	.03	15
16						.57					.57	.74	16
17	.02	.01	.30	.05		.15					.11	.66	17
18		.14	.11	.22		.14				.14	.02	.45	18
19		.05		.05		.18			.39	.25	.16	.56	19
20		.04	.17	.11		.02			.07	.22		.90	20
21	.03	.06		.02		.02			.07	.82		.07	21
22	.02	.04		.03					.30	.32		.61	22
23		.02	.03			.07			.05	.12		.23	23
24		.22				.44		.06		.34		.24	24
25		.04		.17		.05			.05	.12		.11	25
26		.11		.32	.05	.01		.01		.12	.04	.20	26
27		.22	.10		.06	.01		.02	.11	.87	.02	.17	27
28		.24		.52				.07			.06		28
29				.42		.25	.40		.25	.37			29
30					.04					.10	.22	.03	30
31							.03			.06			31
Total	1.04	1.40	2.71	2.29	.89	1.92	.43	.76	1.60	4.19	4.09	11.80	TOTAL for year
No. of Rain Days.	9	15	15	12	7	13	2	9	10	19	21	27	33.12

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
21 JAN 1913

Kept at *The Manor House*
Ottery St Mary
in the County of *Devon*
by *W. S. W. Mork*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Ottery St Mary*
Diameter of Rain Gauge *4* in.
Height of top of Gauge above Ground */* ft. _____ in.
" " " " Sea Level *20 ft.* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.18			.40	.05	.03	.04	.70	.01	.32	1
2			.21	.02		.10	.07			.02	.02	.03	2
3			.18			.27	.18	1.50	.03		.02	.02	3
4	.22	.01	.96			.24		.02			.22		4
5	.46	.23	.25		.05	.16		.85				.23	5
6	.53	.12	.02		.27	.08	.33	.57				.04	6
7	.03	.85	.24	.03	.13	.81		.16				.25	7
8	.57	.22	.50	.02		.30	.06	.04	.02			.05	8
9	.09	.02		.13		.58	.05	.04				.73	9
10	.13	.17	.10	.01		.01		.09	.03		.04	.30	10
11	.07	.07	.02					.02			.04	.45	11
12	.02	.35	.13		.02	.05	.07	.23				.03	12
13	.04						.06	.03				.07	13
14	.08	.01	.58		.13			.17		.02			14
15	.65	.12	.03		.44	.69						.07	15
16	.75		.25		.03	.03		.11		.03	.04	.10	16
17	.09		.27		.01	.13		.75				.05	17
18	.15	.02	.19				.10	.06		.03	.05	.05	18
19	"	.12	.40			.03	.10	.11		.03	.02	.02	19
20	.08	.08	.52		.17		.02	.61		.25	.03		20
21	.28	.18	.43		.57		.04	.38		.12			21
22	.46	.22	.27		.34	.01	.03	.09		.19		.06	22
23	.06	.37	.22		.02	.01		.37		.05	.11	.29	23
24	.12	.03	.01			.61	.09	.05		.01		.27	24
25						.07		.29		.20	.16	.62	25
26							~~57~~	.08		.28	.41	.31	26
27						.46	~~57~~	.28		1.37		.25	27
28		.10				.15	.02	.49	.38	.45	.49	.45	28
29		.71				.67	.06	.34	1.10	.65		.08	29
30			.02			.39	.12	.02	.22	.39			30
31			.23				.48	.02		.13		.06	31
Total	4.88	4.00	6.21	0.21	2.18	6.25	2.50	7.75	1.82	4.92	1.66	5.18	YEARS TOTAL 47.56
Rain Days.	20	20	24	5	12	23	18	29	7	18	14	25	216

REGISTER OF RAINFALL IN 1914

Kept at The Manor House Olting St Mary
in the County of Devon
by W A Wilkins Esq

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Olting St Mary
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 200 ft.

FORM A.
BRITISH RAINFALL
16 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	09	04	-	06	38	47	-	-	10	03	1
2	-	-	03	08	08	-	45	-	-	-	61	49	2
3	04	-	09	20	56	-	-	17	-	-	06	02	3
4	11	-	03	25	08	-	54	11	-	-	52	62	4
5	07	-	10	24	10	-	01	-	-	-	-	02	5
6	-	18	02	15	03	-	04	02	-	-	04	46	6
7	02	1.35	07	03	08	14	24	18	14	-	-	26	7
8	05	-	53	05	11	21	-	09	-	-	-	13	8
9	-	04	39	41	05	65	-	18	1.18	-	-	-	9
10	10	60	02	13	08	18	-	-	54	-	01	04	10
11	-	13	39	-	05	17	33	-	-	-	03	99	11
12	-	17	17	-	-	-	-	-	17	07	02	1.07	12
13	-	21	32	-	-	-	04	-	26	23	20	23	13
14	-	17	28	-	-	12	-	92	-	11	33	04	14
15	-	01	11	-	-	-	05	27	02	04	08	04	15
16	-	-	01	-	-	-	03	-	31	-	-	02	16
17	-	23	25	-	-	-	-	-	01	-	-	43	17
18	-	06	13	-	-	-	16	-	10	-	-	27	18
19	-	08	64	-	-	-	275	-	03	-	09	03	19
20	-	50	16	-	-	05	-	01	-	-	-	19	20
21	-	81	-	-	-	-	-	-	-	37	-	-	21
22	-	01	04	-	17	05	-	02	-	13	-	-	22
23	-	05	25	-	03	-	02	-	-	43	-	-	23
24	-	07	03	-	18	-	01	08	-	05	12	08	24
25	09	-	47	-	03	-	08	36	-	40	02	17	25
26	07	01	-	-	-	-	09	02	-	03	26	64	26
27	01	-	-	-	-	-	-	-	-	04	14	20	27
28	-	-	53	-	07	-	-	-	-	24	27	93	28
29	05	06	10	-	10	-	06	-	-	18	45	02	29
30	-	X	10	-	-	-	-	-	-	23	27	89	30
31	08	X	-	X	03	X	44	-	X	1.10	X	31	31
Total	69	4.74	5.45	1.58	1.83	163	5.72	2.90	2.76	3.65	3.62	8.62	YEAR'S TOTAL
Rain Days.	11	19	27	10	17	9	18	14	10	15	19	27	43.69
													43.19
													196

REGISTER OF RAINFALL IN 1915

Kept at Ottery St Mary
in the County of Devon
by W & W. Monk

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ottery St Mary
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 200 ft.

FORM A.
BRITISH RAINFALL
9-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.33	.	.	.	.	.	.65	.17	.37	.01	.21	1
2	.18	.13	.15	.04	.	.11	.	.40	.	.06	.	.37	2
3	.	.11	.04	.05	.14	.	.01	.02	.	.	.	.52	3
4	.11	.11	.	.	.02	.	.01	.01	.	.	.	.17	4
5	.02	.82	.01	.09	.	.	.	.28	.	.	.	.60	5
6	.81	.08	.	.29	.	.	.49	.03	.	.	.	.35	6
7	.45	.56	.	.09	.	.	.21	.	.	.	.04	.16	7
8	.12	.55	.	.	.	.	.02	.09	.	.	.08	.07	8
9	.	.03	.	.10	.	.	.	.	.	.	.34	.47	9
10	.21	.65	.04	.04	.	.	.	.82	.	.16	.04	.05	10
11	.13	.70	.07	.02	.02	.	.	.13	.	.02	.90	.08	11
12	.17	.76	.	.08	.45	.	.	.65	.	.02	.38	.02	12
13	.01	.52	.	.	.16	.	.	.17	.07	.01	.13	.03	13
14	.	.	.	.	.	.	.12	.53	.11	.02	.02	1.05	14
15	.17	.03	.	.	.25	.	.19	.	.	.02	.03	.06	15
16	.02	1.12	.	.	.11	.	.88	.	.	.	.	.06	16
17	.	.38	.	.	.03	.	.	.	.	.	.	.04	17
18	.	.10	.	.	.01	.	.	.07	.	.	.	.	18
19	.03	.02	.	.	.40	.	.13	.	.	.	.	.	19
20	.17	.	~~20~~	.15	.	.12	.	.	.	.57	.	.09	20
21	.22	.04	~~20~~	.	.	.	.07	.	.	.17	.	.03	21
22	.10	.06	20	.05	.	.05	.55	.	.	.02	.	.29	22
23	.	.05	68	.	.	.07	.08	.	.10	1.65	.	.54	23
24	.	.	.	.02	.	.	.17	.	.22	.21	.	.32	24
25	.05	.	.	.02	.	.39	.19	.	.	.	.06	.36	25
26	.02	.04	.	.	.	.02	.06	.	.	.	.	.71	26
27	.	.02	.	.	.	.90	.13	.	.	.64	.	.02	27
28	.	.03	.	.	.	.15	.01	.	.31	.14	.02	.04	28
29	.	.	.	.	.	.33	.07	.	.02	.	.20	.09	29
30	.13	X	.	.	.	.02	.	.	.02	1.34	.42	.38	30
31	.04	X	.	X	.	X	.13	.	X	1.30	X	.18	31
Total	3.51	7.24	0.54	1.04	1.59	2.16	3.52	3.05	1.01	6.72	2.67	7.40	40.45
Rain Days.	21	27	7	13	10	10	19	13	8	17	14	29	182

REGISTER OF RAINFALL IN 1916

Kept at Olling H. Mary
in the County of Dum
by W. A. W. W.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Olling H. Mary
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 2.07 ft.

1882
FORM A.
BRITISH RAINFALL
9 FEB 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	"	.05	"	.31	.03	.05	"	.10	.25	.09	"	1
2	.06	.06	"	"	.02	"	.29	"	.06	.25	.38	"	2
3	"	1.25	"	"	.29	.02	.29	"	.06	.59	.30	"	3
4	.06	.20	"	"	.07	.18	"	"	.02	.07	.96	"	4
5	.01	.01	.14	"	.15	.10	"	"	"	.02	.12	"	5
6	.02	.12	.02	"	.05	.12	.77	"	"	.15	1.07	"	6
7	.05	.20	.20	"	.05	.01	.04	"	"	.05	.64	.17	7
8	"	.25	.27	"	.26	.03	"	"	"	"	.24	.20	8
9	"	.02	"	"	.00	.14	.05	"	"	.09	.10	.36	9
10	"	.51	"	.05	.03	"	(.02)	"	"	.01	.02	.23	10
11	"	"	.02	.07	"	.03	"	"	"	"	"	"	11
12	.07	.05	.20	.02	.15	"	.11	.08	"	.03	.02	"	12
13	"	.19	.08	.06	"	"	.02	.58	"	"	"	"	13
14	.03	.52	.05	"	.07	"	"	.12	"	.02	"	"	14
15	"	.07	.18	.10	"	"	"	.06	"	.05	"	"	15
16	.12	.05	"	.19	"	"	.11	1.57	"	.03	"	"	16
17	.16	.07	"	.06	"	"	"	"	.25	.46	1.45	"	17
18	.11	.14	.24	.03	"	"	"	"	.22	.04	"	.06	18
19	.09	.21	.43	.03	"	"	"	"	.04	"	"	.06	19
20	.08	1.05	.24	"	"	"	"	"	"	"	.03	.95	20
21	.03	.22	.12	"	.05	"	"	"	"	"	"	.22	21
22	"	"	"	"	"	.09	"	.10	"	.37	.02	.87	22
23	.02	"	"	.10	"	.21	"	.34	"	.13	.10	.08	23
24	"	.21	.03	.03	.61	.01	"	.07	"	.78	.02	.38	24
25	"	.35	.10	"	.11	"	"	.35	"	.03	.22	.01	25
26	.02	.16	.04	"	.01	.23	"	.32	1.16	.98	.02	"	26
27	"	"	1.47	"	"	.25	"	.23	.46	.20	"	"	27
28	"	.14	"	"	"	"	"	.10	.20	.55	"	.28	28
29	"	.41	.01	"	"	.34	"	1.52	.08	.20	"	"	29
30	"	X	"	"	"	"	"	"	"	.32	"	"	30
31	"	X	"	X	"	X	"	.04	X	.26	X	.03	31
Total	1.10	6.46	3.89	.74	2.43	1.80	1.46	5.48	2.65	5.93	5.80	390	YEAR'S TOTAL 41.64
Rain Days.	16	24	19	11	16	15	9	14	11	25	18	14	192

REGISTER OF RAINFALL IN 1917

Kept at Olney St Mary
in the County of Durn
by W. S. Willock

Lat. 50° 45' N Long. 3° 17' W
Time of Observation 9 a.m.
Nearest Railway Station Olney St Mary
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 200 ft.

FORM A.
BRITISH RAINFALL
11 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03		15	36		23		50	05		04	~~07~~	1
2	02		06	14		07				03	01	~~04~~	2
3	04			06			53	04		07	~~83~~ ⁸³		3
4	"	11	120				02			31		02	4
5	06		~~53~~	36		03		06	10	21	07		5
6			16					33		01	12		6
7	56		~~16~~			03	02	~~20~~		~~87~~	~~07~~	02	7
8	10		26	14			52	26	05	38	~~09~~	25	8
9			02	11			06	15		31	16		9
10	24		35	18				29	03		05		10
11	04		67	18				17	~~17~~ ⁶³	26	10		11
12	06				58				~~17~~	25	01	01	12
13			21	01		02		30	07	06			13
14				05			06	93	04	02			14
15			~~01~~	10			26	04	03	13		37	15
16		07		05			02	03	01	22	01	25	16
17		01	01	04			25	11	42	12			17
18		12		01	06	02	08	02	50	02			18
19		45	16			15			10				19
20		10	06		34	04		46	19			06	20
21			09			07		02			02		21
22										05			22
23		25			25			18		14		02	23
24						05	28	01		10	02		24
25		05	06				03	10	06	07	05		25
26					39	04		52	10	07	02		26
27					27	20		73		02	02		27
28		05	11		10	88		18				03	28
29			07			21		03		64		12	29
30		~~X~~	17				07	14		03			30
31		~~X~~	14	~~X~~	02	~~X~~	05		~~X~~	16	~~X~~	03	31
Total	1.15	1.21	4.48	1.79	2.01	2.04	2.25	5.80	1.92	3.85	1.69	1.18	YEAR'S TOTAL 25.37
Rain Days.	9	9	19	14	8	14	14	25	15	25	17	11	180

REGISTER OF RAINFALL IN 1918

137

FORM A.
BRITISH RAINFALL

Kept at *The Mann House Ottery St Mary*
in the County of *S Devon*
by *W A Wilcock*

Lat. *50°45' N* Long. *3°17' W*
Time of Observation *9 a.m.*
Nearest Railway Station *Ottery St Mary*
Diameter of Funnel of Rain Gauge *4* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *2.00* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.18		.12	.04			1.10		.03	1.25		1
2		.16		.16				.02			.02	.06	2
3		.05	.01	.20	.06			.02		.03	.13	.03	3
4		.02		.01				.12	.16		.80	.30	4
5			.46		.39			.81	.90	.11		.09	5
6	.24	.06		.21					.05	.09	.04	.28	6
7		.18			.19				.21	.07	.41	.12	7
8	.04	.23							.07	.39	.04	.03	8
9	.10			.06		.06	.21		.37		.02	.20	9
10	.06			.23		.02	.41		.18	.15	.03	.52	10
11			.10	.02			.28		.15	.07		.10	11
12		.08	.16				.05		.21	.03		.02	12
13	.12	.02			.83		.60		.69	.23			13
14	.13				.04	.13	.10		.14	.23		.15	14
15	1.30			.05	.09	.02	.43		.02	.02		.26	15
16	.47		.01	.29		.05	.03	.01	.29			.10	16
17	.17		.03	.13			.37			.02		.15	17
18	.83		.04			.74	.08	.02	.64	.05		.12	18
19	.22		.16	.02		.11	.23		.01	.01		.07	19
20	.13	.12		.10		.04	.07		.13				20
21	.06	.05				.09	.07		.23	.04		.50	21
22	.03				.18		.55		.07	.07		.26	22
23	.14				.10		.39	.03	.08		.02	.12	23
24	.01	.22					.04	.06	.17		.16	.17	24
25				.20	.09		.10	.52		.08	.13	.07	25
26		.03					.30	.02			.09	.16	26
27	.01	.10	.05						.36		.16		27
28		.16	.16	.01				.09	.02		.03	.03	28
29			.12						1.03			.04	29
30		X	.33	.10		X		.03	.03	.04	.13	.03	30
31		X	.05	X		X		.01	X		X		31
Total	4.06	1.76	1.70	1.91	1.96	12.6	4.31	2.86	6.15	1.69	3.46	4.00	35-12
Rain Days	17	15	13	16	10	9	18	14	24	19	16	26	197